



SNC-LAVALIN
Morrow Environmental

Client:
Shell Canada Products

Borehole No. : BH06-2

Location:
2691 Sooke Road, Colwood, BC

(Page 1 of 1)

Drilling Contractor: Drillwell Enterprises Ltd.
Drilling Method : Solid Stem Auger/Hollow Stem Auger
Borehole Dia. (m) : 0.20
Pipe/Slotted Pipe Dia. (m): 0.05, 0.05

Date Monitored : 2007 01 12
Ground Surf Elev. (m) : 70.86
Top of Casing Elev. (m) : 71.365

Project Number : 130445
Borehole Logged By : MCA
Date Drilled : 2006 11 16
Log Typed By : MAL

Depth in Metres	Soil Description	Stratigraphy Plot	Sample Interval/ Core Run	Sample Number	Blow Count	% Recovery	Soil Vapour (ppm)				Well Name: MW06-2
							1	2	3	4	
0	SAND and GRAVEL (FILL), medium to coarse grained sand, medium gravel, subrounded, medium brown, loose.			BH06-2-1			○ 35				
	SAND and SILT, fine grained sand, tan, hard, low plasticity, slightly damp.										
1	SAND and GRAVEL, medium to coarse grained sand, medium gravel, subangular, medium brown, compact, slightly damp.			BH06-2-2			○ 15				
	SAND and GRAVEL (NATIVE), coarse grained sand, medium to coarse gravel, subrounded, medium brown, compact, slightly damp.			BH06-2-3			○ 20				
2				BH06-2-4			○ 25				
3				BH06-2-5			○ 20				
4	Below 3.4 m - trace silt, coarse grained sand, medium to coarse gravel, subangular, wet.			BH06-2-6 BH06-2-7*			○ 10				
	SAND, coarse grained, trace gravel, medium, subangular, red-brown, compact, wet.			BH06-2-8			○ 20				
5	End of borehole at 5.5 m.										
6											
7											
8											
9											
10											

Notes:

Bolded sample denotes sample analyzed.
*Sample BH06-2-7 is a blind field duplicate of BH06-2-6.