

SEACOR JOB NO: C0006-108

DEPTH (m)	SAMPLE TYPE	SOIL TYPE	SOIL DESCRIPTION	TEST DATA				WELL COMPLETION	WATER LEVEL	FIELD NOTES	DEPTH (m)
				HYDROCARBON VAPOUR LEVEL (ppmv)							
				10	100	1000	10000				
			ASPHALT (40 mm)								
			SAND -some gravel, trace silt, brown, moist -no hydrocarbon odour or staining							steel roadbox drill cuttings	
1.0			-some silt and gravel, trace organics below 0.9 m -greasy, hydrocarbon odour							bentonite seal	1.0
			-some gravel, trace silt, grey-brown, moist below 1.8 m -no hydrocarbon odour or staining							solid 50mm PVC	
2.0			-occasional cobble below 2.4 m							Mar.24/94	2.0
			SAND AND SILT -some gravel, occasional cobble, grey, moist -no hydrocarbon odour or staining							silica sand	
3.0			SAND -some gravel, occasional cobble, grey, damp -no hydrocarbon odour or staining -coarse-grained, trace gravel and cobbles, brown, wet below 3.7 m -no hydrocarbon odour or staining							010 slot 50mm PVC	3.0
4.0			SILT -trace gravel, brown, moist -no hydrocarbon odour or staining								4.0
5.0			SAND -fine-grained, some gravel, trace silt and cobble, grey								5.0
6.0										backfilled with drill cuttings	6.0
			End of borehole @6.4 m. Top of riser @97.58 m elevation.								

DRILLING METHOD: Vibratory Rotary Drill

DATE DRILLED: 3/21/94





- Notes:
-  NO RECOVERY
 -  AUGER SAMPLE
 -  SPLIT SPOON SAMPLE
 -  CONTINUOUS SAMPLE

PLATE NO. 5

Sheet 1 of 1