

SEACOR JOB NO: C0006-114

| DEPTH (m) | SAMPLE TYPE | SOIL TYPE | SOIL DESCRIPTION   | TEST DATA                      |     |      |       | WELL COMPLETION | WATER LEVEL | FIELD NOTES                               | DEPTH (m) |
|-----------|-------------|-----------|--|--------------------------------|-----|------|-------|-----------------|-------------|---|-----------|
|           |             |           |  | HYDROCARBON VAPOUR LEVEL (ppm) |     |      |       |                 |             |   |           |
|           |             |           |  | 10                             | 100 | 1000 | 10000 |                 |             |   |           |
| 0.0       |             |           | ASPHALT  |                                |     |      |       |                 |             | concrete                                  |           |
| 0.0       |             |           | SAND AND GRAVEL (FILL)<br>medium to coarse-grained sand, damp, no hydrocarbon odour, no staining |                                |     |      |       |                 |             |   |           |
| 0.5       |             |           | SILT (NATIVE)<br>brown, some sand, moist, no hydrocarbon odour, no staining, trace cobble        |                                |     |      |       |                 |             |   |           |
| 1.2       |             |           | wet at 1.2m  |                                |     |      |       |                 |             | backfilled with soils (no well installed) | 1.0       |
| 1.5       |             |           | SAND (NATIVE)<br>brown, coarse-grained, saturated, no hydrocarbon odour, no staining, loose      |                                |     |      |       |                 |             |   | 2.0       |
| 2.0       |             |           |  |                                |     |      |       |                 |             |   |           |
| 3.0       |             |           | medium to coarse-grained sand  |                                |     |      |       |                 |             |   | 3.0       |
| 4.0       |             |           |  |                                |     |      |       |                 |             |   | 4.0       |
| 5.0       |             |           |  |                                |     |      |       |                 |             |   | 5.0       |
| 6.0       |             |           |  |                                |     |      |       |                 |             |   | 6.0       |
| 7.0       |             |           |  |                                |     |      |       |                 |             |   | 7.0       |
| 7.6       |             |           | dense at 7.6 m   |                                |     |      |       |                 |             |   |           |
| 8.0       |             |           |  |                                |     |      |       |                 |             |   | 8.0       |
| 8.5       |             |           | grey, fine-grained, trace silt, no hydrocarbon odour, no staining                                |                                |     |      |       |                 |             |   |           |
| 9.0       |             |           |  |                                |     |      |       |                 |             |   | 9.0       |
| 9.1       |             |           | END OF BOREHOLE AT 9.1m<br>BOREHOLE VAPOUR LEVEL = 150 ppm                                       |                                |     |      |       |                 |             |   |           |

DRILLING METHOD: SOLID-STEM AUGER

DATE DRILLED: 7/28/94

Notes:





-  NO RECOVERY
-  AUGER SAMPLE
-  SPLIT SPOON SAMPLE
-  CONTINUOUS SAMPLE

PLATE NO. 1

Sheet 1 of 1