

DEPTH (m)	SAMPLE TYPE	SOIL TYPE	SOIL DESCRIPTION	TEST DATA				WELL COMPLETION	WATER LEVEL	FIELD NOTES	DEPTH (m)
				HYDROCARBON VAPOUR LEVEL (ppmv)							
				10	100	1000	10000				
0.0			ASPHALT							roadbox, J-plug, concrete	
0.0			SAND AND GRAVEL (FILL) fine to medium-grained sand and fine to medium-grained gravel, grey, moist							VOC, BETX, VPH, LEPH, HEPH 1.61 m (11/29/00)	
0.5			SILT (NATIVE) grey, moist to wet								
1.0											
2.0											
2.5											
3.0										bentonite seal	
3.5											
4.0			SAND AND SILT (NATIVE) fine-grained sand, grey, wet to saturated							50 mm solid PVC pipe	
4.5											
5.0											
5.5											
6.0			SAND (NATIVE) fine-grained, some silt, grey, saturated							50 mm 010 slot PVC pipe	
6.5										BETX, VPH	
7.0										silica sand	
7.5											
7.6			End of borehole at 7.6 m Screened interval from 6.1 m to 7.6 m Elevation at top of piezometer (TOP) = 1.77 m								

DRILLING METHOD: Hollow Stem Auger; YS/CC

DATE DRILLED: 11/24/00

- Notes:
- NO RECOVERY
 - AUGER SAMPLE
 - SPLIT SPOON SAMPLE
 - CONTINUOUS SAMPLE