



DEPTH (m)	SAMPLE TYPE	SAMPLE ID	SPT COUNT	SOIL TYPE	SOIL DESCRIPTION	FIELD TEST DATA					WELL COMPLETION	WATER LEVEL	WELL COMPLETION NOTES	ELEV. (m)
						ORGANIC VAPOUR LEVEL (ppmv)								
						1	10	100	1000	10000				
0.0 - 0.1				ASPHALT	ASPHALT								roadbox, plug, concrete	100.62
0.1 - 1.5				SAND AND GRAVEL	fine to medium sand, fine sub-rounded gravel, brown, moist								50 mm solid PVC pipe	100.00
1.5 - 2.669				sandy SILT	fine to medium sand, some fine sub-rounded gravel, grey, moist								bentonite	99.00
2.669 - 3.0								100					50 mm 010 slot PVC pipe	98.00
3.0 - 3.5								25					GW = 97.88 m (June 22/01)	97.88
3.5 - 4.0								25					BETX/VPH	97.00
4.0 - 4.6								25						96.00
4.6 - 5.5								50					silica sand	95.00
5.5 - 6.1								40						94.00
6.1 - 6.1					End of borehole at 6.1 m									
Screened interval from 1.5 m to 4.6 m Elevation at top of piezometer (TOP) = 100.544 m Depth to groundwater from TOP = 2.669 m (June 22/01)														

DRILLING METHOD: Solid Stem Auger

Notes:  GRAB SAMPLE
 AUGER SAMPLE

DRILL DATE: February 10, 2001 LOGGED BY: DC/YS