



File: 195-30/RWMM  
Cliff: 190492

September 20, 2012

**BY EMAIL**

To: Regional Executive Directors

From: Murray Stech  
Director  
Timber Pricing

**Re: Amendment No. 20 to the *Provincial Logging Residue and Waste Measurement Procedures Manual***

I hereby approve Amendment No. 20 to the *Provincial Logging Residue and Waste Measurement Procedures Manual*, and attached a copy for your use.

The purpose of this amendment is to extend the expiry date of the waste benchmarks until September 30, 2013, unless terminated earlier.

Amendment No. 20 comes into effect on October 1, 2012.

Murray Stech  
Director  
Timber Pricing

Attachment





**MANUAL REVISION  
TRANSMITTAL**

<p>FOR FURTHER INFORMATION OR IF YOU HAVE A CHANGE OF ADDRESS, PLEASE CONTACT:</p> <p>John Wai Residue Forester and Log Salvage Policy Forester Timber Pricing Branch Ministry of Forests, Lands and Natural Resource Operations 1<sup>st</sup> Floor, 1520 Blanshard Street Victoria, BC V8W 3K1</p> <p>Phone: 250 – 356 - 7671 Email: John.Wai@gov.bc.ca FAX: 250 - 387-5670</p>	<b>MANUAL TITLE</b>	
	Provincial Logging Residue and Waste Measurement Procedures Manual	
	<b>AMENDMENT</b>	<b>ISSUE DATE</b>
	Amendment No. 20	October 1, 2012
	<b>MANUAL CO-ORDINATOR</b>	
	Ashley Sasaki Publication/Administrative Co-ordinator	
	<b>AUTHORIZATION</b>	
	Murray Stech Director, Timber Pricing Branch	

Please make the following changes to your copy of the above Ministry manual.

ACTION (Remove/Insert)	(VOL.) CHAPTER-SECTION-SUBJECT  TABLE OF CONTENTS	PAGE(S)	COMMENTS
Remove Insert	Appendix	11-12	After Appendix Tab
INSERT	Letter from Murray Stech, Director and Transmittal Sheet		After Amendments Tab



## Appendix 4 Riparian Management Zone (RMZ)

### A4.1 Assessment Method

For waste assessments to be conducted within the riparian management zone, the assessment method should commensurate with the silvicultural system used, as follows:

•	single tree selection	-	100 percent piece scale, or 50 m <sup>2</sup>
•	group selection	-	100 percent piece scale or (circular or rectangular) plot of 50 to 400 m <sup>2</sup> that best fits the group selection harvested area.

Refer to Section 4.7 for assessing partial cutting (variable retention) cutblocks, and Section 5.7.2 for stratum codes.

### A4.2 Stream Clean-out

For stream clean-out conducted in accordance with the Riparian Management Area Guidebook, the waste classification procedures are as follows:

1. Where a log is left across a creek, classify the log as unavoidable for environmental reasons.
2. If a creek was machine cleaned and it was reasonable to recover the log pieces, classify the pieces as avoidable.
3. If a creek was hand cleaned and the log was bucked into small segments and thrown out of the creek channel, classify the pieces as unavoidable.

## Appendix 5 Waste Benchmarks

### 1. Benchmarks

Waste benchmarks will be in effect until **September 30, 2013**, unless terminated earlier.

On an individual cutblock basis, the following waste benchmarks in cubic meters per hectare will be used for monetary billing of avoidable waste:

Coast	Immature	Mature
Normal	10 m <sup>3</sup> /ha	35 m <sup>3</sup> /ha

Interior	Dry Belt	Transition Zone	Wet Belt
Normal	4 m <sup>3</sup> /ha	10 m <sup>3</sup> /ha	20 m <sup>3</sup> /ha

The waste benchmark volume of a cutblock is derived by multiplying the value of the benchmark with the total of the dispersed, accumulation and standing trees sub population areas reported in a waste assessment of the cutblock.

### 2. Benchmark Calculations and Billings

Avoidable waste volumes in sawlog grades X or better (Coast), 1 and 2 (Interior) from the dispersed, accumulated and the standing tree subpopulations of the cutblock will be applied to the benchmarks.

Where the avoidable waste volumes in sawlog grades are below the established benchmark for the cutblock, no monetary billing of avoidable waste in sawlog grades will be made.

Where the avoidable waste volumes in sawlog grades are above the established benchmark for the cutblock, monetary billings will be made on the sawlog grade volumes exceeding the benchmark.

Avoidable waste volumes in grade Y or 4 will not be applied to the benchmark but will be billed monetarily in all cases.