



DATE	NAME OF PATIENT	TIME SPENT
------	-----------------	------------

Q2. Heavy drinking days in the past month: (≥ 5 drinks for men / ≥ 4 for women)

	days (positive ≥ 1)
If screen is positive determine weekly	drinks per week (drinking days per week x typical number of drinks)

Working diagnosis:	At-risk drinking	Alcohol abuse	Alcohol dependence
---------------------------	------------------	---------------	--------------------

Goal:	Drinking within limits	Abstinence
--------------	------------------------	------------

Current medications:	Naltrexone	Acamprosate	Disulfiram
	Other (specify):		

Interval history and progress:

Physical examination and laboratory:

Current Assessment:	At-risk drinking	Goals fully met
	Alcohol abuse	Goals partially met
	Alcohol dependence	Goals not met

Plan:

Repeat screening as needed	Patient education about drinking limits	
Recommend drinking within limits	Did the patient agree? No Yes	
Recommend abstinence	Did the patient agree? No Yes	
Naltrexone 50 mg daily	Acamprosate 666 mg 3 times daily	Disulfiram 250 mg daily
Thiamine 100 mg IM/PO * (daily x 5)	Acamprosate 333 mg 3 times daily (for moderate renal impairment) (CrCl 30-50 mL/min)	
Other medication/dosage:		
Referral (specify):		

* Continue thiamine while patient is drinking and continue for 1 week after patient stops

Followup:

Additional plan (withdrawal treatment, coexisting conditions, etc) :

BILLING CODE:

DIAGNOSTIC CODE:

BILLING:

DATE:

DATE: