





|                                                                                       |                                                                                       |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|      |      |    |    |   |    |
| I-003 Series<br>Page 1                                                                | I-006 Series<br>Page 1                                                                | I-006 Tabs<br>Page 2                                                                | I-007-1 Series<br>Page 2                                                            | I-007-2 Series<br>Page 3                                                             | I-007 Tabs<br>Page 3                                                                  |
|      |      |    |    |    |    |
| I-009-1 Series<br>Page 4                                                              | I-009-2 Series<br>Page 4                                                              | I-011 Series<br>Page 5                                                              | I-012 Series<br>Page 5                                                              | I-014-1 Series<br>Page 6                                                             | I-014-2 Series<br>Page 6                                                              |
|      |      |    |   |   |                                                                                       |
| I-014-3 Series<br>Page 7                                                              | I-014-5 Series<br>Page 7                                                              | I-014-6 Series<br>Page 8                                                            | I-015 Series<br>Page 8                                                              | I-015 Tab<br>Page 9                                                                  |                                                                                       |
|     |     |   |   |   |   |
| I-017-1 Series<br>Page 9                                                              | I-017-2 Series<br>Page 10                                                             | I-017-3 Series<br>Page 10                                                           | I-017-4 Series<br>Page 11                                                           | I-017 Tabs<br>Page 11                                                                | I-019-1a<br>Page 12                                                                   |
|    |    |  |  |   |  |
| I-019-1a-Ta<br>Page 12                                                                | I-019-1b<br>Page 13                                                                   | I-019-1c<br>Page 13                                                                 | I-019-1d<br>Page 14                                                                 | I-019-1e<br>Page 14                                                                  | I-019-1f<br>Page 15                                                                   |
|  |  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| I-020-1L<br>Page 15                                                                   | I-020-1R<br>Page 16                                                                   |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|    |    |  |  |  |  |
| I-020-2<br>Page 16                                                                    | I-020-3<br>Page 17                                                                    | I-020-4Ta<br>Page 17                                                                | I-021-1L<br>Page 18                                                                 | I-021-1R<br>Page 18                                                                  | I-021-2L<br>Page 19                                                                   |
|    |    |  |  |   |  |
| I-021-3<br>Page 20                                                                    | I-021-4L<br>Page 20                                                                   | I-021-4R<br>Page 21                                                                 | I-021-5L<br>Page 21                                                                 | I-021-5R<br>Page 22                                                                  | I-021-6<br>Page 22                                                                    |
|  |  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| I-021-7L<br>Page 23                                                                   | I-021-7R<br>Page 23                                                                   |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|    |    |  |  |   |  |
| I-021-8L<br>Page 24                                                                   | I-021-8R<br>Page 24                                                                   | I-021-9<br>Page 25                                                                  | I-021-10L<br>Page 25                                                                | I-021-10R<br>Page 26                                                                 | I-021-11L<br>Page 26                                                                  |
|  |  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| I-021-11R<br>Page 27                                                                  | I-021-12<br>Page 27                                                                   |                                                                                     |                                                                                     |                                                                                      |                                                                                       |

|                                                                                      |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|     |    |    |     |     |    |    |
| I-021-13Ta<br>Page 28                                                                | I-021-14Ta<br>Page 28                                                               | I-023-1<br>Page 29                                                                  | I-023-2<br>Page 29                                                                   | I-024-1a<br>Page 30                                                                   | I-024-1b<br>Page 31                                                                   | I-024-1c<br>Page 31                                                                   |
|     |    |    |     |    |    |                                                                                       |
| I-024-2a<br>Page 32                                                                  | I-024-2b<br>Page 32                                                                 | I-024-2c<br>Page 33                                                                 | I-024-3a<br>Page 33                                                                  | I-024-3b<br>Page 34                                                                   | I-024-3c<br>Page 34                                                                   |                                                                                       |
|     |    |    |     |    |    |                                                                                       |
| I-024-4a<br>Page 35                                                                  | I-024-5<br>Page 35                                                                  | I-024-8a<br>Page 36                                                                 | I-027 Series<br>Page 37                                                              | I-030-1<br>Page 37                                                                    | I-030-2<br>Page 38                                                                    |                                                                                       |
|    |   |   |    |     |    |   |
| I-030-3<br>Page 38                                                                   | I-030-4<br>Page 39                                                                  | I-030-5<br>Pages 39                                                                 | I-030-6<br>Page 40                                                                   | I-030-7<br>Pages 40                                                                   | I-030-8<br>Page 41                                                                    | I-030-9<br>Page 41                                                                    |
|  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
| I-030-10<br>Page 42                                                                  |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|   |  |  |   |   |  |  |
| I-030-Ta<br>Page 42                                                                  | I-030-Tb<br>Page 43                                                                 | I-034-1 Series<br>Page 43                                                           | I-034-2 Series<br>Page 44                                                            | I-034-3 Series<br>Page 44                                                             | I-034-4 Series<br>Page 45                                                             | I-034-5 Series<br>Page 45                                                             |
|   |  |  |   |    |   |  |
| I-034 Tab<br>Page 46                                                                 | I-042-1 Series<br>Page 46                                                           | I-042-2 Series<br>Page 47                                                           | I-043-1 Series<br>Page 47                                                            | I-043-2 Series<br>Page 48                                                             | I-046 Series<br>Page 48                                                               | I-048 Series<br>Page 49                                                               |
|   |  |  |  |  |  |                                                                                       |
| I-048 Series<br>Page 49                                                              | I-050-1 Series<br>Page 50                                                           | I-050-2 Series<br>Page 50                                                           | I-054-1 Series<br>Pages 51                                                           | I-054-2 Series<br>Page 51                                                             | I-054-3 Series<br>Page 52                                                             |                                                                                       |
|    |  |  |   |    |   |  |
| I-054-4 Series<br>Page 52                                                            | I-054-5 Series<br>Page 53                                                           | I-054-6 Series<br>Page 53                                                           | I-054-7 Series<br>Page 54                                                            | I-054-7 Tab<br>Page 54                                                                | I-054 Tab<br>Page 55                                                                  | I-055 Series<br>Page 55                                                               |
|                                                                                      |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |  |
|                                                                                      |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       | I-056-1 Series<br>Page 56                                                             |
|                                                                                      |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       | I-056-2 Series<br>Page 56                                                             |

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    |    |    |      |     |    |    |  |
| I-056-3 Series<br>Page 57                                                           | I-056-4 Series<br>Page 57                                                           | I-056-Ta Series<br>Page 58                                                          | I-056-Tb Series<br>Page 58                                                            | I-057 Series<br>Page 59                                                               | I-062 Series<br>Page 59                                                               | I-064 Series<br>Page 60                                                               | I-064-2 Series<br>Page 60                                                           |
|    |    |    |      |     |    |    |                                                                                     |
| I-064-3 Series<br>Page 61                                                           | I-066-1 Series<br>Page 61                                                           | I-066-2 Series<br>Page 62                                                           | I-068 Series<br>Page 62                                                               | I-070-1a Series<br>Page 63                                                            | I-070-1b Series<br>Page 64                                                            | I-070-1Ta Series<br>Page 64                                                           |                                                                                     |
|    |    |    |      |     |    |    |                                                                                     |
| I-070-2a Series<br>Page 65                                                          | I-070-2b Series<br>Page 65                                                          | I-070-3 Series<br>Page 66                                                           | I-072-1 Series<br>Page 66                                                             | I-072-2 Series<br>Page 67                                                             | I-076-1 Series<br>Page 67                                                             | I-076-1-Ta Series<br>Page 68                                                          |                                                                                     |
|   |   |   |     |   |   |   |                                                                                     |
| I-076-1-Tb Series<br>Page 68                                                        | I-076-1-Tc Series<br>Page 69                                                        | I-076-1-Td Series<br>Page 69                                                        | I-076-2 Series<br>Page 70                                                             | I-080 Series<br>Page 70                                                               | I-082-1 Series<br>Page 71                                                             | I-082-2 Series<br>Page 71                                                             |                                                                                     |
|  |  |  |    |  |  |  |                                                                                     |
| I-082-2Ta<br>Page 72                                                                | I-082-2Tb<br>Page 72                                                                | I-082-2Tc<br>Page 73                                                                | I-082-3<br>Page 73                                                                    | I-082-4 Series<br>Page 74                                                             | I-082-5 Series<br>Page 74                                                             | I-082-6x<br>Page 75                                                                   |                                                                                     |
|  |  |  |   |  |  |                                                                                       |                                                                                     |
| I-090-L Series<br>Page 75                                                           | I-090-R Series<br>Page 76                                                           | I-091 Series<br>Page 76                                                             | I-100 Tab Series<br>Page 77                                                           |                                                                                       | I-104 Series<br>Page 77                                                               |                                                                                       |                                                                                     |
|  |  |  |  |  |                                                                                       |                                                                                       |                                                                                     |
| I-106-50 Series<br>Page 78                                                          | I-106-60 Series<br>Page 78                                                          | I-106-70 Series<br>Page 79                                                          | I-106-80 Series<br>Page 79                                                            | I-106-90 Series<br>Page 80                                                            |                                                                                       |                                                                                       |                                                                                     |
|  |  |  |  |  |  |                                                                                       |                                                                                     |
| I-106-100 Series<br>Page 80                                                         | I-109 Series<br>Page 81                                                             | I-110 Series<br>Page 81                                                             | I-111 Series<br>Page 82                                                               | I-111 Tab<br>Page 82                                                                  | I-112-1 Series<br>Page 83                                                             |                                                                                       |                                                                                     |



I-112-2 Series  
Page 83




I-112-Ta  
Page 84



I-112-Tb  
Page 84



I-117 Series  
Page 85



I-117 Series  
Page 85



I-118-1 Series  
Pages 86



I-118-2 Series  
Page 86



I-118 Tabs  
Page 87



I-130 Series  
Page 88



I-130-Ta Series  
Page 88



I-130-Tb Series  
Page 89



I-130-Tc Series  
Page 89




I-130-Td Series  
Page 90



I-131-T Series  
Page 90



I-179 Series  
Page 91



I-184 Series  
Page 91



I-198-1 Series  
Page 92



I-198-2 Series  
Page 92



I-198-3 Series  
Page 93



I-200-1 Series  
Page 93



I-200-2 Series  
Page 94



I-200-3 Series  
Page 94



I-200-4 Series  
Page 95



I-200-5 Series  
Page 95



I-200-6A  
Page 96



I-200-6L  
Page 96



I-200-6R  
Page 97



I-200 Tabs  
Page 98



I-202 Series  
Page 98



I-202 Tabs  
Page 99



I-600-1  
Page 99



I-600-2  
Page 100



I-600-3  
Page 100



I-600-4  
Page 101



I-600-5  
Page 101



I-600-6  
Page 102



I-600-7-Ta  
Page 102



I-600-7-Tb  
Page 103



I-600-7-Tc  
Page 103



I-600-7-Td  
Page 104



I-600-7-Te  
Page 104



I-600-7-Tf  
Page 105



I-600-7-Tg  
Page 105



I-600-7-Th  
Page 106



I-600-7-Ti  
Page 106



I-600-7-Tj  
Page 107

| Sign Item Number | Description                                                              | Page |
|------------------|--------------------------------------------------------------------------|------|
| I-003            | Landmark (Name) marker                                                   | 1    |
| I-003-x          | Landmark (Name) marker                                                   | 1    |
| I-006            | Historic Site Ahead                                                      | 1    |
| I-006-TL         | AHEAD-LEFT ARROW tab                                                     | 2    |
| I-006-TLR        | LEFT/RIGHT ARROW tab                                                     | 2    |
| I-006-TR         | AHEAD-RIGHT ARROW tab                                                    | 2    |
| I-007-1          | Stop of Interest Ahead                                                   | 2    |
| I-007-2          | Viewpoint Ahead                                                          | 3    |
| I-007-TL         | AHEAD-LEFT ARROW tab                                                     | 3    |
| I-007-TLR        | LEFT/RIGHT ARROW tab                                                     | 3    |
| I-007-TR         | AHEAD-RIGHT ARROW tab                                                    | 3    |
| I-009-1          | Viewpoint Entrance                                                       | 4    |
| I-009-2          | Stop of Interest Entrance                                                | 4    |
| I-011            | Litter Barrel Ahead                                                      | 5    |
| I-011-x          | Litter Barrel Ahead                                                      | 5    |
| I-012            | Litter Barrel for Tourists Only Others Dumping Refuse will be Prosecuted | 5    |
| I-014-1          | (Name) Summit Elev. ( ) m ( ) ft                                         | 6    |
| I-014-1x         | (Name) Summit Elev. ( ) m ( ) ft                                         | 6    |
| I-014-2          | (Name) Lookout Elev. ( ) m ( ) ft                                        | 6    |
| I-014-2x         | (Name) Lookout Elev. ( ) m ( ) ft                                        | 6    |
| I-014-3          | (Name) Bridge Elev. ( ) m ( ) ft                                         | 7    |
| I-014-3x         | (Name) Bridge Elev. ( ) m ( ) ft                                         | 7    |
| I-014-5          | CPR Underpass location and CPR Mile marker                               | 7    |
| I-014-6          | CPR Overpass location and CPR Mile marker                                | 8    |
| I-015            | (Name) Summit Elev. ( ) m ( ) ft EXPECT SUDDEN WEATHER CHANGES           | 8    |
| I-015-T          | For Next ( ) km tab                                                      | 9    |
| I-017-1          | (Name) Community Info                                                    | 9    |
| I-017-2          | (Name) Area Info                                                         | 10   |
| I-017-3          | (Name) Regional Info                                                     | 10   |
| I-017-4          | (Name) Regional & Area Info                                              | 11   |
| I-017-TA1        | ( ) 00 m AHEAD ARROW tab                                                 | 11   |
| I-017-TL1        | ( ) 00 m LEFT ARROW tab                                                  | 11   |
| I-017-TR1        | ( ) 00 m RIGHT ARROW tab                                                 | 11   |
| I-017-TA2        | ( ) km AHEAD ARROW tab                                                   | 11   |
| I-017-TL2        | ( ) km LEFT ARROW tab                                                    | 11   |
| I-017-TR2        | ( ) km RIGHT ARROW tab                                                   | 11   |
| I-019-1a         | Wi-Fi available symbol for Rest Area application                         | 12   |
| I-019-1a-Ta      | Wi-Fi available symbol for Rest Area application – Sponsor               | 12   |

| Sign Item Number | Description                                                                     | Page |
|------------------|---------------------------------------------------------------------------------|------|
| I-019-1b         | Garbage disposal available symbol for Rest Area application                     | 13   |
| I-019-1c         | Recycling disposal available symbol for Rest Area application                   | 13   |
| I-019-1d         | Pet walking trail available within Rest Area symbol                             | 14   |
| I-019-1e         | Picnic table area available within Rest Area symbol                             | 14   |
| I-019-1f         | Septic dump for RV & Trailers available in Rest Area symbol                     | 15   |
| I-020-1L         | Rest Area (LEFT ARROW)                                                          | 15   |
| I-020-1R         | Rest Area (RIGHT ARROW)                                                         | 16   |
| I-020-2          | REST AREA AHEAD - UP ARROW                                                      | 16   |
| I-020-3          | Rest Area ahead with distance messaging - UP ARROW, X00 m                       | 17   |
| I-020-4ta        | REST AREA CLOSED TAB, Temporary or Permanent Closure                            | 17   |
| I-021-1L         | REST AREA, No Symbol (LEFT ARROW)                                               | 18   |
| I-021-1R         | REST AREA, No Symbol (RIGHT ARROW)                                              | 18   |
| I-021-2L         | REST AREA, No Symbol (LEFT 45° ARROW)                                           | 19   |
| I-021-2R         | REST AREA, No Symbol (RIGHT 45° ARROW)                                          | 19   |
| I-021-3          | REST AREA, No Symbol, X00m, ADVANCED SIGN                                       | 20   |
| I-021-4L         | REST AREA, EV Symbol, LEFT ARROW                                                | 20   |
| I-021-4R         | REST AREA, EV Symbol, RIGHT ARROW                                               | 21   |
| I-021-5L         | REST AREA, EV Symbol, LEFT 45° ARROW                                            | 21   |
| I-021-5R         | REST AREA, EV Symbol, RIGHT 45° ARROW                                           | 22   |
| I-021-6          | REST AREA, EV Symbol, X00 m, ADVANCE SIGN                                       | 22   |
| I-021-7L         | REST AREA, Wi-Fi Symbol, LEFT ARROW                                             | 23   |
| I-021-7R         | REST AREA, Wi-Fi Symbol, RIGHT ARROW                                            | 23   |
| I-021-8L         | REST AREA, Wi-Fi Symbol, LEFT 45° ARROW                                         | 24   |
| I-021-8R         | REST AREA, Wi-Fi Symbol, RIGHT 45° ARROW                                        | 24   |
| I-021-9          | REST AREA, Wi-Fi Symbol, X00 m, ADVANCE SIGN                                    | 25   |
| I-021-10L        | REST AREA, EV / Wi-Fi Symbol, LEFT ARROW                                        | 25   |
| I-021-10R        | REST AREA, EV / Wi-Fi Symbol, RIGHT ARROW                                       | 26   |
| I-021-11L        | REST AREA, EV / Wi-Fi Symbol, LEFT 45° ARROW                                    | 26   |
| I-021-11R        | REST AREA, EV / Wi-Fi Symbol, RIGHT 45° ARROW.                                  | 27   |
| I-021-12         | REST AREA, EV / Wi-Fi Symbol, X00 m, ADVANCE SIGN                               | 27   |
| I-021-13Ta       | Messaging for next available REST AREA, NEXT ONE "XX" km                        | 28   |
| I-021-14Ta       | REST AREA CLOSED, Temporary or Permanent Closure                                | 28   |
| I-023-1          | Name / Location of Rest Area, Help us keep it clean                             | 29   |
| I-023-2          | Name / Location of Rest Area, Help us keep it clean & Local MC Contact Info     | 29   |
| I-024-1a         | Static application signs for women's washrooms facilities                       | 30   |
| I-024-1b         | Static application signs for women's washrooms and wheelchair access facilities | 31   |

| Sign Item Number | Description                                                                                          | Page |
|------------------|------------------------------------------------------------------------------------------------------|------|
| I-024-1c         | Static application signs for women's washrooms, wheelchair access and infant change table facilities | 31   |
| I-024-2a         | Static application signs for men's washrooms facilities                                              | 32   |
| I-024-2b         | Static application signs for men's washrooms and wheelchair access facilities                        | 32   |
| I-024-2c         | Static application signs for men's washrooms, wheelchair access and infant change table facilities   | 33   |
| I-024-3a         | Static application signs for washrooms facilities                                                    | 33   |
| I-024-3b         | Static application signs for washrooms and wheelchair access facilities                              | 34   |
| I-024-3c         | Static application signs for washrooms, wheelchair access and infant change table facilities         | 34   |
| I-024-4a         | Static application signs for wheelchair access washrooms facilities                                  | 35   |
| I-024-5          | Washroom CLOSED                                                                                      | 35   |
| I-024-8a         | Washroom cleanliness courtesy sign with local M/C contact phone number                               | 36   |
| I-027            | It Can Wait! TEXT STOP & Wi-Fi location X km AHEAD                                                   | 37   |
| I-027-x          | It Can Wait! TEXT STOP & Wi-Fi location X km AHEAD                                                   | 37   |
| I-030-1          | Wildlife Area (Turtle Symbol)                                                                        | 37   |
| I-030-2          | Care For Wildlife, Turtle Area (Turtle Symbol)                                                       | 38   |
| I-030-3          | Wildlife Area (Waterfowl Symbol)                                                                     | 38   |
| I-030-4          | Care For Wildlife, Waterfowl Area (Waterfowl Symbol)                                                 | 39   |
| I-030-5          | Wildlife Area (Turkey Symbol)                                                                        | 39   |
| I-030-6          | Care For Wildlife, Wild Turkey Area (Turkey Symbol)                                                  | 40   |
| I-030-7          | Wildlife Area (Badger Symbol)                                                                        | 40   |
| I-030-8          | Care For Wildlife, Badger Area (Badger Symbol)                                                       | 41   |
| I-030-9          | Wildlife Area (Snake Symbol)                                                                         | 41   |
| I-030-10         | Care For Wildlife, Snake Area (Snake Symbol)                                                         | 42   |
| I-030-Ta         | For X00m Tab                                                                                         | 42   |
| I-030-Tb         | For XX km Tab                                                                                        | 43   |
| I-034-1          | Entering (Jurisdiction Name) Forest District                                                         | 43   |
| I-034-2          | Entering (Jurisdiction Name) Regional District                                                       | 44   |
| I-034-3          | Entering (Jurisdiction Name) District Municipality                                                   | 44   |
| I-034-4          | Entering (Jurisdiction Name)                                                                         | 45   |
| I-034-5          | Entering (Jurisdiction Name) Unincorporated                                                          | 45   |
| I-034-T          | 9-1-1 tab                                                                                            | 46   |
| I-042-1          | Entering (Name) Fire Protection District 1-800 phone #                                               | 46   |
| I-042-2          | Entering (Name) Fire Protection District 9-1-1 phone #                                               | 47   |
| I-043-1          | Leaving (Name) Fire Protection District 1-800 phone #                                                | 47   |

| <b>Sign Item Number</b> | <b>Description</b>                                                                 | <b>Page</b> |
|-------------------------|------------------------------------------------------------------------------------|-------------|
| I-043-2                 | Leaving (Name) Fire Protection District 9-1-1 phone #                              | 48          |
| I-046                   | Radio Call Point (Name) Frequency ( )                                              | 48          |
| I-048-1                 | To advise motorists that gasoline will not be available for a substantial distance | 49          |
| I-048-1x                | To advise motorists that gasoline will not be available for a substantial distance | 49          |
| I-048-1xx               | To advise motorists that gasoline will not be available for a substantial distance | 49          |
| I-048-2                 | To advise motorists that gasoline will not be available for a substantial distance | 49          |
| I-048-2x                | To advise motorists that gasoline will not be available for a substantial distance | 49          |
| I-048-2xx               | To advise motorists that gasoline will not be available for a substantial distance | 49          |
| I-050-1                 | Mountain Time Zone Set Your Time One Hour Ahead                                    | 50          |
| I-050-2                 | Pacific Time Zone Set Your Time One Hour Back                                      | 50          |
| I-054-1                 | Hiking symbol                                                                      | 51          |
| I-054-1x                | Hiking symbol                                                                      | 51          |
| I-054-2                 | Cross-country Skiing symbol                                                        | 51          |
| I-054-2x                | Cross-country Skiing symbol                                                        | 51          |
| I-054-3                 | Downhill Skiing symbol                                                             | 52          |
| I-054-3x                | Downhill Skiing symbol                                                             | 52          |
| I-054-4                 | Snowmobile symbol                                                                  | 52          |
| I-054-4x                | Snowmobile symbol                                                                  | 52          |
| I-054-5                 | Shore Access                                                                       | 53          |
| I-054-5x                | Shore Access                                                                       | 53          |
| I-054-6                 | No Lake Access                                                                     | 53          |
| I-054-6x                | No Lake Access                                                                     | 53          |
| I-054-7                 | Viewing/Binoculars symbol                                                          | 54          |
| I-054-7x                | Viewing/Binoculars symbol                                                          | 54          |
| I-054-7T                | Wildlife Viewing tab                                                               | 54          |
| I-054-7Tx               | Wildlife Viewing tab                                                               | 54          |
| I-054-Ta                | Recreation Area/Site (Name) tab                                                    | 55          |
| I-054-Tax               | Recreation Area/Site (Name) tab                                                    | 55          |
| I-055                   | Pull Off Highway To View Wildlife                                                  | 55          |
| I-056-1                 | Fruit Stand                                                                        | 56          |
| I-056-1x                | Fruit Stand                                                                        | 56          |
| I-056-2                 | Fruit Stands                                                                       | 56          |
| I-056-2x                | Fruit Stands                                                                       | 56          |
| I-056-3                 | Produce Stand                                                                      | 57          |
| I-056-3x                | Produce Stand                                                                      | 57          |

| Sign Item Number | Description                                                                                                          | Page |
|------------------|----------------------------------------------------------------------------------------------------------------------|------|
| I-056-4          | Produce Stands                                                                                                       | 57   |
| I-056-4x         | Produce Stands                                                                                                       | 57   |
| I-056-Ta         | Next ( ) km                                                                                                          | 58   |
| I-056-Tax        | Next ( ) km                                                                                                          | 58   |
| I-056-Tb         | Closed tab                                                                                                           | 58   |
| I-056-Tbx        | Closed tab                                                                                                           | 58   |
| I-057            | Visitor Information Centre                                                                                           | 59   |
| I-057-x          | Visitor Information Centre                                                                                           | 59   |
| I-057-xx         | Visitor Information Centre                                                                                           | 59   |
| I-062            | Please Let Buses Enter                                                                                               | 60   |
| I-062x           | Please Let Buses Enter                                                                                               | 60   |
| I-064            | General Inventory marker                                                                                             | 60   |
| I-064-2          | Identification for structures with retaining walls                                                                   | 60   |
| I-064-2x         | Identification for structures with sub-structures                                                                    | 60   |
| I-064-3          | Identification for single-structure bridges, sign structures, or culverts.                                           | 61   |
| I-066-1          | Entering Speed Zone Area No. ( )                                                                                     | 61   |
| I-066-1x         | Entering Speed Zone Area No. ( )                                                                                     | 61   |
| I-066-2          | Leaving Speed Zone Area No. ( )                                                                                      | 62   |
| I-066-2x         | Leaving Speed Zone Area No. ( )                                                                                      | 62   |
| I-068            | Maintenance Boundary                                                                                                 | 62   |
| I-068-x          | Maintenance Boundary                                                                                                 | 62   |
| I-070-1a         | Indicates a gateway corridor of 3+ slow moving vehicle pullouts                                                      | 63   |
| I-070-1b         | Indicates single pullout in a corridor of limited/distantly scattered slow moving vehicle pullouts                   | 64   |
| I-070-1Ta        | Tab to indicate length of slow moving vehicle pullout corridor                                                       | 64   |
| I-070-2a         | Advance signing for slow moving vehicle pullout                                                                      | 65   |
| I-070-2b         | Advance signing for slow moving vehicle pullout, located immediately after SMVP to indicate distance to next pullout | 65   |
| I-070-3          | Located at beginning of slow moving vehicle pullout                                                                  | 66   |
| I-072-1          | Emergency Pullout ( )00 m Ahead                                                                                      | 66   |
| I-072-2          | Emergency Pullout RIGHT ANGLED ARROW                                                                                 | 67   |
| I-076-1          | AVOID ENGINE BREAKING                                                                                                | 67   |
| I-076-1x         | AVOID ENGINE BREAKING                                                                                                | 67   |
| I-076-1-Ta       | AVOID ENGINE BREAKING - CITY WIDE TAB                                                                                | 68   |
| I-076-1-Ta-x     | AVOID ENGINE BREAKING - CITY WIDE TAB                                                                                | 68   |
| I-076-1-Tb       | AVOID ENGINE BREAKING - RESIDENTIAL AREA TAB                                                                         | 68   |

| Sign Item Number | Description                                                                                | Page |
|------------------|--------------------------------------------------------------------------------------------|------|
| I-076-1-Tb-x     | AVOID ENGINE BREAKING - RESIDENTIAL AREA TAB                                               | 68   |
| I-076-1-Tc       | AVOID ENGINE BREAKING - NEXT XX km TAB                                                     | 69   |
| I-076-1-Tc-x     | AVOID ENGINE BREAKING - NEXT XX km TAB                                                     | 69   |
| I-076-1-Td       | AVOID ENGINE BREAKING - NEXT XXX km TAB                                                    | 69   |
| I-076-1-Td-x     | AVOID ENGINE BREAKING - NEXT XXX km TAB                                                    | 69   |
| I-076-2          | RESIDENTIAL AREA – Please! MINIMIZE VEHICLE NOISE                                          | 70   |
| I-076-2x         | RESIDENTIAL AREA – Please! MINIMIZE VEHICLE NOISE                                          | 70   |
| I-080            | Lane configuration diagram - Be Courteous Keep Right Except to Pass                        | 70   |
| I-080-x          | Lane configuration diagram - Be Courteous Keep Right Except to Pass                        | 70   |
| I-080-xx         | Lane configuration diagram – Be Courteous Keep Right Except to Pass                        | 70   |
| I-082-1          | Passing Lane ( ) km Ahead                                                                  | 71   |
| I-082-2          | Passing Lane - Slower Traffic Use Right Lane symbol                                        | 71   |
| I-082-2Ta        | For “X.x” km Tab for I-082-2 Series                                                        | 72   |
| I-082-2Tb        | For “XXX” m Tab for I-082-2 Series                                                         | 72   |
| I-082-2Tc        | “X” km AHEAD Tab for I-082-2 Series                                                        | 73   |
| I-082-3          | Next Passing Lane “XX” km                                                                  | 73   |
| I-082-4          | KEEP RIGHT, LET OTHERS PASS. Info sign for passing lane use.                               | 74   |
| I-082-4x         | KEEP RIGHT, LET OTHERS PASS. Info sign for passing lane use.                               | 74   |
| I-082-5          | KEEP RIGHT, LET OTHERS PASS. Info sign for passing during multi-lane use.                  | 74   |
| I-082-5x         | KEEP RIGHT, LET OTHERS PASS. Info sign for passing during multi-lane use.                  | 74   |
| I-082-6x         | KEEP RIGHT, LET OTHERS PASS. Info sign for passing during multi-lane and passing lane use. | 75   |
| I-090-L          | Fire Hall (Signal cut-out) Fire Truck symbol - LEFT                                        | 75   |
| I-090-R          | Fire Hall (Signal cut-out) Fire Truck symbol - RIGHT                                       | 76   |
| I-091            | Fire Hydrant Symbol                                                                        | 76   |
| I-091x           | Fire Hydrant Symbol                                                                        | 76   |
| I-100-1          | AHEAD ARROW tab                                                                            | 77   |
| I-100-1x         | AHEAD ARROW tab                                                                            | 77   |
| I-100-2          | ( ) km AHEAD ARROW tab                                                                     | 77   |
| I-100-2x         | ( ) km AHEAD ARROW tab                                                                     | 77   |
| I-100-3          | DOUBLE ARROW tab                                                                           | 77   |
| I-100-3x         | DOUBLE ARROW tab                                                                           | 77   |
| I-100-4          | LEFT/RIGHT ARROW tab                                                                       | 77   |
| I-100-4x         | LEFT/RIGHT ARROW tab                                                                       | 77   |
| I-100-5          | ( ) km LEFT ARROW tab                                                                      | 77   |


| Sign Item Number | Description                                                                   | Page |
|------------------|-------------------------------------------------------------------------------|------|
| I-100-5x         | ( ) km LEFT ARROW tab                                                         | 77   |
| I-100-6          | LEFT ANGLED ARROW tab                                                         | 77   |
| I-100-6x         | LEFT ANGLED ARROW tab                                                         | 77   |
| I-100-7          | ( ) km LEFT ANGLED ARROW tab                                                  | 77   |
| I-100-7x         | ( ) km LEFT ANGLED ARROW tab                                                  | 77   |
| I-100-8          | ( ) km RIGHT ARROW tab                                                        | 77   |
| I-100-8x         | ( ) km RIGHT ARROW tab                                                        | 77   |
| I-100-9          | RIGHT ANGLED ARROW tab                                                        | 77   |
| I-100-9x         | RIGHT ANGLED ARROW tab                                                        | 77   |
| I-100-10         | ( ) km RIGHT ANGLED ARROW tab                                                 | 77   |
| I-100-10x        | ( ) km RIGHT ANGLED ARROW tab                                                 | 77   |
| I-100-11         | ( ) 00 m tab                                                                  | 77   |
| I-100-11x        | ( ) 00 m tab                                                                  | 77   |
| I-100-12         | ( ) km tab                                                                    | 77   |
| I-100-12x        | ( ) km tab                                                                    | 77   |
| I-104            | Buckle-Up symbol Buckle Up                                                    | 77   |
| I-104-x          | Buckle-Up symbol Buckle Up                                                    | 77   |
| I-104-xx         | Buckle-Up symbol Use of Seatbelts Compulsory in British Columbia              | 77   |
| I-104-xxx        | Buckle-Up symbol Use of Seatbelts Compulsory in British Columbia              | 77   |
| I-106-50         | Thinkmetric 30 MPH is 50 km/h                                                 | 78   |
| I-106-60         | Thinkmetric 40 MPH is 60 km/h                                                 | 78   |
| I-106-70         | Thinkmetric 45 MPH is 70 km/h                                                 | 79   |
| I-106-80         | Thinkmetric 50 MPH is 80 km/h                                                 | 79   |
| I-106-90         | Thinkmetric 55 MPH is 90 km/h                                                 | 80   |
| I-106-100        | Thinkmetric 60 MPH is 100 km/h                                                | 80   |
| I-109            | 3 Vehicle Units Under 11,000 kg G.V.W. Prohibited in B.C.                     | 81   |
| I-110            | Call 511 for Travel Info – <a href="http://www.DriveBC.ca">www.DriveBC.ca</a> | 81   |
| I-110-x          | Call 511 for Travel Info – <a href="http://www.DriveBC.ca">www.DriveBC.ca</a> | 81   |
| I-111            | Carpool Info Carpool symbol                                                   | 82   |
| I-111-T          | Carpool (Sponsor) name & (Contact) information tab                            | 82   |
| I-112-1          | Refuse Transfer Station                                                       | 83   |
| I-112-2          | Refuse Dump                                                                   | 83   |
| I-112-Ta         | LEFT/RIGHT ARROW tab                                                          | 84   |
| I-112-Tb         | Sign indicating refuse transfer station                                       | 84   |
| I-117            | Gold Rush Trail – British Columbia                                            | 85   |
| I-117-x          | Gold Rush Trail – British Columbia                                            | 85   |
| I-117-T1         | Various directional tabs                                                      | 85   |
| I-117-T1x        | Various directional tabs                                                      | 85   |

| Sign Item Number | Description                   | Page |
|------------------|-------------------------------|------|
| I-117-T2         | Various directional tabs      | 85   |
| I-117-T2x        | Various directional tabs      | 85   |
| I-117-T3         | Various directional tabs      | 85   |
| I-117-T3x        | Various directional tabs      | 85   |
| I-117-T4         | Various directional tabs      | 85   |
| I-117-T4x        | Various directional tabs      | 85   |
| I-117-T5         | Various directional tabs      | 85   |
| I-117-T5x        | Various directional tabs      | 85   |
| I-117-T6         | Various directional tabs      | 85   |
| I-117-T6x        | Various directional tabs      | 85   |
| I-117-T7         | Various directional tabs      | 85   |
| I-117-T7x        | Various directional tabs      | 85   |
| I-117-T8         | Various directional tabs      | 85   |
| I-117-T8x        | Various directional tabs      | 85   |
| I-117-T9         | Various directional tabs      | 85   |
| I-117-T9x        | Various directional tabs      | 85   |
| I-117-T10        | Various directional tabs      | 85   |
| I-117-T10x       | Various directional tabs      | 85   |
| I-117-T11        | Various directional tabs      | 85   |
| I-117-T11x       | Various directional tabs      | 85   |
| I-117-T12        | Various directional tabs      | 85   |
| I-117-T12x       | Various directional tabs      | 85   |
| I-118-1          | Oceanside Route marker        | 86   |
| I-118-1xx        | Oceanside Route marker        | 86   |
| I-118-2          | Sea Side Village Route marker | 86   |
| I-118-2xx        | Sea Side Village Route marker | 86   |
| I-118-Ta         | To tab                        | 87   |
| I-118-TbA        | AHEAD ARROW tab               | 87   |
| I-118-TcLR       | LEFT/RIGHT ARROW tab          | 87   |
| I-118-Tdxx       | Next Exit tab                 | 87   |
| I-118-TdL-xx     | Next Left tab                 | 87   |
| I-118-TdR-xx     | Next Right tab                | 87   |
| I-130-u          | EV Charging Symbol            | 88   |
| I-130            | EV Charging Symbol            | 88   |
| I-130-x          | EV Charging Symbol            | 88   |
| I-130-Tau        | EV TAB for FAST Charging      | 88   |
| I-130-Ta         | EV TAB for FAST Charging      | 88   |
| I-130-Tax        | EV TAB for FAST Charging      | 88   |

| Sign Item Number | Description                                                                                                 | Page |
|------------------|-------------------------------------------------------------------------------------------------------------|------|
| I-130-Tbu        | EV Charging Station Tabs - LEVEL 2 Charging                                                                 | 89   |
| I-130-Tb         | EV Charging Station Tabs - LEVEL 2 Charging                                                                 | 89   |
| I-130-Tbx        | EV Charging Station Tabs - LEVEL 2 Charging                                                                 | 89   |
| I-130-Tcu        | EV Charging Station Tabs - LEVEL 3 Charging                                                                 | 89   |
| I-130-Tc         | EV Charging Station Tabs - LEVEL 3 Charging                                                                 | 89   |
| I-130-Tcx        | EV Charging Station Tabs - LEVEL 3 Charging                                                                 | 89   |
| I-130-Tdu        | EV Charging Station Tabs - LEVEL 4 Charging                                                                 | 90   |
| I-130-Td         | EV Charging Station Tabs - LEVEL 4 Charging                                                                 | 90   |
| I-130-Tdx        | EV Charging Station Tabs - LEVEL 4 Charging                                                                 | 90   |
| I-131-Tu Series  | EV Tab Collection forWayfinding                                                                             | 90   |
| I-131-T Series   | EV Tab Collection forWayfinding                                                                             | 90   |
| I-131-Tx Series  | EV Tab Collection forWayfinding                                                                             | 90   |
| I-179            | DrinkingWater Advisory. This water is untreated and may be unsafe for drinking. Added to Rest Area Package. | 91   |
| I-184            | Entering Groundwater Protection Zone Please Protect Our Drinking Water Source                               | 91   |
| I-198-1          | Avalanche Hazard Low to Extreme (setting options) MoT                                                       | 92   |
| I-198-1x         | Avalanche Hazard Low to Extreme (setting options) MoT                                                       | 92   |
| I-198-2          | Danger Avalanche Control Using Explosives May Begin without Warning Mot                                     | 92   |
| I-198-3u         | (Number) . (Number) Avalanche Path marker                                                                   | 93   |
| I-198-3          | (Number) . (Number) Avalanche Path marker                                                                   | 93   |
| I-198-3x         | (Number) . (Number) Avalanche Path marker                                                                   | 93   |
| I-200-1          | Tsunami Evacuation Route                                                                                    | 93   |
| I-200-1x         | Tsunami Evacuation Route                                                                                    | 93   |
| I-200-2          | Entering Tsunami Hazard Zone                                                                                | 94   |
| I-200-2x         | Entering Tsunami Hazard Zone                                                                                | 94   |
| I-200-3          | Leaving Tsunami Hazard Zone                                                                                 | 94   |
| I-200-3x         | Leaving Tsunami Hazard Zone                                                                                 | 94   |
| I-200-4          | Tsunami Hazard Zone In Case of Earthquake Go to Higher Ground or Inland                                     | 95   |
| I-200-4x         | Tsunami Hazard Zone In Case of Earthquake Go to Higher Ground or Inland                                     | 95   |
| I-200-5          | (Tsunami) Evacuation Site                                                                                   | 95   |
| I-200-5x         | (Tsunami) Evacuation Site                                                                                   | 95   |
| I-200-6A         | Evacuation Route                                                                                            | 96   |
| I-200-6L         | Evacuation Route                                                                                            | 96   |
| I-200-6R         | Evacuation Route                                                                                            | 97   |
| I-200-Ta         | Zone ( ) tab                                                                                                | 98   |
| I-200-Tax        | Zone ( ) tab                                                                                                | 98   |
| I-200-Tb         | ( ) m tab                                                                                                   | 98   |
| I-200-Tbx        | ( ) m tab                                                                                                   | 98   |

| Sign Item Number | Description                                   | Page |
|------------------|-----------------------------------------------|------|
| I-200-Tc         | ( ) km                                        | 98   |
| I-200-Tcx        | ( ) km                                        | 98   |
| I-200-TdA        | AHEAD ARROW tab                               | 98   |
| I-200-TdA-x      | AHEAD ARROW tab                               | 98   |
| I-200-TdLR       | LEFT/RIGHT ARROW tab                          | 98   |
| I-200-TdLR-x     | LEFT/RIGHT ARROW tab                          | 98   |
| I-202            | Disaster Response Route symbol                | 98   |
| I-202-Ta         | Disaster Response Route tab                   | 99   |
| I-202-Tb         | Emergency Vehicles Only During a Disaster tab | 99   |
| 1-600-1          | NZEV Symbol                                   | 99   |
| 1-600-2          | NZEV ROUTE Symbol                             | 100  |
| 1-600-3          | NZEV ZONE Symbol                              | 100  |
| 1-600-4          | NGC Symbol                                    | 101  |
| 1-600-5          | NGC ROUTE Symbol                              | 101  |
| 1-600-6          | NGC ZONE Symbol                               | 102  |
| 1-600-7-Ta       | NZEV / NGC AHEAD (Arrow) Tab                  | 102  |
| 1-600-7-Tb       | NZEV / NGC LEFT / RIGHT (Arrow) Tab           | 103  |
| 1-600-7-Tc       | NZEV / NGC BEGINS Tab                         | 103  |
| 1-600-7-Td       | NZEV / NGC ENDS Tab                           | 104  |
| 1-600-7-Te       | NZEV / NGC ENTERING Tab                       | 104  |
| 1-600-7-Tf       | NZEV / NGC EXITING Tab                        | 105  |
| 1-600-7-Tg       | NZEV / NGC ONLY Tab                           | 105  |
| 1-600-7-Th       | NZEV / NGC WITH PERMIT Tab                    | 106  |
| 1-600-7-Ti       | NZEV / NGC 200m Tab                           | 106  |
| 1-600-7-Tj       | NGC : Neighbourhood Golf Cart Tab             | 107  |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application   |
|------------------|-----------------------|------------------------|--------------|-----------------------|
| I-003            | WTS* x 300            | 1                      | -            | Arterial              |
| I-003-x          | WTS* x 600            | 1                      | -            | Expressway or Freeway |
|                  |                       |                        |              |                       |


*NOTE: \*Sign width-to-suit based on character count.*

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-006            | 800 x 600             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |


0.081 Aluminum



I-006-TL



I-006-TLR



I-006-TR

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-006 Tabs       | 300 x 200             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

*NOTE: Provide the individual tab number when placing order.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-007-1          | 800 x 600             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-007-2          | 800 x 600             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



I-007-TL



I-007-TLR



I-007-TR

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-007 Tabs       | 300 x 200             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

*NOTE: Provide the individual tab number when placing order.*



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-009-1          | 900 x 450             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-009-2          | 900 x 450             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-011            | 450 x 600             | 1                      | -            | Local Road / Low Speed |
| I-011-x          | 600 x 750             | 1                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-012            | 600 x 450             | 1                      | -            | Static              |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |



Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-014-1          | 1525 x 610            | 9                      | STE          | Arterial or Expressway |
| I-014-1x         | 3050 x 1220           | 9                      | STE          | Freeway                |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |


Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-014-2          | 1525 x 610            | 9                      | STE          | Arterial or Expressway |
| I-014-2x         | 3050 x 1220           | 9                      | STE          | Freeway                |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-014-3          | 1220 x 610            | 9                      | STE          | Arterial or Expressway |
| I-014-3x         | 2440 x 1220           | 9                      | STE          | Freeway                |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-014-5          | WTS x 900             | 3                      | G / W        | Arterial to Expressway |
|                  |                       |                        |              |                        |

*NOTE: The height of this sign is fixed, but the width of the design may be adjusted to suit the length of messaging required. The outlined letters may be changed upon request on ordering.*


0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-014-6          | WTS x 900             | 3                      | STOE         | Arterial to Expressway |
|                  |                       |                        |              |                        |

*NOTE: The height of this sign is fixed, but the width of the design may be adjusted to suit the length of messaging required. The outlined letters may be changed upon request on ordering.*

Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application   |
|------------------|-----------------------|------------------------|--------------|-----------------------|
| I-015            | 3660 x 1525           | 9                      | -            | Expressway or Freeway |
|                  |                       |                        |              |                       |
|                  |                       |                        |              |                       |

Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-015-T          | 3660 x 305            | 9                      | -            | Arterial to Freeway |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-017-1          | 750 x 750             | 1                      | DTM          | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-017-2          | 750 x 750             | 1                      | DTM          | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-017-3          | 750 x 750             | 1                      | DTM          | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-017-4          | 750 x 750             | 1                      | DTM          | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



I-017-TA1



I-017-TL1



I-017-TR1



I-017-TA2



I-017-TL2



I-017-TR2

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-017 Tabs       | 750 x 300             | 1                      | DTM          | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

*NOTE: Provide the individual tab number when placing order.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-019-1a         | 600 x 600             | 3                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

0.081 Aluminum



**I-019-1a  
& I-019-1a-Ta**



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-019-1a-Ta      | 600 x 450             | 3                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |

*NOTE: The above shown tab will be used to place the sponsoring Wi-Fi company for this Rest Area location. The appropriate graphics must be obtained with permission and sent for application to the tab with the order.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-019-1b         | 600 x 600             | 3                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-019-1c         | 600 x 600             | 3                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-019-1d         | 600 x 600             | 3                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-019-1e         | 600 x 600             | 3                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-019-1f         | 600 x 600             | 3                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application    |
|------------------|-----------------------|------------------------|-------------------|------------------------|
| I-020-1L         | 600 x 600             | 3                      | STOE              | Local Road / Low Speed |
|                  |                       |                        |                   |                        |
|                  |                       |                        |                   |                        |

*NOTE: Sign previously listed as: I-020-L*



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application    |
|------------------|-----------------------|------------------------|-------------------|------------------------|
| I-020-1R         | 600 x 600             | 3                      | STOE              | Local Road / Low Speed |
|                  |                       |                        |                   |                        |
|                  |                       |                        |                   |                        |

*NOTE: Sign previously listed as: I-020-R*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application    |
|------------------|-----------------------|------------------------|-------------------|------------------------|
| I-020-2          | 600 x 600             | 3                      | STOE              | Local Road / Low Speed |
|                  |                       |                        |                   |                        |
|                  |                       |                        |                   |                        |

0.081 Aluminum


**I-020-3**


| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application    |
|------------------|-----------------------|------------------------|-------------------|------------------------|
| I-020-3          | 600 x 600             | 3                      | STOE              | Local Road / Low Speed |
|                  |                       |                        |                   |                        |

*NOTE: The outlined distance "X00" m is variable and must be requested when ordering this sign*

0.081 Aluminum


**I-020-2**
**I-020-4Ta**


| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application    |
|------------------|-----------------------|------------------------|-------------------|------------------------|
| I-020-4Ta        | 600 x 200             | 3                      | STOE              | Local Road / Low Speed |
|                  |                       |                        |                   |                        |
|                  |                       |                        |                   |                        |



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-1L         | 900 x 900             | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-1R         | 900 x 900             | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-2L         | 900 x 900             | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-2R         | 900 x 900             | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum


**I-021-3**


| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-3          | 900 x 900             | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |

*NOTE: The outlined distance "X00" m is variable and must be requested when ordering this sign*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-4L         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-4R         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-5L         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-5R         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-6          | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |

*NOTE: The outlined distance "X00" m is variable and must be requested when ordering this sign*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-7L         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-7R         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-8L         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-8R         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum


**I-021-9**


| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-9          | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |

*NOTE: The outlined distance "X00" m is variable and must be requested when ordering this sign*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-10L        | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-10R        | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-11L        | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-11R        | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum


**I-021-12**


| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-12         | 900 x 1800            | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |

*NOTE: The outlined distance "X00" m is variable and must be requested when ordering this sign*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-13Ta       | 900 x 300             | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |

*NOTE: The outlined distance "XX" km is variable and must be requested when ordering this sign. The distance listed must be  $\geq$  80 km, as per policy.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-021-14Ta       | 900 x 300             | 3                      | STOE              | Arterial            |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |



0.081 Aluminum



Sign previously listed as: I-024 Series

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-023-1          | 1200 x 600            | 1                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

NOTE: The outlined text is variable and should be requested upon ordering.

0.081 Aluminum



I-023-2 Example



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-023-2          | 1200 x 750            | 1                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

NOTE: The outlined text is variable and should be requested upon ordering.

0.081 Aluminum

0.081 Aluminum



Sign previously listed as: I-027-1

| Sign Item Number                       | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|----------------------------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-1a                               | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                                        |                       |                        |                   |                              |
|                                        |                       |                        |                   |                              |
| NOTE: Replacement for current I-024-3. |                       |                        |                   |                              |

0.081 Aluminum



Sign previously listed as: I-027-2

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-1b         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |

NOTE: Replacement for current I-024-4.

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-1c         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |



0.081 Aluminum



Sign previously listed as: I-026-1

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-2a         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |

NOTE: Replacement for current I-024-1.

0.081 Aluminum



Sign previously listed as: I-026-2

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-2b         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |

NOTE: Replacement for current I-024-2.

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-2c         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-3a         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-3b         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-3c         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-4a         | 250 x 250             | 1                      | –                 | Static / Washroom Facilities |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |

0.081 Aluminum



Sign previously listed as: I-021

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application          |
|------------------|-----------------------|------------------------|-------------------|------------------------------|
| I-024-5          | 600 x 300             | 1                      | STOE              | Static / Rest Area Washrooms |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |
|                  |                       |                        |                   |                              |



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-024-8a         | 600 x 300             | 1                      | STSE              | Static              |
|                  |                       |                        |                   |                     |

*NOTE: The outlined Maintenance Contractor (M/C) contact number is variable, please supply correct number for local M/C when ordering sign.*

Ex. Aluminum



**Example of  
Applicable  
Distance**



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application  |
|------------------|-----------------------|------------------------|-------------------|----------------------|
| I-027            | 1830 x 1830           | 3                      | STOE              | Arterial             |
| I-027-x          | 3660 x 3050           | 3                      | STOE              | Expressway / Freeway |

*NOTE: "X" km is variable, and distance must be provided when ordering.  
Distance must be between 2 and 3 km.*

0.081 Aluminum



I-030-1

FOR 500m

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-030-1          | 900 x 750             | 3                      | STSE         | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



I-030-2

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-030-2          | 900 x 750             | 3                      | STSE         | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



I-030-3

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-030-3          | 900 x 750             | 3                      | STSE         | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



I-030-4

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-030-4          | 900 x 750             | 3                      | STSE         | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



I-030-5

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-030-5          | 900 x 750             | 3                      | STSE         | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



I-030-6

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                  |
|------------------|-----------------------|------------------------|-------------------|--------------------------------------|
| I-030-6          | 900 x 750             | 3                      | STSE              | Local Road / Low Speed to Expressway |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |

0.081 Aluminum



I-030-7

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                  |
|------------------|-----------------------|------------------------|-------------------|--------------------------------------|
| I-030-7          | 900 x 750             | 3                      | STSE              | Local Road / Low Speed to Expressway |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |

0.081 Aluminum



I-030-8

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                  |
|------------------|-----------------------|------------------------|-------------------|--------------------------------------|
| I-030-8          | 900 x 750             | 3                      | STSE              | Local Road / Low Speed to Expressway |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |

0.081 Aluminum



I-030-9

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                  |
|------------------|-----------------------|------------------------|-------------------|--------------------------------------|
| I-030-9          | 900 x 750             | 3                      | STSE              | Local Road / Low Speed to Expressway |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |

0.081 Aluminum



I-030-10

FOR 500m

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                  |
|------------------|-----------------------|------------------------|-------------------|--------------------------------------|
| I-030-10         | 900 x 750             | 3                      | STSE              | Local Road / Low Speed to Expressway |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |

0.081 Aluminum



I-030-8

FOR 500m

I-030-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                  |
|------------------|-----------------------|------------------------|-------------------|--------------------------------------|
| I-030-Ta         | 900 x 300             | 3                      | STSE              | Local Road / Low Speed to Expressway |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |

Note: The distance shown on tab "X00m" is variable and should be supplied with request.

0.081 Aluminum



I-031-4

I-030-Tb



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                  |
|------------------|-----------------------|------------------------|-------------------|--------------------------------------|
| I-030-Tb         | 900 x 300             | 3                      | STSE              | Local Road / Low Speed to Expressway |
|                  |                       |                        |                   |                                      |
|                  |                       |                        |                   |                                      |

Note: The distance shown on tab "XX km" is variable and should be supplied with request.

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-034-1          | 900 x 450             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-034-2          | 900 x 450             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-034-3          | 900 x 450             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-034-4          | 900 x 450             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-034-5          | 900 x 450             | 1                      | DMT          | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

*NOTE: The Regional District must approve the name of the unincorporated community.*



0.081 Aluminum

See T-Circ T-13/94



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-034-T          | 600 x 300             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum

See T-Circ T-08/04



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-042-1          | 900 x 600             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum

See T-Circ T-08/04



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-042-2          | 900 x 600             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum

See T-Circ T-08/04



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-043-1          | 900 x 600             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum

See T-Circ T-08/04



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-043-2          | 900 x 600             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-046            | 600 x 600             | 3                      | STOE         | Local Road / Low Speed to Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-048-1          | 1830 x 915            | 3                      | -            | Arterial or Expressway |
| I-048-1x         | 2440 x 1220           | 3                      | -            | Freeway                |
| I-048-1xx        | 3660 x 1830           | 3                      | STOE         | Special Application    |
|                  |                       |                        |              |                        |

Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application   |
|------------------|-----------------------|------------------------|--------------|-----------------------|
| I-048-2          | 1830 x 915            | 3                      | -            | Low Speed             |
| I-048-2x         | 2440 x 1220           | 3                      | -            | Arterial / Local Road |
| I-048-2xx        | 3660 x 1830           | 3                      | STOE         | Special Application   |
|                  |                       |                        |              |                       |

0.081 Aluminum  
or Ext Aluminum

**MOUNTAIN TIME ZONE**

---

**SET YOUR TIME  
ONE HOUR AHEAD**

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-050-1          | 2440 x 1220           | 3                      | STOE         | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum  
or Ext Aluminum

**PACIFIC TIME ZONE**

---

**SET YOUR TIME  
ONE HOUR BACK**

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-050-2          | 2440 x 1220           | 3                      | STOE         | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum



For Use With:


I-100 Arrow  
Series Tabs

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-1          | 600 x 600             | 1                      | -            | Local Road / Low Speed |
| I-054-1x         | 750 x 750             | 1                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-2          | 600 x 600             | 1                      | -            | Local Road / Low Speed |
| I-054-2x         | 750 x 750             | 1                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



For Use With:



I-100 Arrow  
Series Tabs

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-3          | 600 x 600             | 1                      | -            | Local Road / Low Speed |
| I-054-3x         | 750 x 750             | 1                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



For Use With:


I-100 Arrow  
Series Tabs

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-4          | 600 x 600             | 1                      | -            | Local Road / Low Speed |
| I-054-4x         | 750 x 750             | 1                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



For Use With:


I-100 Arrow  
Series Tabs


| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-5          | 600 x 600             | 1                      | -            | Local Road / Low Speed |
| I-054-5x         | 750 x 750             | 1                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-6          | 600 x 600             | 1                      | STOE         | Local Road / Low Speed |
| I-054-6x         | 750 x 750             | 1                      | STOE         | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



For Use With:


I-100 Arrow  
Series Tabs

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-7          | 600 x 600             | 1                      | DMT          | Local Road / Low Speed |
| I-054-7x         | 750 x 750             | 1                      | DMT          | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-7T         | 600 x 300             | 1                      | DMT          | Local Road / Low Speed |
| I-054-7Tx        | 750 x 450             | 1                      | DMT          | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-054-Ta         | 600 x 450             | 1                      | DMT          | Local Road / Low Speed |
| I-054-Tax        | 750 x 450             | 1                      | DMT          | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application               |
|------------------|-----------------------|------------------------|--------------|-----------------------------------|
| I-055            | 600 x 750             | 1                      | STOE         | Local Road /Low Speed or Arterial |
|                  |                       |                        |              |                                   |
|                  |                       |                        |              |                                   |
|                  |                       |                        |              |                                   |

0.081 Aluminum



For Use With:



I-100 Arrow  
Series Tabs

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-056-1          | 600 x 600             | 1                      | -            | Local Road / Low Speed or Arterial |
| I-056-1x         | 750 x 750             | 1                      | -            | Expressway                         |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



For Use With:



I-100 Arrow  
Series Tabs

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-056-2          | 600 x 600             | 1                      | -            | Local Road / Low Speed or Arterial |
| I-056-2x         | 750 x 750             | 1                      | -            | Expressway                         |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



For Use With:



I-100 Arrow  
Series Tabs

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-056-3          | 600 x 600             | 1                      | -            | Local Road / Low Speed or Arterial |
| I-056-3x         | 750 x 750             | 1                      | -            | Expressway                         |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



For Use With:


I-100 Arrow  
Series Tabs

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-056-4          | 600 x 600             | 1                      | -            | Local Road / Low Speed or Arterial |
| I-056-4x         | 750 x 750             | 1                      | -            | Expressway                         |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-056-Ta         | 600 x 300             | 1                      | -            | Local Road / Low Speed or Arterial |
| I-056-Tax        | 750 x 300             | 1                      | -            | Expressway                         |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-056-Tb         | 600 x 300             | 1                      | -            | Local Road / Low Speed or Arterial |
| I-056-Tbx        | 750 x 300             | 1                      | -            | Expressway                         |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-057            | 600 x 600             | 1                      | STOE              | Local Road / Low Speed or Arterial |
| I-057-x          | 750 x 750             | 1                      | STOE              | Expressway                         |
| I-057-xx         | 900 x 900             | 1                      | STOE              | Freeway / Special Application      |
|                  |                       |                        |                   |                                    |



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-062            | 600 x 750             | 1                      | -            | Low Speed / Local Road or Arterial |
| I-062-x          | 750 x 900             | 1                      | -            | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum


Inventory Marker  
Examples

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application               |
|------------------|-----------------------|------------------------|--------------|-----------------------------------|
| I-064            | 300 x 300             | 1                      | -            | Local Road / Low Speed to Freeway |
|                  |                       |                        |              |                                   |
|                  |                       |                        |              |                                   |

*NOTE: General use inventory marker.*

0.081 Aluminum



**I-064-2** Retaining Wall – denoted by suffix R.



**I-064-2x** Applies to structures with sub-structures, such as:

- Twin Bridges. Suffix denotes direction of travel or compass location (i.e. N/S/W/E);
- Multiple Structures within an interchange; or
- Culverts with multiple units – Suffix is selected to distinguish each unit.

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                       |
|------------------|-----------------------|------------------------|--------------|-------------------------------------------|
| I-064-2          | 250 x 75              | 0                      | -            | Structure Identification – Retaining Wall |
| I-064-2x         | 650 x 200             | 0                      | -            | Structure Identification – Bridge/Culvert |
|                  |                       |                        |              |                                           |

*NOTE: Single-structure bridges, culverts, or sign structures much use I-064-3.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application      |
|------------------|-----------------------|------------------------|--------------|--------------------------|
| I-064-3          | 600 x 200             | 0                      | -            | Structure Identification |
|                  |                       |                        |              |                          |

*NOTE: Structures with sub-structures, such as twin bridges, multiple bridges within an interchange, or culverts with multiple units, must use I-064-2x.*

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-066-1          | 600 x 450             | 1                      | STOE         | Low Speed / Local Road or Arterial |
| I-066-1x         | 750 x 600             | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-066-2          | 600 x 450             | 1                      | STOE         | Low Speed / Local Road or Arterial |
| I-066-2x         | 750 x 600             | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



Example



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application   |
|------------------|-----------------------|------------------------|--------------|-----------------------|
| I-068            | 1830 x 1220           | 1                      | DMT          | All Roads or Highways |
| I-068-x          | 2440 x 1525           | 1                      | DMT          | All Roads or Highways |
|                  |                       |                        |              |                       |
|                  |                       |                        |              |                       |



I-070-1a

I-070-1Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-070-1a         | 2240 x 1220           | 3                      | STOE         | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

NOTE: "X" variable to be identified when ordering.

0.081 Aluminum



Ext. Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-070-1b         | 2440 x 1220           | 3                      | STOE         | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

NOTE: "X" variable to be identified when ordering.

Ext. Aluminum




I-070-1a

I-070-1Ta

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-070-1Ta        | 2440 x 305            | 3                      | STOE         | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

NOTE: To be used only with 1-070-1a.


Ext. Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-070-2a         | 1830 x 915            | 3                      | STOE         | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

NOTE: "XXX" variable to be identified when ordering.

Ext. Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-070-2b         | 1830 x 915            | 3                      | STOE         | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

NOTE: "X" variable to be identified when ordering. Use this version for distances greater than 2 km.



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-070-3          | 1830 x 915            | 3                      | STOE         | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-072-1          | 750 x 750             | 1                      | -            | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-072-2          | 750 x 750             | 1                      | -            | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum

- CITY WIDE I-076-1-Ta
- RESIDENTIAL I-076-1-Tb
- AVOID  
ENGINE  
BRAKING

I-076-1
- NEXT 12 km I-076-1-Tc
- NEXT 900 m I-076-1-Td



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-076-1          | 900 x 900             | 3                      | STOE         | Local Road / Low Speed |
| I-076-1x         | 1200 x 1200           | 3                      | STOE         | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum

**CITY WIDE**

I-076-Ta



I-076



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-076-1-Ta       | 900 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-076-1-Ta-x     | 1200 x 400            | 3                      | STOE         | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum

See T-Circ T-05/06

**RESIDENTIAL**

I-076-Tb



I-076



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-076-1-Tb       | 900 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-076-1-Tb-x     | 1200 x 400            | 3                      | STOE         | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



I-076

**NEXT 12 km**

I-076-Tc



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-076-1-Tc       | 900 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-076-1-Tc-x     | 1200 x 400            | 3                      | STOE         | Arterial or Expressway |
|                  |                       |                        |              |                        |

*NOTE: The "XX" outlined variable km distance is to be identified when ordering.*

0.081 Aluminum



I-076-Tb



I-076

**NEXT 900 m**

I-076-Td



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-076-1-Td       | 900 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-076-1-Td-x     | 1200 x 400            | 3                      | STOE         | Arterial or Expressway |
|                  |                       |                        |              |                        |

*NOTE: The "XXX" outlined variable km distance is to be identified when ordering.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-076-2          | 900 x 1200            | 3                      | STOE         | Local Road / Low Speed |
| I-076-2x         | 1200 x 1600           | 3                      | STOE         | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-080            | 1830 x 1220           | 9                      | -            | Local Road / Low Speed |
| I-080-x          | 2440 x 1525           | 9                      | -            | Arterial or Expressway |
| I-080-xx         | 3660 x 2440           | 9                      | -            | Freeway                |
|                  |                       |                        |              |                        |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-082-1          | 750 x 900             | 9                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-082-2          | 750 x 900             | 9                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



**I-082-2  
with  
I-082-2Ta Tab**




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-082-2Ta        | 750 x 450             | 9                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

NOTE: "X.x" variable km distance to be identified when ordering

0.081 Aluminum



**I-082-2  
with  
I-082-2Tb Tab**



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-082-2Tb        | 750 x 450             | 9                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

NOTE: "XXX" variable m distance to be identified when ordering.

0.081 Aluminum



**I-082-2  
with  
I-082-2Tc Tab**



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-082-2Tc        | 750 x 450             | 9                      | -            | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

*NOTE: "2" variable km distance to be identified when ordering.*

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-082-3          | 900 x 900             | 9                      | STE          | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

*NOTE: Sign is used where "XX" is <= 20 km. State distance when ordering sign*


0.081 Aluminum

Ext. Alum.



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application   |
|------------------|-----------------------|------------------------|-------------------|-----------------------|
| I-082-4          | 1220 x 2135           | 3                      | -                 | Arterial              |
| I-082-4x         | 1525 x 2745           | 3                      | -                 | Expressway or Freeway |
|                  |                       |                        |                   |                       |
|                  |                       |                        |                   |                       |


0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application   |
|------------------|-----------------------|------------------------|-------------------|-----------------------|
| I-082-5          | 1220 x 2135           | 3                      | -                 | Arterial              |
| I-082-5x         | 1525 x 2745           | 3                      | -                 | Expressway or Freeway |
|                  |                       |                        |                   |                       |
|                  |                       |                        |                   |                       |


0.081 Aluminum

Ext. Alum.




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application |
|------------------|-----------------------|------------------------|-------------------|---------------------|
| I-082-6x         | 1525 x 2745           | 3                      | -                 | Freeway             |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |
|                  |                       |                        |                   |                     |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-090-L          | 750 x 1200            | 1                      | STOE         | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-090-R          | 750 x 1200            | 1                      | STOE         | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-091            | 450 x 450             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-091x           | 750 x 750             | 1                      | STOE         | Expressway / Freeway               |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |


**0.081 Aluminum**


| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-100 Tabs       | 600 x 300             | 1                      | -            | Local Road / Low Speed or Arterial |
| I-100-x Tabs     | 750 x 300             | 1                      | -            | Arterial or Expressway             |

*NOTE: Provide the individual tab number when placing order. Match parent sign width.  
Tabs may be ordered double-sided with 'CLOSED' (sample as per I-056-Tb) available on reverse.*

**0.081 Aluminum**
**0.081 Aluminum  
or Ext Aluminum**


I-104 / I-104-x



I-104-xx / I-104-xxx

*NOTE: Substrates vary with sign size:  
0.081 Aluminum for I-104 & I-104-x or Ext Aluminum for I-104-xx & I-104-xxx.*

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-104            | 600 x 750             | 1                      | STOE         | Local Road / Low Speed |
| I-104-x          | 900 x 1200            | 1                      | STOE         | Arterial               |
| I-104-xx         | 1220 x 610            | 1                      | -            | Expressway             |
| I-104-xxx        | 2440 x 1220           | 1                      | -            | Freeway                |

0.081 Aluminum  
or Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-106-50         | 2135 x 1220           | 1                      | STOE         | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum  
or Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-106-60         | 2135 x 1220           | 1                      | STOE         | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum  
or Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-106-70         | 2135 x 1220           | 1                      | STOE         | Arterial            |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum  
or Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-106-80         | 2135 x 1220           | 1                      | STOE         | Arterial or Expressway |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |



0.081 Aluminum  
or Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-106-90         | 2135 x 1220           | 1                      | STOE         | Arterial to Freeway |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum  
or Ext Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-106-100        | 2135 x 1220           | 1                      | STOE         | Arterial to Freeway |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum  
or Ext Aluminum

See T-Circ T-09/94



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-109            | 2440 x 1220           | 1                      | STOE         | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

0.081 Aluminum  
or Ext Aluminum

See T-Circ T-04/06



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-110            | 2440 x 1525           | 3                      | STOE         | Local Road / Low Speed or Arterial |
| I-110-x          | 3660 x 2135           | 3                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |

*NOTE: "www.drivebc.ca" yellow should be Pantone 116.*



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-111            | 750 x 750             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

NOTE: Refer to G-065 Series in the Guide Section for related Carpool guide signs.

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                  |
|------------------|-----------------------|------------------------|--------------|--------------------------------------|
| I-111-T          | 750 x 300             | 1                      | -            | Local Road / Low Speed to Expressway |
|                  |                       |                        |              |                                      |
|                  |                       |                        |              |                                      |

NOTE: Refer to G-065 Series in the Guide Section for related Carpool guide signs.



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-112-1          | 600 x 600             | 1                      | STOE         | Local Road / Low Speed |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-112-2          | 600 x 450             | 1                      | STOE         | Local Road / Low Speed |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum

I-112 (Parent Sign)



I-112-Ta (Tab)



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-112-Ta         | 600 x 300             | 1                      | STOE         | Local Road / Low Speed |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum

I-112 (Parent Sign)



I-112-Tb(Tab)



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-112-Tb         | 600 x 450             | 1                      | STOE         | Local Road / Low Speed |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |
|                  |                       |                        |              |                        |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-117            | 750 x 750             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-117-x          | 900 x 900             | 1                      | STOE         | Expressway / Freeway               |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum


I-117-T1  
I-117-T1x

I-117-T2  
I-117-T2x

I-117-T3  
I-117-T3x

I-117-T4  
I-117-T4x

I-117-T5  
I-117-T5x

I-117-T6  
I-117-T6x

I-117-T7  
I-117-T7x

I-117-T8  
I-117-T8x

I-117-T9  
I-117-T9x

I-117-T10  
I-117-T10x

I-117-T11  
I-117-T11x

I-117-T12  
I-117-T12x

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-117-T          | 750 x 300             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-117-Tx         | 900 x 400             | 1                      | STOE         | Expressway / Freeway               |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-118-1          | 600 x 600             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-118-1xx        | 1200 x 1200           | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-118-2          | 600 x 600             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-118-2xx        | 1200 x 1200           | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |


0.081 Aluminum



I-118-Ta



I-118-TbA



I-118-TcLR

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-118 Tabs       | 600 x 300             | 1                      | STOE         | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |

*NOTE: Provide the individual tab number when placing order.  
See next table for I-118-xx tabs.*

0.081 Aluminum



I-118-Tdxx



I-118-TdL-xx



I-118-TdR-xx

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application   |
|------------------|-----------------------|------------------------|--------------|-----------------------|
| I-118-xx Tabs    | 1200 x 600            | 1                      | STOE         | Expressway or Freeway |
|                  |                       |                        |              |                       |
|                  |                       |                        |              |                       |

*NOTE: Provide the individual tab number when placing order.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-130-u          | 600 x 600             | 3                      | STOE         | Local Road / Low Speed |
| I-130            | 750 x 750             | 3                      | STOE         | Arterial / Expressway  |
| I-130-x          | 900 x 900             | 3                      | STOE         | Freeway                |
|                  |                       |                        |              |                        |

0.081 Aluminum



I-130



I-130-Ta (Optional Tab)



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-130-Tau        | 600 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-130-Ta         | 750 x 400             | 3                      | STOE         | Arterial / Expressway  |
| I-130-Tax        | 900 x 450             | 3                      | STOE         | Freeway                |
|                  |                       |                        |              |                        |

0.081 Aluminum



I-130

I-130-Tb (Optional Tab)



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-130-Tbu        | 600 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-130-Tb         | 750 x 400             | 3                      | STOE         | Arterial / Expressway  |
| I-130-Tbx        | 900 x 450             | 3                      | STOE         | Freeway                |
|                  |                       |                        |              |                        |

0.081 Aluminum



I-130

I-130-Tc (Optional Tab)



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-130-Tcu        | 600 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-130-Tc         | 750 x 400             | 3                      | STOE         | Arterial / Expressway  |
| I-130-Tcx        | 900 x 450             | 3                      | STOE         | Freeway                |
|                  |                       |                        |              |                        |

0.081 Aluminum



I-130

I-130-Td (Optional Tab)



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-130-Tdu        | 600 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-130-Td         | 750 x 400             | 3                      | STOE         | Arterial / Expressway  |
| I-130-Tdx        | 900 x 450             | 3                      | STOE         | Freeway                |
|                  |                       |                        |              |                        |

0.081 Aluminum



I-131-Ta



I-131-Tb



I-131-Tc



I-131-Td



I-131-Te



I-131-Tf



I-131-Tg



I-131-Th



I-131-Ti



I-131-Tj



I-131-Tk



I-131-Tl



I-131-Tm



I-131-Tn



I-131-To



I-131-Tp

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-131-Tu Series  | 600 x 300             | 3                      | STOE         | Local Road / Low Speed |
| I-131-T Series   | 750 x 400             | 3                      | STOE         | Arterial / Expressway  |
| I-131-Tx Series  | 900 x 450             | 3                      | STOE         | Freeway                |

*NOTE: Specify the (metre or kilometre) distance on tabs that require a number.*

0.081 Aluminum




| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application       |
|------------------|-----------------------|------------------------|-------------------|---------------------------|
| I-179            | 600 x 450             | 1                      | STOE              | Static, within Rest Areas |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |
|                  |                       |                        |                   |                           |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-184            | 450 x 600             | 1                      | DMT          | Local Road / Low Speed or Arterial |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-198-1          | 1830 x 915            | 1                      | STOE         | Local Road / Low Speed to Arterial |
| I-198-1x         | 2440 x 1220           | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.125 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application               |
|------------------|-----------------------|------------------------|--------------|-----------------------------------|
| I-198-2          | 1200 x 1200           | 1                      | STOE         | Static - Pullouts / Parking Areas |
|                  |                       |                        |              |                                   |
|                  |                       |                        |              |                                   |

*NOTE: Hinged sign for seasonal application.*


0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application    |
|------------------|-----------------------|------------------------|--------------|------------------------|
| I-198-3u         | 300 x 300             | 1                      | STOE         | Local Road / Low Speed |
| I-198-3          | 450 x 450             | 1                      | STOE         | Arterial               |
| I-198-3x         | 600 x 600             | 1                      | STOE         | Expressway or Freeway  |
|                  |                       |                        |              |                        |

0.081 Aluminum

See T-Circ T-18/06



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-200-1          | 600 x 600             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-200-1x         | 750 x 750             | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum

See T-Circ T-18/06



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-200-2          | 600 x 600             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-200-2x         | 750 x 750             | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum

See T-Circ T-18/06



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-200-3          | 600 x 600             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-200-3x         | 750 x 750             | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum

See T-Circ T-18/06



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-200-4          | 750 x 600             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-200-4x         | 900 x 750             | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum

See T-Circ T-18/06



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-200-5          | 600 x 750             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-200-5x         | 750 x 900             | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |
|                  |                       |                        |              |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-200-6A         | 750 x 600             | 1                      | STOE         | Special Application |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-200-6L         | 750 x 600             | 1                      | STOE         | Special Application |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |



0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application |
|------------------|-----------------------|------------------------|--------------|---------------------|
| I-200-6R         | 750 x 600             | 1                      | STOE         | Special Application |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |
|                  |                       |                        |              |                     |

0.081 Aluminum

0.081 Aluminum

See T-Circ T-18/06



I-200-Ta / I-200-Tax



I-200-Tb / I-200-Tbx



I-200-Tc / I-200-Tcx



I-200-TdA / I-200-TdA-x



I-200-TdLR / I-200-TdLR-x

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application                |
|------------------|-----------------------|------------------------|--------------|------------------------------------|
| I-200 Tabs       | 600 x 200             | 1                      | STOE         | Local Road / Low Speed or Arterial |
| I-200-x Tabs     | 750 x 300             | 1                      | STOE         | Expressway or Freeway              |
|                  |                       |                        |              |                                    |

*NOTE: Provide the individual tab number by size when placing order.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application               |
|------------------|-----------------------|------------------------|--------------|-----------------------------------|
| I-202            | 600 x 600             | 1                      | STOE         | Local Road / Low Speed to Freeway |
|                  |                       |                        |              |                                   |
|                  |                       |                        |              |                                   |

0.081 Aluminum



I-202-Ta



I-202-Tb

| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | MoT Approval | Typical Application               |
|------------------|-----------------------|------------------------|--------------|-----------------------------------|
| I-202 Tabs       | 600 x 300             | 1                      | STOE         | Local Road / Low Speed to Freeway |
|                  |                       |                        |              |                                   |
|                  |                       |                        |              |                                   |

*NOTE: Provide the individual tab number when placing order.*

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Colour | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|--------|-------------------|------------------------------------|
| I-600-1          | 600 x 600             | 3                      | G / W  | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |        |                   |                                    |
|                  |                       |                        |        |                   |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-2          | 600 x 600             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-3          | 600 x 600             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-4          | 600 x 600             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-5          | 600 x 600             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-6          | 600 x 600             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-1



I-600-7-Ta



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Ta       | 600 x 300             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |


0.081 Aluminum



I-600-1



I-600-7-Tb



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Tb       | 600 x 300             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-1



I-600-7-Tc



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Tc       | 600 x 200             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-1



I-600-7-Td



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Td       | 600 x 200             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-1



I-600-7-Te



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Te       | 600 x 200             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-1



I-600-7-Tf



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Tf       | 600 x 200             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-1



I-600-7-Tg



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Tg       | 600 x 200             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-1



I-600-7-Th



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Th       | 600 x 200             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-1



I-600-7-Ti



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Ti       | 600 x 200             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum



I-600-4



I-600-7-Tj



| Sign Item Number | Dimensions (W x H) mm | Reflectivity ASTM Type | Approval Required | Typical Application                |
|------------------|-----------------------|------------------------|-------------------|------------------------------------|
| I-600-7-Tj       | 600 x 300             | 3                      | STOE              | Local Road / Low Speed or Arterial |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |
|                  |                       |                        |                   |                                    |

0.081 Aluminum