

Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Applicant Summary	Ministry of Environment and Climate Change Strategy		
Application Tracking #	Prepared by:		
Authorization #	Title:		
Applicant / Facility Name:	Date:		

The Information Requirements Table (IRT) for Liquid Waste is a tool used by Ministry of Environment and Climate Change Strategy (ENV) staff to document specific guidance and instructions given to an applicant pursuing authorization to discharge under the Environmental Management Act.

Note - this document was developed to capture all the items and complexities concerning liquid waste especially for large or highly sensitive projects across a variety of sectors where complex guidance and instruction might be necessary.

Accordingly, for any given application, not all the items will apply and not all required items will warrant detailed discussion of methods and other concerns.

As part of the Preliminary Application Phase, ENV will discuss with the applicant the items listed in this table to determine what will be required in support of their final application. A tick mark in the "Required" box of the "Requirements" Column in the table indicates an information item to be included into the application package as agreed to by both parties or as directed by ENV. Should it be determined that specific methods will be used to derive this information, this will be specified with a tick mark in the "Methods" box and specific details in the Comments column. In cases where complex impact assessments are to be undertaken, agreement on the methods used will be required. For simple methods, the methods used could be discussed with the applicant in a meeting and noted in the "Comments" column as agreed to in the table. For more complex methods, the applicant may be required to submit a "Methods Package" by an agreed date for ENV review, comment and acceptance. Once methods are accepted by ENV they should be either described in the "Comments" column and/or a reference made to the document describing the Methods Package.

If an IRT is required, the Final IRT will form part of an Application Instruction Document (AID) which documents application submission requirements for the applicant. The AID is issued by the Director after a preliminary application meeting has occurred. The AID will also include specific instructions related to the signoff of Qualified Professionals for Declaration of Competency and Conflict of interest.

When submitting the final application, please ensure the IRT is also submitted with the "Location" Column filled out to identify where each of the required items is located in the final application for all information requirements identified.

The ENV will be screening and assessing this application against this table and it is expected that the applicant does the same prior to any preliminary meetings and/or prior to any final submissions. The Ministry will be screening the final received application against the requirements noted in the Final AID to ensure it is complete before resources are dedicated to a full, detailed review.

Form IRT-EFF-02.1 2019



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Information	Requirements	Comments	Location in Final Application
1 PROJECT DESCRIPTION			
1.1 Describe the project including proposed facilities, products, processes and discharges. Indicate the maximum intended operating duration (i.e., hours per day, days or months per year).	Required		
1.2 Provide a detailed map of the project location including facilities and discharges. Identify surrounding land and water uses, and potential environmental receptors.	Required		
1.3 Describe the project permitting history and list related reports.	Required □		
1.4 Describe major activities, infrastructure and waste management related to:			
1.4.1 Site preparation and construction	Required □		
1.4.2 Operations	Required □		
1.4.3 Closure and post-closure	Required □		
1.5 Describe specific before and after conditions for permit amendment applications.	Required		
1.6 List of Qualified Professionals and signed Conflict of Interest & Declaration of Competency.	Required	Must have a combination of suitable education, training, experience acceptable to the Director and both forms signed	
Collection of Air, Air-Emission, Water, Wastewater, Soil, Sediment, and Bi setting assessments. If environmental settings data collection design and meth	ological Samples, BC Ministry	proposed activities occur. Please follow the British Columbia Field Sampling Manual for Continuous Monitoring at of Water, Land and Air Protection, 2013 (or the most recent version) when designing and completing these environse provide a rationale and discuss with ENV staff at the pre-application stage.	
2.1 Meteorology and Climate	T		1
2.1.1 Provide a baseline meteorology and climate assessment of the project area. The assessment should:			
2.1.1.1 Provide a detailed map showing the location of all site-specific and regional meteorological stations in relation to project facilities.	Required □		
2.1.1.2 Describe relevant meteorological and climate information sources for parameters such as precipitation, temperature and evaporation.	Required □		
2.1.1.3 Submit all climate data in an appendix (electronic preferred) including site photos, precipitation, temperature, snow water equivalent, etc. and provide monthly and annual summaries of relevant climatic parameters.	Required □		
2.1.1.4 Identify information gaps and describe site- specific meteorological data collection methods proposed to augment existing regional data.	Required □		

Form IRT-EFF-02.1 2019 Page 2 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Information	Requirements	Comments	Location in Final Application
2.2 Surface Water Hydrology			
2.2.1 Provide a baseline hydrological assessment of key surface drainages near the project area, to define seasonal flow regimes of local drainages. The assessment should:			
2.2.1.1 Provide monthly and annual stream flow/runoff summaries and critical low flow metrics.	Required		
2.2.1.2 Describe the baseline assessment design, methods of hydrometric station installation, monitoring methods and quality control procedures, which should follow guidance in the Resource and Inventory Standards Committee (RISC) Manual of British Columbia Hydrometric Standards (most recent version).	Required	https://www2.gov.bc.ca/assets/gov/environment/air-land-water/water/science-data/man bc hydrometric stand v10.pdf	
2.2.1.3 Provide detailed hydrologic analysis of key surface drainages within the project area to define seasonal flow regimes of local drainages. Include monthly and annual stream flow/runoff summaries and critical low flow metrics.	Required		
2.2.1.4 Provide maps showing all drainage basins (local and regional) that will be affected by the proposed project, areas of groundwater discharge, wetlands and notable topographic features.	Required		
2.2.1.5 Provide hydrological data in an appendix (electronic preferred), including rating curves, manual measurements, plots of site-specific discharge, site photos, etc.	Required		
2.2.1.6 Describe spatial or temporal gaps in the database, and provide record periods for all gauging stations (regional and project specific).	Required		
2.3 Hydrogeology			
2.3.1 Provide a baseline hydrogeological assessment of the groundwater system around the project. The assessment should:			
2.3.1.1 Summarize groundwater information from the provincial databases related to aquifers, and their geology, demand and vulnerability.	Required		

Form IRT-EFF-02.1 2019 Page 3 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Information	Requirements	Comments	Location in Final Application
2.3.1.2 Describe the baseline groundwater assessment design, monitoring, analysis and quality control procedures. The baseline assessment must be sufficiently robust to assist with future monitoring and detect potential groundwater changes as a result of the project.	Required □		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2.3.1.3 Describe aquifers and aquitards below and downgradient of the project, including gradients, storativity, hydraulic conductivity and groundwater flux.	Required □		
2.3.1.4 Provide a map with groundwater monitoring locations, seepage areas, proposed or existing discharges to ground.	Required □		
	Required □		
2.3.1.6 Describe the monitoring schedule and parameters, monitoring methods and data analysis, including quality controls.	Required □		
2.3.1.7 Submit water level contour maps, with seasonal variations, depicting groundwater flow direction (both horizontal and vertical, as may be applicable).	Required □		
2.3.1.8 Provide well logs, hydraulic test results, drill core and test pit pictures, monitoring well installation details and hydrostratigraphic cross sections.	Required □		
2.3.1.9 Describe all downgradient groundwater users (e.g. aquatic life, drinking water, etc.) within one kilometer of the project.	Required		
2.3.1.10 Describe surface water groundwater interactions downgradient of the project.	Required □		
2.3.1.11 Develop a conceptual hydrogeological model that synthesizes all relevant information to describe	Required □		

Form IRT-EFF-02.1 2019 Page 4 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Information	Requirements	Comments	Location in Final Application
the source-transport-receptor linkages associated with the project.			
2.3.1.12 For discharges to ground, the groundwater baseline should include assessment of local hydrogeological conditions including, but not limited to, stratigraphy, soil classification, water table elevations, fluctuation and flow direction, soil and aquifer hydraulics including field-saturated hydraulic conductivity, groundwater flux, and subsurface travel times in both unsaturated and saturated zones.	Required □		
2.4 Surface Water Quality			
2.4.1 Provide a baseline surface water quality assessment for the project. The assessment should include:			
2.4.1.1 Identify potential downstream receptor groups (including applicable aquatic life, wildlife, livestock, irrigation, humans) for surface water in relation to proposed project related activities and discharges.	Required □		
2.4.1.2 Describe and justify baseline study design, methods, sampling sites and periods, analysed parameters and QA/QC procedures.	Required □ Methods □		
2.4.1.3 Provide a detailed figure with sampling locations in relation to proposed or existing discharge locations, areas of disturbance and distribution of receptors.	Required □		
2.4.1.4 Provide data summaries (using appropriate statistics) that characterize spatial and temporal variations and identify location, frequency, seasonality, duration and magnitude of applicable standards exceedances or environmental quality guideline exceedances.	Required □ Methods □		
2.4.1.5 Provide all raw data in a tabulated form, including applicable method detection limits (in appendices – and Excel compatible electronic files).	Required □		
2.4.1.6 Identify certified laboratories that conducted	Required \square		

Form IRT-EFF-02.1 2019 Page 5 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Information	Requirements	Comments	Location in Final Application
sample analysis.			
2.4.1.7 Identify and discuss QA/QC concerns related to the data.	Required		
2.4.1.8 Identify and assess spatial or temporal data gaps and uncertainties.	Required Methods		
2.4.1.9 For lakes, provide limnological characterizations at a representative deep station for each basin. Sampling design should be adequate to support determination of trophic status.	Required □ Methods □		
2.4.1.10 Demonstrate that the baseline aquatic life monitoring program is sufficiently robust to assist future monitoring in detecting a significant predetermined change.	Required Methods		
2.5 Sediment Quality			
2.5.1 Provide a baseline sediment quality assessment near the project. The assessment should:			
2.5.1.1 Identify potential downstream receptor groups (including applicable aquatic life, wildlife, livestock, irrigation, humans) for sediment in relation to proposed project related activities and discharges.	Required □		
2.5.1.2 Describe and justify baseline study design, methods, sampling sites and periods, analysed parameters and QA/QC procedures.	Required Methods		
2.5.1.3 Provide a detailed figure with sampling locations in relation to proposed or existing discharge locations, areas of disturbance and distribution of receptors.	Required □		
2.5.1.4 Provide data summaries (using appropriate statistics) that characterize spatial and temporal variations and identify location, frequency, seasonality, duration and magnitude of applicable standards exceedances or environmental quality guideline exceedances.	Required Methods		
2.5.1.5 Provide all raw data in a tabulated form,	Required		

Form IRT-EFF-02.1 2019 Page 6 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

			Location in
Information	Requirements	Comments	Final Application
including applicable method detection limits (in appendices – and Excel compatible electronic files).			
2.5.1.6 Identify certified laboratories that conducted sample analysis.	Required □		
2.5.1.7 Identify and discuss QA/QC concerns related to the data.	Required		
2.5.1.8 Identify and assess spatial or temporal data gaps and uncertainties.	Required Methods		
2.5.1.9 Demonstrate that the baseline monitoring program is sufficiently robust to assist future monitoring in detecting a significant predetermined change.	Required Methods		
2.6 Aquatic Life			,
2.6.1 Provide a baseline aquatic life assessment near the project. The assessment should:			
2.6.1.1 Describe and justify baseline study design, methods, sampling sites and periods, analysed parameters and QA/QC procedures.	Required Methods		
2.6.1.2 Provide a detailed figure with sampling locations in relation to proposed or existing discharge locations, areas of disturbance and distribution of receptors.	Required		
2.6.1.3 Provide data summaries (using appropriate statistics) that characterize spatial and temporal variations and identify location, frequency, seasonality, duration and magnitude of applicable standards exceedances or environmental quality guideline exceedances.	Required □ Methods □		
2.6.1.4 Provide all raw data in a tabulated form, including applicable method detection limits (in appendices – and Excel compatible electronic files).	Required		
2.6.1.5 Identify certified laboratories that conducted sample analysis.	Required		

Form IRT-EFF-02.1 2019 Page **7** of **15**



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Information	Requirements	Comments	Location in Final Application
2.6.1.6 Identify and discuss QA/QC concerns related to the data.	Required		
2.6.1.7 Identify and assess spatial or temporal data gaps and uncertainties.	Required Methods		
2.6.1.8 Demonstrate that the baseline aquatic life monitoring program is sufficiently robust to assist future monitoring in detecting a biologically significant predetermined change.	Required Methods		
2.7 Oceanography			
2.7.1 Provide a baseline oceanographic assessment of key factors that may influence mixing and dispersion of the discharge in the marine or estuarine environment. The analysis must:			
2.7.1.1 Provide topographic features and degree of embayment.	Required		
2.7.1.2 Identify estuaries and inflows and delineation of their zone of influence.	Required		
2.7.1.3 Submit maps and analysis of bathymetric features.	Required		
2.7.1.4 Identify normal wind direction, tidal influences and marine/stream currents.	Required		
2.7.1.5 Submit inventory receiving water uses including recreational uses, fisheries resources, shellfish areas, water intakes and foreshore uses.	Required		
2.7.1.6 Provide drogue studies at proposed outfall terminus location(s) to determine the influence of thermal or physical/chemical stratification characteristics, normal currents over a complete tidal cycle and whether currents are directed shoreward or toward important fisheries or recreational resources.	Required		
2.7.1.7 Complete and submit one month of current meter readings (at bottom, and at stratification level).	Required		
2.7.1.8 Complete and submit	Required		

Form IRT-EFF-02.1 2019 Page 8 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

	Information	Requirements	Comments	Location in Final Application
	conductivity/temperature/depth (CTD) profiles during most critical periods to establish stratification levels.			
	2.7.1.9 Identify and assess spatial and temporal data gaps and uncertainties.	Required □		
3	EFFLUENT DISCHARGES, MITIGATION, MANAGEMENT AND/O	R TREATMENT		
3.1	Provide a process flow diagram showing the waste streams.	Required □		
3.2	Provide full characterization of all effluent sources from the site. Indicate their source, maximum and average quality, quantity and frequency. Describe the methodology used for characterization.	Required □ Methods □		
3.3	Provide a detailed site plan that includes locations and coordinates for each discharge location (coordinates must be in decimal degrees to the fourth decimal place).	Required □		
3.4	Describe mitigation measures to be used to limit discharge rates and contaminant concentrations.	Required		
3.5	If untreated effluent concentrations at the source are predicted to exceed acute BC Water Quality Gudelines (BCWQG) undertake and submit a Best Achievable Technology Review by a Qualified Professional (QP) (see current Fact Sheet Waste Discharges – Best Achievable Technology). : Where needed, an Initial Dilution Zone (IDZ) may typically only be	Required □	https://www2.gov.bc.ca/assets/gov/environment/waste-management/industrial-waste/industrial-waste/pulp-paper-wood/best_achievable_control_tech.pdf	
	idered after implementation of BAT.			
3.6	If treatment is proposed, provide the following information:			
3.6.1	Specify the treatment design criteria including treatment capacity, retention times, and input and output water quantity and quality.	Required \square		
3.6.2	Provide treatment system detailed design drawings including discharge works, certified, signed and stamped by a qualified profession.	Required \square		
3.6.3	with similar conditions, bench scale tests, pilot tests), including an evaluation of effectiveness under potential variable operating conditions (e.g., flood or storm events).	Required □		
3.6.4	Describe all treatment process by-products (liquid, solid and gaseous), including quantity and quality, and provide a management plan for each, including sludge management plan if applicable.	Required □		
3.7	Propose effluent discharge limits for contaminants of potential concern that can be shown to be protective of the receiving environment and its receptors.	Required □		
3.8	Describe the proposed sampling and flow measuring facilities at discharge points.	Required \square		
3.9	Describe the storm water management system and provide detailed design for proposed storm water works.	Required □		
3.10	Certification by Qualified Professionals - QP sign-off certifying that the wastewater facility as designed and/or as-constructed is capable of	Required		

Form IRT-EFF-02.1 2019 Page 9 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

	Information	Requir	ements	Comments	Location in Final Application
	meeting the proposed discharge requirements.				
3.11	Provide project and treatment system construction and commissioning	Required			
	schedule and related notification requirements.	- 1			
3.12	Provide a detailed description of any use of reclaimed water (effluent),	Required □			
	including:	'			
	 A detailed description of the intended use. 				
	 Planned or potential public and/or worker exposure. 				
	o An evaluation of the implications for effluent quality based on				
	potential exposure and user safety.				
4	ENVIRONMENTAL EFFECTS PREDICTION AND IMPACT ASSESS	SMENT			
11	Identify the agreement and for environmental values that may be at view due	T			T
4.1	Identify the receptors and/or environmental values that may be at risk due to project related activities.	Required \square	Methods \square		
4.2	Provide a figure, identify and justify spatial and temporal boundaries for	Demiliand 🗆	Mathada 🗆		
4.2	effects predictions.	Required \square	Methods \square		
4.3	Develop and submit a Conceptual Site Model. Describe and illustrate	Required	Methods		
	graphically the contaminant source, transport pathways from source to				
	receptors. Estimate probabilities of occurrence and the risk, and develop a				
	risk management matrix.				
4.4	Describe the size and edge of the Initial Dilution Zone (IDZ) at which point	Required \square	Methods \square	https://www2.gov.bc.ca/assets/gov/environment/waste-management/industrial-waste/industrial-waste/mining-smelt-	
	the BCWQG must be met. Please refer to the ENV Interim Technical			energy/guidance-documents/tg11 development and use of idz.pdf	
	Guidance 11: Development and Use of Initial Dilution Zones in Effluent				
	DischargeAuthorizations.				
4.5	Identify by location and receptor groups, potential for effects as well as	Required \square	Methods \square		
	frequency, seasonality, magnitude and reversibility of the effects. Provide				
	rationale for the effects assessment. Demonstrate through a weight of evidence approach that effluent and non-point source discharges will not				
	cause toxicity within the IDZ (acute) and outside of the IDZ (acute or				
	chronic). Identify any residual effects.				
4.6	Provide predicted incremental changes (e.g. monthly/annually) over	Required	Methods		
	existing receiving environment water, sediment quality and/or tissue				
	quality at critical points downstream (e.g. within IDZ, edge of IDZ, near field				
	and far field, sensitive habitat) and during critical time periods (e.g. low				
	dilution 7Q10, high flows, spawning, hatching, etc.) This should be				
	included for all project phases.				
4.7	Identify all locations, parameters, time periods, magnitude, frequency and	Required \square	Methods \square		
	seasonality for which exceedances of BCWQGs, Sediment Quality				
	Guidelines, tissue guidelines, or applicable standards are predicted to occur				
4.0	in water, sediment or tissue quality.	<u> </u>	–		
4.8	Describe predicted effects of project related activities, including all effluent and non-point discharges on the water balance, flows and water levels.	Required \square	Methods \square		
4.9	Explain and justify assessment (e.g., drinking water quality, recreation,	Demoised [NA o the o d -		+
4.7	aquatic life, wildlife, livestock, irrigation) and measurement endpoints	Required \square	Methods \square		

Form IRT-EFF-02.1 2019 Page 10 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

		_	_	Location in
	Information	Requirements	Comments	Final Application
	hemical, toxicological or biological) to identify expected and realistic orst case seasonal effects and trends.			rippireacion
of	escribe and discuss the potential for bioaccumulation or bioconcentration contaminants, and the associated risk to assessment endpoints (i.e., fish ealth, fish reproduction, consumers of fish, etc.).	Required Methods		
ec ch	redict changes in aquatic receptors at species, community and/or cosystem levels as appropriate due to water quality and water quantity anges due to the project, other anthropogenic activities and considering imate change.	Required Methods		
	entify risks to non-aquatic receptors, including wildlife, livestock and uman health.	Required Methods		
	alidate proposed effluent quality requirements based on a thorough sessment of discharge loading, and the effects assessment.	Required Methods		
4.14 Id	entify data gaps, uncertainties and risk and describe how they will be duced and/or addressed in adaptive management and environmental onitoring programs.	Required Methods		
	There models are used:			
	Conduct sensitivity analysis for the water quality model to identify the input parameters of most consequence to the model output. Consider the widest reasonable range of model inputs including but not limited to: o hydro-climatic - wet and dry events representative of the streamflow variability in the project area o hydrogeologic – groundwater recharge, water levels and hydraulic conductivity water quality - address uncertainty with regards to attenuation, water treatment, source terms, etc.	Required □ Methods □		
	Describe and justify receiving environment modelling approaches. Describe the models type, its assumptions, inputs and outputs.	Required Methods		
	Provide calibration/validation statistics and plots for the models used.	Required □ Methods □		
	Identify data gaps, assumptions and uncertainty in the models used, and how they will be addressed.	Required Methods		
4.16 Fo	or impact assessment related to discharge to ground provide:			
	Summary of the baseline hydrogeological setting and downgradient groundwater users (e.g. aquatic life, drinking water).	Required Methods		
4.16.2	Description of the infiltration system, including its design and operation, maintenance and equipment monitoring.	Required Methods		
4.16.3	Description of the effluent treatment method, quantity and quality.	Required □ Methods □		
	Description of the 3-dimensional size of the IDZ zone, including its edge where the groundwater standards must be met. Describe the location of the edge of the IDZ in relation to the property boundary, the nearest water supply well or surface water.	Required Methods		
	Estimation of the size of the groundwater mound from the proposed discharge and whether the mound or the discharge may extent to or daylight at ground surface.	Required □ Methods □		

Form IRT-EFF-02.1 2019 Page 11 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Information	Requirements	Comments	Location in Final Application
4.17 Methods and outcomes to predict effects from the proposed discharge on groundwater, including results and assumptions of modelling efforts (e.g. water balance, mass balance, numerical flow, contaminant transport).	Required Methods		
4.18 Identify data gaps, assumptions and uncertainty in the models, and how they will be addressed.	Required Methods		
5 DISCHARGE AND ENVIRONMENTAL MONITORING PROGRAM	S		
5.1 For all programs identify the objectives, and describe and justify the proposed study design/plan.	Required Methods		
5.2 Discharge Monitoring Program – describe how you will monitor the effluent discharge including location, frequency, parameters, QA/QC measures, and comparison to proposed discharge limits.	Required Methods		
5.3 Receiving environment monitoring programs - describe the pathway and receptor linkages:			
5.3.1 Groundwater Monitoring Program - include the number of monitoring wells to measure the background and receiving groundwater levels and quality, and maps depicting the monitoring sites. The program should summarize the monitoring well installation details, such as geographical coordinates of all wells, installation depth, screen interval and geology, and water levels. The plan should detail the sampling methods, monitoring parameters, frequency, and the applicable BC Contaminated Sites Regulation standards that will be met at the edge of the initial dilution zone.	Required □ Methods □		
5.3.2 Surface Water Monitoring Program - include a plan to validate model predictions, where applicable the program may also include IDZ monitoring. The program should be developed to detect change and impacts.	Required Methods		
5.3.3 Marine Water Monitoring Program - include a plan to validate model predictions, assess water quality guidelines are being met and detect change and impacts to the receiving environment. The program should include at lest: one control sampling station located outside the influence of the IDZ, a sampling station at the end of pipe, 3 sampling stations at the IDZ. Samples should be taken at the modelled trapping depth, surface and at depth. Sampling frequency should be 5 weekly samples in 30 days.	Required □ Methods □		
5.3.4 Aquatic / Environmental Effects Monitoring Program – include weight of evidence assessment and cumulative effects monitoring in areas that may potentially be affected by anthropogenic activities. Demonstrate that the monitoring program is sufficiently robust to assist in detecting a biologically significant predetermined change.	Required Methods		
5.4 Describe and justify proposed data assessment techniques and reporting, including frequency and content, and notification requirements.	Required Methods		
5.5 Describe and justify quality assurance/quality control procedures.	Required □ Methods □		
6 MANAGEMENT PLANS			

Form IRT-EFF-02.1 2019 Page 12 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

	Information	Requirements	Comments	Location in Final Application
6.1	Operations and Maintenance Manual – Detailed operational procedures and preventative maintenance program, operator training and qualifications, inspection schedule, inventory of replacement parts, description of automated systems, warnings and alarms, including response and notification procedures.	Required □		принцион
6.2	Treatment Residuals Management Plan - Provide a plan for disposing of treatment residuals in a manner approved under the <i>Environmental Management Act</i> .	Required		
6.3	Commissioning Plan - Contains the notification, operational procedures and monitoring required to commission the facility.	Required		
6.4	Contingency plan - Describes emergency procedures for the facility, stand- by or emergency power requirements, procedures for notifying a health officer when necessary, actions to take if the effluent fails to meet quality requirements, and alternate disposal or storage options (for reclaimed water when use is not possible).	Required □		
6.5	Episode Management Plan – Includes spills, nuisance, litter, odour, fire, flooding.	Required		
6.6	Erosion and Sediment Control Plan – Contains planning and actions to mitigate erosion and sediment runoff during the project development and operation.	Required		
6.7	Trigger and Response Plan – Describes monitoring triggers, responses, including confirmatory monitoring and mitigation strategies and implementation in the event that environmental benchmarks in the receiving environment, such as water guidelines, groundwater standards, and toxicology failures, are exceeded.	Required		
6.8	Adaptive Management Plan – Describes and addresses outstanding key uncertainties of potential effects of the discharge following a cyclical process.	Required		
6.9	Irrigation Plan - Documents the timing of reclaimed water use, maximum application rate and growing season based on the crop or vegetation, site specific loading, and nutrient and metals limits.	Required		
6.10	generation during the project construction and operation.	Required		
	Closure Plan - In the case of a temporary treatment system, details decommissioning procedures for the facility.			
6.11	SEWAGE DISPOSAL (Not required if a Municipal Wastewater Regulation (MWR) registration is being pursued or if connected to an authorized system. May ONLY be included in effluent permit if the sewage discharge is combined with subject effluent and is <10% of that combined flow as per section 5(1)(b) of the MWR prior to discharge)	Required □		

Form IRT-EFF-02.1 2019 Page 13 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

	Information	Requirements	Comments	Location in Final Application
7	Describe treatment and disposal plan for sewage generated on-site include	ding the maximum volume.		
7.1	Provide a copy of the design drawings for the sewage treatment facility, signed and stamped by a qualified professional.	Required		
7.2	Provide Commissioning, Operating and Contingency Plans as per MWR Part 2: Division 4.	Required		
7.3	Provide sewage treatment facility classification (or pre-classification) under the Environmental Operators Certification Program (EOCP).	Required		
7.4	Provide operator qualifications and certification under the Environmental Operators Certification Program (EOCP).	Required	https://eocp.ca/	
7.5	Provide an effluent flow and quality monitoring plan.	Required □		
7.6		Required □ Methods □		

Form IRT-EFF-02.1 2019 Page 14 of 15



Application Tracking Number: Click here to enter text.

Authorization Number: Click here to enter text.

[insert company / project name]

Guidance Documents to be considered when determining Information Items. Required and appropriate Methods to be used:

- British Columbia Field Sampling Manual 2013
- Environmental Operators Certification Program
- FactSheet Waste Discharges Best Achievable Technology, March 2015
- Guidance on Applications for Permits Under the Environmental Management Act Technical Assessment, BC Ministry of Environment, September 25, 20101
- Guidelines for Groundwater Modelling to Assess Impacts of Proposed Natural Resource Development Activities, BC Ministry of Environment, April 20122
- Interim Technical Guidance 11 Environmental Management Act Development and Use of Initial Dilution Zones in Effluent Discharge Authorizations v. 1.0, September 2018
- Manual of British Columbia Hydrometric Standards v. 1.0, Ministry of Environment, March 12, 2009
- Municipal Wastewater Regulation
- · Reclaimed Water Guideline
- Water and Air Baseline Monitoring Guidance Document for Mine Proponents and Operators, BC Ministry of Environment, October 9, 20123

https://www2.gov.bc.ca/assets/gov/environment/air-land-water/water/science-data/man_bc_hydrometric_stand_v10.pdf http://www.bclaws.ca/EPLibraries/bclaws_new/document/ID/freeside/87_2012

https://www2.gov.bc.ca/assets/gov/environment/waste-management/sewage/reclaimedwater.pdf

Form IRT-EFF-02.1 2019 Page 15 of 15

¹ https://www2.gov.bc.ca/assets/gov/environment/waste-management/waste-discharge-authorization/guides/assessment.pdf

² http://www.env.gov.bc.ca/wsd/plan protect sustain/groundwater/groundwater/groundwater modelling guidelines final-2012.pdf

https://www2.gov.bc.ca/assets/gov/environment/waste-management/industrial-waste/industrial-waste/mining-smelt-energy/guidance-documents/tg11_development_and_use_of_idz.pdf

³ http://www2.gov.bc.ca/gov/DownloadAsset?assetId=E49A49E800814C8FB2D6868B7F119AD6&filename=water air baseline monitoring.pdf