



Southern Gulf Islands - 2014 Agricultural Land Use Inventory

MAP 1 - LAND COVER & FARMED AREA

Land Cover & Farmed Area
Farmed
Cultivated field crops
Farm infrastructure
Greenhouses
Anthropogenic (not farmed)
Managed vegetation
Built up - Settlement, Roads, etc.
Non built or bare
Waterbodies
Natural & Semi-natural
Vegetated
Waterbodies & wetlands
Natural pasture or rangeland
Natural bare areas
Not Surveyed
Not surveyed - unknown

Farming potential
Available & with potential for farming
Limited potential for farming
Parcels
Surveyed
Not surveyed
Agricultural Land Reserve
Boundaries (2014)
Indian Reserves
Boundaries (2014)
Parks
Boundaries (2014)
Local Trust Area
Boundaries (2014)



LIVESTOCK SCALE
(B) Very Small
(1 animal unit equivalent)
Probably would NOT qualify for farm classification under BC Assessment. Approximately 1 cow or horse or bison, 3 hogs, 5 goats or deer, 10 sheep, 50 turkeys, 100 chickens
(S) Small
(2 - 25 animal unit equivalents)
Probably would qualify for farm classification under BC Assessment. LESS THAN 25 cows or horses or bison, 75 hogs, 125 goats or deer, 250 sheep, 1250 turkeys, 2500 chickens
(M) Medium
(25 - 100 animal unit equivalents)
MORE THAN 100 cows or horses or bison, 300 hogs, 500 goats or deer, 1000 sheep, 5,000 turkeys, 10,000 chickens
(L) Large
(over 100 animal unit equivalents)
MORE THAN 100 cows or horses or bison, 300 hogs, 500 goats or deer, 1000 sheep, 5,000 turkeys, 10,000 chickens


LIVESTOCK HOMESITE
Homesites
Primary location of the farm where most livestock management occurs - location of main ranch or main barn, corrals, paddocks, barns, and feeding/watering facilities, as well as the farm residence.
? Non homesite
Location where livestock are present but related infrastructure is minimal - often only pasture fencing and watering. Used for pasturing livestock and is secondary to an operation's primary or homesite location.

LIVESTOCK INTENSITY
Intensive facilities
Specialized structures designed for confined feeding at high stocking density
Non Intensive
Non intensive barn, corrals, paddocks, field and pasture fencing

LIVESTOCK LABEL
Group - Type / Type (Scale) Intensity Homesite
Example of a Label
P-Cb/T(M)*
P- Poultry
Cb - Chicken, Broiler
/ - Mixed flock
T - Turkey
(M) Medium Scale
Intensive facilities
Example of a Label
P-Cb/T(M)*
C- Conventional livestock
B - Beef
(S) Small Scale
? Non homesite

LIVESTOCK TYPE
Group - Type Name
C- Conventional livestock
C- A - Alpaca
C- B - Beef
C- G - Goat
C- La - Llama
C- Sl - Sheep / Lamb
C- Sw - Swine
E- Equine
E- D - Donkey
E- H - Horse
E- Hm - Miniature horse
E- M - Mule
P- Poultry
P- C - Chicken
P- Cb - Broiler
P- Cl - Layer
P- D - Duck
P- G - Goose
S- Specialty livestock
S- Ra - Ratite
Api - Apiculture
Mh - Mixed herd (3+ livestock types)

IRRIGATION LABEL
Group - Type Name
Example of a Label
S-H/S-WI
S- Sprinkler
H- Handline
/ - Secondary system
S- Sprinkler
WI - Wheelline
Example of a Label
T-Dr
T- Trickle
Dr - Drip emitter



LIVESTOCK SCALE
(B) Very Small
(1 animal unit equivalent)
Probably would NOT qualify for farm classification under BC Assessment. Approximately 1 cow or horse or bison, 3 hogs, 5 goats or deer, 10 sheep, 50 turkeys, 100 chickens
(S) Small
(2 - 25 animal unit equivalents)
Probably would qualify for farm classification under BC Assessment. LESS THAN 25 cows or horses or bison, 75 hogs, 125 goats or deer, 250 sheep, 1250 turkeys, 2500 chickens
(M) Medium
(25 - 100 animal unit equivalents)
MORE THAN 100 cows or horses or bison, 300 hogs, 500 goats or deer, 1000 sheep, 5,000 turkeys, 10,000 chickens
(L) Large
(over 100 animal unit equivalents)
MORE THAN 100 cows or horses or bison, 300 hogs, 500 goats or deer, 1000 sheep, 5,000 turkeys, 10,000 chickens


LIVESTOCK HOMESITE
Homesites
Primary location of the farm where most livestock management occurs - location of main ranch or main barn, corrals, paddocks, barns, and feeding/watering facilities, as well as the farm residence.
? Non homesite
Location where livestock are present but related infrastructure is minimal - often only pasture fencing and watering. Used for pasturing livestock and is secondary to an operation's primary or homesite location.

LIVESTOCK INTENSITY
Intensive facilities
Specialized structures designed for confined feeding at high stocking density
Non Intensive
Non intensive barn, corrals, paddocks, field and pasture fencing

LIVESTOCK LABEL
Group - Type / Type (Scale) Intensity Homesite
Example of a Label
P-Cb/T(M)*
P- Poultry
Cb - Chicken, Broiler
/ - Mixed flock
T - Turkey
(M) Medium Scale
Intensive facilities
Example of a Label
P-Cb/T(M)*
C- Conventional livestock
B - Beef
(S) Small Scale
? Non homesite

LIVESTOCK TYPE
Group - Type Name
C- Conventional livestock
C- A - Alpaca
C- B - Beef
C- G - Goat
C- La - Llama
C- Sl - Sheep / Lamb
C- Sw - Swine
E- Equine
E- D - Donkey
E- H - Horse
E- Hm - Miniature horse
E- M - Mule
P- Poultry
P- C - Chicken
P- Cb - Broiler
P- Cl - Layer
P- D - Duck
P- G - Goose
S- Specialty livestock
S- Ra - Ratite
Api - Apiculture
Mh - Mixed herd (3+ livestock types)

IRRIGATION LABEL
Group - Type Name
Example of a Label
S-H/S-WI
S- Sprinkler
H- Handline
/ - Secondary system
S- Sprinkler
WI - Wheelline
Example of a Label
T-Dr
T- Trickle
Dr - Drip emitter



LIVESTOCK SCALE
(B) Very Small
(1 animal unit equivalent)
Probably would NOT qualify for farm classification under BC Assessment. Approximately 1 cow or horse or bison, 3 hogs, 5 goats or deer, 10 sheep, 50 turkeys, 100 chickens
(S) Small
(2 - 25 animal unit equivalents)
Probably would qualify for farm classification under BC Assessment. LESS THAN 25 cows or horses or bison, 75 hogs, 125 goats or deer, 250 sheep, 1250 turkeys, 2500 chickens
(M) Medium
(25 - 100 animal unit equivalents)
MORE THAN 100 cows or horses or bison, 300 hogs, 500 goats or deer, 1000 sheep, 5,000 turkeys, 10,000 chickens
(L) Large
(over 100 animal unit equivalents)
MORE THAN 100 cows or horses or bison, 300 hogs, 500 goats or deer, 1000 sheep, 5,000 turkeys, 10,000 chickens

LIVESTOCK HOMESITE
Homesites
Primary location of the farm where most livestock management occurs - location of main ranch or main barn, corrals, paddocks, barns, and feeding/watering facilities, as well as the farm residence.
? Non homesite
Location where livestock are present but related infrastructure is minimal - often only pasture fencing and watering. Used for pasturing livestock and is secondary to an operation's primary or homesite location.

LIVESTOCK INTENSITY
Intensive facilities
Specialized structures designed for confined feeding at high stocking density
Non Intensive
Non intensive barn, corrals, paddocks, field and pasture fencing

LIVESTOCK LABEL
Group - Type / Type (Scale) Intensity Homesite
Example of a Label
P-Cb/T(M)*
P- Poultry
Cb - Chicken, Broiler
/ - Mixed flock
T - Turkey
(M) Medium Scale
Intensive facilities
Example of a Label
P-Cb/T(M)*
C- Conventional livestock
B - Beef
(S) Small Scale
? Non homesite

LIVESTOCK TYPE
Group - Type Name
C- Conventional livestock
C- A - Alpaca
C- B - Beef
C- G - Goat
C- La - Llama
C- Sl - Sheep / Lamb
C- Sw - Swine
E- Equine
E- D - Donkey
E- H - Horse
E- Hm - Miniature horse
E- M - Mule
P- Poultry
P- C - Chicken
P- Cb - Broiler
P- Cl - Layer
P- D - Duck
P- G - Goose
S- Specialty livestock
S- Ra - Ratite
Api - Apiculture
Mh - Mixed herd (3+ livestock types)

IRRIGATION LABEL
Group - Type Name
Example of a Label
S-H/S-WI
S- Sprinkler
H- Handline
/ - Secondary system
S- Sprinkler
WI - Wheelline
Example of a Label
T-Dr
T- Trickle
Dr - Drip emitter

Southern Gulf Islands Agricultural Land Use Inventory 2014
A joint project with Ministry of Agriculture and Capital Regional District.
Data Sources:
Southern Gulf Islands parcels sourced from Capital Regional District July 2014
Land Cover captured Aug - Sept 2014.
Feb 5, 2015
Map created at 1:37,000
Paper size: Landscape 18 x 59 inches
SGL_AUGUST14_L18x59_Landscape
The Agricultural Land Use Inventory (ALUI) System employs a "windshield" survey method which captures data visible from publicly accessible lands and roads. Where visibility is limited, data may have been interpolated from aerial photography, in combination with local knowledge. This data represents a snapshot in time of land cover and land use on legal parcels. Legal parcel descriptions, land use and land cover may have changed since the dataset was collected. Using this data to extrapolate farm management practices or environmental impacts from individual parcels is invalid.

Southern Gulf Islands - 2014 Agricultural Land Use Inventory

MAP 2 - LAND USE & FARMED AREA

Land Use & Farming

- Used for farming - mixed use
- Used only for farming
- Residential
- No apparent use
- Recreation & leisure - golf
- Protected area / park / reserve
- Institutional & community
- Transportation, communications
- Commercial & service
- Utilities
- Gravel extraction
- Dumps & deposits
- Water management

Small scale agriculture (< 500 sqm)

- Greenhouse
- Fruit garden
- Vegetable garden
- Mixed garden

Parcels

- Surveyed
- Not surveyed

Agricultural Land Reserve

- Boundaries (2014)

Indian Reserves





- Boundaries (2014)

Parks

- Boundaries (2014)

Local Trust Area

- Boundaries (2014)



Southern Gulf Islands Agricultural Land Use Inventory 2014
A joint project with Ministry of Agriculture and Capital Regional District.
Data Sources: Southern Gulf Islands parcels sourced from Capital Regional District July 2014.
Land Cover captured Aug - Sept 2014.

Map produced by Ministry of Agriculture Innovation and Adaptation Services
Strengthening Farming Program
1787 Angus Campbell Rd.
Abbotsford, BC V3G 2K3
604 556 3001

Feb 5, 2015
Map created at 1:37,000
Paper size: Landscape 18 x 59 inches
SGL_ALU2014_L1_RK09_Landscape

The Agricultural Land Use Inventory (ALUI) System employs a "windshield" survey method which captures data visible from publicly accessible lands and roads. Where visibility is limited, data may have been interpreted from aerial photography, in combination with local knowledge. This data represents a snapshot in time of land cover and land use on legal parcels. Legal parcel descriptions, land use and land cover may have changed since the dataset was collected. Using this data to extrapolate farm management practices or environmental impacts from individual parcels is invalid.

Southern Gulf Islands - 2014 Agricultural Land Use Inventory

MAP 3 - AVAILABILITY FOR FARMING

Land Status with Respect to Farming

- Actively farmed
- Farming support
- Unavailable for farming - land use
- Unavailable for farming - land cover
- Limited potential for farming - site limitation
- Available & with potential for farming
- Not surveyed - unknown

Land Cover Type on Available Land

- Natural and semi-natural vegetation
- Managed vegetation
- Non Built or Bare
- Unmaintained/unused crop fields
- Natural pasture

Parcels

- Surveyed
- Not surveyed

Agricultural Land Reserve

- Boundaries (2014)

Indian Reserves






- Boundaries (2014)

Parks

- Boundaries (2014)

Local Trust Area

- Boundaries (2014)



Southern Gulf Islands Agricultural Land Use Inventory 2014
A joint project with Ministry of Agriculture and Capital Regional District.
Data Sources: Southern Gulf Islands parcels sourced from Capital Regional District July 2014. Land cover captured Aug - Sept 2014.
Map produced by Ministry of Agriculture Innovation and Adaptation Services Strengthening Farming Program 1787 Angus Campbell Rd. Abbotsford, BC V3G 2H3 604 556 3001
Feb 5, 2015
Map created at 1:37,000
Paper size: Landscape 18 x 59 inches
SGL_AGI2014_L1_RK09_Landscape
The Agricultural Land Use Inventory (ALUI) System employs a "modified" survey method which captures data visible from publicly accessible lands and roads. Where visibility is limited, data may have been interpreted from aerial photography, in combination with local knowledge. This data represents a snapshot in time of land cover and land use on legal parcels. Legal parcel descriptions, land use and land cover may have changed since the dataset was collected. Using this data to extrapolate farm management practices or environmental impacts from individual parcels is invalid.

Southern Gulf Islands - 2014 Agricultural Land Use Inventory

MAP 4 - FARMING ACTIVITIES Cultivated Crops, Livestock, Irrigation

- Forage & Pasture**

 - Grass
 - Forage
 - Pasture
 - Forage and pasture
 - Unused or Unmaintained
 - Natural pasture
- Other Cultivated Field Crops**

 - Vegetables
 - Tree fruits
 - Grapes, berries
 - Specialty: olives, hops, herbs (only 5)
 - Floriculture (only 4)
 - Nut trees (only 5)
 - Crop transition (only 3)
 - Nursery (only 2)
- Parcels**


 - Surveyed
 - Not surveyed
- Agricultural Land Reserve**

 - Boundaries (2014)
- Indian Reserves**

 - Boundaries (2014)
- Parks**

 - Boundaries (2014)
- Local Trust Area**

 - Boundaries (2014)



- LIVESTOCK SCALE**

(B) Very Small
(1 animal unit equivalent)
Probably would NOT qualify for farm classification under BC Assessment. Approximately 1 cow or horse or bison, 3 hogs, 5 goats or deer, 10 sheep, 30 turkeys, 100 chickens

(S) Small
(2 - 25 animal unit equivalents)
Probably would qualify for farm classification under BC Assessment. LESS THAN 25 cows or horses or bison, 75 hogs, 125 goats or deer, 250 sheep, 1250 turkeys, 2500 chickens

(M) Medium
(25 - 100 animal unit equivalents)
LESS THAN 100 cows or horses or bison, 300 hogs, 500 goats or deer, 1000 sheep, 5,000 turkeys, 10,000 chickens

(L) Large
(over 100 animal unit equivalents)
MORE THAN 100 cows or horses or bison, 300 hogs, 500 goats or deer, 1000 sheep, 5,000 turkeys, 10,000 chickens
- LIVESTOCK HOMESITE**

Homesites
Primary location of the farm where most livestock management occurs - location of main ranch or main barn, corrals, paddocks, barns, and feeding/watering facilities, as well as the farm residence.

? Non homesite
Location where livestock are present but related infrastructure is minimal - often only pasture fencing and watering. Used for pasturing livestock and is secondary to an operation's primary or homesite location.
- LIVESTOCK INTENSITY**

 - Intensive facilities**
Specialized structures designed for confined feeding at high stocking density
 - Non Intensive**
Non intensive barn, corrals, paddocks, field and pasture fencing
- LIVESTOCK TYPE**

Group	Type	Name
C	Conventional livestock	
C	A	..Alpaca
C	B	..Beef
C	G	..Goat
C	La	..Llama
C	Sl	..Sheep / Lamb
C	Sw	..Swine
E		Equine
E	D	..Donkey
E	H	..Horse
E	Hm	..Miniature horse
E	M	..Mule
P		Poultry
P	C	..Chicken
P	Cb	..Broiler
P	Cl	..Layer
P	D	..Duck
P	G	..Goose
S		Specialty livestock
S	Ra	..Rabbit
Api		Apiculture
Mh		Mixed herd (3+ livestock types)




- IRRIGATION LABEL**

IRRIGATION TYPE

Group	Type	Name
S		Sprinkler (default)
S		Sprinkler
S	M	..Microsprinkler
S	So	..Solid set
S	So	..Overtree
T		Trickle
T	Dr	..Drip emitter
T	Db	..Buried
T	Dh	..Hanging
T	Dg	..On ground
T	Lm	..Plastic mulch
- Example of a Label
S-H/S-WI

S Sprinkler
H Handline
/ Secondary system
S Sprinkler
WI Wheelline

Example of a Label
T-Dr
T Trickle
Dr Drip emitter



Southern Gulf Islands Agricultural Land Use Inventory 2014
A joint project with Ministry of Agriculture and Capital Regional District.
Data Sources:
Southern Gulf Islands parcels sourced from Capital Regional District July 2014
Land Cover captured Aug - Sept 2014.






Map produced by Ministry of Agriculture Innovation and Adaptation Services
Strengthening Farming Program
1787 Angus Campbell Rd.
Abbotsford, BC V3G 2K3
604 554 3001

Feb 5, 2015
Map created at 1:37,000
Paper size: Landscape 18 x 59 inches
SGL_A02014_L1_BK09_Landscape

The Agricultural Land Use Inventory (ALUI) System employs a "windshield" survey method which captures data visible from publicly accessible lands and roads. Where visibility is limited, data may have been interpreted from aerial photography, in combination with local knowledge. This data represents a snapshot in time of land cover and land use on individual parcels. Legal parcel descriptions, land use and land cover may have changed since the dataset was collected. Using this data to extrapolate farm management practices or environmental impacts from individual parcels is invalid.

Southern Gulf Islands - 2014 Agricultural Land Use Inventory

MAP 5 - ALR PARCEL SIZE



Southern Gulf Islands Agricultural Land Use Inventory 2014
A joint project with Ministry of Agriculture and Capital Regional District.
Data Sources: Southern Gulf Islands parcels sourced from Capital Regional District July 2014.
Land Cover captured Aug - Sept 2014.

Map produced by Ministry of Agriculture Innovation and Adaptation Services
Strengthening Farming Program
1787 Angus Campbell Rd.
Abbotsford, BC V3G 2K3
604 556 3001

Feb 5, 2015
Map created at 1:37,000
Paper size: Landscape 18 x 59 inches
SGL_AGI2014_L1_R009_Landscape

The Agricultural Land Use Inventory (ALUI) System employs a "windshield" survey method which captures data visible from publicly accessible lands and roads. Where visibility is limited, data may have been interpreted from aerial photography, in combination with local knowledge. This data represents a snapshot in time of land cover and land use on legal parcels. Legal parcel descriptions, land use and land cover may have changed since the dataset was collected. Using this data to extrapolate farm management practices or environmental impacts from individual parcels is invalid.