



Vital Statistics
Agency

ANNUAL 2014 REPORT

Selected Vital Statistics and
Health Status Indicators





Selected Vital Statistics and Health Status Indicators

One Hundred and Forty-Third
Annual Report 2014
British Columbia Vital Statistics Agency

Foreword

The British Columbia Vital Statistics Agency is pleased to present the 2014 Annual Report, the one hundred and forty-third published since the establishment of the Division of Vital Statistics in 1872. The data in this publication are based on information collected from registrations of live births, stillbirths, deaths, and marriages, as registered by the Agency for events occurring in the 2014 calendar year.

This publication contains selected information about the vital events taking place in British Columbia. Although some information related to vital events occurring within the province includes visitors, such as marriages, the majority are specific to residents of British Columbia.

The information relating only to residents is important for evaluating and monitoring the health status of the province's population.

The report presents key indicators for the province's health authorities (HA), health service delivery areas (HSDA) and local health areas (LHA). It includes a detailed glossary, defining the terms used in the body of the publication, as well as a methodology section explaining the statistical computations in the main body. A set of information boxes supplement the standard tables with information ranging from a profile of a Typical Day in British Columbia to Place of Birth for Midwife Assisted Births.

The 2014 Annual Report continues to follow the example of previous annual reports for easier comparison with those reports. However, efficiencies and enhancements have been introduced. The number of tables has been reduced. Causes of death more closely follow Statistics Canada, i.e. the standards of the National Center for Health Statistics. This facilitates comparison of reports across Canada. Tables have been updated for readability and in response to requests for data. Calculations requiring a standard population now use the 2011 Canadian Census population.

The Agency would like to acknowledge the many groups and individuals who ensure complete and accurate recording and reporting of vital events. Their contributions have resulted in continual improvement in the quality of vital event data and the quality of this report.

Original signed by,

Jack Shewchuk
Registrar General
British Columbia Vital Statistics Agency

Table of Contents

GENERAL INFORMATION

Introduction	3
Registrations	3
Vital Event Data	3

TRENDS IN VITAL EVENTS

Trends in Vital Events Introduction	9
Table 1 Live Births, Deaths, Marriages and Stillbirths, British Columbia, 1950 – 2014.....	10
Table 2 Live Births, Deaths, Marriages and Stillbirths by Month, British Columbia, 2014	11
 Information Box - On a Typical Day in British Columbia in 2014	12

BIRTH-RELATED STATISTICS

Birth-Related Statistics Introduction	15
Table 3 Births by Age of Mother and Live Births by Birth Order, British Columbia, 2014	16
Table 4 Live Births by Age of Mother and Kind of Birth, British Columbia, 2014	17
Table 5 Live Births by Mode of Delivery and Age of Mother, British Columbia, 2014	17
 Place of Birth for Midwife-Assisted Births	18
Table 6 Live Births by Local Health Area and Mode of Delivery, British Columbia, 2014	19
Table 7 Live Births by Birth Weight, Sex, and Gestational Age, British Columbia, 2014	21
Table 8 Live Births by Birth Weight of Child and Age of Mother, British Columbia, 2014	22
Table 9 Live Births by Birth Weight in Groups and Age of Mother	23
Table 10 Low Birth Weight Live Births by Age of Mother and Sex of Child, British Columbia, 2014	23
Table 11 Low Birth Weight Live Births by Local Health Area and Gestational Age, British Columbia, 2009 – 2013 and 2014	24
Table 12 Maternal Complications of Pregnancy and Delivery in Live Births by Age of Mother, British Columbia, 2009 – 2013 and 2014	26
Table 13 Maternal Complications of Pregnancy and Delivery in Live Births by Local Health Area, British Columbia, 2009 – 2013 and 2014	27
 Birth and Older Mothers, British Columbia, 2005 - 2014	29

DEATH-RELATED STATISTICS

Death-Related Statistics Introduction	33
Table 14 Causes of Death by Sex and Age, British Columbia, 2014	34
Table 15 Twelve Leading Causes of Death, British Columbia, 2009 – 2013	35
Table 16 Twelve Leading Causes of Death, British Columbia, 2014	35
Table 17 Leading Causes of Death by Age and Sex, British Columbia, 2014	36
Table 18 Infant Mortality by Age of Mother and Birth Weight, British Columbia, 2014	38
Table 19 Infant Mortality by Gestational Age and Birth Weight, British Columbia, 2014	38
Table 20 Infant Mortality by Local Health Area, British Columbia, 2009 – 2013 and 2014	39
Table 21 Selected Causes of Infant Deaths, British Columbia, 2014	41
Table 22 Selected Causes of Stillbirths, British Columbia, 2014	42
Table 23 Suicide Deaths by Month and Sex, British Columbia, 2014	43

Table 24	External Causes of Death by Sex, British Columbia, 2014	43
Table 25	External Causes of Death by Local Health Area, British Columbia, 2014	44
Table 26	Potential Years of Life Lost and Age Standardized Mortality Rates by Selected Cause of Death, British Columbia, 2014	46
Table 27	Potential Years of Life Lost by Local Health Area, External Causes of Death Under 75, British Columbia, 2009 - 2013 and 2014	47
Table 28	Deaths Due to Medically Treatable Diseases by Selected Causes and Sex, British Columbia, 2009 - 2013 and 2014	49
 Table 29	Age at Death of the Oldest Male and Female, British Columbia, 1995 - 2014	49
Table 29	Standardized Mortality Ratio by Local Health Areas, Deaths Due to Medically Treatable Diseases, British Columbia, 2009 - 2013 and 2014	50
Table 30	Alcohol-Related Deaths by Age and Sex, British Columbia, 2014	51
Table 31	Smoking-Attributable Mortality (SAM), British Columbia, 2014	52
Table 32	Drug-Induced Deaths by Age and Sex, British Columbia, 2014	53
 Table 32	Overdose Deaths by Type of Drug, British Columbia, 2005 - 2014	54
Table 33	Deaths Directly and Indirectly Due to Falls by Age, British Columbia 2008 - 2014	55
Table 34	Method of Disposition of Decedent, British Columbia, 1993 - 2014	56

MARRIAGE-RELATED STATISTICS

Marriage-Related Statistics Introduction		59
Table 35	Marriages by Marital Status, British Columbia, 2014	60
Table 36	Marriages by Age, British Columbia, 2014	60

GLOSSARY	61
-----------------------	----

METHODOLOGY	73
--------------------------	----

APPENDIX 1

Statistical Summaries By Health Authority, Health Service Delivery Area, Local Health Area, and Community, British Columbia, 2014	83
---	----

APPENDIX 2

Detailed Cause Of Death By Sex And Age, British Columbia, 2014	101
--	-----

APPENDIX 3

Selected Health Status Indicators by Local Health Area, Health Service Delivery Area, and Health Authority, British Columbia, 2010 – 2014		129
Table A	Summary Statistics by Local Health Area, British Columbia, 2010 – 2014	131
Table B	Mortality Statistics by Local Health Area, British Columbia, 2010 – 2014	133
Table C	Summary Statistics by Health Service Delivery Area, British Columbia, 2010 – 2014	140
Table D	Mortality Statistics by Health Service Delivery Area, British Columbia, 2010 – 2014	141
Table E	Summary Statistics by Health Authority, British Columbia, 2010 – 2014	143
Table F	Mortality Statistics by Health Authority, British Columbia, 2010 – 2014	144



General Information

Data in this section provide a long-term, month-to-month, and daily view of live births, deaths, marriages, and stillbirths in British Columbia.

Introduction

The Agency registers, and certifies vital events in compliance with the *Vital Statistics Act*, *Marriage Act*, and *Name Act*. Statistical information in this report is summary data provided by the Agency for use by government agencies, health planners, researchers, and the general public. In order to maintain confidentiality, the information does not disclose personally identifiable data.

Registrations

The information in this report reflects the health status of the population, and most of the data provided here include B.C. residents only. Specifically, live birth, stillbirth, and death statistics summarize events that occurred in the province to B.C. residents only, and exclude events to nonresidents except where noted. Marriage statistics summarize all events that occurred in the province to either residents or nonresidents. Vital events that occurred to B.C. residents outside the province are not shown in this report; Statistics Canada makes adjustments in its publications for events that occur to Canadians outside their province of usual residence.

Vital Event Data

Data presented in this report are based on registrations of birth, stillbirth, death, and marriage as reported to the Agency. Registration requirements for each type of event are outlined briefly as follows:

Live births: The *Vital Statistics Act* prescribes the legal requirements for the registration of live births. The parent(s) of the child have the responsibility to complete the birth registration within 30 days of the event. The physician, nurse practitioner, or registered midwife who was in attendance at the birth must complete a Notice of Live Birth or Stillbirth (NOB) form which must be made available to the Agency within 48 hours of the event. Other requirements must be met if the birth was not attended by a physician, nurse practitioner, or registered midwife.

Stillbirths: The physician, nurse practitioner, or registered midwife who was in attendance at the birth must complete a Notice of Live Birth or Stillbirth (NOB) form. In the event of a stillbirth, the parent(s) must complete the birth registration. In addition, a physician or coroner is required to complete the Medical Certification of Stillbirth portion of the Registration of Stillbirth and deliver it to the funeral director who in turn submits it to the Agency.

Deaths: The physician or nurse practitioner in attendance at the last illness of the deceased person, or the coroner conducting an inquiry into the death of the person is required to complete a Medical Certification of Death form. The funeral home completes the death registration with assistance from the informant (usually a relative of the deceased), and issues the disposition permit. The Medical Certification of Death form and the death registration are then forwarded to the Agency.

Marriages: The *Marriage Act* prescribes the legal qualifications of individuals to marry, the authorization of religious representatives and marriage commissioners to perform the marriage ceremony, and the solemnization of marriage. Under the *Marriage Act*, the Agency licences marriage commissioners and religious representatives of established religious denominations who apply for the authority to solemnize marriages. The Agency also authorizes qualified marriage licence issuers.

Medical Coding

The Notice of Live Birth or Stillbirth (NOB) includes the sex, birth weight, gestation, and mode of a child's delivery, as well as any abnormalities or complications of pregnancy, labour, and delivery. The Medical Certification of Death and the Medical Certification of Stillbirth include the immediate cause of death or stillbirth, antecedent causes giving rise to the immediate cause, and other significant conditions contributing to the death or stillbirth. This information is processed by medically trained staff using the World Health Organization's International Statistical Classification of Diseases (ICD) coding scheme.

Since the early 1900s, the ICD has been revised regularly in order to reflect advances in medical science and changes in diagnostic terminology. The ninth revision of ICD (ICD-9) was used for medical coding of birth complications and causes of death from 1979 until 1999. The tenth revision (ICD-10) was implemented at the beginning of the year 2000. Many changes in the codes and in the rules for selection of the underlying cause of death precluded direct comparison of data in ICD-10 with data from earlier years.

Time Periods

This report pertains to events that occurred in the calendar year 2014. Selected tables present aggregate information for the previous five-year period. These broader time periods permit more meaningful tests of statistical significance when analyzing data at sub-provincial levels, and can smooth out random fluctuations that occur when annual numbers are small. For regional health status profiles, readers are encouraged to refer to measures of statistical significance and use data presented for the five-year aggregates.

The data for earlier years have been updated and may differ from other publications. This report replaces previous publications.

Population Data

Mid-year population estimates for incorporated communities, local health areas, and health regions were provided by BC Stats, Ministry of Technology, Innovation and Citizens' Services. In the mortality section of this report, a standard population is used in the calculation of Age Standardized Mortality Rates (ASMR) and Potential Years of Life Lost Standardized Rates (PYLLSR). The Agency has used the 2011 Canadian Census population as the standard population in the calculation of these age-standardized measures. Refer to Standard Population in the Glossary for a more detailed description and the Methodology section for examples of computations of measures and statistical tests.

Spatial Analysis

For spatial analysis, this report uses incorporated communities and regions used by the Ministry of Health. (See Figure 1. Local Health Areas of British Columbia.) The Ministry of Health divides the province into five health authorities (HA). Each HA is divided into health service delivery areas (HSDA). Each HSDA is divided into local health areas (LHA). Reporting in this way continues the practice established in 2001 to provide HAs with a consistent series of health status indicators for their regions over time. Health care services are managed and delivered by the five HAs. The HAs govern, plan, and coordinate services regionally within 16 HSDAs. The Interior Health Authority is divided into four HSDAs. Fraser, Vancouver Coastal, Vancouver Island, and Northern Health Authorities are each divided into three HSDAs.

Vital events are allocated to these data dissemination areas by the postal codes recorded on registration documents. Unless otherwise stated, the postal code of the usual address of the mother is used for births, the postal code of the usual address of the decedent is used for deaths, and the postal code of the location of the ceremony is used for marriages.




Figure 1. Local Health Areas of British Columbia. Local Health Areas (LHAs) are grouped into Health Service Delivery Areas (HSDAs), which are further grouped into Health Authorities (HAs).

Terms, Methods, and Computational Examples

Refer to the glossary in this report for explanations of terms. The section on methodology provides examples of computations of measures and statistical tests.






Trends in Vital Events

Data in this section provide a long-term, month-to-month, and daily view of live births, deaths, marriages, and stillbirths in British Columbia.

Trends in Vital Events

A Typical Day In British Columbia



Note: Numbers may not add up due to rounding.

The tables and figures in this part of the Annual Report provide a long-term, monthly, and daily look at birth, marriage, death, and stillbirth trends. Long-term statistics are useful in evaluating recent events and trends.

Table 1 provides the yearly rates for live births, deaths, marriages, and stillbirths from 1950 to 2014 and includes the mid-year B.C. population. Since the current population is more than four times the size it was in 1950, the rate columns tell us the most about changes in the province.

For instance, from 1950 to 1959 the average birth rate was 25.23, the average marriage rate was 8.69, and the average death rate was 9.61. From 2000 to 2009, the average birth rate was only 9.9, and the average marriage rate was 5.3. Even the death rate dropped to 7.1.

When looking at rates for stillbirth in B.C., it's important to be aware of changes to the definition of stillbirth that caused an apparent jump in rates in 1963. (See "Stillbirth" in the [Glossary](#) for an explanation of the definition change in 1963 and another in 1986.)

Table 2 lists the number of live births, deaths, marriages, and stillbirths occurring to residents of B.C. in the year of the report. Marriage totals for each month combine both residents and nonresidents. The year's total of live births, deaths and stillbirths to nonresidents is provided in a separate line below yearly totals for residents.

TABLE 1
LIVE BIRTHS, DEATHS, MARRIAGES AND STILLBIRTHS
BRITISH COLUMBIA, 1950 - 2014

Year	Mid-year Population	Live Births		Deaths		Marriages		Stillbirths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1950	1,137,000	27,116	23.85	11,581	10.19	11,110	9.77	369	13.43
1951	1,165,210	28,077	24.10	11,638	9.99	11,272	9.67	365	12.83
1952	1,205,000	29,827	24.75	12,080	10.02	11,081	9.20	375	12.42
1953	1,248,000	31,746	25.44	12,218	9.79	11,298	9.05	375	11.67
1954	1,295,000	32,946	25.44	12,414	9.59	10,991	8.49	373	11.19
1955	1,342,000	34,138	25.44	12,816	9.55	11,011	8.20	381	11.04
1956	1,398,464	36,241	25.91	13,415	9.59	11,950	8.55	413	11.27
1957	1,482,000	38,744	26.14	13,711	9.25	12,620	8.52	422	10.77
1958	1,538,000	39,577	25.73	13,741	8.93	12,094	7.86	414	10.35
1959	1,567,000	39,971	25.51	14,336	9.15	11,910	7.60	404	10.01
1960	1,602,000	40,116	25.04	14,696	9.17	11,203	6.99	437	10.78
1961	1,629,100	38,591	23.69	14,403	8.84	10,935	6.71	410	10.51
1962	1,660,000	38,128	22.97	14,912	8.98	11,196	6.74	377	9.79
1963	1,699,000	37,478	22.06	15,029	8.85	11,677	6.87	476	12.54
1964	1,745,000	35,897	20.57	16,051	9.20	12,158	6.97	485	13.33
1965	1,797,000	33,669	18.74	15,784	8.78	13,639	7.59	447	13.10
1966	1,873,674	32,502	17.35	16,290	8.69	14,682	7.84	409	12.43
1967	1,945,000	32,899	16.91	16,170	8.31	16,026	8.24	422	12.66
1968	2,003,000	33,687	16.82	16,828	8.40	16,914	8.44	433	12.69
1969	2,060,000	35,383	17.18	17,377	8.44	18,284	8.88	468	13.05
1970	2,128,000	36,861	17.32	17,020	8.00	20,020	9.41	407	10.92
1971	2,184,620	34,852	15.95	17,783	8.14	20,389	9.33	442	12.52
1972	2,241,400	34,563	15.42	18,021	8.04	20,659	9.22	356	10.20
1973	2,302,400	34,352	14.92	18,095	7.86	21,303	9.25	339	9.77
1974	2,375,700	35,450	14.92	19,177	8.07	21,734	9.15	364	10.16
1975	2,433,200	36,281	14.91	19,151	7.87	21,824	8.97	414	11.28
1976	2,466,610	35,848	14.53	18,788	7.62	21,536	8.73	361	9.97
1977	2,493,800	36,691	14.71	18,021	7.23	21,156	8.48	330	8.91
1978	2,530,100	37,231	14.72	19,057	7.53	21,388	8.45	331	8.81
1979	2,571,200	38,432	14.95	19,204	7.47	22,087	8.59	313	8.08
1980	2,640,100	40,104	15.19	19,371	7.34	23,830	9.03	316	7.82
1981	2,744,470	41,679	15.19	19,857	7.24	24,694	9.00	371	8.82
1982	2,787,700	42,942	15.40	20,704	7.43	23,831	8.55	317	7.33
1983	2,813,800	43,047	15.30	19,895	7.07	23,692	8.42	310	7.15
1984	2,847,700	44,040	15.47	20,781	7.30	23,394	8.22	303	6.83
1985	2,990,000	42,989	14.38	21,131	7.07	22,270	7.45	333	7.69
1986	3,003,621	41,706	13.89	21,010	6.99	21,847	7.27	308	7.33
1987	3,048,651	41,603	13.65	21,621	7.09	23,420	7.68	292	6.97
1988	3,114,761	42,848	13.76	22,359	7.18	24,519	7.87	293	6.79
1989	3,196,725	43,578	13.63	22,788	7.13	25,181	7.88	324	7.38
1990	3,292,111	45,342	13.77	23,416	7.11	25,225	7.66	298	6.53
1991	3,373,787	45,331	13.44	23,818	7.06	23,667	7.01	298	6.53
1992	3,468,802	45,993	13.26	24,463	7.05	23,759	6.85	298	6.44
1993	3,567,772	45,915	12.87	25,604	7.18	23,483	6.58	284	6.15
1994	3,676,075	46,791	12.73	25,832	7.03	23,775	6.47	312	6.62
1995	3,777,390	46,650	12.35	26,226	6.94	23,639	6.26	350	7.45
1996	3,874,317	45,916	11.85	27,394	7.07	22,882	5.91	292	6.32
1997	3,948,583	44,353	11.23	27,272	6.91	21,885	5.54	335	7.50
1998	3,983,113	42,823	10.75	27,813	6.98	21,777	5.47	278	6.45
1999	4,011,375	41,717	10.40	27,900	6.96	21,630	5.39	313	7.45

(Table continues on the following page →)

TABLE 1 (continued)
LIVE BIRTHS, DEATHS, MARRIAGES AND STILLBIRTHS
 BRITISH COLUMBIA, 1950 - 2014

Year	Mid-year Population	Live Births		Deaths		Marriages		Stillbirths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
2000	4,039,230	40,447	10.01	27,362	6.77	22,096	5.47	311	7.63
2001	4,076,881	40,357	9.90	28,253	6.93	20,575	5.05	301	7.40
2002	4,100,161	39,868	9.72	28,719	7.00	21,266	5.19	307	7.64
2003	4,123,937	40,276	9.77	29,161	7.07	21,984	5.33	311	7.66
2004	4,155,017	40,301	9.70	29,733	7.16	22,092	5.32	282	6.95
2005	4,195,764	40,626	9.68	30,106	7.18	22,639	5.40	314	7.67
2006	4,241,691	41,553	9.80	30,555	7.20	23,519	5.54	335	8.00
2007	4,290,988	43,460	10.13	31,125	7.25	22,973	5.35	354	8.08
2008	4,349,412	44,114	10.14	31,907	7.34	22,982	5.28	423	9.50
2009	4,410,679	44,868	10.17	31,246	7.08	22,476	5.10	435	9.60
2010	4,465,924	43,664	9.78	31,156	6.98	22,318	5.00	463	10.49
2011	4,499,139	43,981	9.78	31,789	7.07	21,834	4.85	441	9.93
2012	4,542,508	44,024	9.69	32,362	7.12	22,265	4.90	408	9.18
2013	4,582,625	43,700	9.54	33,056	7.21	21,974	4.80	467	10.57
2014	4,631,302	44,261	9.56	33,615	7.26	23,020	4.97	502	11.21

Notes:

Rates shown for live births, deaths and marriages are crude rates per 1,000 population.

Stillbirth rate is per 1,000 total births (live births plus stillbirths). The definition of a stillbirth was revised in 1963 and 1986 (see [Glossary](#)).

Population information is from BC Stats, Ministry of Labour and Citizens' Services.

Above information includes late registrations and amendments. Unknown sex is included.

Nonresidents are excluded from all data except marriages.

TABLE 2
LIVE BIRTHS, DEATHS, MARRIAGES AND STILLBIRTHS BY MONTH
 BRITISH COLUMBIA, 2014

Month	Live Births		Deaths		Marriages		Stillbirths	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
January	3,581	8.1	3,117	9.3	677	2.9	37	7.4
February	3,225	7.3	2,649	7.9	898	3.9	35	7.0
March	3,775	8.5	2,888	8.6	994	4.3	43	8.6
April	3,673	8.3	2,685	8.0	1,131	4.9	50	10.0
May	3,886	8.8	2,754	8.2	1,918	8.3	49	9.8
June	3,571	8.1	2,570	7.6	2,314	10.1	46	9.2
July	4,058	9.2	2,624	7.8	3,400	14.8	54	10.8
August	3,746	8.5	2,688	8.0	5,360	23.3	37	7.4
September	3,872	8.7	2,683	8.0	2,814	12.2	38	7.6
October	3,838	8.7	2,942	8.8	1,554	6.8	44	8.8
November	3,544	8.0	2,890	8.6	920	4.0	32	6.4
December	3,492	7.9	3,125	9.3	1,040	4.5	37	7.4
Residents	44,261	100.0	33,615	100.0	23,020	100.0	502	100.0
Nonresidents*	234		314		*		36	
Total	44,495		33,929		23,020		538	

Notes:

Total percentage may not add up to 100 due to rounding.

*Marriage counts by month are based on event place and include nonresidents.



On a Typical Day in British Columbia in 2014

121 Live Births in the Province to B.C. Residents

63	males
59	females
2	born to teenage mothers
30	born to mothers aged 35 years or older
4	multiple births
39	caesarean deliveries
7	low birth weight babies
9	preterm babies
67	involved maternal complications
43	babies had perinatal complications
1	stillbirth

92 Deaths in the Province to B.C. Residents

48	males
44	females
74	seniors aged 65 years old or older, including 48 seniors aged 80 years or older
7	children younger than 15 years old every 10 days, including 5 infants
25	due to diseases of the circulatory system, including - 17 from cardiovascular disease - 6 from cerebrovascular disease
27	due to malignant neoplasms (cancer), including - 7 from malignant neoplasm of trachea and lung - 3 from malignant neoplasm of colon and rectum - 2 from malignant neoplasm of female breast
9	due to diseases of the respiratory system, including - 3 from pneumonia and influenza - 4 from chronic pulmonary disease
1	every 10 days due to HIV disease
5	due to external causes, including - 2 suicides - 1 motor vehicle accident - 1 accidental fall
6	alcohol-related: - 2 directly related - 4 indirectly related
1	drug-induced
17	attributed to smoking

63 Marriages in the Province to Residents and Nonresidents

41	civil ceremonies
22	religious ceremonies
44	couples where both parties were marrying for the first time
1	marriage every 10 days to a couple where both parties were teenagers

Notes: Numbers may not add up due to rounding.



Birth-Related Statistics

The tables in this section present birth statistics categorized by maternal age, complications of pregnancy, delivery mode, and gestational age.

Birth-Related Statistics




Statistics based on birth events form a crucial part of the demographic profile of communities, regions, provinces, and countries. They are used to derive important indicators of health status, fertility, infant mortality, and population growth. In turn, those indicators are used for health planning, policy formulation, research, and commerce.

The tables in this part of the report present birth statistics categorized by maternal characteristics and other related measures. The tables refer only to live births except Table 3, which also includes stillbirths.

Certain birth and parental characteristics that are presented in this section have been shown to be related to the infant's health status or are of general interest. These characteristics include age of mother, kind of birth (single, twin, or multiple), local health area (LHA) of usual residence, and mode of delivery. The mother's usual residence is used to identify geographic location.

Over half of the births (57 percent) in 2014 were to mothers 30 to 39 years old and 37 percent were to mothers in their 20s. Only 2 percent were to mothers younger than 20 years and 5 percent to those aged 40 or older.

Live Births by Age of Mother



Total percentage may not add up to 100 due to rounding.

TABLE 3
BIRTHS BY AGE OF MOTHER AND LIVE BIRTHS BY BIRTH ORDER
 BRITISH COLUMBIA, 2014

Age of Mother	Birth Order										Total Live Births	Total Still Births	Total Births
	1	2	3	4	5	6	7	8	9+	N.S.			
<14	3	-	-	-	-	-	-	-	-	-	3	-	3
14	2	-	-	-	-	-	-	-	-	-	2	-	2
15	26	-	-	-	-	-	-	-	-	-	26	1	27
16	61	5	1	-	-	-	-	-	-	-	67	1	68
17	131	8	-	-	-	-	-	-	-	-	139	6	145
18	213	40	1	-	-	-	-	-	-	-	254	12	266
19	324	71	3	-	-	-	-	-	-	-	398	11	409
20	433	117	18	1	-	-	-	-	-	1	570	14	584
21	494	167	38	3	1	-	-	-	-	-	703	10	713
22	540	275	51	9	1	-	-	-	-	-	876	10	886
23	630	351	99	19	2	1	-	-	-	-	1,102	17	1,119
24	741	389	130	30	10	2	-	-	-	-	1,302	18	1,320
25	848	506	174	37	15	1	1	-	-	-	1,582	22	1,604
26	1,119	625	204	56	17	4	-	-	-	-	2,025	23	2,048
27	1,196	746	226	68	21	5	5	-	-	-	2,267	22	2,289
28	1,471	909	289	62	18	9	3	-	1	-	2,762	24	2,786
29	1,534	1,060	316	102	28	17	7	1	-	1	3,066	25	3,091
30	1,705	1,195	364	108	33	8	4	-	2	-	3,419	37	3,456
31	1,642	1,356	399	107	43	18	7	2	2	-	3,576	31	3,607
32	1,497	1,361	423	119	29	14	5	6	1	-	3,455	31	3,486
33	1,234	1,282	420	105	32	18	5	4	6	-	3,106	30	3,136
34	983	1,245	382	105	32	15	6	7	4	1	2,780	33	2,813
35	837	1,113	392	107	38	12	7	1	5	-	2,512	19	2,531
36	698	918	344	94	31	15	9	5	5	-	2,119	20	2,139
37	517	771	276	86	27	10	7	2	3	-	1,699	23	1,722
38	396	602	238	66	19	8	5	3	9	1	1,347	8	1,355
39	322	435	195	51	23	8	6	4	4	-	1,048	19	1,067
40	236	326	121	42	13	7	4	4	7	-	760	13	773
41	168	204	87	29	11	7	1	4	3	-	514	10	524
42	91	121	52	17	6	3	1	-	5	-	296	7	303
43	65	102	30	14	3	4	1	-	3	-	222	-	222
44	31	54	22	6	3	3	1	1	2	-	123	3	126
45+	56	38	25	9	4	2	1	1	5	-	141	2	143
N.S.	-	-	-	-	-	-	-	-	-	-	-	-	0
Total	20,244	16,392	5,320	1,452	460	191	86	45	67	4	44,261	502	44,763
Percent	45.7	37.0	12.0	3.3	1.0	0.4	0.2	0.1	0.2	0	100		

Notes:

Birth order indicates the total of live births to the mother.

Total includes unknown sex.

N.S. – Not stated.

Percent - Total births in each category over the total live births in the year rounded to single decimal place.

Nonresidents are excluded.

Multiple Birth Rates in B.C.

In recent decades there has been a gradual increase in multiple birth rates in British Columbia. The proportion of multiple live births has increased from 1.9 percent of all live births in 1986 to 3.2 percent in 2014. See Table 4 for data for multiple births in 2014.

TABLE 4
LIVE BIRTHS BY AGE OF MOTHER AND KIND OF BIRTH
BRITISH COLUMBIA, 2014

Age of Mother	Kind of Birth			Total
	Single	Twin	Triplets+	
10-14	4	-	-	4
15-19	874	10	-	884
20-24	4,458	95	-	4,553
25-29	11,383	313	6	11,702
30-34	15,831	484	21	16,336
35-39	8,332	385	8	8,725
40-44	1,809	106	-	1,915
45+	105	36	-	141
Not stated	1	-	-	1
Total	42,797	1,429	35	44,261

Notes:

For the multiple births that include stillbirths, only live births are shown.

Triplets+: included in this column are the live births from multiple births of three or more.

Nonresidents are excluded.

TABLE 5
LIVE BIRTHS BY MODE OF DELIVERY AND AGE OF MOTHER
BRITISH COLUMBIA, 2014

Mode of Delivery		Age of Mother in Years									Total
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.	
Spontaneous Vertex	Number	4	641	3,057	7,326	9,438	4,574	854	44	1	25,939
	Percent	100.0	72.5	67.1	62.6	57.8	52.4	44.6	31.2	100.0	58.6
Spontaneous Breech	Number	-	3	20	39	58	37	9	-	-	166
	Percent	-	0.3	0.4	0.3	0.4	0.4	0.5	-	-	0.4
Forceps	Number	-	29	105	347	572	275	42	3	-	1,373
	Percent	-	3.3	2.3	3.0	3.5	3.2	2.2	2.1	-	3.1
Vacuum	Number	-	63	265	742	874	408	77	2	-	2,431
	Percent	-	7.1	5.8	6.3	5.4	4.7	4.0	1.4	-	5.5
First Caesarean	Number	-	134	845	2,197	3,255	1,766	505	65	-	8,767
	Percent	-	15.2	18.6	18.8	19.9	20.2	26.4	46.1	-	19.8
Repeat Caesarean	Number	-	14	260	1,050	2,139	1,662	428	27	-	5,580
	Percent	-	1.6	5.7	9.0	13.1	19.0	22.3	19.1	-	12.6
Unknown	Number	-	-	1	1	-	3	-	-	-	5
	Percent	-	-	0.0	0.0	-	0.0	-	-	-	0.0
Total	Number	4	884	4,553	11,702	16,336	8,725	1,915	141	1	44,261
	Percent	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Notes:

Breech presentations may be coded to forceps, vacuum, first caesarean or repeat caesarean mode of delivery, as well as spontaneous breech.

Total percentage may not add up to 100 due to rounding.

Nonresidents are excluded.

N.S. - Not stated



PLACE OF BIRTH FOR MIDWIFE-ASSISTED BIRTHS BRITISH COLUMBIA, 2010 - 2014

In 1995, the province established the College of Midwives of British Columbia, and the College registered B.C.'s first midwives on January 1, 1998. At the same time, the Vital Statistics Agency began identifying midwife-assisted births so that by 1999, they were fully recorded.

The table below shows the place of birth for midwife-assisted births in the province from 2010 to 2014. The number of midwife-assisted births rose by 4 percent during this time.



Place of Birth	2010		2011		2012		2013		2014	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Hospital	3,392	77.2	3,782	77.1	4,056	76.6	4,398	76.6	4,838	77.5
Home	916	20.9	1,059	21.6	993	18.8	765	13.3	856	13.7
Other & unknown*	83	1.9	67	1.4	247	4.7	575	10.0	548	8.8
Total	4,391	100.0	4,908	100.0	5,296	100.0	5,738	100.0	6,242	100.0
Percent of Total Births Delivered by Registered Midwives		10.1		11.2		12.0		13.1		14.1

Note: *Other and unknown includes birthing clinics.

TABLE 6
LIVE BIRTHS BY LOCAL HEALTH AREA AND MODE OF DELIVERY
BRITISH COLUMBIA, 2014

Local Health Area	Spontaneous Vertex	Caesarean						Other	Total Live Births	
		First	Repeat	Total	Expected	Ratio	Percent		Number	Rate
001 Fernie	110	46	20	66	60.94	1.08	37.5	12	188	12.63
002 Cranbrook	172	35	22	57	77.47	0.74	24.9	10	239	9.28
003 Kimberley	53	14	11	25	26.26	0.95	32.1	3	81	9.65
004 Windermere	61	16	5	21	28.20	0.74	25.6	5	87	9.65
005 Creston	59	8	8	16	26.58	0.60	21.3	7	82	6.62
006 Kootenay Lake	20	2	1	3	8.10	0.37	13.0	2	25	7.33
007 Nelson	130	34	9	43	61.91	0.69	24.9	18	191	7.37
009 Castlegar	75	19	13	32	37.60	0.85	29.9	9	116	8.44
010 Arrow Lakes	17	4	2	6	7.78	0.77	26.1	1	24	5.20
011 Trail	112	24	22	46	52.84	0.87	29.1	5	163	8.60
012 Grand Forks	32	12	4	16	15.56	1.03	33.3	-	48	5.85
013 Kettle Valley	13	2	2	4	6.16	0.65	23.5	2	19	6.01
014 Southern Okanagan	85	24	12	36	45.70	0.79	29.8	20	141	7.65
015 Penticton	157	51	26	77	91.08	0.85	32.9	47	281	6.60
016 Keremeos	20	6	4	10	11.99	0.83	33.3	7	37	7.22
017 Princeton	14	7	1	8	9.08	0.88	36.4	6	28	6.17
018 Golden	39	13	12	25	22.04	1.13	39.1	4	68	9.69
019 Revelstoke	56	13	9	22	27.88	0.79	28.2	8	86	11.05
020 Salmon Arm	146	52	34	86	80.39	1.07	37.1	16	248	7.27
021 Armstrong - Spallumcheen	55	11	8	19	25.93	0.73	25.7	6	80	7.95
022 Vernon	381	75	69	144	182.17	0.79	27.4	37	562	8.59
023 Central Okanagan	980	343	206	549	537.11	1.02	35.9	128	1,657	8.77
024 Kamloops	584	245	139	384	345.86	1.11	39.7	99	1,067	9.47
025 100 Mile House	64	14	14	28	33.39	0.84	30.4	11	103	7.49
026 North Thompson	29	2	1	3	11.35	0.26	9.4	3	35	8.26
027 Cariboo - Chilcotin	155	39	40	79	85.25	0.93	33.8	29	263	10.20
028 Quesnel	131	49	28	77	73.26	1.05	37.0	18	226	9.54
029 Lillooet	20	5	8	13	10.70	1.22	39.4	-	33	7.74
030 South Cariboo	37	3	5	8	16.21	0.49	17.8	5	50	7.14
031 Merritt	50	19	15	34	30.47	1.12	40.5	10	94	8.07
032 Hope	34	9	6	15	16.86	0.89	30.6	3	52	7.10
033 Chilliwack	613	214	135	349	326.41	1.07	36.3	45	1,007	11.05
034 Abbotsford	929	304	214	518	522.20	0.99	35.8	164	1,611	11.61
035 Langley	919	282	189	471	490.11	0.96	33.9	122	1,512	10.65
037 Delta	446	151	128	279	256.07	1.09	38.5	65	790	7.75
038 Richmond	1,226	342	285	627	675.52	0.93	33.8	231	2,084	10.15
040 New Westminster	354	191	81	272	232.09	1.17	43.5	90	716	10.25
041 Burnaby	1,312	538	267	805	762.71	1.06	38.0	236	2,353	10.07
042 Maple Ridge	482	232	146	378	306.64	1.23	44.0	86	946	9.49
043 Coquitlam	1,223	532	307	839	745.86	1.12	40.7	239	2,301	9.64
044 North Vancouver	658	294	165	459	397.73	1.15	41.1	110	1,227	8.66
045 West Vancouver-Bowen Island	120	54	51	105	80.06	1.31	46.7	22	247	4.90
046 Sunshine Coast	89	46	23	69	59.64	1.16	43.7	26	184	6.22
047 Powell River	95	18	18	36	46.03	0.78	27.5	11	142	7.29
048 Howe Sound	241	106	50	156	141.65	1.10	39.3	40	437	11.74
049 Bella Coola Valley	19	3	4	7	9.08	0.77	26.9	2	28	10.71
050 Queen Charlotte	34	6	6	12	15.56	0.77	26.1	2	48	11.05
051 Snow Country	3	1	1	2	1.62	1.23	40.0	-	5	8.58
052 Prince Rupert	93	29	18	47	49.27	0.95	33.6	12	152	11.45
053 Upper Skeena	34	9	3	12	16.21	0.74	26.1	4	50	11.01
054 Smithers	139	35	26	61	70.02	0.87	30.5	16	216	12.82
055 Burns Lake	54	10	10	20	25.28	0.79	27.0	4	78	11.08
056 Nechako	140	27	28	55	67.10	0.82	28.2	12	207	12.09

(Table continues on the following page →)

TABLE 6 (continued)
LIVE BIRTHS BY LOCAL HEALTH AREA AND MODE OF DELIVERY
BRITISH COLUMBIA, 2014

Local Health Area	Spontaneous Vertex	Caesarean						Other	Total Live Births	
		First	Repeat	Total	Expected	Ratio	Percent		Number	Rate
057 Prince George	657	188	124	312	330.63	0.94	32.2	51	1,020	10.85
059 Peace River South	224	65	46	111	122.20	0.91	33.1	42	377	13.26
060 Peace River North	410	98	96	194	211.99	0.92	32.1	50	654	17.44
061 Greater Victoria	1,147	382	211	593	604.53	0.98	34.1	125	1,865	8.53
062 Sooke	513	182	119	301	276.50	1.09	37.0	39	853	11.23
063 Saanich	240	87	41	128	128.04	1.00	34.8	27	395	6.31
064 Gulf Islands	44	14	8	22	22.69	0.97	33.3	4	70	4.57
065 Cowichan	381	64	45	109	167.91	0.65	22.2	28	518	8.93
066 Lake Cowichan	29	8	3	11	13.61	0.81	27.5	2	42	6.88
067 Ladysmith	100	17	18	35	49.59	0.71	25.9	18	153	8.35
068 Nanaimo	603	130	84	214	293.68	0.73	26.2	89	906	8.46
069 Qualicum	137	27	24	51	66.77	0.76	27.1	18	206	4.50
070 Alberni	156	38	39	77	92.06	0.84	33.0	51	284	9.20
071 Courtenay	338	80	67	147	162.72	0.90	30.3	17	502	7.77
072 Campbell River	259	52	53	105	130.95	0.80	28.8	40	404	9.49
075 Mission	277	80	63	143	147.49	0.97	34.0	35	455	10.92
076 Agassiz - Harrison	63	15	15	30	31.44	0.95	32.3	4	97	10.43
077 Summerland	45	13	4	17	22.69	0.75	27.4	8	70	6.01
078 Enderby	49	14	11	25	25.93	0.96	33.8	6	80	10.93
080 Kitimat	78	23	9	32	37.60	0.85	29.1	6	116	12.12
081 Fort Nelson	39	11	16	27	23.01	1.17	40.9	5	71	11.47
083 Central Coast	17	1	4	5	7.78	0.64	22.7	2	24	14.90
084 Vancouver Island West	8	5	1	6	4.54	1.32	42.9	-	14	6.70
085 Vancouver Island North	87	13	10	23	37.60	0.61	20.9	6	116	9.89
087 Stikine	5	3	1	4	2.92	1.37	44.4	-	9	9.43
088 Terrace	170	26	15	41	72.93	0.56	19.4	14	225	10.84
092 Nisga'a	23	4	1	5	9.08	0.55	17.9	-	28	13.02
094 Telegraph Creek	6	2	-	2	2.59	0.77	25.0	-	8	11.56
161 Vancouver - City Centre	628	255	75	330	365.64	0.90	34.4	170	1,128	9.20
162 Vancouver - Downtown Eastside	365	144	42	186	203.56	0.91	33.8	77	628	10.17
163 Vancouver - North East	614	194	86	280	326.09	0.86	31.3	112	1,006	9.45
164 Vancouver - Westside	647	217	133	350	362.07	0.97	35.1	120	1,117	8.13
165 Vancouver - Midtown	676	249	117	366	380.87	0.96	35.1	133	1,175	12.80
166 Vancouver - South	731	228	147	375	406.48	0.92	33.9	148	1,254	9.05
201 Surrey	2,697	1,064	848	1,912	1,622.02	1.18	41.5	395	5,004	11.34
202 South Surrey/White Rock	360	154	93	247	217.18	1.14	40.7	63	670	7.33
998 Unknown LHA	2	-	-	-	0.65	0.00	0.0	-	2	0.00
Total	25,939	8,767	5,580	14,347	14,347.00	1.00	35.6	3,975	44,261	9.56

Notes:

Ratio equals the observed over the expected caesareans in the specified area.
Percent equals the number of live births in the specified area over the total births.
Rate is per 1,000 population in the specified area.
Other is comprised of spontaneous breech, forceps, vacuum, and not stated.
Total includes residents with unknown LHA.

TABLE 7
LIVE BIRTHS BY BIRTH WEIGHT, SEX, AND GESTATIONAL AGE
BRITISH COLUMBIA, 2014

Birth Weight (in Grams)	Sex		Gestational Age in Weeks						Total
	Male	Female	<20	20-27	28-36	37-41	42+	N.S.	
<500	19	23	5	32	0	5	0	0	42
500-749	28	30	0	52	5	1	0	0	58
750-999	43	35	0	58	19	1	0	0	78
1000-1249	40	50	0	14	76	0	0	0	90
1250-1499	67	63	0	4	125	1	0	0	130
1500-1749	108	96	0	1	199	4	0	0	204
1750-1999	148	151	0	1	261	37	0	0	299
2000-2249	270	300	0	0	432	137	0	1	570
2250-2499	506	574	0	0	529	551	0	0	1,080
2500-2749	1,038	1,260	0	0	603	1,695	0	0	2,298
2750-2999	1,978	2,567	0	0	432	4,107	5	1	4,545
3000-3249	3,401	3,953	0	0	287	7,050	16	1	7,354
3250-3499	4,498	4,515	0	0	124	8,851	35	3	9,013
3500-3749	4,350	3,645	0	0	54	7,902	36	3	7,995
3750-3999	3,163	2,343	0	0	28	5,421	57	0	5,506
4000-4249	1,832	1,137	0	0	12	2,899	57	1	2,969
4250-4499	817	460	0	0	3	1,246	28	0	1,277
4500-4749	330	153	0	0	2	471	10	0	483
4750-4999	108	37	0	0	2	138	5	0	145
5000-5249	34	19	0	0	0	49	4	0	53
5250-5499	15	5	0	0	0	19	1	0	20
5500+	6	0	0	0	0	6	0	0	6
N.S.	26	20	0	2	2	0	0	42	46
Total	22,825	21,436	5	164	3,195	40,591	254	52	44,261

Notes:

Nonresidents are excluded.

N.S. – Not stated.



TABLE 8
LIVE BIRTHS BY BIRTH WEIGHT OF CHILD AND AGE OF MOTHER
BRITISH COLUMBIA, 2014

Birth Weight in Grams	Age of Mother in Years								N.S.	Total
	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45+		
<500	-	2	5	10	18	3	4	-	-	42
500-749	-	1	7	16	16	14	4	-	-	58
750-999	-	1	7	21	24	16	9	-	-	78
1000-1249	-	-	9	23	35	16	7	-	-	90
1250-1499	-	5	12	23	49	32	6	3	-	130
1500-1749	1	3	15	50	70	48	16	1	-	204
1750-1999	-	7	35	74	98	62	20	3	-	299
2000-2249	-	10	54	119	198	152	30	7	-	570
2250-2499	-	31	106	267	362	235	69	10	-	1,080
2500-2749	-	46	237	547	853	493	102	20	-	2,298
2750-2999	-	87	481	1,182	1,638	916	228	13	-	4,545
3000-3249	-	145	720	1,923	2,698	1,485	363	20	-	7,354
3250-3499	2	175	930	2,438	3,407	1,691	346	24	-	9,013
3500-3749	1	180	831	2,126	2,990	1,525	326	16	-	7,995
3750-3999	-	96	566	1,561	1,982	1,066	226	9	-	5,506
4000-4249	-	59	317	775	1,156	557	95	10	-	2,969
4250-4499	-	21	130	356	471	259	38	2	-	1,277
4500-4749	-	10	57	123	172	101	19	1	-	483
4750-4999	-	4	12	34	60	31	2	2	-	145
5000-5249	-	1	8	17	13	11	3	-	-	53
5250-5499	-	-	1	4	10	4	1	-	-	20
5500+	-	-	1	2	2	1	-	-	-	6
N.S.	-	-	12	11	14	7	1	-	1	46
Total	4	884	4,553	11,702	16,336	8,725	1,915	141	1	44,261

Notes:

Nonresidents are excluded.
N.S. – Not stated.



TABLE 9
LIVE BIRTHS BY BIRTH WEIGHT IN GROUPS AND AGE OF MOTHER
BRITISH COLUMBIA, 2014

Birth Weight in Groups		Age of Mother in Years									Total
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.	
Low	Number	1	60	250	603	870	578	165	24	-	2,551
	Percent	25.0	6.8	5.5	5.2	5.3	6.6	8.6	17.0	-	5.8
Healthy	Number	3	809	4,212	10,908	15,195	7,992	1,724	114	-	40,957
	Percent	75.0	91.5	92.5	93.2	93.0	91.6	90.0	80.9	-	92.5
High	Number	-	15	79	180	257	148	25	3	-	707
	Percent	-	1.7	1.7	1.5	1.6	1.7	1.3	2.1	-	1.6
Not stated	Number	-	-	12	11	14	7	1	-	1	46
	Percent	-	-	0.3	0.1	0.1	0.1	0.1	-	100.0	0.1

Notes:

Birth Weight Group Definitions

Low <2500 grams
Healthy 2,500 to 4,499 grams
High 4,500+ grams

Percent of age category in birth weight group.
Nonresidents are excluded.

TABLE 10
LOW BIRTH WEIGHT LIVE BIRTHS BY AGE OF MOTHER AND SEX OF CHILD
BRITISH COLUMBIA, 2014

Age of Mother in Years	Male		Female		Total		
	Number	Percent	Number	Percent	Number	Percent	Rate
10-14	1	0.1	-	0.0	1	0.0	250.00
15-19	29	2.4	31	2.3	60	2.4	67.87
20-24	118	9.6	132	10.0	250	9.8	54.91
25-29	286	23.3	317	24.0	603	23.6	51.53
30-34	408	33.2	462	34.9	870	34.1	53.26
35-39	298	24.2	280	21.2	578	22.7	66.25
40-44	77	6.3	88	6.7	165	6.5	86.16
45+	12	1.0	12	0.9	24	0.9	170.21
N.S.	-	0.0	-	0.0	-	0.0	0.00
Total	1,229	100.0	1,322	100.0	2,551	100.0	57.64

Notes:

Rate per 1,000 live births for the specified age group.

Low birth weight: birth weight less than 2,500 grams.

Total percentage may not add up to 100 due to rounding. Total includes unknown sex.

Nonresidents are excluded.

N.S. – Not stated.

TABLE 11
LOW BIRTH WEIGHT LIVE BIRTHS BY LOCAL HEALTH AREA
AND GESTATIONAL AGE
BRITISH COLUMBIA, 2009 - 2013, AND 2014

Local Health Area	2009 - 2013			2014					
	Low Birth Weight Live Births			Gestational Age in Weeks				Total	Rate
	Observed	Ratio	Rate	<37	37-41	42+	N.S.		
001 Fernie	31	0.69	38.94	4	1	-	-	5	26.60
002 Cranbrook	60	0.86	48.74	5	8	-	-	13	54.39
003 Kimberley	20	0.89	50.25	2	-	-	-	2	24.69
004 Windermere	36	1.56	88.24	6	2	-	-	8	91.95
005 Creston	28	0.93	52.43	3	1	-	-	4	48.78
006 Kootenay Lake	6	1.06	60.00	1	-	-	-	1	40.00
007 Nelson	40	0.61	34.66	8	6	-	-	14	73.30
009 Castlegar	30	0.99	56.07	6	5	-	-	11	94.83
010 Arrow Lakes	3	0.44	25.21	2	3	-	-	5	208.33
011 Trail	54	1.07	60.74	4	-	-	-	4	24.54
012 Grand Forks	22	1.62	91.67	2	-	-	-	2	41.67
013 Kettle Valley	7	1.44	81.40	1	1	-	-	2	105.26
014 Southern Okanagan	35	1.06	60.34	5	5	-	-	10	70.92
015 Penticton	76	0.87	49.13	14	7	-	-	21	74.73
016 Keremeos	6	0.63	35.50	2	-	-	-	2	54.05
017 Princeton	13	1.63	92.20	3	-	-	-	3	107.14
018 Golden	18	0.93	52.79	-	-	-	-	-	0.00
019 Revelstoke	20	0.79	44.94	-	1	-	-	1	11.63
020 Salmon Arm	65	0.88	49.77	7	3	-	-	10	40.32
021 Armstrong - Spallumcheen	17	0.67	38.03	4	2	-	-	6	75.00
022 Vernon	175	1.05	59.71	11	7	-	-	18	32.03
023 Central Okanagan	417	0.89	50.66	72	17	-	-	89	53.71
024 Kamloops	321	1.09	62.01	45	17	-	-	62	58.11
025 100 Mile House	23	0.86	48.52	4	1	-	-	5	48.54
026 North Thompson	14	1.34	76.09	1	1	-	-	2	57.14
027 Cariboo - Chilcotin	81	1.06	59.82	13	2	-	-	15	57.03
028 Quesnel	70	1.10	62.11	7	5	-	-	12	53.10
029 Lillooet	10	0.84	47.85	2	1	-	-	3	90.91
030 South Cariboo	17	0.98	55.37	2	-	-	-	2	40.00
031 Merritt	37	1.09	61.87	2	-	-	-	2	21.28
032 Hope	14	0.80	45.60	1	2	-	-	3	57.69
033 Chilliwack	235	0.79	44.56	53	11	-	-	64	63.56
034 Abbotsford	549	1.12	63.56	80	30	-	-	110	68.28
035 Langley	369	0.90	50.85	45	21	-	-	66	43.65
037 Delta	281	1.20	67.96	38	15	-	-	53	67.09
038 Richmond	468	0.95	53.83	74	34	-	-	108	51.82
040 New Westminster	210	1.05	59.66	43	9	-	-	52	72.63
041 Burnaby	666	1.02	57.94	101	46	-	-	147	62.47
042 Maple Ridge	226	0.82	46.55	47	8	-	-	55	58.14
043 Coquitlam	599	0.99	55.92	80	39	-	-	119	51.72
044 North Vancouver	328	0.95	54.06	50	18	-	-	68	55.42
045 West Vancouver-Bowen Island	63	0.86	48.50	17	5	-	-	22	89.07
046 Sunshine Coast	40	0.69	39.06	12	1	-	-	13	70.65
047 Powell River	24	0.59	33.47	5	-	-	-	5	35.21
048 Howe Sound	114	0.84	47.58	13	2	-	-	15	34.32
049 Bella Coola Valley	10	1.01	57.14	2	1	-	-	3	107.14
050 Queen Charlotte	3	0.24	13.45	1	-	-	-	1	20.83
051 Snow Country	2	2.94	166.67	-	-	-	-	-	0.00
052 Prince Rupert	37	0.72	40.93	10	-	-	-	10	65.79
053 Upper Skeena	17	0.97	55.02	1	1	-	-	2	40.00

(Table continues on the following page →)

TABLE 11 (continued)
LOW BIRTH WEIGHT LIVE BIRTHS BY LOCAL HEALTH AREA
AND GESTATIONAL AGE
BRITISH COLUMBIA, 2009 - 2013, AND 2014

Local Health Area	2009 - 2013			2014					Total	Rate
	Low Birth Weight Live Births Observed	Ratio	Rate	Gestational Age in Weeks						
				<37	37-41	42+	N.S.			
054 Smithers	47	0.81	46.17	6	3	-	-	9	41.67	
055 Burns Lake	21	0.97	54.97	-	5	-	-	5	64.10	
056 Nechako	55	0.87	49.55	14	2	-	-	16	77.29	
057 Prince George	306	1.02	57.63	49	22	-	-	71	69.61	
059 Peace River South	80	0.82	46.35	14	6	-	-	20	53.05	
060 Peace River North	156	0.89	50.27	17	9	-	-	26	39.76	
061 Greater Victoria	475	0.92	52.42	70	30	-	-	100	53.62	
062 Sooke	200	0.86	48.66	46	16	-	-	62	72.68	
063 Saanich	121	1.10	62.44	21	9	-	-	30	75.95	
064 Gulf Islands	25	1.03	58.41	3	1	-	-	4	57.14	
065 Cowichan	132	0.88	49.61	21	7	-	-	28	54.05	
066 Lake Cowichan	15	1.21	68.49	1	1	-	-	2	47.62	
067 Ladysmith	36	0.88	50.00	9	2	-	-	11	71.90	
068 Nanaimo	248	0.94	53.38	37	10	-	-	47	51.88	
069 Qualicum	51	0.74	41.98	7	2	-	-	9	43.69	
070 Alberni	89	0.96	54.50	6	1	-	-	7	24.65	
071 Courtenay	117	0.79	44.95	17	5	-	-	22	43.82	
072 Campbell River	93	0.87	49.15	23	3	-	-	26	64.36	
075 Mission	105	0.81	45.71	16	11	-	-	27	59.34	
076 Agassiz - Harrison	24	0.95	54.05	6	1	-	-	7	72.16	
077 Summerland	22	1.10	62.50	1	3	-	-	4	57.14	
078 Enderby	15	0.72	40.87	2	1	-	-	3	37.50	
080 Kitimat	22	0.77	43.48	3	2	-	-	5	43.10	
081 Fort Nelson	26	1.12	63.41	2	1	-	-	3	42.25	
083 Central Coast	6	0.96	54.55	1	-	-	-	1	41.67	
084 Vancouver Island West	5	0.86	48.54	-	1	-	-	1	71.43	
085 Vancouver Island North	27	0.69	38.85	6	1	-	-	7	60.34	
087 Stikine	5	2.52	142.86	-	-	-	-	-	0.00	
088 Terrace	73	1.04	58.97	6	4	-	-	10	44.44	
092 Nisga'a	7	0.74	41.67	2	-	-	-	2	71.43	
094 Telegraph Creek	3	1.32	75.00	-	-	-	-	-	0.00	
161 Vancouver - City Centre	317	1.08	60.97	38	19	-	-	57	50.53	
162 Vancouver - Downtown Eastside	200	1.19	67.57	25	12	-	-	37	58.92	
163 Vancouver - North East	333	1.11	62.64	41	21	-	-	62	61.63	
164 Vancouver - Westside	288	0.93	52.87	28	11	-	-	39	34.91	
165 Vancouver - Midtown	359	1.19	67.53	36	27	-	-	63	53.62	
166 Vancouver - South	406	1.15	65.26	55	25	-	-	80	63.80	
201 Surrey	1,814	1.23	69.73	244	113	-	-	357	71.34	
202 South Surrey/White Rock	153	0.86	48.51	29	10	-	-	39	58.21	
998 Unknown LHA	-	0.00	0.00	-	1	-	1	2	1,000.00	
Total	12,484	1.00	56.68	1,813	737	0	1	2,551	57.64	

Notes:

Low Birth Weight – birth weight less than 2,500 grams.

Ratio = observed over the expected low birth weight live births.

Rate is number of low birth weights per 1,000 live births in the specified area.

Total includes residents with unknown LHA.

N.S. - Not Stated.

TABLE 12
MATERNAL COMPLICATIONS OF PREGNANCY AND DELIVERY
IN LIVE BIRTHS BY AGE OF MOTHER
 BRITISH COLUMBIA, 2009 - 2013, AND 2014

Maternal Complications	ICD-10 Codes	2009 - 2013		2014						
		Total Percent		Age of Mother in Years					Total Percent	
				<20	20-29	30-39	40+	N.S.		
Maternal tobacco use	F179	108	0.1	2	7	6	-	-	15	0.0
Hypertension/hypertensive disorders in pregnancy	O10-O11, O13, O16	2,723	1.6	19	158	352	51	-	580	1.6
Edema and proteinuria without hypertension	O12	80	0.0	3	5	10	2	-	20	0.1
Pre-eclampsia/eclampsia	O14-O15	1,315	0.8	8	130	185	35	-	358	1.0
Hemorrhage in early pregnancy	O20	10	0.0	-	-	1	-	-	1	0.0
Hyperemesis gravidarum	O21	55	0.0	-	6	2	2	-	10	0.0
Other maternal disorders predominantly related to pregnancy	O22-O23, O25-O29	2,539	1.5	22	268	373	25	-	688	1.9
Diabetes in pregnancy	O24	3,656	2.2	10	245	626	93	-	974	2.7
Multiple gestation and related complications	O30-O31	7,002	4.2	10	408	889	142	-	1,449	4.0
Fetal malpresentation	O32	6,951	4.1	24	527	976	87	-	1,614	4.5
Disproportion	O33	271	0.2	-	8	10	-	-	18	0.0
Maternal abnormality of pelvic organs	O34	26,333	15.6	14	1,253	3,640	443	-	5,350	14.8
Maternal alcohol use	O354	39	0.0	1	4	2	-	-	7	0.0
Maternal drug use	O355	335	0.2	6	46	32	6	-	90	0.2
Disorders of amniotic fluid and membranes	O40-O42	4,975	2.9	25	415	644	58	-	1,142	3.2
Placental disorders	O43-O45, O73	2,804	1.7	7	205	427	55	-	694	1.9
Antepartum hemorrhage	O46	449	0.3	-	29	45	4	-	78	0.2
Prolonged pregnancy	O48	1,182	0.7	1	77	129	5	-	212	0.6
Preterm labour and delivery	O60	8,350	5.0	44	459	642	54	-	1,199	3.3
Abnormalities of forces of labour	O62-O63	8,436	5.0	41	750	1,132	75	-	1,998	5.5
Obstructed labour	O64-O66	13,382	7.9	64	1,238	1,676	125	-	3,103	8.6
Intrapartum hemorrhage	O67	46	0.0	-	3	8	2	-	13	0.0
Evidence of fetal distress	O68	11,847	7.0	68	1,244	1,893	133	-	3,338	9.2
Cord complications	O69	3,007	1.8	11	260	342	23	-	636	1.8
Obstetrical trauma	O70-O71	2,307	1.4	16	210	243	20	-	489	1.4
Postpartum hemorrhage	O72	2,780	1.6	19	268	396	24	-	707	2.0
Assisted or surgical delivery - no cause given	O81-O82	31,444	18.6	86	1,970	3,209	351	-	5,616	15.5
Maternal and puerperal infections	O85-O86, O98, A34	549	0.3	3	26	56	6	-	91	0.3
Other puerperal complications	O87-O92	63	0.0	-	3	4	-	-	7	0.0
Maternal noninfectious diseases complicating the pregnant state	O99	3,110	1.8	13	243	422	33	-	711	2.0
Elderly primagravida	Z355	9,369	5.6	1	1	1,688	322	-	2,012	5.6
Other maternal complications	O00-O08, O350-O353, 356-O36, O47, O61, O74-O75, O95-O97	13,145	7.8	39	1,033	1,711	137	-	2,920	8.1
Total maternal complications		168,662	100.0	557	11,499	21,771	2,313	0	36,140	100.0
Live births with the above maternal complications	Number	119,568		392	8,111	14,645	1,426		24,574	
	Percent(*)	54.3		44.1	49.9	58.4	69.4		55.5	

Notes:

Percent (*) is the number of births with complications compared with the total number of live births for the specified maternal age group.

¹Where no other complication code is found.

Total percentage may not add up to 100 due to rounding.

N.S. - Not Stated.

Nonresidents are excluded.

TABLE 13
MATERNAL COMPLICATIONS OF PREGNANCY AND DELIVERY IN LIVE BIRTHS
BY LOCAL HEALTH AREA
 BRITISH COLUMBIA, 2009 - 2013 AND 2014

Local Health Area	2009 - 2013					2014				
	Observed Births	Expected Births	Ratio	Percent	Total Live Births	Observed Births	Expected Births	Ratio	Percent	Total Live Births
001 Fernie	493	432.2	1.14	61.9	796	110	104.4	1.05	58.5	188
002 Cranbrook	501	668.3	0.75	40.7	1,231	81	132.7	0.61	33.9	239
003 Kimberley	170	216.1	0.79	42.7	398	36	45.0	0.80	44.4	81
004 Windermere	205	221.5	0.93	50.2	408	41	48.3	0.85	47.1	87
005 Creston	268	289.9	0.92	50.2	534	52	45.5	1.14	63.4	82
006 Kootenay Lake	47	54.3	0.87	47.0	100	12	13.9	0.86	48.0	25
007 Nelson	510	626.5	0.81	44.2	1,154	93	106.0	0.88	48.7	191
009 Castlegar	281	290.5	0.97	52.5	535	64	64.4	0.99	55.2	116
010 Arrow Lakes	58	64.6	0.90	48.7	119	13	13.3	0.98	54.2	24
011 Trail	474	482.6	0.98	53.3	889	92	90.5	1.02	56.4	163
012 Grand Forks	119	130.3	0.91	49.6	240	27	26.6	1.01	56.3	48
013 Kettle Valley	37	46.7	0.79	43.0	86	10	10.5	0.95	52.6	19
014 Southern Okanagan	312	314.9	0.99	53.8	580	82	78.3	1.05	58.2	141
015 Penticton	914	839.9	1.09	59.1	1,547	190	156.0	1.22	67.6	281
016 Keremeos	91	91.8	0.99	53.8	169	21	20.5	1.02	56.8	37
017 Princeton	79	76.5	1.03	56.0	141	18	15.5	1.16	64.3	28
018 Golden	217	185.1	1.17	63.6	341	40	37.8	1.06	58.8	68
019 Revelstoke	243	241.6	1.01	54.6	445	47	47.7	0.98	54.7	86
020 Salmon Arm	766	709.0	1.08	58.7	1,306	159	137.7	1.15	64.1	248
021 Armstrong - Spallumcheen	237	242.7	0.98	53.0	447	40	44.4	0.90	50.0	80
022 Vernon	1,585	1,591.3	1.00	54.1	2,931	277	312.0	0.89	49.3	562
023 Central Okanagan	4,426	4,468.7	0.99	53.8	8,231	915	920.0	0.99	55.2	1,657
024 Kamloops	2,881	2,810.6	1.03	55.6	5,177	654	592.4	1.10	61.3	1,067
025 100 Mile House	242	257.3	0.94	51.1	474	64	57.2	1.12	62.1	103
026 North Thompson	84	99.9	0.84	45.7	184	12	19.4	0.62	34.3	35
027 Cariboo - Chilcotin	783	735.1	1.07	57.8	1,354	168	146.0	1.15	63.9	263
028 Quesnel	667	611.9	1.09	59.2	1,127	136	125.5	1.08	60.2	226
029 Lillooet	116	113.5	1.02	55.5	209	17	18.3	0.93	51.5	33
030 South Cariboo	143	166.7	0.86	46.6	307	25	27.8	0.90	50.0	50
031 Merritt	300	324.7	0.92	50.2	598	53	52.2	1.02	56.4	94
032 Hope	140	166.7	0.84	45.6	307	20	28.9	0.69	38.5	52
033 Chilliwack	2,704	2,863.3	0.94	51.3	5,274	518	559.1	0.93	51.4	1,007
034 Abbotsford	4,421	4,689.6	0.94	51.2	8,638	854	894.4	0.95	53.0	1,611
035 Langley	3,935	3,939.3	1.00	54.2	7,256	807	839.5	0.96	53.4	1,512
037 Delta	2,352	2,244.9	1.05	56.9	4,135	438	438.6	1.00	55.4	790
038 Richmond	4,680	4,720.0	0.99	53.8	8,694	1,167	1,157.1	1.01	56.0	2,084
040 New Westminster	2,098	1,911.0	1.10	59.6	3,520	438	397.5	1.10	61.2	716
041 Burnaby	6,409	6,240.2	1.03	55.8	11,494	1,323	1,306.4	1.01	56.2	2,353
042 Maple Ridge	2,662	2,635.8	1.01	54.8	4,855	556	525.2	1.06	58.8	946
043 Coquitlam	6,279	5,815.6	1.08	58.6	10,712	1,399	1,277.5	1.10	60.8	2,301
044 North Vancouver	3,271	3,293.8	0.99	53.9	6,067	732	681.2	1.07	59.7	1,227
045 West Vancouver-Bowen Island	743	705.2	1.05	57.2	1,299	145	137.1	1.06	58.7	247
046 Sunshine Coast	578	555.9	1.04	56.4	1,024	122	102.2	1.19	66.3	184
047 Powell River	368	389.3	0.95	51.3	717	80	78.8	1.01	56.3	142
048 Howe Sound	1,428	1,300.8	1.10	59.6	2,396	260	242.6	1.07	59.5	437
049 Bella Coola Valley	98	95.0	1.03	56.0	175	14	15.5	0.90	50.0	28
050 Queen Charlotte	106	121.1	0.88	47.5	223	24	26.6	0.90	50.0	48
051 Snow Country	6	6.5	0.92	50.0	12	2	2.8	0.72	40.0	5
052 Prince Rupert	424	490.8	0.86	46.9	904	72	84.4	0.85	47.4	152
053 Upper Skeena	189	167.8	1.13	61.2	309	26	27.8	0.94	52.0	50

(Table continues on the following page →)

TABLE 13 (continued)
MATERNAL COMPLICATIONS OF PREGNANCY AND DELIVERY IN LIVE BIRTHS
BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2009 - 2013 AND 2014

Local Health Area	2009 - 2013					2014				
	Observed Births	Expected Births	Ratio	Percent	Total Live Births	Observed Births	Expected Births	Ratio	Percent	Total Live Births
054 Smithers	460	552.7	0.83	45.2	1,018	106	119.9	0.88	49.1	216
055 Burns Lake	183	207.4	0.88	47.9	382	39	43.3	0.90	50.0	78
056 Nechako	606	602.6	1.01	54.6	1,110	115	114.9	1.00	55.6	207
057 Prince George	2,614	2,882.8	0.91	49.2	5,310	539	566.3	0.95	52.8	1,020
059 Peace River South	855	937.1	0.91	49.5	1,726	218	209.3	1.04	57.8	377
060 Peace River North	1,356	1,684.6	0.80	43.7	3,103	312	363.1	0.86	47.7	654
061 Greater Victoria	4,863	4,919.3	0.99	53.7	9,061	1,030	1,035.5	0.99	55.2	1,865
062 Sooke	2,195	2,231.3	0.98	53.4	4,110	488	473.6	1.03	57.2	853
063 Saanich	953	1,052.2	0.91	49.2	1,938	214	219.3	0.98	54.2	395
064 Gulf Islands	181	232.4	0.78	42.3	428	41	38.9	1.05	58.6	70
065 Cowichan	1,212	1,444.7	0.84	45.5	2,661	245	287.6	0.85	47.3	518
066 Lake Cowichan	103	118.9	0.87	47.0	219	20	23.3	0.86	47.6	42
067 Ladysmith	360	390.9	0.92	50.0	720	86	84.9	1.01	56.2	153
068 Nanaimo	2,693	2,522.3	1.07	58.0	4,646	518	503.0	1.03	57.2	906
069 Qualicum	695	659.6	1.05	57.2	1,215	116	114.4	1.01	56.3	206
070 Alberni	912	886.6	1.03	55.8	1,633	179	157.7	1.14	63.0	284
071 Courtenay	1,357	1,413.2	0.96	52.1	2,603	267	278.7	0.96	53.2	502
072 Campbell River	1,120	1,027.2	1.09	59.2	1,892	218	224.3	0.97	54.0	404
075 Mission	1,198	1,247.1	0.96	52.2	2,297	243	252.6	0.96	53.4	455
076 Agassiz - Harrison	215	241.1	0.89	48.4	444	49	53.9	0.91	50.5	97
077 Summerland	201	191.1	1.05	57.1	352	47	38.9	1.21	67.1	70
078 Enderby	183	199.2	0.92	49.9	367	49	44.4	1.10	61.3	80
080 Kitimat	261	274.7	0.95	51.6	506	47	64.4	0.73	40.5	116
081 Fort Nelson	204	222.6	0.92	49.8	410	37	39.4	0.94	52.1	71
083 Central Coast	59	59.7	0.99	53.6	110	12	13.3	0.90	50.0	24
084 Vancouver Island West	61	55.9	1.09	59.2	103	7	7.8	0.90	50.0	14
085 Vancouver Island North	355	377.3	0.94	51.1	695	54	64.4	0.84	46.6	116
087 Stikine	20	19.0	1.05	57.1	35	4	5.0	0.80	44.4	9
088 Terrace	552	672.1	0.82	44.6	1,238	104	124.9	0.83	46.2	225
092 Nisga'a	80	91.2	0.88	47.6	168	11	15.5	0.71	39.3	28
094 Telegraph Creek	16	21.7	0.74	40.0	40	4	4.4	0.90	50.0	8
161 Vancouver - City Centre	3,294	2,822.6	1.17	63.4	5,199	693	626.3	1.11	61.4	1,128
162 Vancouver - Dwntrwn Eastside	1,674	1,607.0	1.04	56.6	2,960	380	348.7	1.09	60.5	628
163 Vancouver - North East	2,918	2,886.1	1.01	54.9	5,316	541	558.5	0.97	53.8	1,006
164 Vancouver - Westside	3,023	2,957.2	1.02	55.5	5,447	617	620.2	0.99	55.2	1,117
165 Vancouver - Midtown	3,023	2,886.1	1.05	56.9	5,316	647	652.4	0.99	55.1	1,175
166 Vancouver - South	3,439	3,377.4	1.02	55.3	6,221	660	696.2	0.95	52.6	1,254
201 Surrey	14,259	14,122.6	1.01	54.8	26,013	2,709	2,778.3	0.98	54.1	5,004
202 South Surrey/White Rock	1,674	1,712.3	0.98	53.1	3,154	361	372.0	0.97	53.9	670
998 Unknown LHA	1	1.1	0.92	50.0	2	1	1.1	0.90	50.0	2
Total	119,568	119,568.0	1.00	54.3	220,237	24,574	24,574.0	1.00	55.5	44,261


Notes:

Ratio = Observed births divided by expected births.
Percent of observed births is based on total live births.
Total include residents with unknown LHA.
Nonresidents are excluded.

BIRTH AND OLDER MOTHERS


BRITISH COLUMBIA, 2005 - 2014

Percent of Singleton and Multiple Births to Mothers Aged 35 and Older
British Columbia, 2005 - 2014




Mothers aged 35 and over have gradually increased their share of the total births in British Columbia. Most multiple births in this age group are delivered via caesarean section.

Proportion of Singleton and Multiple Births to Mothers Aged 35 and Older Delivered via Caesarian Section
British Columbia, 2005 - 2014



The proportion of births to older mothers classified as low birth weight (<2500 g) has remained relatively stable for multiple births for 2005 to 2014. In singleton births, the proportion of low birth weight births has consistently averaged 5 percent.

Proportion of Singleton and Multiple Births with Low Birth Weight (< 2500 grams)
Born to Mothers Aged 35 and Older
British Columbia, 2005 - 2014





Death-Related Statistics

The tables in this section present death statistics categorized by causes of death and age at death.

Death-Related Statistics



In recognition of the importance of mortality statistics for health surveillance, planning, and research, a comprehensive array of tables is presented in this part of the report. Causes of death and/or age at death form the basis of most tables because they are crucial components of health status for regional, national, and international comparisons.

While other causes may have contributed to the death, the Underlying Cause of Death (UCOD) is defined as the condition or injury that initiated the chain of events leading to the death, and was used for these tabulations.

All causes are identified according to the World Health Organization's International Statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10) which is a statistical coding system and the accepted international standard for mortality coding. The groups of codes used to define particular topics are noted in the tables.

Three Leading Causes of Death in B.C.



See [Table 15](#) for additional causes and more details.

TABLE 14
CAUSES OF DEATH BY SEX AND AGE
BRITISH COLUMBIA, 2014

ICD-10 Codes	Causes of Death	Age Group in Years											Total		
		Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Number	Percent	ASMR
A00-B99	Certain infectious & parasitic diseases	M	-	1	-	-	-	1	6	104	69	72	253	1.5	1.10
		F	1	2	-	-	-	-	5	48	44	110	210	1.3	0.73
		T	1	3	0	0	0	1	11	152	113	182	463	1.4	0.91
C00-D48	Neoplasms	M	1	2	3	2	5	7	94	1,193	2,271	1,898	5,476	31.5	23.53
		F	2	1	2	1	5	2	132	1,026	1,821	1,665	4,657	28.7	16.98
		T	3	3	5	3	10	9	226	2,219	4,092	3,563	10,133	30.1	19.82
D50-D89	Diseases of the blood & blood-forming organs & certain disorders involving the immune mechanisms	M	-	-	-	-	1	-	1	4	12	18	36	0.2	0.16
		F	-	-	-	-	-	-	2	8	12	29	51	0.3	0.17
		T	0	0	0	0	1	0	3	12	24	47	87	0.3	0.17
E00-E88	Endocrine, nutritional & metabolic diseases	M	1	1	1	-	-	-	17	199	442	476	1,137	6.5	4.96
		F	1	2	-	-	-	1	5	78	211	526	824	5.1	2.76
		T	2	3	1	0	0	1	22	277	653	1,002	1,961	5.8	3.78
F01-F99	Mental & behavioral disorders	M	-	-	-	-	-	1	8	76	123	608	816	4.7	3.90
		F	-	-	-	-	-	-	8	22	97	1,077	1,204	7.4	3.56
		T	0	0	0	0	0	1	16	98	220	1,685	2,020	6.0	3.75
G00-G98	Diseases of the nervous system	M	3	1	-	-	-	1	22	80	221	345	673	3.9	3.03
		F	1	1	1	-	-	1	6	80	180	605	875	5.4	2.87
		T	4	2	1	0	0	2	28	160	401	950	1,548	4.6	2.97
H00-H57	Diseases of the eye & adnexa	M	-	-	-	-	-	-	-	-	-	-	-	0.0	+
		F	-	-	-	-	-	-	-	-	-	1	1	0.0	+
		T	0	0	0	0	0	0	0	0	0	1	1	0.0	+
H60-H93	Diseases of the ear & mastoid process	M	-	-	-	-	-	-	-	-	-	-	-	0.0	+
		F	-	-	-	-	-	-	-	-	-	-	-	0.0	+
		T	0	0	0	0	0	0	0	0	0	0	0	0.0	+
I00-I99	Diseases of the circulatory system	M	-	-	-	-	1	4	40	609	1,273	2,485	4,412	25.3	20.18
		F	-	-	-	-	3	3	31	231	703	3,609	4,580	28.3	14.28
		T	0	0	0	0	4	7	71	840	1,976	6,094	8,992	26.7	17.01
J00-J98,U04	Diseases of the respiratory system	M	2	1	-	-	-	2	8	139	524	987	1,663	9.6	7.61
		F	1	-	-	1	-	1	10	89	363	1,136	1,601	9.9	5.17
		T	3	1	0	1	0	3	18	228	887	2,123	3,264	9.7	6.19
K00-K93	Diseases of the digestive system	M	-	1	-	-	-	1	29	250	242	241	764	4.4	3.32
		F	-	-	-	-	-	-	22	116	156	366	660	4.1	2.24
		T	0	1	0	0	0	1	51	366	398	607	1,424	4.2	2.77
L00-L98	Diseases of the skin & subcutaneous tissue	M	-	-	-	-	-	-	1	4	6	19	30	0.2	0.14
		F	-	-	-	-	-	-	1	3	5	29	38	0.2	0.12
		T	0	0	0	0	0	0	2	7	11	48	68	0.2	0.13
M00-M99	Diseases of the musculoskeletal system & connective tissue	M	1	-	-	-	-	-	1	13	30	21	66	0.4	0.29
		F	-	-	-	-	1	-	7	17	44	90	159	1.0	0.54
		T	1	0	0	0	1	0	8	30	74	111	225	0.7	0.43
N00-N98	Diseases of the genitourinary system	M	-	-	-	-	-	-	2	18	53	166	239	1.4	1.13
		F	-	-	-	-	-	-	3	15	52	266	336	2.1	1.05
		T	0	0	0	0	0	0	5	33	105	432	575	1.7	1.08
O00-O99	Pregnancy, childbirth & the puerperium	M	-	-	-	-	-	-	-	-	-	-	-	0.0	+
		F	-	-	-	-	-	-	1	-	-	-	1	0.0	+
		T	0	0	0	0	0	0	1	0	0	0	1	0.0	+
P00-P96	Certain conditions originating in the perinatal period	M	51	1	-	-	-	-	-	2	-	-	54	0.3	0.26
		F	43	-	1	-	-	-	-	-	-	-	44	0.3	0.23
		T	94	1	1	0	0	0	0	2	0	0	98	0.3	0.25
Q00-Q99	Congenital malformations, deformations & chromosomal abnormalities	M	28	1	1	-	-	-	2	13	9	2	56	0.3	0.25
		F	20	3	1	-	-	1	6	9	8	1	49	0.3	0.22
		T	48	4	2	0	0	1	8	22	17	3	105	0.3	0.24
R00-R99	Symptoms, signs & abnormal clinical & laboratory findings, not elsewhere classified	M	14	-	2	2	9	18	74	118	73	86	396	2.3	1.75
		F	4	3	3	-	5	4	26	43	40	126	254	1.6	0.90
		T	18	3	5	2	14	22	100	161	113	212	650	1.9	1.31
U01-U03, V01-Y89	External causes of mortality	M	6	2	1	8	48	64	364	465	176	200	1,334	7.7	5.83
		F	4	-	-	1	12	24	127	153	107	238	666	4.1	2.48
		T	10	2	1	9	60	88	491	618	283	438	2,000	5.9	4.12
U00-U99	Codes for special purposes	M	-	-	-	-	-	-	-	-	-	-	-	0.0	+
		F	-	-	-	-	-	-	-	-	-	-	-	0.0	+
		T	0	0	0	0	0	0	0	0	0	0	0	0.0	+
Total		M	107	11	8	12	64	99	669	3,287	5,524	7,624	17,405	100.0	77.45
		F	77	12	8	3	26	37	392	1,938	3,843	9,874	16,210	100.0	54.32
		T	184	23	16	15	90	136	1,061	5,225	9,367	17,498	33,615	100.0	64.95

Notes:

ASMR - Age Standardized Mortality Rate per 10,000 standard population (Canada 2011 Census). Total percentage may not add up to 100 due to rounding.
+ Denotes the number of cases is fewer than five. Nonresidents are excluded. Total includes unknown sex. The output from ICD-10 mortality coding and underlying cause of death selection was modified in B.C. to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time. Data using the standard ICD-10 rules for such categories as pneumonia/influenza, diabetes, or cancer should not be compared to the numbers shown above.

TABLE 15
TWELVE LEADING CAUSES OF DEATH
BRITISH COLUMBIA, 2009 - 2013

Causes of Death	ICD-10 Codes	Number	Rank	ASMR	Rank
Malignant neoplasms	C00-C97	46,189	1	19.87	1
Diseases of heart	I00-I09, I11, I13, I20-I51	30,508	2	12.99	2
Cerebrovascular diseases	I60-I69	11,187	3	4.76	3
Accidents	V01-X59, Y85-Y86	7,478	5	3.23	4
Chronic lower respiratory diseases	J40-J47	7,527	4	3.21	5
Diabetes mellitus	E10-E14	6,636	6	2.84	6
Influenza and pneumonia	J09-J18	5,735	7	2.43	7
Alzheimer's disease	G30	3,324	8	1.41	8
Intentional self-harm (suicide)	U03, X60-X84, Y87.0	2,459	9	1.07	9
Chronic liver disease and cirrhosis	K70, K73-K74	1,963	10	0.85	10
Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	1,635	11	0.69	11
Parkinson's disease	G20-G21	1,457	12	0.62	12
Other causes ¹		33,511		14.37	
Total (All causes of death)		159,609		68.36	

TABLE 16
TWELVE LEADING CAUSES OF DEATH
BRITISH COLUMBIA, 2014

Causes of Death	ICD-10 Codes	Number	Rank	ASMR	Rank
Malignant neoplasms	C00-C97	9,949	1	19.47	1
Diseases of heart	I00-I09, I11, I13, I20-I51	6,110	2	11.56	2
Cerebrovascular diseases	I60-I69	2,173	3	4.11	3
Diabetes mellitus	E10-E14	1,682	4	3.24	4
Chronic lower respiratory diseases	J40-J47	1,590	5	3.05	5
Accidents	V01-X59, Y85-Y86	1,333	6	2.72	6
Influenza and pneumonia	J09-J18	1,091	7	2.04	7
Alzheimer's disease	G30	710	8	1.32	8
Intentional self-harm (suicide)	U03, X60-X84, Y87.0	585	9	1.23	9
Chronic liver disease and cirrhosis	K70, K73-K74	463	10	0.93	10
Parkinson's disease	G20-G21	322	11	0.62	11
Essential (primary) hypertension and hypertensive renal disease	I10-I12, I15	279	12	0.52	12
Other causes ¹		7,328		14.14	
Total (All causes of death)		33,615		64.95	

Notes for tables 15 and 16

¹Other causes includes undetermined and pending.

ASMR - Age Standardized Mortality Rate per 10,000 standard population (Canada 2011 Census).

The unrounded ASMR in the current year determines the order in which the causes of death are presented.

Leading causes are ranked according to 2014 ASMR.

Nonresidents are excluded. The output from ICD-10 mortality coding and underlying cause of death selection was modified in British Columbia to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time.

Data using the standard ICD-10 rules for such categories as pneumonia/influenza, diabetes, or cancer should not be compared to the numbers shown above.

TABLE 17
LEADING CAUSES OF DEATH BY AGE AND SEX
 BRITISH COLUMBIA, 2014

		Male		Female		Total	
Causes of Death	ICD-10 Codes	Number	Percent	Number	Percent	Number	Percent
Under 1 Year Old							
1. Perinatal conditions	P00-P96	51	47.7	43	55.8	94	51.1
2. Congenital anomalies	Q00-Q99	28	26.2	20	26.0	48	26.1
3. Accidents	V01-X59, Y85-Y86	6	5.6	4	5.2	10	5.4
4. In situ neoplasms, benign neoplasms & neoplasms of uncertain or unknown behaviour	D00-D48	1	0.9	2	2.6	3	1.6
5. Influenza and pneumonia	J09-J18	1	0.9	1	1.3	2	1.1
Other causes ¹		20	18.7	7	9.1	27	14.7
Total		107	100.0	77	100.0	184	100.0
1 - 14 Years Old							
1. Malignant neoplasms	C00-C97	6	19.4	4	17.4	10	18.5
2. Accidents	V01-X59, Y85-Y86	8	25.8	1	4.3	9	16.7
3. Congenital malformations, deformations & chromosomal abnormalities	Q00-Q99	2	6.5	4	17.4	6	11.1
4. Certain conditions originating in the perinatal period	P00-P96	1	3.2	1	4.3	2	3.7
5. Intentional self-harm (suicide)	U03, X60-X84, Y87.0	2	6.5	-	-	2	3.7
Other causes ¹		12	38.7	13	56.5	25	46.3
Total		31	100.0	23	100.0	54	100.0
15 - 24 Years Old							
1. Accidents	V01-X59, Y85-Y86	62	38.0	22	34.9	84	37.2
2. Intentional self-harm (suicide)	U03, X60-X84, Y87.0	46	28.2	12	19.0	58	25.7
3. Malignant neoplasms	C00-C97	12	7.4	7	11.1	19	8.4
4. Diseases of heart	I00-I09, I11, I13, I20-I51	4	2.5	4	6.3	8	3.5
5. Assault (homicide)	U01-U02, X85-Y09, Y87.1	2	1.2	2	3.2	4	1.8
Other causes ¹		37	22.7	16	25.4	53	23.5
Total		163	100.0	63	100.0	226	100.0
25 - 44 Years Old							
1. Accidents	V01-X59, Y85-Y86	228	34.1	79	20.2	307	28.9
2. Malignant neoplasms	C00-C97	92	13.8	131	33.4	223	21.0
3. Intentional self-harm (suicide)	U03, X60-X84, Y87.0	119	17.8	44	11.2	163	15.4
4. Diseases of heart	I00-I09, I11, I13, I20-I51	29	4.3	19	4.8	48	4.5
5. Chronic liver disease & cirrhosis	K70, K73-K74	16	2.4	14	3.6	30	2.8
Other causes ¹		185	27.7	105	26.8	290	27.3
Total		669	100.0	392	100.0	1,061	100.0
45 - 64 Years Old							
1. Malignant neoplasms	C00-C97	1,187	36.1	1,017	52.5	2,204	42.2
2. Diseases of heart	I00-I09, I11, I13, I20-I51	486	14.8	155	8.0	641	12.3
3. Accidents	V01-X59, Y85-Y86	254	7.7	87	4.5	341	6.5
4. Intentional self-harm (suicide)	U03, X60-X84, Y87.0	188	5.7	52	2.7	240	4.6
5. Chronic liver disease & cirrhosis	K70, K73-K74	156	4.7	84	4.3	240	4.6
Other causes ¹		1,016	30.9	543	28.0	1,559	29.8
Total		3,287	100.0	1,938	100.0	5,225	100.0

(Table continues on the following page →)

TABLE 17 (continued)
LEADING CAUSES OF DEATH BY AGE AND SEX
BRITISH COLUMBIA, 2014

		Male		Female		Total	
Causes of Death	ICD-10 Codes	Number	Percent	Number	Percent	Number	Percent
65 - 84 Years Old							
1. Malignant neoplasms	C00-C97	3,060	37.8	2,436	39.8	5,496	38.6
2. Diseases of heart	I00-I09, I11, I13, I20-I51	1,375	17.0	848	13.9	2,223	15.6
3. Diabetes mellitus	E10-E14	563	6.9	306	5.0	869	6.1
4. Cerebrovascular diseases	I60-I69	451	5.6	383	6.3	834	5.9
5. Chronic lower respiratory diseases	J40-J47	457	5.6	377	6.2	834	5.9
Other causes ¹		2,198	27.1	1,769	28.9	3,967	27.9
Total		8,104	100.0	6,119	100.0	14,223	100.0
85 Years and Older							
1. Diseases of heart	I00-I09, I11, I13, I20-I51	1,279	25.4	1,911	25.2	3,190	25.2
2. Malignant neoplasms	C00-C97	1,021	20.2	976	12.8	1,997	15.8
3. Cerebrovascular diseases	I60-I69	361	7.2	821	10.8	1,182	9.3
4. Influenza and pneumonia	J09-J18	283	5.6	409	5.4	692	5.5
5. Chronic lower respiratory diseases	J40-J47	278	5.5	353	4.6	631	5.0
Other causes ¹		1,822	36.1	3,128	41.2	4,950	39.2
Total		5,044	100.0	7,598	100.0	12,642	100.0

Notes:

The order of leading causes is based on total deaths in the specified age group.

¹Other causes includes undetermined and pending.

Total percentage may not add up to 100 due to rounding.

Nonresidents are excluded. Output from ICD-10 mortality coding and underlying cause of death selection was modified in B.C. to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time.

Data using the standard ICD-10 rules for such categories as pneumonia/influenza, diabetes, or cancer should not be compared to the numbers shown above.



TABLE 18
INFANT MORTALITY BY AGE OF MOTHER AND BIRTH WEIGHT
 BRITISH COLUMBIA, 2014

Age of Mother	Birth Weight in Grams						Total	
	<1500	1500-2499	2500+	N.S.	Number	Percent	Live Births	Rate
<20	3	2	4	-	9	4.9	888	10.14
20-24	12	5	18	2	37	20.1	4,553	8.13
25-29	19	9	12	1	41	22.3	11,702	3.50
30-34	28	8	25	1	62	33.7	16,336	3.80
35-39	6	8	11	-	25	13.6	8,725	2.87
40+	6	1	1	-	8	4.3	2,056	3.89
Not Stated	0	0	0	2	2	1.1	1	
Total	74	33	71	6	184	100.0	44,261	4.16
Percent	40.2	17.9	38.6	3.3	100.0			
Live Births	398	2,153	41,664	46	44,261			
Rate	185.93	15.33	1.70	130.43	4.16			

Notes:

Infant mortality – Age at death younger than one year.
 Rate per 1,000 live births in the specified age or birth weight group.
 Total percentage may not add up to 100 due to rounding.
 Nonresidents are excluded.
 N.S. - Not stated.

TABLE 19
INFANT MORTALITY BY GESTATIONAL AGE AND BIRTH WEIGHT
 BRITISH COLUMBIA, 2014

Gestational Age in Weeks	Birth Weight in Grams						Total	
	<1500	1500-2499	2500+	N.S.	Number	Percent	Live Births	Rate
<20	4	-	-	-	4	2.2	5	+
20-27	64	1	-	2	67	36.4	164	408.54
28-36	6	21	11	2	40	21.7	3,195	12.52
37-41	-	11	60	-	71	38.6	40,591	1.75
42+	-	-	-	-	-	0.0	254	+
Not Stated	-	-	-	2	2	1.1	52	+
Total	74	33	71	6	184	100.0	44,261	4.16
Percent	40.7	18.1	39.0	2.2	100.0			
Live Births	398	2,153	41,664	46	44,261			
Rate	185.93	15.33	1.70	130.43	4.16			

Notes:

Infant mortality – Age at death younger than one year.
 Rate per 1,000 live births in the specified age or birth weight group.
 +Denotes the number of cases is fewer than five.
 Total percentage may not add up to 100 due to rounding.
 Nonresidents are excluded.
 N.S. - Not stated.

TABLE 20
INFANT MORTALITY BY LOCAL HEALTH AREA
 BRITISH COLUMBIA, 2009 - 2013 AND 2014

Local Health Area	2009 - 2013			2014				
	Observed Deaths	Ratio	Rate	Age at Death in Days			Total	
				0-6	7-27	28-364	Number	Rate
001 Fernie	3	1.03	3.77	-	-	-	-	-
002 Cranbrook	3	0.67	2.44	1	-	-	1	4.18
003 Kimberley	1	0.69	2.51	1	-	-	1	12.35
004 Windermere	3	2.01	7.35	-	-	-	-	-
005 Creston	2	1.02	3.75	-	-	1	1	12.20
006 Kootenay Lake	1	2.73	10.00	-	-	-	-	-
007 Nelson	3	0.71	2.60	-	-	-	-	-
009 Castlegar	1	0.51	1.87	-	-	1	1	8.62
010 Arrow Lakes	1	2.29	8.40	-	-	-	-	-
011 Trail	1	0.31	1.12	-	-	-	-	-
012 Grand Forks	2	2.27	8.33	-	-	-	-	-
013 Kettle Valley	-	0.00	0.00	1	-	-	1	52.63
014 Southern Okanagan	1	0.47	1.72	-	-	-	-	-
015 Penticton	1	0.18	0.65	-	-	-	-	-
016 Keremeos	-	0.00	0.00	-	-	-	-	-
017 Princeton	-	0.00	0.00	-	-	-	-	-
018 Golden	2	1.60	5.87	-	-	-	-	-
019 Revelstoke	3	1.84	6.74	-	-	-	-	-
020 Salmon Arm	3	0.63	2.30	-	-	1	1	4.03
021 Armstrong - Spallumcheen	1	0.61	2.24	-	-	1	1	12.50
022 Vernon	9	0.84	3.07	4	-	-	4	7.12
023 Central Okanagan	22	0.73	2.67	2	-	3	5	3.02
024 Kamloops	19	1.00	3.67	2	1	-	3	2.81
025 100 Mile House	1	0.58	2.11	-	-	1	1	9.71
026 North Thompson	-	0.00	0.00	-	-	-	-	-
027 Cariboo - Chilcotin	8	1.61	5.91	2	-	-	2	7.60
028 Quesnel	6	1.45	5.32	-	1	-	1	4.42
029 Lillooet	3	3.92	14.35	-	-	-	-	-
030 South Cariboo	1	0.89	3.26	-	-	-	-	-
031 Merritt	5	2.28	8.36	-	-	-	-	-
032 Hope	4	3.56	13.03	1	-	-	1	19.23
033 Chilliwack	25	1.29	4.74	5	2	1	8	7.94
034 Abbotsford	34	1.07	3.94	1	1	1	3	1.86
035 Langley	32	1.20	4.41	5	2	2	9	5.95
037 Delta	11	0.73	2.66	1	1	-	2	2.53
038 Richmond	25	0.78	2.88	2	-	-	2	0.96
040 New Westminster	16	1.24	4.55	5	-	-	5	6.98
041 Burnaby	29	0.69	2.52	4	4	2	10	4.25
042 Maple Ridge	13	0.73	2.68	-	2	-	2	2.11
043 Coquitlam	35	0.89	3.27	2	1	2	5	2.17
044 North Vancouver	15	0.67	2.47	3	-	1	4	3.26
045 West Vancouver-Bowen Island	-	0.00	0.00	-	-	-	-	-
046 Sunshine Coast	8	2.13	7.81	-	-	-	-	-
047 Powell River	2	0.76	2.79	-	-	1	1	7.04
048 Howe Sound	6	0.68	2.50	1	-	1	2	4.58
049 Bella Coola Valley	-	0.00	0.00	1	-	-	1	35.71
050 Queen Charlotte	-	0.00	0.00	-	1	-	1	20.83
051 Snow Country	-	0.00	0.00	-	-	-	-	-
052 Prince Rupert	9	2.72	9.96	2	-	1	3	19.74
053 Upper Skeena	4	3.53	12.94	1	-	-	1	20.00

(Table continues on the following page →)

TABLE 20 (continued)
INFANT MORTALITY BY LOCAL HEALTH AREA
 BRITISH COLUMBIA, 2009 - 2013 AND 2014

Local Health Area	2009 - 2013			2014				
	Observed Deaths	Ratio	Rate	Age at Death in Days			Number	Rate
				0-6	7-27	28-364		
054 Smithers	3	0.80	2.95	1	-	1	2	9.26
055 Burns Lake	2	1.43	5.24	-	1	1	2	25.64
056 Nechako	8	1.97	7.21	-	1	1	2	9.66
057 Prince George	24	1.23	4.52	5	1	2	8	7.84
059 Peace River South	13	2.06	7.53	1	-	-	1	2.65
060 Peace River North	11	0.97	3.54	4	-	1	5	7.65
061 Greater Victoria	40	1.20	4.41	5	2	-	7	3.75
062 Sooke	12	0.80	2.92	2	1	2	5	5.86
063 Saanich	4	0.56	2.06	-	-	-	-	-
064 Gulf Islands	2	1.28	4.67	1	-	-	1	14.29
065 Cowichan	8	0.82	3.01	1	-	1	2	3.86
066 Lake Cowichan	1	1.25	4.57	-	-	-	-	-
067 Ladysmith	1	0.38	1.39	-	-	-	-	-
068 Nanaimo	24	1.41	5.17	2	1	1	4	4.42
069 Qualicum	5	1.12	4.12	1	-	1	2	9.71
070 Alberni	7	1.17	4.29	-	-	2	2	7.04
071 Courtenay	13	1.36	4.99	-	-	2	2	3.98
072 Campbell River	4	0.58	2.11	5	1	1	7	17.33
075 Mission	9	1.07	3.92	1	-	2	3	6.59
076 Agassiz - Harrison	2	1.23	4.50	-	-	-	-	-
077 Summerland	-	0.00	0.00	-	-	-	-	-
078 Enderby	-	0.00	0.00	-	-	-	-	-
080 Kitimat	3	1.62	5.93	1	1	-	2	17.24
081 Fort Nelson	1	0.67	2.44	-	-	-	-	-
083 Central Coast	1	2.48	9.09	-	-	-	-	-
084 Vancouver Island West	-	0.00	0.00	-	-	-	-	-
085 Vancouver Island North	2	0.79	2.88	1	-	-	1	8.62
087 Stikine	-	0.00	0.00	-	-	-	-	-
088 Terrace	9	1.98	7.27	-	1	-	1	4.44
092 Nisga'a	-	0.00	0.00	1	-	-	1	35.71
094 Telegraph Creek	-	0.00	0.00	-	-	-	-	-
161 Vancouver - City Centre	7	0.37	1.35	1	-	1	2	1.77
162 Vancouver - Downtown Eastside	12	1.11	4.05	2	-	1	3	4.78
163 Vancouver - North East	14	0.72	2.63	2	2	-	4	3.98
164 Vancouver - Westside	13	0.65	2.39	2	1	2	5	4.48
165 Vancouver - Midtown	44	2.26	8.28	4	1	1	6	5.11
166 Vancouver - South	27	1.18	4.34	3	-	2	5	3.99
201 Surrey	98	1.03	3.77	7	2	4	13	2.60
202 South Surrey/White Rock	8	0.69	2.54	2	-	1	3	4.48
998 Unknown LHA	1	136.45	500.00	-	-	-	-	-
Total	807	1.00	3.66	102	32	50	184	4.16

Notes:

Rate – the number of infant deaths over the number of live births.

Ratio - observed over expected where observed is the number of infant deaths in the LHA, and expected is the number of infant deaths in the province over the number of live births in the province times the number of live births in the LHA.

Nonresidents are excluded.

Total includes residents with unknown LHA.

TABLE 21
SELECTED CAUSES OF INFANT DEATHS
BRITISH COLUMBIA, 2014

Causes of Death	ICD-10 Codes	Age at Death in Days			Total	Rate ¹
		<7	7-27	28-364		
Congenital anomalies						
Anencephaly & similar malformations	Q00	2	0	0	2	0.45
Malformations of heart	Q20-Q24	4	3	5	12	2.71
Malformations of circulatory system	Q25-Q28	1	0	2	3	0.68
Malformations of respiratory system	Q30-Q34	2	0	1	3	0.68
Malformations of digestive systems	Q35-Q45	0	1	0	1	0.23
Malformations of genitourinary system	Q50-Q64	0	1	0	1	0.23
Malformations & deformations of musculoskeletal system, limbs & integument	Q65-Q85	5	3	1	9	2.03
Other congenital malformations & deformations	Q10-Q18, Q86-Q89	1	1	2	4	0.90
Edward's syndrome	Q91.0-Q91.3	6	1	0	7	1.58
Patau's syndrome	Q91.4-Q91.7	0	3	0	3	0.68
Other chromosomal abnormalities, NEC	Q92-Q99	0	1	2	3	0.68
Total deaths due to congenital anomalies		21	14	13	48	10.84
Perinatal Conditions						
Newborn affected by maternal factors & by complications of pregnancy, labour & delivery	P00-P04	31	2	0	33	7.46
Disorders related to length of gestation & fetal malnutrition	P05-P08	23	2	0	25	5.65
Intrauterine hypoxia & birth asphyxia	P20-P21	5	1	0	6	1.36
Respiratory distress of newborn	P22	1	1	0	2	0.45
Other respiratory conditions originating in the perinatal period	P23-P28	3	0	1	4	0.90
Infections specific to the perinatal period	P35-P39	1	1	0	2	0.45
Hemorrhagic & hematological disorders of newborn	P50-P61	4	2	0	6	1.36
Necrotizing enterocolitis of newborn	P77	0	2	1	3	0.68
Hydrops fetalis not due to hemolytic disease	P83.2	1	0	0	1	0.23
Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96	8	4	0	12	2.71
Total deaths due to perinatal conditions		77	15	2	94	21.24
Influenza & pneumonia	J09-J18	0	0	2	2	0.45
Other causes ²		4	3	33	40	9.04
Total		102	32	50	184	41.57
Percent		55.4	17.4	27.2		

Notes:

¹Rate is the number of infant deaths per 10,000 live births.

²Other causes include undetermined and pending.

Nonresidents are excluded.

NEC - Not elsewhere classified.

TABLE 22
SELECTED CAUSES OF STILLBIRTHS
BRITISH COLUMBIA, 2014

Causes of Stillbirth	ICD-10 Codes	Total	Rate ¹
Congenital anomalies			
Anencephaly & similar malformations	Q00	0	0.00
Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07	0	0.00
Congenital hydrocephalus	Q03	0	0.00
Spina bifida	Q05	0	0.00
Other congenital malformations & deformations	Q10-Q18, Q86-Q89	2	0.45
Congenital malformations of heart	Q20-Q24	2	0.45
Other congenital malformations of circulatory system	Q25-Q28	1	0.22
Congenital malformations of respiratory system	Q30-Q34	0	0.00
Congenital malformations of digestive system	Q35-Q45	0	0.00
Congenital malformations of genitourinary system	Q50-Q64	0	0.00
Congenital malformations & deformations of musculoskeletal system, limbs & integument	Q65-Q85	0	0.00
Down's syndrome	Q90	0	0.00
Edward's syndrome	Q91.0-Q91.3	0	0.00
Patau's syndrome	Q91.4-Q91.7	1	0.22
Other chromosomal abnormalities, not elsewhere classified	Q92-Q99	1	0.22
Total stillbirths due to congenital anomalies		7	1.56
Perinatal Conditions			
Newborn affected by maternal factors & by complications of pregnancy, labour & delivery	P00-P04	115	25.69
Disorders related to length of gestation & fetal malnutrition	P05-P08	15	3.35
Birth trauma	P10-P15	0	0.00
Intrauterine hypoxia & birth asphyxia	P20-P21	12	2.68
Respiratory distress of newborn	P22	1	0.22
Other respiratory conditions originating in the perinatal period	P23-P28	1	0.22
Other perinatal conditions	P29, P70.3-P70.9, P71-P76, 78-P81, P83.0-P83.1, 83.3-P83.9, P90-P96	333	74.39
Infections specific to the perinatal period	P35-P39	2	0.45
Hemorrhagic & hematological disorders of newborn	P50-P61	4	0.89
Syndrome of infant of a diabetic mother & neonatal diabetes mellitus	P70.0-P70.2	4	0.89
Hydrops fetalis not due to hemolytic disease	P83.2	6	1.34
Total stillbirths due to perinatal conditions		493	110.14
Other causes²		2	0.45
Total		502	112.15

Notes:

¹Rate of stillbirths per 10,000 total births (live births plus stillbirths).

²Other causes include undetermined and pending.

Nonresidents are excluded.

TABLE 23
SUICIDE DEATHS BY MONTH AND SEX
BRITISH COLUMBIA, 2014

Month	Male		Female		Total	
	Number	Percent	Number	Percent	Number	Percent
January	50	11.2	9	6.5	59	10.1
February	36	8.1	7	5.0	43	7.4
March	38	8.5	15	10.8	53	9.1
April	37	8.3	18	12.9	55	9.4
May	25	5.6	14	10.1	39	6.7
June	34	7.6	7	5.0	41	7.0
July	32	7.2	10	7.2	42	7.2
August	36	8.1	14	10.1	50	8.5
September	39	8.7	13	9.4	52	8.9
October	45	10.1	10	7.2	55	9.4
November	40	9.0	12	8.6	52	8.9
December	34	7.6	10	7.2	44	7.5
Total	446	100.0	139	100.0	585	100.0

Notes:

Suicide Deaths – ICD-10 codes X60–X84, Y87.0.
Total percentage may not add up to 100 due to rounding.
Nonresidents are excluded.

TABLE 24
EXTERNAL CAUSES OF DEATH BY SEX
BRITISH COLUMBIA, 2014

UCOD External Causes	ICD-10 Codes	Male		Female		Total	
		Number	ASMR	Number	ASMR	Number	ASMR
Motor vehicle accidents	V02-V04, V090, V092, V12-V14, V190-V192, V194-V196, V20-V79, V803-V805, V810-V811, V820-V821, V83-V86, V870-V878, V880-V888, V890, V892	168	0.72	74	0.29	242	0.51
Other transport accidents	V01, V05-V06, V091, V093, V099, V10-V11, V15-V18, V193, V198-V199, V800-V802, V806, V807-V809, V812-V819, V822-V829, V879, V889, V891, V893, V899, V91, V93-V94, V95-V99, Y85	20	0.09	4	0.02	24	0.05
Accidental drowning (including water transport)	V90, V92, W65-W74	35	0.15	11	0.05	46	0.10
Accidental falls	W00-W19	238	1.09	241	0.75	479	0.91
All other accidents	W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86	66	0.29	28	0.10	94	0.19
Exposure to smoke, fire & flames	X00-X09	9	0.04	8	0.03	17	0.04
Accidental poisoning	X40-X49	300	1.30	131	0.55	431	0.92
Suicide	X60-X84, Y870	446	1.93	139	0.57	585	1.23
Homicide	X85-Y09, Y871	19	0.08	10	0.04	29	0.06
External events of undetermined intent	Y10-Y34, Y872	30	0.13	11	0.05	41	0.09
Other external causes	Y35-Y36, Y40-Y84, Y88, Y89	3	0.01	9	0.03	12	0.02
Total		1,334	5.83	666	2.48	2,000	4.12

Notes:

ASMR – Age Standardized Mortality Rate per 10,000 standard population (Canada 2011 Census).
Nonresidents are excluded.

TABLE 25
EXTERNAL CAUSES OF DEATH BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2014

Local Health Area	Motor Vehicle Accidents	Other Transport Accidents	Uninten- tional Poisoning	Uninten- tional Falls	Fire/ Flames	Uninten- tional Drowning	Suicide	Homicide	Other	Total	
										Number	ASMR
001 Fernie	1	-	2	3	-	-	6	-	-	12	9.37
002 Cranbrook	1	-	5	2	-	-	2	-	2	12	4.47
003 Kimberley	-	-	-	-	-	-	1	-	-	1	1.18
004 Windermere	1	-	1	3	-	-	2	-	-	7	8.30
005 Creston	1	-	-	5	-	1	4	-	1	12	8.82
006 Kootenay Lake	1	-	-	2	-	-	1	-	2	6	24.65
007 Nelson	5	-	-	6	-	2	8	-	1	22	9.06
009 Castlegar	-	1	2	2	-	-	2	-	-	7	5.23
010 Arrow Lakes	3	-	1	1	-	3	-	-	1	9	18.74
011 Trail	5	-	3	5	-	-	5	-	-	18	8.50
012 Grand Forks	2	-	-	3	-	1	-	-	-	6	6.85
013 Kettle Valley	1	-	-	-	-	-	-	-	1	2	3.20
014 Southern Okanagan	2	-	-	3	1	2	5	-	1	14	6.79
015 Penticton	4	-	6	8	-	1	10	-	-	29	5.37
016 Keremeos	2	-	-	1	-	-	2	-	1	6	9.19
017 Princeton	-	1	-	1	-	1	-	-	-	3	3.53
018 Golden	-	-	2	1	-	-	1	-	-	4	7.17
019 Revelstoke	-	-	-	1	1	-	1	1	-	4	4.94
020 Salmon Arm	5	-	1	2	-	-	3	-	-	11	2.49
021 Armstrong - Spallumcheen	1	-	1	2	-	1	2	-	-	7	6.28
022 Vernon	12	3	8	12	-	2	9	-	5	51	7.05
023 Central Okanagan	15	-	18	27	-	2	27	-	7	96	4.66
024 Kamloops	14	-	12	20	1	1	18	-	4	70	5.98
025 100 Mile House	2	-	-	5	-	-	3	-	-	10	6.65
026 North Thompson	-	-	1	-	-	-	-	1	-	2	7.16
027 Cariboo - Chilcotin	3	-	-	1	-	-	5	-	2	11	4.41
028 Quesnel	2	1	-	-	-	-	3	-	3	9	3.75
029 Lillooet	-	-	1	-	-	-	1	-	-	2	5.89
030 South Cariboo	5	-	1	-	-	-	1	1	-	8	11.67
031 Merritt	5	1	3	-	-	-	3	-	2	14	12.22
032 Hope	1	-	1	-	-	-	2	-	-	4	6.43
033 Chilliwack	5	-	7	7	-	1	10	-	3	33	3.55
034 Abbotsford	7	1	10	26	-	1	15	1	5	66	4.72
035 Langley	11	-	12	25	2	2	16	1	8	77	5.31
037 Delta	3	-	3	10	-	1	10	-	2	29	2.70
038 Richmond	4	-	7	8	-	-	10	-	1	30	1.45
039 Vancouver	-	-	-	-	-	-	-	-	-	0	0.00
040 New Westminster	3	-	11	7	-	-	7	1	2	31	4.18
041 Burnaby	7	-	8	21	-	-	22	-	6	64	2.69
042 Maple Ridge	1	4	18	6	1	1	12	3	6	52	5.45
043 Coquitlam	8	1	15	21	-	3	21	2	6	77	3.46
044 North Vancouver	2	-	10	8	-	1	15	-	2	38	2.60
045 West Vancouver-Bowen Island	-	-	-	13	-	-	5	-	-	18	2.23
046 Sunshine Coast	1	-	3	2	-	1	5	-	1	13	4.46
047 Powell River	-	-	4	1	-	-	1	-	-	6	3.08
048 Howe Sound	-	1	-	4	-	-	9	-	1	15	5.22
049 Bella Coola Valley	-	-	2	-	-	-	-	-	-	2	8.76
050 Queen Charlotte	-	-	-	-	-	-	-	-	-	0	0.00
051 Snow Country	-	-	-	-	-	1	-	-	-	1	27.23
052 Prince Rupert	3	-	1	-	-	-	5	1	1	11	8.29

(Table continues on the following page →)

TABLE 25 (continued)
EXTERNAL CAUSES OF DEATH BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2014

Local Health Area	Motor Vehicle Accidents	Other Transport Accidents	Unintentional Poisoning	Unintentional Falls	Fire/Flames	Unintentional Drowning	Suicide	Homicide	Other	Total	
										Number	ASMR
053 Upper Skeena	2	-	-	-	-	-	2	-	-	4	8.70
054 Smithers	6	-	1	-	-	-	4	-	-	11	7.00
055 Burns Lake	-	-	-	-	-	-	-	-	-	0	0.00
056 Nechako	7	-	1	4	-	1	2	-	-	15	9.29
057 Prince George	7	-	11	5	-	-	13	1	7	44	4.71
059 Peace River South	3	-	2	2	-	-	6	-	1	14	5.48
060 Peace River North	7	-	7	3	-	1	7	1	2	28	8.68
061 Greater Victoria	1	-	20	35	1	1	32	1	6	97	3.88
062 Sooke	2	-	6	3	1	-	8	-	3	23	3.24
063 Saanich	-	-	2	4	1	-	9	-	3	19	2.65
064 Gulf Islands	-	1	3	2	-	2	3	-	-	11	6.89
065 Cowichan	2	-	5	5	-	-	12	-	2	26	4.71
066 Lake Cowichan	1	1	1	-	-	-	1	-	1	5	7.80
067 Ladysmith	1	-	2	3	2	-	-	-	1	9	4.57
068 Nanaimo	4	-	15	16	-	1	14	-	-	50	4.14
069 Qualicum	1	-	3	6	1	1	10	-	4	26	4.47
070 Alberni	2	-	6	1	-	-	4	-	1	14	4.69
071 Courtenay	1	-	5	4	-	-	8	-	2	20	2.61
072 Campbell River	2	1	8	2	-	1	7	1	3	25	5.76
075 Mission	5	-	4	3	-	-	6	-	2	20	4.99
076 Agassiz - Harrison	-	-	-	-	-	-	2	-	-	2	2.45
077 Summerland	1	-	1	1	-	-	1	-	-	4	2.83
078 Enderby	2	-	1	1	-	-	2	-	-	6	8.01
080 Kitimat	-	-	-	-	-	-	1	-	-	1	0.96
081 Fort Nelson	1	-	1	-	-	-	1	-	-	3	3.97
083 Central Coast	-	-	-	1	-	-	-	-	-	1	4.90
084 Vancouver Island West	-	-	-	-	-	-	-	-	-	0	0.00
085 Vancouver Island North	2	-	2	-	-	-	3	1	1	9	7.44
087 Stikine	-	-	-	-	-	-	-	-	-	0	0.00
088 Terrace	3	-	-	2	1	-	5	-	-	11	5.92
092 Nisga'a	-	-	-	-	-	-	-	-	-	0	0.00
094 Telegraph Creek	-	-	-	-	-	-	-	-	2	2	25.80
161 Vancouver - City Centre	1	-	23	9	1	1	22	-	2	59	5.07
162 Vancouver - Dwntrwn Eastside	-	1	35	6	-	1	15	-	4	62	9.70
163 Vancouver - North East	4	-	2	6	-	-	10	-	-	22	1.96
164 Vancouver - Westside	-	-	1	7	-	-	7	-	2	17	1.13
165 Vancouver - Midtown	-	-	5	1	-	1	9	-	2	18	2.01
166 Vancouver - South	5	3	14	15	1	-	11	-	2	51	3.31
201 Surrey	16	3	54	40	1	4	48	11	9	186	4.82
202 South Surrey/White Rock	2	-	9	17	1	1	9	1	6	46	3.80
998 Unknown LHA	2	-	1	-	-	1	1	-	2	7	0.00
Totals	242	24	431	479	17	46	585	29	147	2000	4.12
Total Percentages	12.10	1.20	21.55	23.95	0.85	2.30	29.25	1.45	7.35	100.0	

Notes:

Based on usual residence.

ASMR – Age Standardized Mortality Rate per 10,000 standard population (Canada 2011 Census).

Percent – Provincial total for each cause as a percent of the provincial total for all deaths from external causes.

Other is comprised of accident caused by machinery, accidental firearm discharge, all other accidents, external event of undetermined intent, and sequelae of other external causes.

Total includes residents with unknown LHA.

TABLE 26
POTENTIAL YEARS OF LIFE LOST AND AGE STANDARDIZED
MORTALITY RATES BY SELECTED CAUSES OF DEATH
BRITISH COLUMBIA, 2014

Causes of Death	ICD-10 Codes	PYLL (Under 75 Years Old)					Mortality (all ages)		
		No. of Deaths	Total PYLL	Percent of PYLL	Avg. PYLL	PYLLSR	No. of Deaths	Percent of Deaths	ASMR
Certain infectious & parasitic diseases	A00-B99	241	3,733.0	2.0	15.5	0.80	463	1.4	0.91
-HIV disease	B20-B24	22	530.0	0.3	24.1	0.12	22	0.1	0.05
Malignant neoplasms	C00-C97	5,106	60,624.0	31.9	11.9	12.55	9,949	29.6	19.47
-Malignant neoplasm of trachea & lung	C33-C34	1,285	12,692.5	6.7	9.9	2.57	2,427	7.2	4.74
-Malignant neoplasm of the breast	C50	382	5,580.0	2.9	14.6	1.19	619	1.8	1.22
-Malignant neoplasm of colon, rectum & anus	C18-C21	559	6,722.5	3.5	12.0	1.40	1,156	3.4	2.26
Endocrine nutritional & metabolic diseases	E00-E88	722	7,882.5	4.1	10.9	1.63	1,961	5.8	3.78
-Diabetes mellitus	E10-E14	599	5,957.5	3.1	9.9	1.21	1,682	5.0	3.24
Diseases of the circulatory system	I00-I99	1,990	22,790.0	12.0	11.5	4.74	8,992	26.7	17.01
-Ischemic heart diseases	I20-I25	976	11,065.0	5.8	11.3	2.29	3,593	10.7	6.83
-Cerebrovascular diseases	I60-I69	375	4,107.5	2.2	11.0	0.86	2,173	6.5	4.11
Diseases of the respiratory system	J00-J98	761	7,318.0	3.8	9.6	1.49	3,264	9.7	6.19
-Pneumonia/influenza	J08-J18	173	2,346.5	1.2	13.6	0.49	1,091	3.2	2.04
-Chronic pulmonary disease	J40-J44	413	3,159.5	1.7	7.7	0.62	1,518	4.5	2.91
Diseases of the digestive system	K00-K93	683	9,847.0	5.2	14.4	2.07	1,424	4.2	2.77
-Diseases of the liver	K70-K76	433	6,587.5	3.5	15.2	1.39	534	1.6	1.07
Congenital malformations & chromosome abnormalities	Q00-Q99	98	4,769.0	2.5	48.7	1.17	105	0.3	0.24
Certain conditions originating in the perinatal period	P00-P96	98	7,182.5	3.8	73.3	1.81	98	0.3	0.25
External causes of death	V01-Y89	1,464	42,694.0	22.4	29.2	9.24	2,000	5.9	4.12
-Motor vehicle accidents	V02-V04, V090, V092, V12-V14, V190-V192, V194-V196, V20-V79, V803-V805, V810-V811, V820-V821, V83-V86, V870-V878, V880-V888, V890-V892	197	6,167.5	3.2	31.3	1.34	242	0.7	0.51
-Suicide	X60-X84, Y870	519	14,797.5	7.8	28.5	3.21	585	1.7	1.23
Other causes¹		1,307	23,446.5	12.3	17.9	5.06	5,359	15.9	10.21
Total		12,470	190,286.5	100.0	15.3	40.56	33,615	100.0	64.95

Notes:

PYLL – denotes the total number of years of life lost from an established life expectancy (75 years).

PYLLSR – per 1,000 standard population (Canada 2011 Census).

ASMR – Age Standardized Mortality Rate per 10,000 standard population (Canada 2011 Census).

¹Other causes includes undetermined and pending.

Total percentage may not add up to 100 due to rounding. Nonresidents are excluded.

The output from ICD-10 mortality coding and underlying cause of death selection was modified in B.C. to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time. Data using the standard ICD-10 rules for such categories as pneumonia/influenza, diabetes, or cancer should not be compared to the numbers shown above.

TABLE 27
POTENTIAL YEARS OF LIFE LOST BY LOCAL HEALTH AREA
EXTERNAL CAUSES OF DEATH UNDER 75
BRITISH COLUMBIA, 2009 – 2013 AND 2014

Local Health Area	2009 - 2013			2014					
	Observed Deaths	Observed PYLL	PYLLI	Observed Deaths	Observed PYLL	Expected PYLL	PYLLI	Lower Confidence Interval	Upper Confidence Interval
001 Fernie	31	1,117.5	1.52	8	230.0	141.37	1.63	0.00	4.00
002 Cranbrook	54	1,660.0	1.41	10	270.0	222.45	1.21	0.30	2.13
003 Kimberley	15	397.5	1.09	1	22.5	68.77	0.33	0.00	0.97
004 Windermere	22	560.0	1.37	5	172.5	74.48	2.32	0.00	4.93
005 Creston	28	770.0	1.63	8	227.0	87.53	2.59	0.00	5.25
006 Kootenay Lake	14	330.0	2.34	6	145.0	25.22	5.75	0.00	13.58
007 Nelson	42	1,415.0	1.20	14	490.0	227.41	2.15	0.38	3.93
009 Castlegar	22	619.5	1.00	6	195.0	118.95	1.64	0.18	3.10
010 Arrow Lakes	17	327.5	1.74	7	232.5	33.24	6.99	0.00	14.77
011 Trail	33	872.5	1.01	11	337.5	159.21	2.12	0.35	3.89
012 Grand Forks	22	570.0	1.70	4	100.0	57.77	1.73	0.00	3.63
013 Kettle Valley	11	262.5	2.00	2	25.0	21.22	1.18	0.00	2.94
014 Southern Okanagan	35	922.5	1.35	8	210.0	122.54	1.71	0.19	3.23
015 Penticton	81	2,237.5	1.27	19	432.5	335.72	1.29	0.37	2.21
016 Keremeos	21	517.0	2.76	3	72.5	34.34	2.11	0.00	4.80
017 Princeton	15	417.5	2.28	2	25.0	32.04	0.78	0.00	1.94
018 Golden	7	187.5	0.53	2	90.0	66.42	1.35	0.00	3.30
019 Revelstoke	23	812.5	2.09	4	125.0	74.91	1.67	0.00	3.40
020 Salmon Arm	93	3,131.5	2.25	8	170.0	261.83	0.65	0.04	1.26
021 Armstrong - Spallumcheen	19	777.0	1.79	5	87.5	80.95	1.08	0.00	2.43
022 Vernon	132	3,951.5	1.38	35	1,077.5	533.59	2.02	0.71	3.33
023 Central Okanagan	336	9,967.0	1.16	62	1,872.0	1,668.96	1.12	0.34	1.91
024 Kamloops	248	7,449.0	1.41	52	1,495.0	1,015.46	1.47	0.47	2.47
025 100 Mile House	46	1,055.0	1.89	6	105.0	100.96	1.04	0.00	2.17
026 North Thompson	12	285.0	1.54	2	70.0	33.42	2.09	0.00	5.06
027 Cariboo - Chilcotin	91	2,882.5	2.34	8	270.0	230.55	1.17	0.20	2.15
028 Quesnel	57	1,717.5	1.57	6	145.0	204.43	0.71	0.06	1.36
029 Lillooet	12	275.0	1.40	2	100.0	35.73	2.80	0.00	6.72
030 South Cariboo	22	595.0	2.02	7	207.5	53.97	3.84	0.00	8.20
031 Merritt	31	842.5	1.66	13	362.5	96.96	3.74	0.43	7.05
032 Hope	30	855.0	2.70	4	120.0	55.25	2.17	0.00	4.66
033 Chilliwack	145	4,394.5	1.09	23	657.5	796.39	0.83	0.22	1.43
034 Abbotsford	219	7,217.0	1.08	43	1,222.5	1,273.51	0.96	0.30	1.62
035 Langley	173	5,337.5	0.82	49	1,384.0	1,299.03	1.07	0.41	1.72
037 Delta	128	3,970.0	0.83	19	437.5	887.02	0.49	0.15	0.84
038 Richmond	133	3,757.5	0.38	19	552.5	1,952.04	0.28	0.05	0.51
040 New Westminster	105	2,884.0	0.82	25	742.5	701.54	1.06	0.19	1.92
041 Burnaby	219	6,617.0	0.55	45	1,179.5	2,310.76	0.51	0.21	0.81
042 Maple Ridge	149	4,683.5	0.98	42	1,470.0	932.85	1.58	0.42	2.73
043 Coquitlam	212	6,702.0	0.58	61	1,852.5	2,310.48	0.80	0.24	1.36
044 North Vancouver	134	3,839.5	0.57	28	895.0	1,294.52	0.69	0.23	1.15
045 West Vancouver-Bowen Island	45	1,247.5	0.60	6	95.0	386.09	0.25	0.00	0.53
046 Sunshine Coast	48	1,415.0	1.20	10	295.0	221.95	1.33	0.28	2.38
047 Powell River	51	1,497.5	1.84	6	145.0	150.47	0.96	0.03	1.89
048 Howe Sound	63	2,112.5	1.07	13	399.5	389.46	1.03	0.22	1.83
049 Bella Coola Valley	7	237.5	1.94	2	75.0	22.04	3.40	0.00	8.16
050 Queen Charlotte	10	290.0	1.36	0	0.0	37.77	0.00	0.00	0.00
051 Snow Country	2	45.0	1.57	1	52.5	4.79	10.96	0.00	32.44
052 Prince Rupert	41	1,314.5	1.92	10	405.0	120.93	3.35	0.00	6.70
053 Upper Skeena	20	682.0	3.24	4	60.0	38.86	1.54	0.00	4.33
054 Smithers	34	935.0	1.16	9	172.5	151.01	1.14	0.10	2.18
055 Burns Lake	27	697.5	2.19	0	0.0	59.23	0.00	0.00	0.00
056 Nechako	35	1,254.5	1.61	11	362.5	153.38	2.36	0.71	4.02
057 Prince George	199	6,356.0	1.34	39	1,102.5	888.98	1.24	0.42	2.06
059 Peace River South	74	2,277.0	1.70	12	230.0	272.06	0.85	0.00	1.72
060 Peace River North	91	3,238.5	1.75	25	907.5	380.98	2.38	0.45	4.31
061 Greater Victoria	337	9,392.5	0.86	69	1,842.5	2,053.19	0.90	0.31	1.49
062 Sooke	104	3,215.0	0.91	18	637.0	716.89	0.89	0.23	1.55
063 Saanich	64	1,815.0	0.71	9	357.5	473.56	0.75	0.00	1.61
064 Gulf Islands	31	852.0	1.48	10	205.0	107.09	1.91	0.31	3.52
065 Cowichan	117	3,528.5	1.39	22	692.0	481.00	1.44	0.38	2.50

(Table continues on the following page →)

TABLE 27 (continued)
POTENTIAL YEARS OF LIFE LOST LOCAL HEALTH AREA
EXTERNAL CAUSES OF DEATH UNDER 75
BRITISH COLUMBIA, 2009 – 2013 AND 2014

Local Health Area	2009 - 2013			2014					
	Observed Deaths	Observed PYLL	PYLLI	Observed Deaths	Observed PYLL	Expected PYLL	PYLLI	Lower Confidence Interval	Upper Confidence Interval
066 Lake Cowichan	19	562.0	2.11	5	117.5	49.01	2.40	0.00	5.08
067 Ladysmith	52	1,570.0	2.13	5	137.5	138.69	0.99	0.09	1.89
068 Nanaimo	224	7,140.0	1.50	36	980.0	929.82	1.05	0.35	1.76
069 Qualicum	61	1,519.5	0.92	15	357.5	305.81	1.17	0.13	2.21
070 Alberni	98	3,042.0	2.14	12	390.0	261.43	1.49	0.21	2.77
071 Courtenay	112	3,030.0	1.09	15	374.5	521.37	0.72	0.13	1.31
072 Campbell River	112	3,240.0	1.73	20	580.0	358.16	1.62	0.32	2.92
075 Mission	84	2,690.0	1.32	17	527.5	382.12	1.38	0.33	2.44
076 Agassiz - Harrison	23	747.5	1.84	2	55.0	75.42	0.73	0.00	1.76
077 Summerland	12	300.0	0.64	2	50.0	85.05	0.59	0.00	1.58
078 Enderby	14	475.0	1.52	3	107.5	58.01	1.85	0.00	5.09
080 Kitimat	20	525.0	1.13	1	22.5	87.60	0.26	0.00	0.76
081 Fort Nelson	19	727.5	2.15	3	132.5	64.23	2.06	0.00	4.44
083 Central Coast	5	127.5	1.55	1	22.5	15.64	1.44	0.00	4.26
084 Vancouver Island West	7	237.5	2.37	0	0.0	16.89	0.00	0.00	0.00
085 Vancouver Island North	49	1,507.0	2.65	8	215.0	102.91	2.09	0.04	4.14
087 Stikine	3	87.5	1.99	0	0.0	8.04	0.00	0.00	0.00
088 Terrace	61	1,997.5	2.05	8	255.0	189.33	1.35	0.07	2.63
092 Nisga'a	8	360.0	3.63	0	0.0	18.77	0.00	0.00	0.00
094 Telegraph Creek	6	160.0	4.80	2	75.0	6.10	12.30	0.00	30.67
161 Vancouver - City Centre	213	5,967.5	0.81	50	1,410.0	1,460.97	0.97	0.31	1.62
162 Vancouver - Dwntrwn Eastside	300	8,371.0	2.41	55	1,547.5	704.41	2.20	0.59	3.80
163 Vancouver - North East	97	3,102.5	0.58	16	505.0	1,043.94	0.48	0.06	0.91
164 Vancouver - Westside	99	2,972.5	0.43	9	187.5	1,342.51	0.14	0.00	0.29
165 Vancouver - Midtown	81	2,456.5	0.50	16	597.0	975.05	0.61	0.16	1.06
166 Vancouver - South	127	3,933.0	0.58	32	955.0	1,299.06	0.74	0.17	1.30
201 Surrey	620	20,220.5	0.95	141	4,454.0	4,312.59	1.03	0.37	1.69
202 South Surrey/White Rock	96	2,799.0	0.75	23	562.5	737.52	0.76	0.26	1.27
998 Unknown LHA	19	677.5	-	7	162.5	0.00	-	0.00	0.00
Total	7,280	220,131.0	1.00	1,464	42,694.0	42,694.00	1.00	0.88	1.12

Notes:

PYLL - denotes the total number of years of life lost from an established life expectancy (75 years).

PYLLI - The ratio of an area's observed PYLL to its expected PYLL. This is a health status indicator.

PYLLSR - PYLL Standardized Rate per 1,000 standard population (Canada 2011 Census).

TABLE 28
DEATHS DUE TO MEDICALLY TREATABLE DISEASES
BY SELECTED CAUSES AND SEX
 BRITISH COLUMBIA, 2009 – 2013 AND 2014

Causes of Death	ICD-10 Codes	2009 - 2013		2014					
		Number	Percent	Male		Female		Total	
				Number	Percent	Number	Percent	Number	Percent
Bacterial Infections	A00-A05, ..., M871*	232	30.6	17	11.1	22	14.4	39	25.5
Hypertension & hypertensive disease	I10-I15	145	19.2	29	19.0	15	9.8	44	28.8
Cervical cancer	C53	128	16.9	-	-	29	19.0	29	19.0
Pneumonia & unqualified bronchitis	J12-J181, J188, J189, J40	123	16.2	6	3.9	6	3.9	12	7.8
Abdominal hernias, cholecystitis & cholelithiasis, appendicitis	K35-K37, K40-K46, K80, K81	54	7.1	5	3.3	-	-	5	3.3
Acute respiratory infections & influenza	J00-J06, J09-J11, J20-J22	25	3.3	4	2.6	4	2.6	8	5.2
Tuberculosis	A15-A19, B90	20	2.6	4	2.6	2	1.3	6	3.9
Asthma	J45-J46	14	1.8	3	2.0	3	2.0	6	3.9
Hodgkin's disease	C81	9	1.2	2	1.3	2	1.3	4	2.6
Chronic rheumatic heart disease	I05-I09	7	0.9	-	-	-	-	-	-
Total		757	100.0	70	45.8	83	54.2	153	100.0

Notes:

Medically Treatable Diseases (MTDs) are based on Charlton's definition (see [Glossary](#)).

*ICD-10 codes A00-A05, A20-A49, B95-B96, G00, H66, H70, H95.0-H95.1, I00-I01, I02.0, I02.9, L01-L08, M00, M02.8-M02.9, M46.2, M86, M87.1.

Deaths due to MTDs exclude all deaths occurring to children younger than 5 years old, and specific causes of death in the following age groups:

35+ - Hodgkin's disease.

45+ - Chronic rheumatic heart disease.

50+ - Asthma, acute respiratory infections and influenza, or pneumonia and unqualified bronchitis.

65+ - Hypertensive disease, cervical cancer, tuberculosis, bacterial infections, abdominal hernias, cholecystitis and cholelithiasis, appendicitis, or deficiency nutritional anemias.

Total percentage may not add up to 100 due to rounding.

The output from ICD-10 mortality coding and underlying cause of death selection was modified in B.C. to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time. Data using the standard ICD-10 rules for such categories as pneumonia/influenza, diabetes, or cancer should not be compared to the numbers shown above.

AGE AT DEATH OF THE OLDEST MALE AND FEMALE
 BRITISH COLUMBIA, 1995 - 2014

Sex	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Male	108	108	106	109	108	109	104	104	107	106	107	105	107	106	105	105	105	107	105	108
Female	108	109	111	113	108	111	113	111	107	108	110	109	110	110	109	108	112	109	111	113

TABLE 29
STANDARDIZED MORTALITY RATIO BY LOCAL HEALTH AREA,
DEATHS DUE TO MEDICALLY TREATABLE DISEASES
BRITISH COLUMBIA, 2009-2013 AND 2014

Local Health Area	2009 - 2013		2014				
	Observed Deaths	SMR	Observed Deaths	Expected Deaths	SMR	95% Confidence Level	
						Lower	Upper
001 Fernie	2	0.78	-	0.51	0.00	-	-
002 Cranbrook	6	1.43	-	0.83	0.00	-	-
003 Kimberley	1	0.77	-	0.26	0.00	-	-
004 Windermere	-	0.00	1	0.28	3.52	0.09	19.61
005 Creston	2	1.11	-	0.35	0.00	-	-
006 Kootenay Lake	1	1.86	-	0.10	0.00	-	-
007 Nelson	2	0.47	1	0.86	1.17	0.03	6.51
009 Castlegar	3	1.36	-	0.44	0.00	-	-
010 Arrow Lakes	1	1.40	-	0.13	0.00	-	-
011 Trail	4	1.29	-	0.60	0.00	-	-
012 Grand Forks	4	3.14	3	0.23	13.12	2.71	38.34
013 Kettle Valley	-	0.00	-	0.09	0.00	-	-
014 Southern Okanagan	2	0.78	-	0.48	0.00	-	-
015 Penticton	11	1.75	-	1.25	0.00	-	-
016 Keremeos	-	0.00	-	0.14	0.00	-	-
017 Princeton	1	1.49	-	0.12	0.00	-	-
018 Golden	-	0.00	-	0.24	0.00	-	-
019 Revelstoke	1	0.76	-	0.26	0.00	-	-
020 Salmon Arm	5	0.98	-	1.00	0.00	-	-
021 Armstrong - Spallumcheen	-	0.00	-	0.31	0.00	-	-
022 Vernon	10	0.98	1	2.00	0.50	0.01	2.79
023 Central Okanagan	30	1.01	5	6.04	0.83	0.27	1.93
024 Kamloops	21	1.14	5	3.68	1.36	0.44	3.17
025 100 Mile House	4	1.89	-	0.40	0.00	-	-
026 North Thompson	-	0.00	-	0.13	0.00	-	-
027 Cariboo - Chilcotin	5	1.14	3	0.85	3.51	0.72	10.26
028 Quesnel	7	1.76	1	0.78	1.29	0.03	7.17
029 Lillooet	1	1.41	1	0.14	7.26	0.18	40.46
030 South Cariboo	1	0.93	-	0.21	0.00	-	-
031 Merritt	3	1.62	2	0.37	5.37	0.65	19.41
032 Hope	5	4.26	-	0.22	0.00	-	-
033 Chilliwack	16	1.12	3	2.93	1.02	0.21	2.99
034 Abbotsford	21	0.91	5	4.58	1.09	0.35	2.55
035 Langley	22	0.97	5	4.74	1.06	0.34	2.46
037 Delta	16	0.93	2	3.35	0.60	0.07	2.16
038 Richmond	15	0.44	3	6.97	0.43	0.09	1.26
040 New Westminster	11	0.94	1	2.40	0.42	0.01	2.33
041 Burnaby	28	0.71	6	7.93	0.76	0.28	1.65
042 Maple Ridge	20	1.19	6	3.41	1.76	0.65	3.83
043 Coquitlam	30	0.75	7	8.32	0.84	0.34	1.73
044 North Vancouver	10	0.43	4	4.76	0.84	0.23	2.15
045 West Vancouver-Bowen Island	5	0.64	1	1.52	0.66	0.02	3.68
046 Sunshine Coast	7	1.59	-	0.86	0.00	-	-
047 Powell River	4	1.32	-	0.58	0.00	-	-
048 Howe Sound	5	0.78	-	1.34	0.00	-	-
049 Bella Coola Valley	-	0.00	-	0.08	0.00	-	-
050 Queen Charlotte	1	1.29	-	0.15	0.00	-	-
051 Snow Country	-	0.00	-	0.02	0.00	-	-
052 Prince Rupert	5	2.06	2	0.45	4.43	0.54	15.99
053 Upper Skeena	-	0.00	-	0.15	0.00	-	-
054 Smithers	4	1.38	1	0.57	1.75	0.04	9.74
055 Burns Lake	-	0.00	-	0.23	0.00	-	-
056 Nechako	3	1.06	2	0.58	3.44	0.42	12.44
057 Prince George	17	1.03	7	3.22	2.17	0.87	4.48
059 Peace River South	5	1.08	3	0.97	3.09	0.64	9.02
060 Peace River North	8	1.29	2	1.33	1.50	0.18	5.43
061 Greater Victoria	43	1.19	8	7.09	1.13	0.49	2.22
062 Sooke	16	1.31	5	2.58	1.94	0.63	4.53
063 Saanich	3	0.32	1	1.80	0.56	0.01	3.10
064 Gulf Islands	-	0.00	1	0.42	2.39	0.06	13.30
065 Cowichan	8	0.86	3	1.83	1.64	0.34	4.80

TABLE 29 (continued)
STANDARDIZED MORTALITY RATIO BY LOCAL HEALTH AREA,
DEATHS DUE TO MEDICALLY TREATABLE DISEASES
BRITISH COLUMBIA, 2009–2013 AND 2014

Local Health Area	2009 - 2013		2014				
	Observed Deaths	SMR	Observed Deaths	Expected Deaths	SMR	95% Confidence Level	
						Lower	Upper
066 Lake Cowichan	2	2.02	2	0.19	10.56	1.28	38.15
067 Ladysmith	6	2.20	-	0.53	0.00	-	-
068 Nanaimo	24	1.44	7	3.37	2.08	0.83	4.28
069 Qualicum	8	1.29	3	1.19	2.53	0.52	7.39
070 Alberni	17	3.34	2	0.98	2.05	0.25	7.40
071 Courtenay	8	0.79	1	1.96	0.51	0.01	2.84
072 Campbell River	10	1.46	-	1.35	0.00	-	-
075 Mission	7	0.97	3	1.42	2.11	0.44	6.18
076 Agassiz - Harrison	3	2.07	1	0.28	3.54	0.09	19.71
077 Summerland	-	0.00	-	0.33	0.00	-	-
078 Enderby	2	1.74	-	0.22	0.00	-	-
080 Kitimat	3	1.79	1	0.32	3.09	0.08	17.22
081 Fort Nelson	1	0.88	-	0.23	0.00	-	-
083 Central Coast	1	3.58	1	0.06	17.84	0.45	99.42
084 Vancouver Island West	-	0.00	-	0.07	0.00	-	-
085 Vancouver Island North	3	1.45	1	0.39	2.55	0.06	14.19
087 Stikine	-	0.00	-	0.03	0.00	-	-
088 Terrace	4	1.15	2	0.70	2.84	0.34	10.27
092 Nisga'a	1	2.85	-	0.07	0.00	-	-
094 Telegraph Creek	-	0.00	-	0.02	0.00	-	-
161 Vancouver - City Centre	19	0.88	1	4.37	0.23	0.01	1.27
162 Vancouver - Downtown Eastside	36	3.38	1	2.20	0.46	0.01	2.54
163 Vancouver - North East	12	0.68	2	3.61	0.55	0.07	2.00
164 Vancouver - Westside	7	0.31	3	4.68	0.64	0.13	1.87
165 Vancouver - Midtown	12	0.77	1	3.21	0.31	0.01	1.73
166 Vancouver - South	19	0.83	4	4.64	0.86	0.23	2.21
201 Surrey	82	1.13	16	15.36	1.04	0.60	1.69
202 South Surrey/White Rock	12	0.89	-	2.77	0.00	-	-
998 Unknown LHA	2	-	-	-	-	-	-
Total	757	1.00	153	153.00	1.00	0.85	1.17

Notes:

Medically Treatable Diseases are based on Charlton's definition (see [Glossary](#) - Medically Treatable Diseases).
SMR - Standardized Mortality Ratio.
Total includes residents with unknown LHA.

TABLE 30
ALCOHOL-RELATED DEATHS BY AGE AND SEX
BRITISH COLUMBIA, 2014

Age	Male		Female		Total	
	Number	Percent	Number	Percent	Number	Percent
<15	1	0.1	-	0.0	1	0.0
15-19	6	0.4	1	0.2	7	0.3
20-24	25	1.5	11	2.2	36	1.6
25-44	166	9.8	66	13.3	232	10.6
45-64	724	42.6	207	41.7	931	42.4
65-84	683	40.2	168	33.9	851	38.8
85+	95	5.6	43	8.7	138	6.3
Total	1,700	100.0	496	100.0	2,196	100.0

Notes: Alcohol-related deaths – see Table 32 notes for ICD-10 codes and [Glossary](#) for more details.
Total percentage may not add up to 100 due to rounding. Nonresidents are excluded.
Coding practices from 1995 to 1999 may have produced over-counting of alcohol-related mortality.
With the introduction of ICD-10 in 2000, more specific codes are available. Currently produced data should not be used in combination with data produced prior to 2000.

TABLE 31
SMOKING-ATTRIBUTABLE MORTALITY (SAM)
BRITISH COLUMBIA, 2014

		Male				Female				Total			
		Deaths	SAM (%)	SAM		Deaths	SAM (%)	SAM		Deaths	SAM (%)	SAM	
Causes of Death	ICD-10 Codes			Number	Percent			Number	Percent			Number	Percent
Malignant Neoplasms													
Lip/oral cavity/pharynx cancers	C00-C14	129	91.2	118	3.2	57	59.9	34	1.3	186	-	152	2.4
Esophageal	C15	250	78.2	196	5.3	70	71.0	50	1.9	320	-	245	3.9
Pancreatic	C25	327	21.7	71	1.9	285	33.9	97	3.7	612	-	168	2.6
Laryngeal	C32	39	79.7	31	0.8	7	87.2	6	0.2	46	-	37	0.6
Lung/tracheal	C33-C34	1,225	89.3	1,094	29.5	1,200	76.5	918	34.9	2,425	-	2,012	31.7
Cervix, uterus	C53-C55	0	0.0	0	0.0	161	33.9	55	2.1	161	-	55	0.9
Kidney & other unspecified urinary organs	C64-C66, C68	147	46.8	69	1.9	72	12.4	9	0.3	219	-	78	1.2
Bladder	C67	239	44.8	107	2.9	88	37.6	33	1.3	327	-	140	2.2
Subtotal		2,356	-	1,685	45.4	1,940	-	1,201	45.6	4,296	-	2,886	45.5
Circulatory System Diseases													
Hypertension	I10-I13	203	24.6	50	1.3	331	16.4	54	2.1	534	-	104	1.6
Ischemic heart	I20-I25	2,079	*	522	14.1	1,511	*	241	9.2	3,590	-	764	12.0
Other forms of heart disease	I01-I09, I27, I30-I52	949	26.5	251	6.8	1,211	19.4	235	8.9	2,160	-	486	7.7
Cerebrovascular/stroke	I60-I69	900	†	229	6.2	1,270	†	90	3.4	2,170	-	320	5.0
Intracranial hemorrhage	I70	27	55.5	15	0.4	37	31.7	12	0.4	64	-	27	0.4
Aortic aneurysm	I71	110	55.5	61	1.6	63	31.7	20	0.8	173	-	81	1.3
Other arterial disease	I26, I28, I72-I78	115	55.5	64	1.7	128	31.7	41	1.5	243	-	104	1.6
Subtotal		4,383	-	1,193	32.1	4,551	-	693	26.3	8,934	-	1,886	29.7
Respiratory System Diseases													
Pneumonia/influenza (excluding hypostatic)	J09-J181, J188, J189	492	32.7	161	4.3	583	26.3	153	5.8	1,075	-	314	5.0
Bronchitis, emphysema	J40-J43	42	84.7	36	1.0	40	79.2	32	1.2	82	-	67	1.1
Chronic obstructive pulmonary disorder	J44	744	84.7	630	17.0	691	79.2	547	20.8	1,435	-	1,177	18.6
Other respiratory disease	A15-A19, J45-J46	24	32.7	8	0.2	28	26.3	7	0.3	52	-	15	0.2
Subtotal		1,302	-	834	22.5	1,342	-	740	28.1	2,644	-	1,574	24.8
Total		8,041	-	3,713	100.0	7,833	-	2,634	100.0	15,874	-	6,347	100.0

Notes:

* For ischemic heart disease for males, the SAM (%) is 43.2% ages 35 to 64, and 21.17% for ages 65+.

For ischemic heart disease for females, the SAM (%) is 36.57% ages 35 to 64, and 14.6%, for ages 65.

† For cerebrovascular disease/stroke for males, the SAM (%) values are 44.8% for ages 35 to 64, and 23.4% for ages 65+.

For cerebrovascular disease/stroke for females, the SAM (%) values are 49.3% ages 35 to 64, and 4.8% for ages 65+.

Deaths are the total number of deaths aged 35+ years or as specified in the diagnostic category.

SAM – Smoking-Attributable Mortality, derived by multiplying the SAM(%) by the number of deaths in each category. See Smoking-Attributable Mortality in the [Glossary](#) for a definition of the formula for SAM (%).

The output from ICD-10 mortality coding and underlying cause of death selection was modified in B.C. to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time. Data using the standard ICD-10 rules for such categories as pneumonia/influenza, diabetes, or cancer should not be compared to the numbers shown above.

Total SAM Number may not add up due to rounding. SAM numbers for each cause are rounded.

Nonresidents are excluded.

TABLE 32
DRUG-INDUCED DEATHS BY AGE AND SEX
BRITISH COLUMBIA, 2014

Age	Male		Female		Total	
	Number	Percent	Number	Percent	Number	Percent
<15	-	0.0	1	0.8	1	0.3
15-19	4	1.7	1	0.8	5	1.4
20-24	12	5.2	5	3.9	17	4.7
25-44	101	43.5	49	38.3	150	41.7
45-64	102	44.0	53	41.4	155	43.1
65-84	11	4.7	13	10.2	24	6.7
85+	2	0.9	6	4.7	8	2.2
Total	232	100.0	128	100.0	360	100.0

Notes:

Excludes alcohol and tobacco as defined by the following codes as contributing causes of death: E24.4, F10.0, F10.0.3, F10.1, F10.1.3, F10.2, F10.2.3, F10.3, F10.3.3, F10.4, F10.4.3, F10.5, F10.5.3, F10.6, F10.6.3, F10.7, F10.7.3, F10.8, F10.8.3, F10.9, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K70.0, K70.1, K70.2, K70.3, K70.4, K70.9, K86.0, O35.4, O99.3, P04.3, Q86.0, Q86.0.0, Q86.0.1, Q86.0.2, Q86.0.3, Q86.0.4, Q86.0.5, Q86.0.9, R78.0, T51.0, T51.1, T51.2, T51.9, X45, X65.

Total percentage may not add up to 100% due to rounding.

Nonresidents are excluded.

Drug-Induced Deaths

Drug-induced deaths are directly caused by drug use, including illicit, prescribed, and over-the-counter drugs. This category excludes causes indirectly related to drug use and deaths due to alcohol or smoking.

Table 32 shows that more males (232) died of drug-induced causes than females (128). Most drug-induced deaths occurred in the 25 to 64 age range with a total of 305 deaths or 85 percent.

43% of drug-induced deaths occurred in the 45-64 age group.

28% more males died from drug-induced causes than females.



64%



36%



OVERDOSE DEATHS BY TYPE OF DRUG

BRITISH COLUMBIA, 2005 - 2014



The table below lists drugs used in overdose death.

The combined use of illicit drugs with other drugs (other than narcotics) remains the leading cause of illicit drug overdose.

Drug	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Multiple narcotics	67	74	64	64	83	68	94	88	103	99
Heroin/morphine type	73	76	37	31	35	46	56	58	44	63
Cocaine	59	59	49	33	24	25	35	27	25	36
Methadone	21	18	26	15	14	22	11	15	16	16
Other narcotic/hallucinogen	5	5	5	7	4	13	6	7	16	22
Psychostimulant	5	5	9	6	6	5	11	7	12	16
Gamma hydroxybutyrate (GHB)	-	4	1	1	-	1	-	1	1	-
Other mixed drugs*	35	31	68	83	86	96	121	111	121	112
Total	265	272	259	240	252	276	334	314	338	364

- Deaths that were still under investigation can be later identified as unintentional illicit/illegal overdose deaths.
- ICD-10 codes for psychostimulants include crystal meth and ecstasy.
- Unintentional illicit/illegal drug overdose deaths (X41, X42, X44) include these specified drug injury categories:

1. T40.0, T40.1, or T40.2 for heroin/morphine type
2. T40.3 for methadone
3. T40.5 for cocaine
4. T40.4, T40.6, T40.7, T40.8, T40.9 for other narcotic/hallucinogen
5. T41.2 for gamma hydroxybutyrate (GHB)
6. T43.6 for psychostimulant

- Multiple narcotic deaths involve mixed drugs from categories 1 to 4 only.
- Other mixed drug deaths include one illicit drug from categories 1 to 6 (T40.0-T40.9, T41.2, T43.6) and one or more other drugs (T36.0-T48.6, T52.8, T53.9) and are not multiple narcotic deaths.
- Nonresidents are excluded.

TABLE 33
DEATHS DUE TO FALLS BY AGE
 BRITISH COLUMBIA, 2008 - 2014

Age in Years	2008		2009		2010		2011		2012		2013		2014	
	Counts	ASR	Counts	ASR	Counts	ASR	Counts	ASR	Counts	ASR	Counts	ASR	Counts	ASR
60-69	50	1.15	55	1.20	46	0.96	46	0.92	58	1.12	43	0.80	37	0.66
70-79	149	5.51	149	5.42	109	3.89	139	4.84	115	3.89	120	3.90	138	4.29
80+	740	43.02	777	43.96	796	43.70	806	42.88	796	40.96	745	37.11	662	32.01

Note:
 ASR - Age Specific Rate per 10,000 population.

Accidental Falls Deaths in B.C.

In 2014, there were 837 deaths directly or indirectly due to falls among residents of B.C. 60 years of age and older.

While fatal falls occur across the lifespan of British Columbians, the elderly are far more likely to succumb to the effects of a fall. In 2014, direct fall-related deaths were more frequent than indirect fall-related deaths in all age groups over 60.

The BC Injury Research and Prevention Unit (BCIRPU) is a national leader in falls injury research and in the design and implementation of falls prevention strategies. A summary of the initiatives undertaken by the BCIRPU can be found at the Unit's website: <http://www.injuryresearch.bc.ca>.

TABLE 34
METHOD OF DISPOSITION OF DECEDENT
 BRITISH COLUMBIA, 1993 - 2014

Year	Burial		Cremation		Other		Not Stated		Total	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1993	7,989	31.2	17,214	67.2	151	0.6	250	1.0	25,604	100.0
1994	7,712	29.9	17,888	69.2	177	0.7	55	0.2	25,832	100.0
1995	7,616	29.0	18,361	70.0	187	0.7	62	0.2	26,226	100.0
1996	7,641	27.9	19,546	71.4	196	0.7	11	0.0	27,394	100.0
1997	7,360	27.0	19,652	72.1	214	0.8	46	0.2	27,272	100.0
1998	7,198	25.9	20,379	73.3	227	0.8	9	0.0	27,813	100.0
1999	7,065	25.3	20,635	74.0	200	0.7	-	-	27,900	100.0
2000	6,472	23.7	20,698	75.6	191	0.7	1	0.0	27,362	100.0
2001	6,693	23.7	21,332	75.5	227	0.8	1	0.0	28,253	100.0
2002	6,542	22.8	21,980	76.5	194	0.7	3	0.0	28,719	100.0
2003	6,608	22.7	22,364	76.7	189	0.6	-	-	29,161	100.0
2004	6,381	21.5	23,162	77.9	190	0.6	-	-	29,733	100.0
2005	6,284	20.9	23,636	78.5	186	0.6	-	-	30,106	100.0
2006	6,366	20.8	24,019	78.6	170	0.6	-	-	30,555	100.0
2007	6,149	19.8	24,806	79.7	170	0.5	-	-	31,125	100.0
2008	6,314	19.8	25,396	79.6	197	0.6	-	-	31,907	100.0
2009	5,844	18.7	25,201	80.7	201	0.6	-	-	31,246	100.0
2010	5,537	17.8	25,361	81.4	258	0.8	-	-	31,156	100.0
2011	5,365	16.9	26,160	82.3	264	0.8	-	-	31,789	100.0
2012	5,328	16.5	26,735	82.6	299	0.9	-	-	32,362	100.0
2013	5,228	15.8	27,556	83.4	272	0.8	-	-	33,056	100.0
2014	5,281	15.7	28,106	83.6	228	0.7	-	-	33,615	100.0

Notes:

Percent is based on total deaths in the specified year.

Other includes remains not recovered and donations as per will of deceased.



Marriage-Related Statistics

The tables in this section contain information about marriages by previous marital status, and ages of the parties involved.

Marriage-Related Statistics



The Agency records all marriages that occur in B.C. Unlike the birth and death statistics, which are based on usual residence, marriage statistics include all marriages performed in the province whether the parties were residents or nonresidents.

The tables in this section contain information about marriages by previous marital status, and the ages of the parties involved. The Agency does not record divorce decrees.

There were 23,020 marriages in British Columbia in 2014. Additional statistics, such as the number of marriages occurring each day are included in the Trends section.

Most popular
month to marry
August

Least popular
month to marry
January

Most common
age to marry
30-34

See [Trends in Vital Events](#) for additional marriage statistics. Data above reflects marriages in B.C. in 2014.

TABLE 35
MARRIAGES BY MARITAL STATUS
BRITISH COLUMBIA, 2014

	Single	Widowed	Divorced	N.S.	
Single	16,187				
Widowed	153	155			
Divorced	3,532	496	2,497		
Not Stated	-	-	-	-	
	19,872	651	2,497	0	23,020

Note: N.S. - Not stated.

TABLE 36
MARRIAGES BY AGE
BRITISH COLUMBIA, 2014

Age in Years	Age in Years										N.S.
	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-59	60+		
15-19	35										35
20-24	178	1,317									1,495
25-29	36	1,680	3,970								5,686
30-34	13	381	3,276	2,529							6,199
35-39	1	78	689	1,737	785						3,290
40-44	-	28	178	474	745	377					1,802
45-49	-	7	52	133	242	438	298				1,170
50-59	-	6	22	77	135	290	614	817			1,961
60+	1	-	7	8	19	55	124	561	607		1,382
Not stated		-	-	-	-	-	-	-	-	-	0
	264	3,497	8,194	4,958	1,926	1,160	1,036	1,378	607	-	23,020

Note: N.S. - Not stated.



Glossary

Glossary

ACQUIRED IMMUNODEFICIENCY SYNDROME (AIDS)

See [HIV DISEASE](#).

AGE STANDARDIZATION

Age standardization is a method of calculation which adjusts a statistical measure for differences in the age/sex structures between populations. With standardized measures, more meaningful comparisons can be made between genders, different time periods, or geographic areas because the age standardized statistic is calculated as if all populations had the same age/sex population distribution.

The age standardized measures in this report include **Age Standardized Mortality Rate (ASMR)**, **Standardized Mortality Ratio (SMR)**, **Potential Years of Life Lost Standardized Rate (PYLLSR)**, and **Potential Years of Life Lost Index (PYLLI)**. See examples for headings above in [Methodology](#).

AGE STANDARDIZED MORTALITY RATE (ASMR)

A summary of age-adjusted death rates by age and sex, which have been standardized to a 'standard' population (2011 Canada Census) for the purpose of rate comparisons between sexes, different time periods, or different geographic locations. The ASMR is the theoretical number of deaths that would occur per 10,000 population, if the specific population had the same age structure as the standard population. Age standardization is used for comparisons because populations vary in the proportions of the various ages of the individuals that comprise them, and such differences would in themselves tend to affect the disease occurring in each of the populations.

See also [AGE STANDARDIZATION](#) and [STANDARD POPULATION](#). For an example, see [Age Standardized Mortality Rate](#) in [Methodology](#).

AIDS

See [HIV DISEASE](#).

ALCOHOL-RELATED DEATHS

Alcohol-related deaths include deaths where alcohol was a contributing factor (indirectly related) as well as those due to alcohol (directly related). Alcohol-related and drug overdose deaths are the only cause of death categories that are not based entirely upon underlying causes of death.

If any of the conditions listed as directly related to alcohol are noted on the Medical Certificate as antecedent causes giving rise to the underlying cause or as other significant conditions contributing to the death, the death is considered to be indirectly related to alcohol.

Coding practices from 1995 to 1999 may have produced over-counting of alcohol-related mortality. With the introduction of ICD-10 in 2000, more specific codes are available. Currently produced data should not be used in combination with data produced prior to 2000.

ASMR

See [AGE STANDARDIZED MORTALITY RATE](#).

AVERAGE AGE

The average ages of brides, grooms, and mothers of newborns in this annual report are calculated based on information provided on marriage or birth registration forms. The average ages of the population living in data dissemination areas are based on the mid-year population estimates for five-year age groups.

AVERAGE AGE POPULATION

The average age of the population is a grouped average based on the mid-year population estimates for five-year age groups. This information is provided by BC Stats, Ministry of Citizens' Services.

BIRTH ORDER

Denotes the number position of the present birth relative to previous live births. That is, whether the live birth being counted is the 1st, 2nd, 3rd, etc. live born infant to a particular mother.

BIRTH RATE

The number of live births in a geographical location divided by its mid-year population and converted to a rate per 1,000 population per year.

BIRTH RELATED STATISTICS

The birth related statistics shown in this report include teenage mother, elderly gravida, C-section, low birth weight, and preterm live birth rates.

BIRTH WEIGHT

The first weight of the fetus or newborn after birth. For live births this weight should be measured within the first hour of life before significant postnatal weight loss has occurred. Hospitals in B.C. measure weight in grams; the approximate equivalents in imperial measures are included below for comparisons to other jurisdictions. For statistical and risk assessment purposes, birth weights are grouped as:

• Extremely Low Birth Weight	less than 500 grams (< 1 lb 2 oz)
• Very Low Birth Weight	500 grams to 1,499 grams (1 lb 2 oz - 3 lb 5 oz)
• Low birth weight (LBW)	1,500 grams to 2,499 grams (3 lb 5 oz - 5 lb 8 oz)
• Normal birth weight	2,500 to 4,499 grams (5 lb 8 oz - 9 lb 15 oz)
• High birth weight	4,500 grams or more (> 9 lb 15 oz)

In recent years there has been an increasing preference to identify high birth weight as large for gestational age, which is above the 90th percentile of the birth weight distribution at each gestational age.

BIRTHS

See [TOTAL BIRTHS](#).

BREECH PRESENTATION

A delivery of a baby in which the hind end appears first.

See also [MODE OF DELIVERY](#).

C-SECTION

See [MODE OF DELIVERY](#).

C-SECTION RATES

The number of live births delivered by caesarean section in a geographical location divided by its total number of live births and converted to a rate per 1,000 live births.

CAESAREAN SECTION (C-SECTION)

A delivery involving the surgical incision of the abdomen and uterine walls.

See also [MODE OF DELIVERY](#).

COMMUNITY

A geographical area defined by a municipal (city, town, village, district municipality, Indian Government district, island municipality, or resort municipality) boundary. In this report, data are only provided for incorporated communities.

CONFIDENCE INTERVAL

A measure of the variability of a statistic. A wide confidence interval indicates that the statistic is likely to fall within a wide range of values, while a narrow confidence interval indicates the statistic is likely to fall within a narrow range of values. In general, statistical confidence intervals will be wider for areas with small populations or rare events than for areas with larger populations or more common events.

See [STATISTICAL TESTS OF SIGNIFICANCE](#) at the end of Methodology.

CONGENITAL ANOMALIES

Physical defects that existed or date from birth.

CRUDE RATES

Live births:

The number of live births in a given geographical location divided by its mid-year population converted to a rate per 1,000 population.

Birth-related statistics (teenage mother, elderly gravida, C-section, low birth weight, and preterm):

The number of births that fall into the category being reported on divided by the total number of live births, converted to a rate per 1,000.

Stillbirths and perinatal deaths:

The number of stillbirths or perinatal deaths divided by the number of total births (live births plus stillbirths) converted to a rate per 1,000 total births.

Infant deaths:

The number of infant deaths divided by the number of live births converted to a rate per 1,000 live births.

Maternal deaths:

The number of maternal deaths divided by the number of live births and converted to a rate per 10,000 live births.

Deaths and mortality statistics:

The number of deaths divided by the mid-year population and converted to a rate per 1,000 population.

Marriages:

The number of marriages divided by the mid-year population and converted to a rate per 1,000 population.

DEATH RATE

The number of deaths in a given geographical location divided by its mid-year population and converted to a rate per 1,000 population.

DEATHS DUE TO MEDICALLY TREATABLE DISEASES

See [MEDICALLY TREATABLE DISEASES](#).

DRUG-INDUCED DEATHS

Deaths due to drug-induced causes. This category of deaths excludes unintentional injuries, homicides, and other causes that could be indirectly related to drug use. Deaths directly due to alcohol are also excluded. The causes of death classified as being drug-induced are based on those used by the National Center for Health Statistics.¹⁾

DRUG OVERDOSE DEATHS

Deaths where the underlying cause of death was determined to be unintentional poisoning by illicit/illegal drugs. These deaths are a small portion of the deaths due to unintentional poisoning by drugs, and exclude accidental poisoning by drugs in therapeutic use. Deaths due to conditions that may arise from substance abuse, such as Hepatitis 'B' and 'C' and HIV, are also excluded.

Drug overdose deaths can be divided according to drug type: heroin/morphine, methadone, cocaine, psychostimulants including crystal meth (methamphetamine hydrochloride) and ecstasy (methylenedioxymethamphetamine), and other mixed drugs. The ICD-10 codes for these deaths are shown in Table 26. It should be noted that specified drug (nature of injury) codes must also be listed on the Medical Certificate for the death to be considered a drug overdose.

EARLY NEONATAL DEATH

See [INFANT DEATH](#).

ELDERLY GRAVIDA

A woman having a baby at age 35 or older.

ELDERLY GRAVIDA RATE

The number of live births to women age 35 or older in a given geographical location, divided by the total number of live births and converted to a rate per 1,000 live births.

EXPECTED CAESAREAN BIRTHS

The number of live births delivered by caesarean section that would be expected to be born to residents of a sub-provincial geographic area, based on the C-section rate for the province as a whole and the number of births in the sub-provincial geographic area. See [Observed versus Expected Ratios](#) in Methodology for an example.

EXPECTED DEATHS

The number of deaths expected for residents of a sub-provincial geographic area, based on the age specific mortality rates for the province as a whole and the population age structure of the sub-provincial geographic area.

See [Standardized Mortality Ratio](#) in Methodology for an example.

EXPECTED LOW BIRTH WEIGHT

The number of live births with low birth weight (less than 2,500 grams) that would be expected to be born to residents of a sub-provincial geographic area, based on the low birth weight rate for the province as a whole and the number of live births in the sub-provincial geographic area. See [Observed versus Expected Ratios](#) in Methodology for an example.

¹National Center for Health Statistics (1993). Technical notes. Monthly Vital Statistics Report. 41 (Suppl. 7), 48.

EXPECTED MATERNAL COMPLICATIONS

The number of live births with maternal complications that would be expected to be born to residents of a sub-provincial geographic area, based on the complication rate for the province as a whole and the number of live births in the sub-provincial geographic area.

See [Observed versus Expected Ratios](#) in Methodology for an example.

EXPECTED PERINATAL COMPLICATIONS

The number of live births with perinatal conditions that would be expected to be born to residents of a sub-provincial geographic area, based on the rate of those conditions for the province as a whole and the number of live births in the sub-provincial geographic area.

See [Observed versus Expected Ratios](#) in Methodology for an example.

EXPECTED POTENTIAL YEARS OF LIFE LOST

The number of potential years of life lost (to age 75 in this report) expected for residents of a sub-provincial geographic area based on the age specific mortality rates for the province as a whole and the population age structure of the sub-provincial geographic area.

See [Potential Years of Life Lost Index](#) in Methodology for an example.

EXTREMELY LOW BIRTH WEIGHT

See [BIRTH WEIGHT](#).

EXTREMELY PREMATURE

See [GESTATIONAL AGE](#).

FERTILITY RATE

The number of live births occurring in a given time period divided by the number of women of childbearing age for residents of a geographic area. B.C. rates are per 1,000 women aged 15 to 44; Canadian rates are per 1,000 women aged 15 to 49.

FORCEPS

See [MODE OF DELIVERY](#).

GESTATIONAL AGE

Fetal age or duration of pregnancy measured from the first day of the mother's last normal menstrual period. Gestational age is expressed in completed days or completed weeks (e.g., events occurring 280 to 286 days after the onset of the last normal menstrual period are considered to have occurred at 40 weeks of gestation).

Measurements of fetal growth, as they represent continuous variables, are expressed in relation to a specific week of gestational age as follows:

- Preterm - gestational age younger than 37 weeks
- Term - gestational age of 37 to 41 weeks
- Post-term - gestational age of 42 weeks or more

Preterm births can be further divided as follows:

- Extremely premature - gestational age of younger than 28 weeks
- Moderately premature - gestational age of 28 to 36 weeks

HEALTH AUTHORITY (HA)

A geographic subdivision of the province used by the Ministry of Health for administrative and data dissemination purposes. There are five health authorities plus the provincial health authority. Health authorities can be subdivided into 16 health service delivery areas (HSDAs) or 89 local health areas (LHAs).

HEALTH SERVICE DELIVERY AREA (HSDA)

A geographic subdivision of the province used by the Ministry of Health for data dissemination purposes. The 16 health service delivery areas can be aggregated into the five health authorities plus the provincial health authority, or subdivided into 89 local health areas (LHAs).

HIGH BIRTH WEIGHT

See [BIRTH WEIGHT](#).

HSDA

See [HEALTH SERVICE DELIVERY AREA](#).

HUMAN IMMUNODEFICIENCY VIRUS (HIV)

The virus that causes HIV disease.

HIV DISEASE

In 1987, the World Health Organization added new codes to the International Classification of Diseases (ICD) to identify Acquired Immunodeficiency Syndrome (AIDS) and Human Immunodeficiency Virus (HIV). In ICD-10, these conditions are coded to B20–B24 and are called HIV disease.

ICD-9 CODES

The World Health Organization's International Classification of Diseases, Ninth Revision. This version of ICD was used by the BC Vital Statistics Agency for coding birth complications and causes of death from 1979 until 1999. Translation tables were developed and extensive manual reviews conducted in order to recode causes of death from ICD-9 to ICD-10, permitting direct comparison of cause of death trends including deaths from 1999 and earlier that were originally coded in ICD-9.

ICD-10 CODES

The World Health Organization's International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, implemented by the BC Vital Statistics Agency on January 1, 2000. The Preamble to Appendix 2 presents a summary of ICD-10 codes.

INFANT DEATH

Death of a child under one year of age. These deaths are divided according to age at death because of the high mortality rates that occur in the periods soon after birth and because different environmental factors underlie the cause of death in the different time periods.

- Neonatal death - death of a child who is fewer than 28 days old.
- Post neonatal death - death of a child who is 28 to 364 days old.

Neonatal deaths are further divided as follows:

- Early neonatal death - death of a child who is fewer than 7 days old.
- Late neonatal death - death of a child who is 7 to 27 days old.

INFANT MORTALITY RATE

The number of deaths of children under one year of age expressed as a rate per 1,000 live births. The infant mortality rate is an internationally accepted indicator of the health status of a population.

LATE NEONATAL DEATH

See [INFANT DEATH](#).

LBW

See [LOW BIRTH WEIGHT](#).

LHA

See [LOCAL HEALTH AREA](#).

LIFE EXPECTANCY

Life expectancy at birth represents the mean number of years a birth cohort (persons born in the same year) may expect to live given the present mortality experience of a population. The life expectancy for a population is a summary measure that reflects the mortality rates for all ages combined, weighted in accordance with a life-table population structure. Life expectancy is an internationally accepted indicator of the health status of a population. Life expectancy is provided by BC Stats, Ministry of Citizens' Services.

LIVE BIRTH

The *Vital Statistics Act* defines a live birth as "The complete expulsion or extraction from its mother, irrespective of the duration of the pregnancy, of a product of conception in which, after the expulsion or extraction, there is:

- (a) breathing;
- (b) beating of the heart;
- (c) pulsation of the umbilical cord; or
- (d) unmistakable movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta attached."

LIVE BIRTH RATE

The number of live births divided by the mid-year population and converted to a rate per 1,000 population.

LOCAL HEALTH AREA (LHA)

A geographic subdivision of the province used by the Ministry of Health for data dissemination purposes. The 89 local health areas can be aggregated into 16 health service delivery areas (HSDAs) or five health authorities plus the provincial health authority.

LOW BIRTH WEIGHT (LBW)

See [BIRTH WEIGHT](#).

LOW BIRTH WEIGHT RATE

The number of low birth weight live born babies per 1,000 live births.

MARRIAGE RATE

The number of marriages divided by the mid-year population and converted to a rate per 1,000 population.

MATERNAL DEATH

Death of a woman while pregnant or within 42 days of a termination of pregnancy from causes related to the pregnancy, but not from accidental or incidental causes.

MATERNAL DEATH RATE

The number of maternal deaths divided by the number of live births and converted to a rate per 10,000 live births.

MEDICALLY TREATABLE DISEASES, DEATHS DUE TO

Deaths due to medically treatable diseases are based on Charlton's² classification. The disease categories are ones for which mortality could potentially have been avoided through appropriate medical intervention. The incidence of deaths from medically treatable diseases can be used by public health professionals as a way of monitoring the effect of health promotion programs.

MODE OF DELIVERY

The mode of delivery describes the method by which the baby is extracted or expelled from a mother's uterus.

Caesarean: A delivery involving the surgical incision of the abdomen and uterine walls.

Forceps: An assisted delivery using forceps to guide the baby out the birth canal.

Spontaneous Breech: An unassisted vaginal delivery in which the buttocks or feet of the fetus appear first.

Spontaneous Vertex: An unassisted vaginal delivery in which the head of the fetus appears first.

Vacuum: An assisted vaginal delivery employing suction or vacuum.

MODERATELY PREMATURE

See [GESTATIONAL AGE](#).

MVA DEATHS

Motor Vehicle Accidental Deaths.

NATURAL POPULATION INCREASE (NPI)

The component increase in a population due to the number of live births less deaths; also called Natural Population Growth. This increase is often expressed as a rate, such as per 1,000 population. It does not include increases due to immigration or decreases due to emigration.

NEONATAL DEATH

Death of a child under 28 days of age.

See also [INFANT DEATH](#).

NORMAL WEIGHT

See [BIRTH WEIGHT](#).

OBSERVED DEATHS

The actual number of deaths that occurred to residents of a sub-provincial geographic area in a specified time period.

² Charlton, J.R.H. (1987). Avoidable Deaths and Diseases as Monitors of Health Promotion. In T. Abelin, Z.J. Brzezinski, & V. Carstairs (Eds.), *Measurement in Health Promotion and Protection* (pp.467-479). Copenhagen, Denmark: World Health Organization, Regional Office for Europe.

OBSERVED LOW BIRTH WEIGHT LIVE BIRTHS

The actual number of low birth weight live births that occurred to residents of a sub-provincial geographic area in a specified time period.

OBSERVED MATERNAL COMPLICATIONS

The actual number of maternal complications that occurred to residents of a sub-provincial geographic area in a specified time period.

OBSERVED PERINATAL CONDITIONS

The actual number of perinatal conditions that occurred to residents of a sub-provincial geographic area in a specified time period.

OBSERVED PYLL

The actual number of potential years of life lost (to age 75) from deaths that occurred to residents of a sub-provincial geographic area in a specified time period.

OVERDOSE DEATHS

See [DRUG OVERDOSE DEATHS](#).

P-VALUE

The probability of rejecting the null hypothesis when a specified test procedure is used on a given data set. The data are statistically significant when the null hypothesis is rejected and not significant otherwise. (See [P-Value](#) in Methodology for examples.)

PERINATAL

Pertaining to or occurring in the period shortly before, during and after birth, starting at 22 completed weeks of gestation and ending seven completed days after birth.

PERINATAL DEATH RATE

The number of perinatal deaths divided by the number of total births (live births plus stillbirths) and converted to a rate per 1,000 total births.

POPULATION

The number of people in a specified geographic area. Mid-year population estimates used in the preparation of this report were obtained from BC Stats, Ministry of Citizens' Services.

POST MATURE

See [GESTATIONAL AGE](#).

POST NEONATAL DEATH

See [INFANT DEATH](#).

POST TERM

See [GESTATIONAL AGE](#).

POTENTIAL YEARS OF LIFE LOST (PYLL)

The number of years of life lost when a person dies before a specified age (75 years). In this report, all deaths are assumed to occur at the midpoint of five-year age groups.

See [Potential Years of Life Lost Index](#) in Methodology for an example.

PREMATURE

See [GESTATIONAL AGE](#).

PRETERM

See [GESTATIONAL AGE](#).

PRETERM RATE

The number of preterm live births divided by the number of live births and converted to a rate per 1,000 live births.

PYLL INDEX (PYLLI)

The ratio of an area's observed PYLL to its expected PYLL. This is a health status indicator.
See [Potential Years of Life Lost Index](#) in Methodology for an example.

PYLL STANDARDIZED RATE (PYLLSR)

An age-standardized measure of an area's PYLL, expressed in terms of a rate per 1,000 population, adjusted to a standard population (2011 Canada Census). This is a health status indicator.
See [PYLLSR](#) under "Potential Years of Life Lost (PYLL)" in Methodology for an example.

PYLL

See [POTENTIAL YEARS OF LIFE LOST](#).

PYLL %

The percent of all PYLL in the age group due to a specified cause of death.

PYLLI

See [PYLL INDEX](#).

PYLLSR

See [PYLL STANDARDIZED RATE](#).

QUINTILE

A ranking is derived by dividing a group (e.g., LHAs within British Columbia) into five subgroups, each with equal numbers of LHAs. (Since there are 89 LHAs and 89 is not evenly divisible by five, there is one less LHA in the middle group.) These divisions are derived from a ranking of the group members according to the value of a measure, such as the SMR or the PYLLI.

SAM

See [SMOKING-ATTRIBUTABLE MORTALITY](#).

SIDS

See [SUDDEN INFANT DEATH SYNDROME](#).

SMOKING-ATTRIBUTABLE MORTALITY (SAM)

The absence on death certifications of complete and reliable data on smoking requires the use of estimation techniques to approximate the extent of smoking-attributable deaths. Estimation methods, while not precise, may at least provide a general indication of the extent of such deaths. This report uses an estimation method based on the concept of attributable risk, which is described in Methodology.

Smoking-attributable deaths are derived by multiplying a smoking-attributable mortality percentage by the number of deaths aged 35+ in specified cause of death categories. These categories are comprised of selected malignant neoplasms, circulatory system diseases, and respiratory system diseases, and are listed in Table 31.

See [SMOKING-ATTRIBUTABLE MORTALITY](#) in Methodology for more details.

SMR

See [STANDARDIZED MORTALITY RATIO](#).

STANDARD POPULATION

A reference population of known age distribution used in the calculation of standardized indicators to adjust for variations in population age structures in different geographic areas or time periods. For SMR and PYLLI calculations the standard population is the British Columbia population for the year(s) concerned. The 2011 Canadian Census is used as the standard population in the calculation of ASMR and PYLLSR.

STANDARDIZED MORTALITY RATIO (SMR)

The ratio of the number of deaths occurring to residents of a geographic area (e.g., LHA) to the expected number of deaths in that area based on provincial age-specific mortality rates. The SMR is a good measure for comparing mortality data that are based on a small number of cases or for readily comparing mortality data by geographical area. SMR is an internationally recognized health status indicator.

See also [AGE STANDARDIZATION](#) and [STANDARD POPULATION](#).

See [STANDARDIZED MORTALITY RATIO](#) in Methodology for an example.

STILLBIRTH

Since 1986, the *Vital Statistics Act* has defined a stillbirth as “the complete expulsion or extraction from its mother after at least 20 weeks of pregnancy, or after attaining a weight of at least 500 grams, of a product of conception in which, after the expulsion or extraction, there is no breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle.”

The definition of a stillbirth has changed over the years. From 1950 until July 1, 1962, the definition of a stillbirth was the birth of a viable fetus after at least 28 weeks' pregnancy in which pulmonary respiration does not occur, whether death occurs before, during, or after birth. From July 1, 1962 until January 1, 1986, the definition of a stillbirth did not include the phrase “or after attaining a weight of at least 500 grams.”

STILLBIRTH RATE

The number of stillbirths divided by the number of total births (live births plus stillbirths) and converted to a rate per 1,000 total births.

See also [CRUDE RATES](#).

SUDDEN INFANT DEATH SYNDROME (SIDS)

The term was introduced in 1969 to classify sudden death in infants under 12 months of age where there were no apparent factors present to explain the death. This term, and Sudden Unexplained Death in Infancy (SUDI) are classifications that essentially mean a death is unexplained. In June 2012, the majority of Canadian Chief Coroners and Chief Medical Examiners agreed to adopt the classification “Undetermined” as there was an agreement that terms like SIDS and SUDI tended to create confusion rather than clarity, as they all reflected an undetermined cause of death.

TEENAGE MOTHERS

Mothers younger than 20 years of age.

TEENAGE MOTHER LIVE BIRTH RATE

The number of live births to teenage mothers divided by the number of live births and converted to a rate per 1,000 live births.

TERM

A gestational age of 37 to 41 weeks.

See also [GESTATIONAL AGE](#).

TOTAL BIRTHS

The sum of the number of live births and stillbirths.

TOTAL PYLL

The total number of potential years of life lost prior to an established cut-off point of 75 years.

UNDERLYING CAUSE OF DEATH (UCOD)

The World Health Organization defines the underlying cause of death as “(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury.”

VACUUM

See [MODE OF DELIVERY](#).

VERTEX

See [MODE OF DELIVERY](#).

VERY LOW BIRTH WEIGHT

See [BIRTH WEIGHT](#).



Methodology

Methodology

Population statistics inevitably involve comparisons of sub-populations, regions, and time periods. To many, such comparisons are often too complex so that interpretation becomes a formidable task. However, those comparisons are necessary in order to understand the health status of specific populations within British Columbia. The text that accompanies the tables and figures in this report explains the basic meaning of the comparisons but, for some, a more in-depth explanation is useful and necessary.

This section provides computational examples of how various measures are calculated. All data shown in the examples are hypothetical. In some cases, a test of statistical significance is noted in the discussion and those routines will be found at the end of this part of the report. Examples of statistical computations can be found in this section under the headings listed below.

1. RATES

1.1 Age Standardized Mortality Rate (ASMR)

1.2 Potential Years of Life Lost (PYLL) and Standardized Rate (PYLLSR)

2. RATIOS

2.1 Observed versus Expected Ratios

2.1.1 Low Birth Weight (LBW) Live Births

2.1.2 Potential Years of Life Lost Index (PYLLI)

2.1.3 Standardized Mortality Ratio (SMR)

3. ESTIMATION OF SMOKING ATTRIBUTABLE MORTALITY (SAM)

4. STATISTICAL TESTS OF SIGNIFICANCE

4.1 Chi-Square

4.2 Confidence Intervals

4.3 P-Value

FURTHER EXPLANATION WITH EXAMPLES

1. RATES

• Age Standardized Mortality Rate (ASMR)

The ASMR was calculated for yearly death data, and specific cause groups to permit comparisons between items in those tables. A hypothetical local health area (LHA) is used in the example shown below. The test of statistical significance is described under Rates in Statistical Tests of Significance at the end of this Appendix.

Age Group (i)	Standard Population (π_x)	Local Health Area		
		Estimated Population (p_x)	Death Rate/10,000 (m_x)	Observed Deaths (d_x)
< 1	403,061	1,339	22.4	3
1 – 4	1,550,285	5,483	1.8	1
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.
80 – 84	382,303	1,198	701.2	84
85 +	287,877	908	1,596.9	145
TOTAL	28,120,065	81,016		561

Using data from the hypothetical LHA:

$$\text{ASMR} = \frac{\sum m_i \times \pi_i}{\Pi} = \frac{22.4 \times 403,061 + \dots + 1,596.9 \times 287,877}{28,120,065} = 46.2$$

Where:

p_i = area population in age group i

π_i = standard population in age group i

$\Pi = \sum \pi_i$ = total standard population

d_i = deaths in LHA population in age group i

$m_i = d_i/p_i \times 10,000$ = mortality rate per 10,000 LHA population in age group i.

e.g. $m_1 = \frac{3 \times 10,000}{1,339} = 22.4$ for age group 1.

• Potential Years of Life Lost (PYLL) and Standardized Rate (PYLLSR)

The Potential Years of Life Lost (PYLL) measures in this report are based on the number of years of life lost when a person dies before the age of 75 years. Infant deaths (age younger than one year old) are included.

Age Group (i)	Age Factor (75- Y_i)	Standard Population (π_i)	Local Health Area			
			Estimated Population (p_i)	Death Rate/10,000 (m_i)	Observed Deaths (d_i)	Observed PYLL ($d_i(75-Y_i)$)
< 1	74.5	403,061	1,339	22.4	3	223.5
1 - 4	72.0	1,550,285	5,483	1.8	1	72.0
5 - 9	67.5	1,953,045	6,553	1.5	1	67.5
.	.	.	.	.	.	.
.	.	.	.	.	.	.
.	.	.	.	.	.	.
65 - 69	7.5	1,084,588	3,538	186.5	66	495.0
70 - 74	2.5	834,024	2,779	287.9	80	200.0
Total		28,120,065	79,140		239	3,183.0

For the hypothetical local health area above:

$$\text{PYLL} = \sum d_i \times (75 - Y_i)$$

Where:

d_i = number of deaths in age group i;

Y_i = age at midpoint of age group i; and

Σ = summation.

$$\text{PYLLSR} = \frac{\sum m_i \times \pi_i \times (75 - Y_i)}{\Pi} = \frac{22.4 \times 403,061 \times 74.5 + \dots + 287.9 \times 834,024 \times 2.5}{28,120,065} = 46.2$$

Where:

p_i = area population in age group i

π_i = standard population in age group i

$\Pi = \sum \pi_i$ = total standard population

d_i = deaths in LHA population in age group i

Y_i = age at midpoint of age group i

$m_i = d_i/p_i \times 10,000$ = mortality rate per 10,000 LHA population in age group i.

2. RATIOS

• Observed versus Expected Ratios

The following hypothetical examples apply to the vital event ratios shown in this report. The first example shows low birth weight (LBW) live births (less than 2,500 grams), but other live birth ratios, such as caesarean deliveries or live births with maternal or perinatal complications, as well as infant deaths ratios can be substituted. Tables 6, 11, 13, and 19 present these ratios.

Ratios for live births to teenage mothers, elderly gravida live births, preterm live births, or live births by caesarean, although not shown in this report, would also be calculated the same way as the low birth weight ratios. These ratios based on live births should not be confused with observed versus expected ratios that involve age and Sex standardization, such as Standardized Mortality Ratio (SMR) and Potential Years of Life Lost Index (PYLLI). The test of statistical significance is described under Ratios in Statistical Tests of Significance at the end of this appendix.

Low birth weight live births

Year (i)	Local Health Area			British Columbia	
	Low Birth Weight Live Births Observed (O _i)	Low Birth Weight Live Births Expected (E _i)	Total Live Births (L _i)	Low Birth Weight Live Births Observed (b _i)	Total Live Births (B _i)
2005	92	82.9	1,701	2,096	42,989
2006	69	74.6	1,588	1,965	41,846
2007	102	80.2	1,582	2,113	41,655
2008	85	74.7	1,495	2,145	42,913
2009	91	78.1	1,501	2,267	43,586
TOTAL	439	390.6	7,867	10,586	212,989

For the local health area:

1) The expected low birth weight live births for year i = 2005 were:

$$E_i = \frac{b_i}{B_i} \times L_i = \frac{2,096}{42,989} \times 1,701 = 82.9$$

Where:

b_i = number of LBW live births for the province in year i;
B_i = number of live births for the province in year i; and
L_i = number of live births for the LHA.

2) The ratio of observed over the expected LBW live births for the five-year period was:

$$\text{Ratio} = \frac{\sum O_i}{\sum E_i} = \frac{92 + \dots + 91}{82.9 + \dots + 78.1} = \frac{439}{390.6} = 1.1$$

Where:

O_i = observed LBW live births for year i
E_i = expected LBW live births for year i

• Potential Years of Life Lost Index (PYLLI)

Note that this method is both age and sex standardized.

Age Group (x)	Sex (y)	Age Factor (75-Y _{xy})	Local Health Area					British Columbia			
			Estimated Population (p _{xy})	Death Rate /1,000 (m _{xy})	Observed Deaths (d _{xy})	Observed PYLL (d _{xy} (75-Y _{xy}))	Expected PYLL (e _{xy} (75-Y _{xy}))	Estimated Population (P _{xy})	Death Rate /1,000 (D _{xy} /P _{xy} × 1,000)	Observed Death (D _{xy})	Observed PYLL (D _{xy} (75-Y _{xy}))
<1	M	74.5	1,339	2.2	3	223.5	766.3	42,700	7.7	328	24,436.0
<1	F	74.5	1,301	1.8	2	177.3	620.8	40,600	6.4	260	19,380.3
.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.
70-74	M	2.5	1,587	71.3	113	282.8	233.2	65,500	58.8	3,969	9,921.4
70-74	F	2.5	2,779	28.8	80	200.0	182.3	107,000	26.2	2,807	7,017.5
Total			79,140		239	3,183.0	5,100.0	2,966,500		11,068	200,265.5

For the local health area:

$$PYLLI = \frac{O}{E} = \frac{\sum d_{xy} \times (75 - Y_{xy})}{\sum e_{xy} \times (75 - Y_{xy})} = \frac{223.5 + 177.3 + \dots + 285.8 + 200.0}{766.3 + 620.8 + \dots + 233.2 + 182.3} = \frac{3,183}{5,100} = 0.6$$

Where:

O=observed PYLL

E=expected PYLL

d_{xy}=observed deaths in age group x and Sex y

e_{xy}=expected deaths in age group x and Sex y

Y_{xy}=age at midpoint of age group x and Sex y

p_{xy}=LHA population for age group x and Sex y

P_{xy}=provincial population for age group x and Sex y

D_{xy}=provincial deaths for age group x and Sex y

1) Observed PYLL (O)

The number of potential years of life lost (PYLL) based on the number and age at death of deaths that occurred in the LHA. For example, for age group under one year of age and Sex y, the observed PYLL are:
Observed PYLL = deaths x age factor = d_{xy} (75-Y_{xy}) = 3 x 74.5 = 223.5

2) Expected PYLL (E)

The number of potential years of life lost (PYLL) expected for residents of the LHA based on the PYLL from the expected deaths in the age group. For example, for the age group under one year of age and Sex j, the expected PYLL is calculated as follows:

$$\begin{aligned} \text{Expected PYLL} &= \text{expected deaths} \times \text{age factor} = e_{xy} (75 - Y_{xy}) = \frac{D_{xy}}{P_{xy}} \times p_{xy} \times (75 - Y_{xy}) \\ &= \frac{328}{42,700} \times 1,339 \times 74.5 = 766.3 \end{aligned}$$

• Standardized Mortality Ratio (SMR)

Note that this method is both age and sex standardized.

Age Group (i)	Sex (j)	Local Health Area				British Columbia		
		Estimated Population (p_{xy})	Death Rate /1,000 (m_{xy})	Observed Deaths (d_{xy})	Expected Deaths (e_{ij})	Estimated Population (P_{ij})	Death Rate /1,000 (M_{xy})	Observed Deaths (D_{ij})
<1	M	1,339	2.2	3	10.3	42,700	7.7	328
<1	F	1,301	1.8	2	8.3	40,600	6.4	260
.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.
85+	M	1,198	70.1	84	87.2	48,100	72.8	3,502
85+	F	908	159.7	145	138.8	34,500	152.8	5,272
Total		81,016		561	595.1	3,131,700		23,389

For the local health area:

$$SMR = \frac{\sum d_{xy}}{\sum e_{xy}} = \frac{3 + 2 + \dots + 110 + 145}{10.3 + 8.3 + \dots + 92.6 + 138.8} = \frac{561}{595.1} = 0.9$$

Where:

d_{xy} = observed deaths in age group i and Sex j
 e_{xy} = expected deaths in age group i and Sex j

1) Observed Deaths (d)

The actual number of deaths that occurred in the LHA. For example, for age group under one year of age and Sex j, the observed deaths are three.

2) Expected Deaths (e)

The number of deaths expected for residents of the LHA based on the age specific mortality rates for the province as a whole and the population age structure of the LHA. For age group under one year and Sex j, the expected deaths are:

$$e_{xy} = \frac{D_{xy}}{P_{xy}} \times p_{xy} = \frac{328}{42,700} \times 1,339 = 10.3$$

Where:

p_{xy} = LHA population for age group i and Sex j
 D_{xy} = provincial deaths for age group i and Sex j
 P_{xy} = provincial population for age group i and Sex j

3. ESTIMATION OF SMOKING ATTRIBUTABLE MORTALITY (SAM)

This report uses an estimation method to approximate the extent of smoking-attributable deaths based on the concept of attributable risk. To define attributable risk mathematically, consider d_0 and d_1 respectively to represent the death rates, in a given time period, in two cohorts from a population — those not exposed and those exposed to a given risk factor. The attributable risk of this factor, AR_1 would then be:

$$AR_1 = \frac{d_1 - d_0}{d_1} = \frac{r_1 - 1}{r_1}$$

Where:

$r_1 = d_1/d_0$ is the relative risk of the exposed cohort.

The relative risk of the unexposed cohort is $r_0 = 1$; the attributable risk of this cohort is $AR_0 = 0$.

The attributable risk (AR) for the population as a whole (exposed plus unexposed cohorts) is given by:

$$AR = \frac{p_1 (r_1 - 1)}{p_1 (r_1) + (1 - p_1) (r_0)} = \frac{(p_1) (r_1 - 1)}{(p_1) (r_1 - 1) + 1}$$

Where:

p_1 = The proportion or fraction of the population exposed to the risk factor

$1 - p_1$ = The proportion or fraction of the population not exposed to the risk factor

This may be extended to account for multiple levels of exposure, as follows:

$$AR = \frac{\sum_{i=1}^n p_i (r_i - 1)}{\sum_{i=1}^n p_i (r_i - 1) + 1}$$

Where:

p_i = The proportion (prevalence) of the population in the i th level of exposure group

r_i = The relative risk at the i th level of exposure

i = The i th risk category

When applied to smoking-attributable mortality (SAM), the attributable risk is often expressed as a percentage:

$$SAM (\%) = AR \times 100$$

Smoking-attributable deaths are derived by multiplying the smoking-attributable mortality percentage expressed as a decimal fraction by the number of deaths aged 35+ in each of 19 specified cause of death categories. These categories are comprised of selected malignant neoplasms, circulatory system diseases, and respiratory system diseases, and are listed in the Glossary.

Relative-risk data from the American Society's Cancer Prevention Study (CPS-II) 1982–1988¹ were selected for use, as they have been widely used for similar analyses. The data from CPS-II established the age groups and the classification of smokers (current, former, and never) for which smoking prevalence data were required. The relative risk age categories were for 35+, or 35–64 and 65+. B.C. prevalence rates for smoking were provided in the Tobacco Use in B.C. (1997) survey commissioned by the Heart and Stroke Foundation of BC and Yukon.²

4. STATISTICAL TESTS OF SIGNIFICANCE

• Chi Square

For ratios, such as SMRs, a Chi-square (χ^2) test is applied to determine whether the observed number of cases is statistically significantly different from the expected number. For LHA i :

$$\chi^2_i = \frac{(O_i - E_i)^2}{E_i}$$

(with one degree of freedom)

Where:

O_i = Observed number for LHA i

E_i = Expected number for LHA i

If $\chi^2_i > 3.84$, the ratio is statistically significant at 5% significance level.

¹Centres for Disease Control. (1990). Smoking and health: A national status report. (DHSS publication no. (CDC) 87-8396). 2nd Edition. Rockville, MD: U.S. Department of Health and Human Services.

²Tobacco Use in B.C., ANGUS REID GROUP survey results, September 1997.

For SMR values, the Chi-square statistic that is applied is:

$$\chi^2 = 9\hat{O}_i \left(1 - \frac{1}{9\hat{O}_i} - \left(\frac{E_i}{\hat{O}_i}\right)^{1/3}\right)^2$$

Where:

$$\hat{O}_i = O_i \text{ if } O_i > E_i; \text{ otherwise}$$

$$\hat{O}_i = O_i + 1$$

• Confidence Intervals

For rates, such as ASMRs, the test employed to determine statistical significance is a confidence interval. The 95% confidence interval for the difference (D) between a LHA and a provincial rate is defined by the upper and lower limits of the interval as follows:

$$\text{Lower Limit} = D - 1.96 \sqrt{\frac{R_l^2}{O_l} + \frac{R_p^2}{O_p}}$$

$$\text{Upper Limit} = D + 1.96 \sqrt{\frac{R_l^2}{O_l} + \frac{R_p^2}{O_p}}$$

Where:

R_l =Rate for LHA l;
 R_p =Rate for the province;
 O_l =Observed number for LHA l; and
 O_p =Observed number for the province.

If the Lower Limit > 0, then R_l is statistically significantly higher than R_p ;
 if the Upper Limit < 0, then R_l is statistically significantly lower than R_p ; otherwise,
 there is no statistically significant difference.

• P-Value

The p-value is the probability of rejecting the null hypothesis when a specified test procedure is used on a given data set. This probability is the smallest level of significance at which the null hypothesis would be rejected. Once the p-value has been determined, the conclusion at any particular level α results from comparing the p-value to α (e.g. 0.05):

- (a) $p\text{-value} \leq \alpha \rightarrow$ reject null hypothesis at level α ,
- (b) $p\text{-value} > \alpha \rightarrow$ do not reject the null hypothesis at level α .

We call the data statistically significant when the null hypothesis is rejected and not significant otherwise.



Appendix One

Statistical Summaries by Health
Authority, Health Service
Delivery Area, Local Health Area
and Community
British Columbia, 2014

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 01 Interior

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages
11 East Kootenay	001 Fernie	Elkford	DM	Male	-	13	7	
				Female	-	10	5	
				Total	2,603	23	12	13
		Fernie	C	Male	-	46	15	
				Female	-	32	31	
				Total	4,474	78	46	80
		Sparwood	DM	Male	-	19	8	
				Female	-	25	8	
				Total	3,850	44	16	10
	001 Totals			Male	7,885	98	39	
				Female	7,002	90	56	
				Total	14,887	188	95	150
	002 Cranbrook	Cranbrook	C	Male	-	106	92	
				Female	-	90	97	
				Total	19,558	196	189	58
		002 Totals		Male	12,900	127	109	
				Female	12,862	112	103	
				Total	25,762	239	212	144
	003 Kimberley	Kimberley	C	Male	-	39	31	
				Female	-	29	38	
				Total	6,701	68	69	48
		003 Totals		Male	4,268	43	41	
				Female	4,130	38	43	
				Total	8,398	81	84	62
	004 Windermere	Canal Flats	VL	Male	-	7	1	
				Female	-	4	0	
				Total	733	11	1	1
		Invermere	DM	Male	-	19	15	
				Female	-	18	14	
				Total	2,975	37	29	19
		Radium Hot Springs	VL	Male	-	6	3	
				Female	-	6	6	
				Total	764	12	9	27
		004 Totals		Male	4,434	47	35	
				Female	4,578	40	26	
				Total	9,012	87	61	139
	005 Creston	Creston	T	Male	-	10	52	
				Female	-	21	63	
				Total	5,014	31	115	24
		005 Totals		Male	6,058	36	87	
				Female	6,330	46	83	
				Total	12,388	82	170	66
	018 Golden	Golden	T	Male	-	22	13	
				Female	-	15	18	
				Total	3,742	37	31	80
		018 Totals		Male	3,703	33	24	
				Female	3,318	35	23	
				Total	7,021	68	47	200
HSDA 11 Totals				Male	39,248	384	335	
				Female	38,220	361	334	
				Total	77,468	745	669	761
12 Kootenay Boundary	006 Kootenay Lake	Kaslo	VL	Male	-	11	8	
				Female	-	6	10	
				Total	1,009	17	18	7
	006 Totals			Male	1,775	15	20	
				Female	1,637	10	13	
				Total	3,412	25	33	14

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 01 Interior (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriage
12 Kootenay Boundary (continued)	007 Nelson	Nelson	C	Male	-	45	57	
				Female	-	44	52	
				Total	10,469	89	109	70
		Salmo	VL	Male	-	4	13	
				Female	-	3	13	
				Total	1,183	7	26	4
		Slocan	VL	Male	-	3	4	
				Female	-	1	2	
				Total	300	4	6	3
		007 Totals		Male	12,999	98	118	
				Female	12,918	93	100	
				Total	25,917	191	218	132
	009 Castlegar	Castlegar	C	Male	-	48	51	
				Female	-	25	53	
				Total	7,809	73	104	23
		009 Totals		Male	6,953	68	65	
				Female	6,793	48	63	
				Total	13,746	116	128	45
	010 Arrow Lakes	Nakusp	VL	Male	-	6	15	
				Female	-	8	16	
				Total	1,527	14	31	30
		New Denver	VL	Male	-	3	9	
				Female	-	3	6	
				Total	499	6	15	7
		Silverton	VL	Male	-	0	1	
				Female	-	1	1	
				Total	199	1	2	3
		010 Totals		Male	2,278	10	30	
				Female	2,337	14	26	
				Total	4,615	24	56	43
	011 Trail	Fruitvale	VL	Male	-	9	29	
				Female	-	9	11	
				Total	2,052	18	40	17
		Montrose	VL	Male	-	7	3	
				Female	-	7	2	
				Total	1,023	14	5	1
		Rossland	C	Male	-	27	9	
				Female	-	21	7	
				Total	3,604	48	16	10
		Trail	C	Male	-	31	58	
				Female	-	32	72	
				Total	7,428	63	130	20
		Warfield	VL	Male	-	5	4	
				Female	-	8	7	
				Total	1,676	13	11	2
		011 Totals		Male	9,434	82	115	
				Female	9,515	81	102	
				Total	18,949	163	217	62
	012 Grand Forks	Grand Forks	C	Male	-	22	59	
				Female	-	20	55	
				Total	4,021	42	114	23
		012 Totals		Male	4,038	25	74	
				Female	4,161	23	61	
				Total	8,199	48	135	45

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 01 Interior (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages	
12 Kootenay Boundary (continued)	013 Kettle Valley	Greenwood	C	Male	0	2	7		
				Female	0	1	5		
				Total	694	3	12	4	
		Midway	VL	Male	0	1	2		
				Female	0	2	5		
				Total	667	3	7	3	
		013 Totals			Male	1,601	9	19	
					Female	1,558	10	16	
					Total	3,159	19	35	14
	HSDA 12 Totals				Male	39,078	307	441	
			Female	38,919	279	381			
			Total	77,997	586	822	355		
13 Okanagan	014 Southern Okanagan	Oliver	T	Male	0	27	65		
				Female	0	22	50		
				Total	4,619	49	115	33	
		Osoyoos	T	Male	0	24	44		
				Female	0	19	36		
				Total	4,745	43	80	55	
		014 Totals			Male	8,968	74	147	
					Female	9,470	67	116	
					Total	18,438	141	263	162
	015 Penticton	Penticton	C	Male	0	124	219		
				Female	0	110	231		
				Total	34,050	234	450	158	
		015 Totals			Male	20,587	158	254	
					Female	22,000	123	258	
					Total	42,587	281	512	255
	016 Keremeos	Keremeos	VL	Male	0	8	26		
				Female	0	6	21		
				Total	1,354	14	47	4	
		016 Totals			Male	2,569	20	47	
					Female	2,553	17	35	
					Total	5,122	37	82	18
	017 Princeton	Princeton	T	Male	0	13	31		
				Female	0	15	24		
				Total	2,761	28	55	19	
		017 Totals			Male	2,296	13	32	
					Female	2,245	15	26	
					Total	4,541	28	58	32
	021 Armstrong - Spallumcheen	Armstrong	C	Male	0	23	25		
				Female	0	30	37		
				Total	4,878	53	62	15	
Spallumcheen		DM	Male	0	15	4			
			Female	0	12	6			
			Total	5,166	27	10	18		
021 Totals				Male	4,932	38	29		
				Female	5,132	42	43		
				Total	10,064	80	72	33	
022 Vernon	Coldstream	DM	Male	0	33	32			
			Female	0	34	21			
			Total	10,523	67	53	53		
	Lumby	VL	Male	0	22	21			
			Female	0	6	15			
			Total	1,769	28	36	4		
	Vernon	C	Male	0	193	231			
			Female	0	169	282			
			Total	39,167	362	513	216		

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 01 Interior (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages
13 Okanagan (continued)	022 Vernon			Male	31,855	304	351	
	Totals			Female	33,547	258	359	
				Total	65,402	562	710	352
	023 Central Okanagan	Kelowna	C	Male	-	551	526	
				Female	-	523	551	
				Total	121,529	1,074	1,077	754
		Lake Country	DM	Male	-	53	39	
				Female	-	51	29	
				Total	13,048	104	68	112
		Peachland	DM	Male	-	19	21	
				Female	-	18	12	
				Total	5,088	37	33	30
	023 Totals			Male	92,622	851	814	
				Female	96,278	806	774	
				Total	188,900	1,657	1,588	1,225
	077 Summerland	Summerland	DM	Male	-	29	84	
				Female	-	41	68	
				Total	11,095	70	152	96
	077 Totals			Male	5,558	29	84	
				Female	6,083	41	68	
				Total	11,641	70	152	96
	078 Enderby	Enderby	C	Male	-	21	18	
				Female	-	17	19	
				Total	2,878	38	37	5
	078 Totals			Male	3,651	43	38	
				Female	3,671	37	25	
				Total	7,322	80	63	35
HSDA 13 Totals				Male	173,038	1,530	1,796	
				Female	180,979	1,406	1,704	
				Total	354,017	2,936	3,500	2,208
14 Thompson Cariboo Shuswap	019 Revelstoke	Revelstoke	C	Male	-	38	29	
				Female	-	48	32	
				Total	7,202	86	61	48
	019 Totals			Male	3,986	38	29	
				Female	3,800	48	32	
				Total	7,786	86	61	48
	020 Salmon Arm	Salmon Arm	C	Male	-	82	122	
				Female	-	54	111	
				Total	17,590	136	233	62
		Sicamous	DM	Male	-	7	12	
				Female	-	9	12	
				Total	2,438	16	24	14
	020 Totals			Male	16,914	133	183	
				Female	17,200	115	169	
				Total	34,114	248	352	162
	024 Kamloops	Chase	VL	Male	-	16	24	
				Female	-	10	14	
				Total	2,407	26	38	18
		Kamloops	C	Male	-	444	394	
				Female	-	451	398	
				Total	89,454	895	792	380
		Logan Lake	DM	Male	-	7	15	
				Female	-	9	9	
				Total	2,066	16	24	7
	024 Totals			Male	56,463	527	526	
				Female	56,179	540	460	
				Total	112,642	1,067	986	590

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 01 Interior (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages
14 Thompson Cariboo Shuswap (continued)	025 Mile House	100 Mile House	DM	Male		18	24	
				Female	0	9	32	
				Total	1,883	27	56	19
	025 Totals			Male	7,194	59	63	
				Female	6,560	44	59	
				Total	13,754	103	122	78
	026 North Thompson			Male	2,160	17	23	
				Female	2,079	18	16	
				Total	4,239	35	39	25
	027 Cariboo - Chilcotin	Williams Lake	C	Male	0	95	49	
				Female	0	60	57	
				Total	10,949	155	106	37
	027 Totals			Male	13,356	141	109	
				Female	12,435	122	99	
				Total	25,791	263	208	93
	029 Lillooet	Lillooet	DM	Male	0	11	23	
				Female	0	17	16	
				Total	2,352	28	39	15
	029 Totals			Male	2,211	12	25	
				Female	2,050	21	17	
				Total	4,261	33	42	18
	030 South Cariboo	Ashcroft	VL	Male	0	6	19	
				Female	0	7	11	
				Total	1,601	13	30	9
		Cache Creek	VL	Male	0	7	8	
				Female	0	3	5	
				Total	1,014	10	13	9
		Clinton	VL	Male	0	2	7	
				Female	0	5	3	
				Total	625	7	10	9
		Lytton	VL	Male	0	0	0	
				Female	0	0	0	
				Total	242	0	0	
	030 Totals			Male	3,545	21	47	
				Female	3,454	29	35	
				Total	6,999	50	82	40
	031 Merritt	Merritt	C	Male	0	42	66	
				Female	0	39	45	
				Total	7,469	81	111	25
	031 Totals			Male	5,895	49	82	
				Female	5,749	45	51	
				Total	11,644	94	133	43
HSDA 14 Totals				Male	111,724	997	1,087	
				Female	109,506	982	938	
				Total	221,230	1,979	2,025	1,097
Health Authority 01 Interior Totals				Male	363,088	3,218	3,659	
				Female	367,624	3,028	3,357	
				Total	730,712	6,246	7,016	4,421

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 02 Fraser

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages		
21 Fraser East	032 Hope	Hope	DM	Male	-	27	63			
				Female	-	19	39			
				Total	5,713	46	102	34		
				032 Totals	Male	3,718	31	68		
					Female	3,609	21	45		
					Total	7,327	52	113	42	
	033 Chilliwack	Chilliwack	C	Male	-	505	372			
				Female	-	445	339			
				Total	82,874	950	711	333		
				033 Totals	Male	45,154	534	426		
					Female	45,966	473	378		
					Total	91,120	1,007	804	390	
	034 Abbotsford	Abbotsford	C	Male	-	830	475			
				Female	-	776	493			
				Total	139,624	1,606	968	573		
				034 Totals	Male	69,430	833	476		
					Female	69,341	778	495		
					Total	138,771	1,611	971	574	
	075 Mission	Mission	DM	Male	-	199	138			
				Female	-	219	129			
				Total	37,854	418	267	162		
				075 Totals	Male	21,174	213	163		
					Female	20,475	242	145		
					Total	41,649	455	308	191	
	076 Agassiz - Harrison	Harrison Hot Springs	VL	Male	-	3	2			
				Female	-	4	5			
				Total	1,502	7	7	89		
				Kent	DM	Male	-	40	34	
						Female	-	50	30	
						Total	5,881	90	64	121
		076 Totals	Male			4,952	43	36		
			Female			4,351	54	35		
			Total			9,303	97	71	210	
HSDA 21 Totals				Male	144,428	1,654	1,169			
				Female	143,742	1,568	1,098			
				Total	288,170	3,222	2,267	1,407		
22 Fraser North	040 New Westminster	New Westminster	C	Male	-	391	234			
				Female	-	325	261			
				Total	70,192	716	495	318		
				040 Totals	Male	34,591	391	234		
					Female	35,269	325	261		
					Total	69,860	716	495	318	
	041 Burnaby	Burnaby	C	Male	-	1,214	714			
				Female	-	1,139	626			
				Total	234,774	2,353	1,340	879		
				041 Totals	Male	115,555	1,214	714		
					Female	118,179	1,139	626		
					Total	233,734	2,353	1,340	879	
	042 Maple Ridge	Maple Ridge	C	Male	-	371	301			
				Female	-	399	292			
				Total	80,817	770	593	255		
				Pitt Meadows	C	Male	-	87	46	
						Female	-	86	34	
						Total	18,763	173	80	186
		042 Totals	Male			49,641	460	347		
			Female			50,053	486	326		
			Total			99,694	946	673	441	

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 02 Fraser (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages
22 Fraser North (continued)	043 Coquitlam	Anmore	VL	Male	-	8	3	
				Female	-	6	3	
				Total	2,278	14	6	5
		Belcarra	VL	Male	-	2	1	
				Female	-	0	0	
				Total	637	2	1	5
		Coquitlam	C	Male	-	669	334	
				Female	-	623	364	
				Total	141,691	1,292	698	328
		Port Coquitlam	C	Male	-	305	160	
				Female	-	281	157	
				Total	60,097	586	317	95
		Port Moody	C	Male	-	216	55	
				Female	-	191	64	
				Total	34,884	407	119	123
	043 Totals			Male	119,150	1,200	553	
				Female	119,527	1,101	588	
				Total	238,677	2,301	1,141	556
HSDA 22 Totals				Male	318,937	3,265	1,848	
				Female	323,028	3,051	1,801	
				Total	641,965	6,316	3,649	2,194
23 Fraser South	035 Langley	Langley (City)	C	Male	-	168	120	
				Female	-	128	145	
				Total	26,805	296	265	191
		Langley (DM)	DM	Male	-	646	389	
				Female	-	570	345	
				Total	115,192	1,216	734	586
	035 Totals			Male	70,468	814	519	
				Female	71,530	698	490	
				Total	141,998	1,512	1,009	779
	037 Delta	Delta	DM	Male	-	395	346	
				Female	-	392	328	
				Total	101,503	787	674	269
		Surrey	C	Male	-	0	0	
				Female	-	0	0	
				Total	*	0	0	
	037 Totals			Male	50,522	396	349	
				Female	51,354	394	329	
				Total	101,876	790	678	270
	201 Surrey	Surrey	C	Male	-	2,618	1,127	
				Female	-	2,386	986	
				Total	515,638	5,004	2,113	1,159
	201 Totals			Male	224,100	2,618	1,129	
				Female	217,271	2,386	986	
				Total	441,371	5,004	2,115	1,163
	202 South Surrey/ White Rock	Surrey	C	Male	-	290	326	
				Female	-	251	371	
				Total	*	541	697	257
		White Rock	C	Male	-	61	119	
				Female	-	66	124	
				Total	19,232	127	243	68
	202 Totals			Male	43,539	353	445	
				Female	47,905	317	496	
				Total	91,444	670	941	342
HSDA 23 Totals				Male	388,629	4,181	2,442	
				Female	388,060	3,795	2,301	
				Total	776,689	7,976	4,743	2,554

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 02 Fraser (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages
Health Authority 02 Fraser Totals				Male	851,994	9,100	5,459	
				Female	854,830	8,414	5,200	
				Total	1,706,824	17,514	10,659	6155
Health Authority - 03 Vancouver Coastal								
31 Richmond	038 Richmond	Richmond	C	Male	0	1,056	432	
				Female	0	1,028	446	
				Total	206,080	2,084	878	969
	038 Totals			Male	99,780	1,056	432	
				Female	105,482	1,028	446	
				Total	205,262	2,084	878	969
	HSDA 31 Totals			Male	99,780	1,056	432	
			Female	105,482	1,028	446		
			Total	205,262	2,084	878	969	
32 Vancouver	161 Vancouver - City Centre			Male	62,782	576	383	
				Female	59,837	552	311	
				Total	122,619	1,128	694	1,437
	162 Vancouver - Downtown Eastside			Male	32,341	337	311	
				Female	29,389	291	175	
				Total	61,730	628	486	474
	163 Vancouver - North East			Male	52,198	500	320	
				Female	54,201	506	275	
				Total	106,399	1,006	595	538
	164 Vancouver - Westside			Male	64,921	589	345	
				Female	72,463	528	434	
				Total	137,384	1,117	779	1,122
	165 Vancouver - Midtown			Male	44,895	617	234	
				Female	46,905	558	218	
				Total	91,800	1,175	452	559
	166 Vancouver - South			Male	67,252	657	419	
				Female	71,301	597	401	
				Total	138,553	1,254	820	301
	HSDA 32 Totals			Male	324,389	3,276	2,012	
				Female	334,096	3,032	1,814	
				Total	658,485	6,308	3,826	4,431
33 North Shore/ Coast Garibaldi	044 North Vancouver	North Vancouver (City)	C	Male	0	259	145	
				Female	0	277	186	
				Total	52,600	536	331	140
		North Vancouver (DM)	DM	Male	0	346	263	
				Female	0	310	280	
				Total	86,902	656	543	215
	044 Totals			Male	69,234	622	416	
				Female	72,424	605	474	
				Total	141,658	1,227	890	362
	045 West Vancouver-Bowen Island	Bowen Island	IM	Male	0	12	8	
				Female	0	14	11	
				Total	3,487	26	19	32
		Lions Bay	VL	Male	0	7	1	
				Female	0	2	3	
				Total	1,352	9	4	5
	West Vancouver	DM	Male	0	101	194		
			Female	0	94	254		
			Total	42,233	195	448	248	
	045 Totals			Male	23,836	127	216	
				Female	26,535	120	282	
				Total	50,371	247	498	289
	046 Sunshine Coast	Gibsons	T	Male	0	15	40	
				Female	0	25	40	
				Total	4,520	40	80	6

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 03 Vancouver Coastal (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages			
33 North Shore/ Coast Garibaldi <i>(continued)</i>	046 Sunshine Coast (continued)	Sechelt/Sechelt Indian Govt. Dist.	DM/ IGD	Male	-	33	62				
				Female	-	34	51				
				Total	10,701	67	113	45			
				046 Totals	Male	14,449	89	174			
					Female	15,135	95	136			
					Total	29,584	184	310	262		
				047 Powell River	Powell River	C	Male	-	53	95	
							Female	-	49	88	
							Total	13,026	102	183	35
	047 Totals	Male	9,729				78	136			
		Female	9,762				64	106			
		Total	19,491				142	242	62		
	048 Howe Sound	Pemberton	VL				Male	-	28	5	
							Female	-	24	2	
							Total	2,618	52	7	44
				Squamish	DM	Male	-	138	55		
						Female	-	106	41		
						Total	18,509	244	96	93	
		Whistler	DM	Male	-	37	5				
				Female	-	43	4				
				Total	10,469	80	9	258			
		048 Totals	Male	19,534	240	74					
			Female	17,701	197	57					
			Total	37,235	437	131	455				
	49 Bella Coola Valley			Male	1,381	14	15				
				Female	1,234	14	7				
				Total	2,615	28	22	11			
	083 Central Coast			Male	879	11	11				
				Female	732	13	5				
				Total	1,611	24	16	12			
HSDA 33 Totals			Male	139,042	1,181	1,042					
			Female	143,523	1,108	1,067					
			Total	282,565	2,289	2,109	1,453				
Health Authority 03 Vancouver Coastal Totals			Male	563,211	5,513	3,486					
			Female	583,101	5,168	3,327					
			Total	1,146,312	10,681	6,813	6,853				

Health Authority - 04 Vancouver Island

41 South Vancouver Island	061 Greater Victoria	Esquimalt	DM	Male	-	89	64	
				Female	-	99	67	
				Total	16,773	188	131	134
		Highlands	DM	Male	-	0	1	
				Female	-	1	0	
				Total	*	1	1	1
		Oak Bay	DM	Male	-	51	96	
				Female	-	46	97	
				Total	17,504	97	193	89
		Saanich	DM	Male	-	375	294	
				Female	-	410	273	
				Total	111,022	785	567	252
		Victoria	C	Male	-	342	496	
				Female	-	319	646	
				Total	83,450	661	1,142	489
		View Royal	T	Male	-	46	19	
				Female	-	55	23	
				Total	10,750	101	42	20

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 04 Vancouver Island (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages
41 South Vancouver Island (continued)	061 Greater Victoria Totals			Male	105,958	914	982	
				Female	112,658	951	1,121	
				Total	218,616	1,865	2,103	989
	062 Sooke	Colwood	C	Male	-	98	59	
				Female	-	89	59	
				Total	16,676	187	118	113
		Highlands	DM	Male	-	8	3	
				Female	-	6	3	
				Total	2,210	14	6	3
		Langford	C	Male	-	227	88	
				Female	-	232	87	
				Total	34,763	459	175	315
		Metchosin	DM	Male	-	18	11	
				Female	-	14	11	
				Total	4,925	32	22	31
		Saanich	DM	Male	-	0	0	
				Female	-	0	0	
				Total	*	0	0	
		Sooke	DM	Male	-	72	32	
				Female	-	57	39	
				Total	12,165	129	71	80
		View Royal	T	Male	-	1	0	
				Female	-	0	0	
				Total	*	1	0	1
	062 Totals			Male	38,233	438	210	
				Female	37,724	415	219	
				Total	75,957	853	429	601
	063 Saanich	Central Saanich	DM	Male	-	55	93	
				Female	-	65	83	
				Total	16,024	120	176	131
		North Saanich	DM	Male	-	21	36	
				Female	-	25	20	
				Total	11,102	46	56	78
		Saanich	DM	Male	-	77	129	
				Female	-	57	91	
				Total	*	134	220	131
		Sidney	T	Male	-	41	98	
				Female	-	26	89	
				Total	11,097	67	187	34
	063 Totals			Male	30,259	212	370	
				Female	32,307	183	296	
				Total	62,566	395	666	390
	064 Gulf Islands			Male	7,467	38	68	
				Female	7,857	32	68	
				Total	15,324	70	136	216
HSDA 41 Totals				Male	181,917	1,602	1,630	
				Female	190,546	1,581	1,704	
				Total	372,463	3,183	3,334	2,196
42 Central Vancouver Island	065 Cowichan	Duncan	C	Male	-	27	65	
				Female	-	15	97	
				Total	4,761	42	162	17
		North Cowichan	DM	Male	-	107	106	
				Female	-	110	74	
				Total	29,704	217	180	108
	065 Totals			Male	28,696	261	267	
				Female	29,327	257	252	
				Total	58,023	518	519	323

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 04 Vancouver Island (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages	
42 Central Vancouver Island (continued)	066 Lake Cowichan	Lake Cowichan	T	Male	-	10	22		
				Female	-	17	15		
				Total	3,107	27	37	17	
		066 Totals			Male	3,125	20	27	
					Female	2,980	22	19	
					Total	6,105	42	46	36
	067 Ladysmith	Ladysmith	T	Male	-	42	45		
				Female	-	29	50		
				Total	8,266	71	95	42	
		North Cowichan	DM	Male	-	17	42		
				Female	-	18	49		
				Total	*	35	91	19	
		067 Totals			Male	8,835	79	111	
					Female	9,485	74	119	
					Total	18,320	153	230	96
	068 Nanaimo	Lantzville	DM	Male	-	13	15		
				Female	-	8	8		
				Total	3,489	21	23	18	
		Nanaimo	C	Male	-	407	471		
				Female	-	381	480		
				Total	88,405	788	951	243	
		068 Totals			Male	52,855	472	534	
					Female	54,265	434	515	
					Total	107,120	906	1,049	337
	069 Qualicum	Parksville	C	Male	-	24	113		
				Female	-	35	116		
				Total	12,230	59	229	114	
		Qualicum Beach	T	Male	-	8	84		
				Female	-	10	84		
				Total	8,503	18	168	61	
		069 Totals			Male	22,136	106	315	
					Female	23,651	100	273	
					Total	45,787	206	588	278
	070 Alberni	Port Alberni	C	Male	-	80	125		
				Female	-	81	86		
				Total	16,554	161	211	50	
		Tofino	DM	Male	-	22	3		
				Female	-	19	2		
				Total	2,064	41	5	235	
		Ucluelet	DM	Male	-	13	3		
				Female	-	11	3		
				Total	1,595	24	6	118	
	070 Totals			Male	15,640	145	182		
				Female	15,236	139	120		
				Total	30,876	284	302	452	
HSDA 42 Totals				Male	131,287	1,083	1,436		
				Female	134,944	1,026	1,298		
				Total	266,231	2,109	2,734	1522	
43 North Vancouver Island	071 Courtenay	Comox	T	Male	-	53	70		
				Female	-	37	74		
				Total	13,754	90	144	61	
		Courtenay	C	Male	-	111	137		
				Female	-	103	136		
				Total	24,639	214	273	116	
		Cumberland	VL	Male	-	18	24		
				Female	-	32	29		
				Total	3,492	50	53	10	

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 04 Vancouver Island (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages
43 North Vancouver Island (continued)	071 Courtenay Totals			Male	31,590	258	309	
				Female	33,049	244	295	
				Total	64,639	502	604	350
	072 Campbell River			Male	-	163	168	
	Campbell River	C	Female	-	168	140		
			Total	32,517	331	308	151	
	Sayward	VL	Male	-	0	0		
			Female	-	0	0		
			Total	308	0	0		
	072 Totals			Male	21,452	202	211	
				Female	21,126	202	163	
				Total	42,578	404	374	250
	084 Vancouver Island West			Male	-	3	2	
	Gold River	VL	Female	-	4	4		
			Total	1,256	7	6	2	
	Tahsis	VL	Male	-	3	2		
			Female	-	2	0		
			Total	309	5	2	1	
	Zeballos	VL	Male	-	0	0		
			Female	-	0	0		
			Total	*	0	0		
	084 Totals			Male	1,080	8	5	
				Female	1,009	6	4	
				Total	2,089	14	9	5
	085 Vancouver Island North			Male	-	4	5	
	Alert Bay	VL	Female	-	4	6		
			Total	440	8	11	2	
	Port Alice	VL	Male	-	4	3		
			Female	-	4	3		
			Total	793	8	6	3	
	Port Hardy	DM	Male	-	30	15		
			Female	-	26	18		
			Total	4,005	56	33	12	
	Port Mcneill	T	Male	-	0	0		
			Female	-	0	0		
			Total	2,505	0	0		
	Zeballos	VL	Male	-	3	3		
			Female	-	2	0		
			Total	110	5	3		
	085 Totals			Male	6,113	61	46	
				Female	5,612	55	38	
				Total	11,725	116	84	40
HSDA 43 Totals				Male	60,235	529	571	
				Female	60,796	507	500	
				Total	121,031	1,036	1,071	645
Health Authority				Male	373,439	3,214	3,637	
04 Vancouver Island Totals				Female	386,286	3,114	3,502	
				Total	759,725	6,328	7,139	4,363

Health Authority - 05 Northern

51 Northwest	050 Queen Charlotte	Masset	VL	Male	-	11	6	
				Female	-	15	0	
				Total	883	26	6	10
		Port Clements	VL	Male	-	3	2	
				Female	-	1	1	
				Total	372	4	3	3
		Village Of Queen Charlotte	VL	Male	-	2	8	
				Female	-	14	4	
				Total	938	16	12	3

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 05 Northern (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages	
51 Northwest (continued)	050 Totals			Male	2,236	18	18		
				Female	2,106	30	5		
				Total	4,342	48	23	19	
	051 Snow Country	Stewart	DM	Male	-	0	0		
				Female	-	0	0		
				Total	425	0	0		
	051 Totals			Male	300	3	3		
				Female	283	2	0		
				Total	583	5	3	1	
	052 Prince Rupert	Port Edward	DM	Male	-	5	2		
				Female	-	2	2		
				Total	533	7	4	5	
		Prince Rupert	C	Male	-	64	42		
				Female	-	72	49		
				Total	11,829	136	91	43	
	052 Totals			Male	6,771	72	48		
				Female	6,503	80	53		
				Total	13,274	152	101	49	
	053 Upper Skeena	Hazelton	VL	Male	-	2	1		
				Female	-	5	5		
				Total	270	7	6	9	
		New Hazelton	DM	Male	-	7	5		
				Female	-	12	5		
				Total	662	19	10	3	
	053 Totals			Male	2,354	29	15		
				Female	2,189	21	12		
				Total	4,543	50	27	26	
	054 Smithers	Houston	DM	Male	-	27	14		
				Female	-	24	5		
				Total	3,115	51	19	10	
		Smithers	T	Male	-	35	29		
				Female	-	33	25		
				Total	5,075	68	54	35	
		Telkwa	VL	Male	-	0	0		
				Female	-	0	0		
				Total	1,366	0	0		
	054 Totals			Male	8,669	106	69		
				Female	8,180	110	38		
				Total	16,849	216	107	90	
	080 Kitimat	Kitimat	DM	Male	-	53	26		
				Female	-	49	25		
				Total	8,465	102	51	23	
	080 Totals			Male	5,088	61	33		
				Female	4,482	55	31		
				Total	9,570	116	64	26	
	087 Stikine			Male	499	4	2		
				Female	455	5	0		
				Total	954	9	2	6	
	088 Terrace	Terrace	C	Male	-	78	55		
				Female	-	59	52		
				Total	11,197	137	107	63	
	088 Totals			Male	10,444	124	94		
				Female	10,317	101	71		
				Total	20,761	225	165	97	
	092 Nisga'a			Male	1,213	14	6		
				Female	938	14	5		
				Total	2,151	28	11	6	

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 05 Northern (*continued*)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages
51 Northwest (<i>continued</i>)	094 Telegraph Creek			Male	360	6	3	
				Female	332	2	1	
				Total	692	8	4	1
				Male	37,934	437	291	
HSDA 51 Totals				Female	35,785	420	216	
				Total	73,719	857	507	321
52 Northern Interior	028 Quesnel	Quesnel	C	Male	-	61	53	
				Female	-	52	43	
				Total	9,761	113	96	38
		Wells	DM	Male	-	1	1	
				Female	-	1	2	
				Total	234	2	3	6
	028 Totals			Male	11,984	121	105	
				Female	11,712	105	80	
				Total	23,696	226	185	128
	055 Burns Lake	Burns Lake	VL	Male	-	21	17	
				Female	-	19	15	
				Total	1,982	40	32	12
		Granisle	VL	Male	-	3	4	
				Female	-	1	2	
				Total	306	4	6	2
	055 Totals			Male	3,601	40	28	
				Female	3,438	38	21	
				Total	7,039	78	49	27
	056 Nechako	Fort St. James	DM	Male	-	23	21	
				Female	-	25	14	
				Total	1,793	48	35	16
		Fraser Lake	VL	Male	-	11	14	
				Female	-	8	8	
				Total	1,167	19	22	9
		Vanderhoof	DM	Male	-	62	36	
				Female	-	55	26	
				Total	4,514	117	62	26
	056 Totals			Male	8,965	109	79	
				Female	8,154	98	53	
				Total	17,119	207	132	59
	057 Prince George	Mackenzie	DM	Male	-	18	9	
				Female	-	18	4	
				Total	3,523	36	13	10
		McBride	VL	Male	-	6	5	
				Female	-	10	3	
				Total	584	16	8	11
		Prince George	C	Male	-	428	334	
				Female	-	417	265	
				Total	73,321	845	599	290
		Valemount	VL	Male	-	4	8	
				Female	-	2	6	
				Total	963	6	14	20
	057 Totals			Male	47,924	508	402	
				Female	46,117	512	295	
				Total	94,041	1,020	697	389
HSDA 52 Totals				Male	72,474	778	614	
				Female	69,421	753	449	
				Total	141,895	1,531	1,063	603
53 Northeast	059 Peace River South	Chetwynd	DM	Male	-	30	15	
				Female	-	37	15	
				Total	2,732	67	30	26

APPENDIX 1

STATISTICAL SUMMARIES BY HEALTH AUTHORITY, HEALTH SERVICE DELIVERY AREA, LOCAL HEALTH AREA AND COMMUNITY

BRITISH COLUMBIA, 2014

Health Authority - 05 Northern (continued)

HSDA	LHA	Community	Type†	Sex	Population	Births	Deaths	Marriages					
53 Northeast (continued)	059 Peace River South (continued)	Dawson Creek	C	Male	-	104	68						
				Female	-	104	57						
				Total	12,248	208	125	52					
		Pouce Coupe	VL	Male	-	6	7						
				Female	-	7	1						
				Total	731	13	8	8					
		Tumbler Ridge	DM	Male	-	14	13						
				Female	-	21	2						
				Total	2,931	35	15	7					
		059 Totals			Male	14,737	180	124					
					Female	13,693	197	81					
					Total	28,430	377	205	119				
	060 Peace River North	Fort St. John	C	Male	-	247	69						
				Female	-	204	45						
				Total	21,118	451	114	92					
		Hudson's Hope	DM	Male	-	5	6						
				Female	-	7	2						
				Total	1,035	12	8	3					
		Taylor	DM	Male	-	22	4						
				Female	-	15	4						
				Total	1,479	37	8	11					
		060 Totals			Male	19,693	346	110					
					Female	17,802	308	65					
					Total	37,495	654	175	162				
	081 Fort Nelson	Northern Rockies Regional Municipality	RGM	Male	-	37	12						
				Female	-	31	10						
				Total	5,348	68	22	23					
				Male	3,346	39	14						
				Female	2,844	32	11						
	081 Totals			Total	6,190	71	25	23					
				Male	37,776	565	248						
				Female	34,339	537	157						
				Total	72,115	1,102	405	304					
HSDA 53 Totals				Male	148,184	1,780	1,153						
				Female	139,545	1,710	822						
				Total	287,729	3,490	1,975	1,228					
Health Authority 05 Northern Totals				Male	2,299,916	22,825	17,405						
				Female	2,331,386	21,436	16,210						
				Total	4,631,302	44,261	33,615	23,020					
Provincial Totals				Male	2,299,916	22,825	17,405						
				Female	2,331,386	21,436	16,210						
				Total	4,631,302	44,261	33,615	23,020					

Notes:

Live births, stillbirths and deaths are assigned to communities based on the postal code of usual residence.

Marriages are assigned according to the place where the marriage ceremony was performed, and include nonresidents.

Totals for sex include cases with unknown sex.

Population estimates and average age (2014) and life expectancy (2010-2013) from BC Stats, Ministry of Labour and Citizens' Services.

† C=City, T=Town, VL=Village, DM=District Municipality, IGD= Indian Government District, IM=Island Municipality, RGM=Regional Municipality.

*Some communities span the boundaries of more than one LHA. The population is shown under the LHA that represents the majority of events. An asterisk indicates the population for a particular community is listed under a different LHA.

Regional death totals do not include decedents with no known address. However, the deaths are recognized as B.C. deaths and are included in provincial totals.



Appendix Two

Detailed Cause of Death by
Sex and Age
British Columbia, 2014

APPENDIX 2 (A02 - B22)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Other salmonella infections	A02	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other bacterial intestinal infections	A04	M	-	-	-	-	-	-	-	1	2	9	12
		F	-	-	-	-	-	-	-	1	5	19	25
Viral & other specified intestinal infections	A08	M	-	-	-	-	-	-	-	-	-	8	8
		F	-	-	-	-	-	-	-	-	-	4	4
Diarrhoea & gastroenteritis of presumed infectious origin	A09	M	-	-	-	-	-	-	-	2	1	8	11
		F	-	-	-	-	-	-	1	-	1	20	22
Respiratory tuberculosis	A16	M	-	-	-	-	-	-	1	2	1	2	6
		F	-	-	-	-	-	-	-	1	1	2	4
Tuberculosis of nervous system	A17	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Tuberculosis of other organs	A18	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Miliary tuberculosis	A19	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	1	-	1
Infection due to other mycobacteria	A31	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	1	1	2
Listeriosis	A32	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Streptococcal septicaemia	A40	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	1	-	-	-	-	-	1	1	3	6
Other septicaemia	A41	M	-	-	-	-	-	-	-	10	23	32	65
		F	-	-	-	-	-	-	2	11	15	42	70
Nocardiosis	A43	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Other bacterial diseases NOS	A48	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Bacterial infection of unspecified site	A49	M	-	-	-	-	-	-	-	-	1	3	4
		F	-	-	-	-	-	-	1	-	2	1	4
Atypical virus infections of the central nervous system	A81	M	-	-	-	-	-	-	-	3	6	-	9
		F	-	-	-	-	-	-	-	1	-	1	2
Other viral encephalitis, NOS	A85	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1
Unspecified viral encephalitis	A86	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	1	-	-	-	-	-	-	-	-	1
Viral meningitis	A87	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Herpesviral [herpes simplex] infections	B00	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Varicella [chickenpox]	B01	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Zoster [herpes zoster]	B02	M	-	-	-	-	-	-	-	1	1	1	3
		F	-	-	-	-	-	-	-	-	2	4	6
Acute hepatitis B	B16	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Chronic viral hepatitis	B18	M	-	-	-	-	-	-	1	61	23	-	85
		F	-	-	-	-	-	-	-	26	12	4	42
HIV resulting in infectious & parasitic diseases	B20	M	-	-	-	-	-	1	2	-	1	-	4
		F	-	-	-	-	-	-	-	1	-	-	1
HIV resulting in malignant neoplasms	B21	M	-	-	-	-	-	-	-	4	1	-	5
		F	-	-	-	-	-	-	1	-	-	-	1
HIV resulting in other specified diseases	B22	M	-	-	-	-	-	-	-	5	-	-	5
		F	-	-	-	-	-	-	-	-	-	-	0

APPENDIX 2 (B23 - C16)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Candidiasis	B23	M	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	0	0	2	3	5
Aspergillosis	B24	M	0	0	0	0	0	0	0	0	0	1	1
		F	0	0	0	0	0	0	0	0	1	0	1
Cryptococcosis	B33	M	0	0	0	0	0	0	0	1	0	0	1
		F	0	0	0	0	0	0	1	1	0	0	2
Unspecified mycosis	B34	M	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	2	0	2
Toxoplasmosis	B37	M	0	0	0	0	0	0	0	1	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0
Sequelae of tuberculosis	B44	M	0	0	0	0	0	0	0	1	2	3	6
		F	0	0	0	0	0	0	0	0	0	1	1
Post polio syndrome	B45	M	0	0	0	0	0	0	0	0	0	1	1
		F	0	0	0	0	0	0	0	0	0	0	0
Sequelae of other & unspecified infectious & parasitic diseases	B49	M	0	0	0	0	0	0	0	0	1	2	3
		F	0	0	0	0	0	0	0	0	0	1	1
Other & unspecified infectious diseases	B90	M	0	0	0	0	0	0	0	1	0	0	1
		F	0	0	0	0	0	0	0	0	1	1	2
Malignant neoplasm of lip	B91	M	0	0	0	0	0	0	0	1	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of base of tongue	B94	M	0	0	0	0	0	0	0	2	3	0	5
		F	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasm of other & unspecified parts of tongue	B99	M	0	0	0	0	0	0	0	13	10	2	25
		F	0	0	0	0	0	0	0	4	6	7	17
Malignant neoplasm of gum	C02	M	0	0	0	0	0	0	0	0	1	2	3
		F	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasm of floor of mouth	C03	M	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasm of palate	C04	M	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasm of other & unspecified parts of mouth	C05	M	0	0	0	0	0	0	0	2	11	6	19
		F	0	0	0	0	0	0	0	0	4	5	9
Malignant neoplasm of parotid gland	C06	M	0	0	0	0	0	0	0	1	6	5	12
		F	0	0	0	0	0	0	0	0	0	2	2
Malignant neoplasm of other & unspecified major salivary glands	C07	M	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	1	0	0	0	1
Malignant neoplasm of tonsil	C08	M	0	0	0	0	0	0	0	5	3	0	8
		F	0	0	0	0	0	0	0	1	1	0	2
Malignant neoplasm of oropharynx	C09	M	0	0	0	0	0	0	0	8	2	2	12
		F	0	0	0	0	0	0	0	1	0	1	2
Malignant neoplasm of nasopharynx	C10	M	0	0	0	0	0	0	2	14	2	2	20
		F	0	0	0	0	0	0	1	4	3	3	11
Malignant neoplasm of pyriform sinus	C11	M	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	1	1	0	2
Malignant neoplasm of hypopharynx	C12	M	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	0	0	0	0	1	1
Malignant neoplasm of other & ill-defined sites in the lip, oral cavity & pharynx	C13	M	0	0	0	0	0	0	0	2	4	2	8
		F	0	0	0	0	0	0	0	0	1	1	2
Malignant neoplasm of oesophagus	C14	M	0	0	0	0	0	0	1	55	88	43	187
		F	0	0	0	0	0	0	0	17	28	22	67
Malignant neoplasm of stomach	C15	M	0	0	0	0	0	0	2	41	56	40	139
		F	0	0	0	0	0	0	8	22	35	39	104
Malignant neoplasm of small intestine	C16	M	0	0	0	0	0	0	1	8	10	9	28
		F	0	0	0	0	0	0	0	3	6	5	14

APPENDIX 2 (C17 - C51)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Malignant neoplasm of small intestine	C17	M	-	-	-	-	-	-	-	5	8	5	18
		F	-	-	-	-	-	-	-	1	3	6	10
Malignant neoplasm of colon	C18	M	-	-	-	-	-	-	7	103	182	173	465
		F	-	-	-	-	-	-	9	58	136	188	391
Malignant neoplasm of rectosigmoid junction	C19	M	-	-	-	-	-	-	5	18	35	15	73
		F	-	-	-	-	-	-	1	18	21	17	57
Malignant neoplasm of rectum	C20	M	-	-	-	-	-	-	7	28	31	26	92
		F	-	-	-	-	-	-	2	14	26	21	63
Malignant neoplasm of anus & anal canal	C21	M	-	-	-	-	-	-	-	5	2	4	11
		F	-	-	-	-	-	-	2	-	-	2	4
Malignant neoplasm of liver & intrahepatic bile ducts	C22	M	-	-	-	-	-	-	2	113	123	57	295
		F	-	-	-	-	-	-	-	29	48	59	136
Malignant neoplasm of gallbladder	C23	M	-	-	-	-	-	-	-	2	14	1	17
		F	-	-	-	-	-	-	-	3	11	5	19
Malignant neoplasm of other & unspecified parts of biliary tract	C24	M	-	-	-	-	-	-	-	1	4	7	12
		F	-	-	-	-	-	-	-	2	5	9	16
Malignant neoplasm of pancreas	C25	M	-	-	-	-	-	-	2	91	141	93	327
		F	-	-	-	-	-	-	2	48	123	112	285
Malignant neoplasm of other & ill-defined digestive organs	C26	M	-	-	-	-	-	-	2	12	25	31	70
		F	-	-	-	-	-	-	3	9	20	37	69
Malignant neoplasm of nasal cavity & middle ear	C30	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	1	1	-	2
Malignant neoplasm of accessory sinuses	C31	M	-	-	-	-	-	1	-	4	1	-	6
		F	-	-	-	-	-	-	-	3	1	2	6
Malignant neoplasm of larynx	C32	M	-	-	-	-	-	-	-	13	17	9	39
		F	-	-	-	-	-	-	-	2	3	2	7
Malignant neoplasm of bronchus & lung	C34	M	-	-	-	-	-	-	4	254	587	380	1,225
		F	-	-	-	-	-	-	14	261	547	380	1,202
Malignant neoplasm of thymus	C37	M	-	-	-	-	-	-	1	1	1	-	3
		F	-	-	-	-	-	-	-	-	-	1	1
Malignant neoplasm of heart, mediastinum & pleura	C38	M	-	-	-	-	-	-	1	-	1	-	2
		F	-	-	-	-	-	-	-	1	-	1	2
Malignant neoplasm of bone & articular cartilage of limbs	C40	M	-	-	-	-	1	1	1	-	-	3	6
		F	-	-	-	-	1	-	-	1	1	1	4
Malignant neoplasm of bone & articular cartilage of other & unspecified sites	C41	M	-	-	1	-	-	1	-	5	2	3	12
		F	-	-	-	-	-	-	-	1	4	2	7
Malignant neoplasm of malignant melanoma of skin	C43	M	-	-	-	-	-	-	3	27	42	22	94
		F	-	-	-	-	-	-	3	19	22	19	63
Other malignant neoplasms of skin	C44	M	-	-	-	-	-	-	-	3	12	20	35
		F	-	-	-	-	-	-	-	1	7	11	19
Mesothelioma	C45	M	-	-	-	-	-	-	-	6	35	29	70
		F	-	-	-	-	-	-	3	2	7	6	18
Kaposi's sarcoma	C46	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Malignant neoplasm of peripheral nerves & autonomic nervous system	C47	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	1	-	-	-	-	1
Malignant neoplasm of retroperitoneum & peritoneum	C48	M	-	-	-	-	-	-	1	2	3	2	8
		F	-	-	-	-	-	-	-	-	7	1	8
Malignant neoplasm of other connective & soft tissue	C49	M	-	-	-	-	-	-	2	7	10	13	32
		F	-	-	-	-	1	-	5	10	10	11	37
Malignant neoplasm of breast	C50	M	-	-	-	-	-	-	-	2	2	6	10
		F	-	-	-	-	-	-	33	195	212	169	609
Malignant neoplasm of vulva	C51	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	7	12	20

APPENDIX 2 (C52 - C83)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Malignant neoplasm of vagina	C52	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	2	4	2	8
Malignant neoplasm of cervix uteri	C53	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	9	20	15	8	52
Malignant neoplasm of corpus uteri	C54	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	26	32	19	78
Malignant neoplasm of uterus, part unspecified	C55	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	14	12	9	35
Malignant neoplasm of ovary	C56	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	7	67	94	72	240
Malignant neoplasm of other & unspecified female genital organs	C57	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	3	4	2	9
Malignant neoplasm of penis	C60	M	-	-	-	-	-	-	-	1	4	6	11
		F	-	-	-	-	-	-	-	-	-	-	0
Malignant neoplasm of prostate	C61	M	-	-	-	-	-	-	1	48	201	368	618
		F	-	-	-	-	-	-	-	-	-	-	0
Malignant neoplasm of testis	C62	M	-	-	-	-	-	-	4	2	-	-	6
		F	-	-	-	-	-	-	-	-	-	-	0
Malignant neoplasm of other & unspecified male genital organs	C63	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Malignant neoplasm of kidney, except renal pelvis	C64	M	-	-	-	-	-	-	-	28	73	39	140
		F	-	-	-	-	-	-	-	18	19	23	60
Malignant neoplasm of renal pelvis	C65	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	-	1	-	2
Malignant neoplasm of ureter	C66	M	-	-	-	-	-	-	-	1	-	3	4
		F	-	-	-	-	-	-	-	-	-	7	7
Malignant neoplasm of bladder	C67	M	-	-	-	-	-	-	-	22	89	128	239
		F	-	-	-	-	-	-	1	10	24	53	88
Malignant neoplasm of other & unspecified urinary organs	C68	M	-	-	-	-	-	-	-	-	1	2	3
		F	-	-	-	-	-	-	-	-	3	-	3
Malignant neoplasm of eye & adnexa	C69	M	-	-	-	-	1	-	1	2	1	1	6
		F	-	-	-	-	-	-	-	-	2	1	3
Malignant neoplasm of meninges	C70	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Malignant neoplasm of brain	C71	M	-	1	1	1	-	1	15	70	69	29	187
		F	-	1	2	-	1	-	15	37	54	20	130
Malignant neoplasm of spinal cord, cranial nerves & other parts of central nervous system	C72	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Malignant neoplasm of thyroid gland	C73	M	-	-	-	-	-	-	1	1	2	4	8
		F	-	-	-	-	-	-	-	-	8	7	15
Malignant neoplasm of adrenal gland	C74	M	-	-	-	-	-	-	1	1	-	2	4
		F	-	-	-	-	1	-	-	4	3	-	8
Malignant neoplasm of other endocrine glands & related structures	C75	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	1	1	2
Malignant neoplasm of other & ill-defined sites	C76	M	-	-	-	-	-	-	-	7	14	8	29
		F	-	-	-	-	-	-	-	2	11	12	25
Malignant neoplasm - primary site unknown	C80	M	-	-	-	-	-	-	4	27	65	62	158
		F	-	-	-	-	-	-	3	27	57	79	166
Hodgkin's disease	C81	M	-	-	-	-	-	-	2	4	6	1	13
		F	-	-	-	-	-	-	3	2	1	1	7
Follicular [nodular] non-Hodgkin's lymphoma	C82	M	-	-	-	-	-	-	-	1	4	2	7
		F	-	-	-	-	-	-	-	3	3	1	7
Diffuse non-Hodgkin's lymphoma	C83	M	-	-	-	-	-	-	-	1	9	5	15
		F	-	-	-	-	-	-	-	1	2	3	6

APPENDIX 2 (C84 - D47)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Peripheral & cutaneous T-cell lymphomas	C84	M	-	-	-	-	-	-	1	5	9	3	18
		F	-	-	-	-	-	-	1	1	6	1	9
Other & unspecified types of non-Hodgkin's lymphoma	C85	M	-	-	-	-	1	-	4	30	69	49	153
		F	-	-	-	-	-	-	1	15	34	57	107
Malignant immunoproliferative diseases	C88	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	1	-	1
Multiple myeloma & malignant plasma cell neoplasms	C90	M	-	-	-	-	-	-	1	26	47	28	102
		F	-	-	-	-	-	-	-	14	44	28	86
Lymphoid leukaemia	C91	M	-	-	1	1	-	1	2	18	29	34	86
		F	-	-	-	-	-	-	2	7	14	18	41
Myeloid leukaemia	C92	M	-	-	-	-	-	-	6	13	36	31	86
		F	-	-	-	1	-	1	6	13	35	28	84
Monocytic leukaemia	C93	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	1	1	-	-	2
Other leukaemias of specified cell type	C94	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	-	-	0
Leukaemia of unspecified cell type	C95	M	-	-	-	-	-	2	2	6	10	16	36
		F	-	-	-	-	-	-	-	-	11	15	26
Other & unspecified malignant neoplasms of lymphoid, haematopoietic & related tissue	C96	M	-	-	-	-	1	-	-	1	1	1	4
		F	-	-	-	-	-	-	-	-	-	1	1
Benign neoplasm of colon, rectum, anus & anal canal	D12	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Benign neoplasm of other & ill-defined parts of digestive system	D13	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Benign haemangioma & lymphangioma, any site	D18	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	1	2
Benign leiomyoma of uterus	D25	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Benign neoplasm of ovary	D27	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Benign neoplasm of meninges	D32	M	-	-	-	-	-	-	-	1	3	3	7
		F	-	-	-	-	-	-	-	1	3	6	10
Benign neoplasm of brain & other parts of central nervous system	D33	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Benign neoplasm of other & unspecified endocrine glands	D35	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	1	-	-	1
Neoplasm of uncertain or unknown behaviour of oral cavity & digestive organs	D37	M	-	-	-	-	-	-	-	-	-	3	3
		F	-	-	-	-	-	-	-	-	2	1	3
Neoplasm of uncertain or unknown behaviour of middle ear & respiratory & intrathoracic organs	D38	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Neoplasm of uncertain or unknown behaviour of urinary organs	D41	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Neoplasm of uncertain or unknown behaviour of meninges	D42	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Neoplasm of uncertain or unknown behaviour of brain & central nervous system	D43	M	-	-	-	-	-	-	-	-	2	1	3
		F	-	-	-	-	-	-	-	-	2	2	4
Neoplasm of uncertain or unknown behaviour of endocrine glands	D44	M	-	-	-	-	-	-	1	-	1	-	2
		F	-	-	-	-	-	-	-	-	1	-	1
Polycythaemia vera	D45	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	2	2
Myelodysplastic syndromes	D46	M	-	1	-	-	-	-	1	4	21	31	58
		F	-	-	-	-	-	-	1	2	4	28	35
Neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic & related tissue	D47	M	-	-	-	-	-	-	-	1	7	8	16
		F	-	-	-	-	-	-	-	2	4	12	18

APPENDIX 2 (D48 - E23)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Neoplasm of uncertain or unknown behaviour of other & unspecified sites	D48	M	1	-	-	-	-	-	-	-	1	2	4
		F	1	-	-	-	-	-	-	-	-	1	2
Iron deficiency anaemia	D50	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Vitamin B12 deficiency anaemia	D51	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Acquired haemolytic anaemia	D59	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other aplastic anaemias	D61	M	-	-	-	-	-	-	-	-	1	3	4
		F	-	-	-	-	-	-	1	1	1	3	6
Other anaemias	D64	M	-	-	-	-	-	-	-	-	1	8	9
		F	-	-	-	-	-	-	-	-	4	16	20
Hereditary factor VIII deficiency	D66	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	1	-	1
Other coagulation defects	D68	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	3	-	1	5
Purpura & other haemorrhagic conditions	D69	M	-	-	-	-	-	-	-	-	3	3	6
		F	-	-	-	-	-	-	-	1	1	1	3
Agranulocytosis	D70	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Other disorders of white blood cells	D72	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	-	-	0
Other diseases of blood & blood-forming organs	D75	M	-	-	-	-	1	-	-	-	1	-	2
		F	-	-	-	-	-	-	-	-	1	1	2
Certain diseases involving lymphoreticular tissue & reticulohistiocytic system	D76	M	-	-	-	-	-	-	1	-	1	-	2
		F	-	-	-	-	-	-	-	-	1	-	1
Other immunodeficiencies	D84	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Sarcoidosis	D86	M	-	-	-	-	-	-	-	2	5	1	8
		F	-	-	-	-	-	-	-	2	3	2	7
Other disorders involving the immune mechanism, NOS	D89	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other hypothyroidism	E03	M	-	-	-	-	-	-	-	1	1	3	5
		F	-	-	-	-	-	-	-	-	-	8	8
Thyrotoxicosis [hyperthyroidism]	E05	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Thyroiditis	E06	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other disorders of thyroid	E07	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Insulin-dependent diabetes mellitus	E10	M	-	-	-	-	-	-	5	16	14	10	45
		F	-	-	-	-	-	-	1	7	9	24	41
Non-insulin-dependent diabetes mellitus	E11	M	-	-	-	-	-	-	1	37	85	110	233
		F	-	-	-	-	-	-	-	13	46	119	178
Diabetes mellitus NOS	E14	M	-	-	-	-	-	-	4	112	282	311	709
		F	-	-	-	-	-	-	3	45	125	303	476
Other disorders of pancreatic internal secretion	E16	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	-	-	0
Hyperparathyroidism & other disorders of parathyroid gland	E21	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Hyperfunction of pituitary gland	E22	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Hypofunction and other disorders of pituitary gland	E23	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	-	2	2

APPENDIX 2 (E27 - F15)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Other disorders of adrenal gland	E27	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	1	1	1	3
Other endocrine disorders	E34	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	1	-	1
Nutritional marasmus	E41	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Unspecified severe protein-energy malnutrition	E43	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Unspecified protein-energy malnutrition	E46	M	-	-	-	-	-	-	-	-	2	1	3
		F	-	-	-	-	-	-	-	-	-	3	3
Other nutritional deficiencies	E63	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	1	1
Obesity	E66	M	-	-	-	-	-	-	2	14	12	4	32
		F	-	-	-	-	-	-	-	3	7	7	17
Disorders of aromatic amino-acid metabolism	E70	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other disorders of carbohydrate metabolism	E74	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Disorders of sphingolipid metabolism & other lipid storage disorders	E75	M	-	1	-	-	-	-	-	-	-	-	1
		F	-	1	-	-	-	-	-	-	-	-	1
Disorders of glycoprotein metabolism	E77	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	-	-	-	1
Disorders of lipoprotein metabolism & other lipidaemias	E78	M	-	-	-	-	-	-	-	6	26	18	50
		F	-	-	-	-	-	-	-	2	6	17	25
Disorders of mineral metabolism	E83	M	-	-	-	-	-	-	-	1	2	1	4
		F	-	-	-	-	-	-	-	-	3	-	3
Cystic fibrosis	E84	M	-	-	-	-	-	-	1	1	-	-	2
		F	-	-	-	-	-	1	-	-	-	1	2
Amyloidosis	E85	M	-	-	-	-	-	-	1	5	9	2	17
		F	-	-	-	-	-	-	-	2	6	5	13
Volume depletion	E86	M	1	-	-	-	-	-	-	-	1	5	7
		F	-	-	-	-	-	-	-	-	2	13	15
Other disorders of fluid, electrolyte & acid-base balance	E87	M	-	-	-	-	-	-	2	2	1	4	9
		F	-	-	-	-	-	-	-	4	2	9	15
Other metabolic disorders	E88	M	-	-	1	-	-	-	1	1	4	3	10
		F	1	1	-	-	-	-	-	1	2	5	10
Vascular dementia	F01	M	-	-	-	-	-	-	-	-	-	2	2
		F	-	-	-	-	-	-	-	-	-	-	0
Unspecified dementia	F03	M	-	-	-	-	-	1	-	3	74	570	648
		F	-	-	-	-	-	-	-	3	79	1,043	1,125
Delirium, not induced by alcohol & other psychoactive substances	F05	M	-	-	-	-	-	-	-	-	3	17	20
		F	-	-	-	-	-	-	-	-	2	9	11
Other mental disorders due to brain damage & dysfunction & to physical disease	F06	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Mental & behavioural disorders due to use of alcohol	F10	M	-	-	-	-	-	-	3	63	39	13	118
		F	-	-	-	-	-	-	3	10	8	8	29
Misuse of opioids	F11	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	1	-	-	1
Use of cannabinoids	F12	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Use of cocaine	F14	M	-	-	-	-	-	-	1	2	-	-	3
		F	-	-	-	-	-	-	-	1	-	-	1
Mental & behavioural disorders due to use of other stimulants, including caffeine	F15	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0

APPENDIX 2 (F17 - G36)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Use of tobacco	F17	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	1	1	-	2
Multiple drug misuse & misuse of other psychoactive substances	F19	M	-	-	-	-	-	-	3	4	2	-	9
		F	-	-	-	-	-	-	3	2	-	-	5
Schizophrenia	F20	M	-	-	-	-	-	-	-	1	3	3	7
		F	-	-	-	-	-	-	-	1	5	1	7
Schizoaffective disorders	F25	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Bipolar affective disorder	F31	M	-	-	-	-	-	-	-	-	-	2	2
		F	-	-	-	-	-	-	-	-	1	2	3
Depressive episode	F32	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	3	3
Recurrent depressive disorder	F33	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	1	-	-	7	8
Obsessive-compulsive disorder	F42	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Somatoform disorders	F45	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Eating disorders	F50	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	2	1	2	6
Pervasive developmental disorders	F84	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Bacterial meningitis, NEC	G00	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	1	-	-	-	-	-	-	-	1	2
Meningitis due to other & unspecified causes	G03	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	1	-	1
Encephalitis, myelitis & encephalomyelitis	G04	M	-	-	-	-	-	-	1	-	2	-	3
		F	-	-	-	-	-	-	-	1	2	-	3
Intracranial & intraspinal abscess & granuloma	G06	M	-	-	-	-	-	-	1	3	2	1	7
		F	-	-	-	-	-	-	-	-	-	2	2
Sequelae of inflammatory diseases of central nervous system	G09	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Huntington's disease	G10	M	-	-	-	-	-	-	-	6	1	-	7
		F	-	-	-	-	-	-	-	6	4	-	10
Hereditary ataxia	G11	M	-	-	-	-	-	-	-	1	4	-	5
		F	-	-	-	-	-	-	1	-	1	-	2
Spinal muscular atrophy & related syndromes	G12	M	1	-	-	-	-	-	2	22	31	13	69
		F	-	-	-	-	-	-	-	20	35	19	74
Postpolio syndrome	G14	M	-	-	-	-	-	-	-	-	2	-	2
		F	-	-	-	-	-	-	-	-	1	-	1
Parkinson's disease	G20	M	-	-	-	-	-	-	-	3	73	123	199
		F	-	-	-	-	-	-	-	2	18	103	123
Other degenerative diseases of basal ganglia	G23	M	-	-	-	-	-	-	-	-	9	6	15
		F	-	-	-	-	-	-	-	4	11	8	23
Other extrapyramidal & movement disorders	G25	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Alzheimer's disease	G30	M	-	-	-	-	-	-	-	10	40	164	214
		F	-	-	-	-	-	-	-	8	64	424	496
Other degenerative diseases of nervous system, NEC	G31	M	-	-	-	-	-	-	-	8	28	20	56
		F	-	-	-	-	-	-	1	4	15	19	39
Multiple sclerosis	G35	M	-	-	-	-	-	-	4	8	7	3	22
		F	-	-	-	-	-	-	2	19	12	4	37
Other acute disseminated demyelination	G36	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0

APPENDIX 2 (G37 - I12)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Other demyelinating diseases of central nervous system	G37	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Epilepsy	G40	M	-	-	-	-	-	1	4	8	8	1	22
		F	-	-	1	-	-	1	1	3	2	1	9
Transient cerebral ischaemic attacks & related syndromes	G45	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	3	3
Sleep disorders	G47	M	-	-	-	-	-	-	1	3	1	2	7
		F	-	-	-	-	-	-	-	-	2	2	4
Facial nerve disorders	G51	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Hereditary & idiopathic neuropathy	G60	M	-	-	-	-	-	-	-	-	2	-	2
		F	-	-	-	-	-	-	-	1	-	-	1
Inflammatory polyneuropathy	G61	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	1	1	2
Other polyneuropathies	G62	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	2	1	1	4
Other myoneural disorders	G70	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	1	1	4	6
Primary disorders of muscles	G71	M	1	-	-	-	-	-	2	-	2	2	7
		F	1	-	-	-	-	-	-	1	1	-	3
Other myopathies	G72	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	1	1	2
Infantile cerebral palsy	G80	M	-	-	-	-	-	-	3	1	-	1	5
		F	-	-	-	-	-	-	1	4	-	1	6
Paraplegia & tetraplegia	G82	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	2	-	2
Disorders of autonomic nervous system	G90	M	-	-	-	-	-	-	-	1	1	1	3
		F	-	-	-	-	-	-	-	-	3	5	8
Hydrocephalus (acquired)	G91	M	-	-	-	-	-	-	-	-	3	2	5
		F	-	-	-	-	-	-	-	-	1	-	1
Other disorders of brain	G93	M	-	-	-	-	-	-	4	4	1	2	11
		F	-	-	-	-	-	-	-	2	-	5	7
Other diseases of spinal cord	G95	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Other disorders of central nervous system	G96	M	-	1	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	1	-	-	1
Disorders of globe	H44	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Rheumatic mitral valve diseases	I05	M	-	-	-	-	-	-	-	2	3	5	10
		F	-	-	-	-	-	-	-	1	8	8	17
Rheumatic aortic valve diseases	I06	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	1	1	2
Rheumatic tricuspid valve diseases	I07	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	2	9	11
Multiple valve diseases	I08	M	-	-	-	-	-	-	-	2	5	9	16
		F	-	-	-	-	-	-	-	1	4	17	22
Other rheumatic heart diseases	I09	M	-	-	-	-	-	-	-	-	2	-	2
		F	-	-	-	-	-	-	-	1	1	3	5
Essential (primary) hypertension	I10	M	-	-	-	-	-	-	1	8	15	28	52
		F	-	-	-	-	-	-	-	-	15	62	77
Hypertensive heart disease	I11	M	-	-	-	-	-	-	1	13	13	33	60
		F	-	-	-	-	-	-	1	5	10	84	100
Hypertensive renal disease	I12	M	-	-	-	-	-	-	-	5	11	38	54
		F	-	-	-	-	-	-	1	6	8	81	96

APPENDIX 2 (I13 - I61)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Hypertensive heart & renal disease	I13	M	-	-	-	-	-	-	-	1	7	29	37
		F	-	-	-	-	-	-	-	2	3	53	58
Angina pectoris	I20	M	-	-	-	-	-	-	-	-	-	2	2
		F	-	-	-	-	-	-	-	-	1	1	2
Acute myocardial infarction	I21	M	-	-	-	-	-	-	8	191	303	395	897
		F	-	-	-	-	-	-	3	50	119	489	661
Subsequent myocardial infarction	I22	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	-	-	0
Other acute ischaemic heart diseases	I24	M	-	-	-	-	-	-	-	8	9	21	38
		F	-	-	-	-	-	-	-	-	7	19	26
Chronic ischaemic heart disease	I25	M	-	-	-	-	-	-	10	164	308	661	1,143
		F	-	-	-	-	-	-	2	40	119	661	822
Pulmonary embolism	I26	M	-	-	-	-	-	1	1	10	16	11	39
		F	-	-	-	-	-	-	2	10	16	24	52
Other pulmonary heart diseases	I27	M	-	-	-	-	-	-	-	4	2	8	14
		F	-	-	-	-	1	-	1	4	10	11	27
Other diseases of pulmonary vessels	I28	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Acute pericarditis	I30	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	1	-	2
Other diseases of pericardium	I31	M	-	-	-	-	-	-	-	1	3	2	6
		F	-	-	-	-	-	-	1	-	1	1	3
Acute & subacute endocarditis	I33	M	-	-	-	-	-	-	1	2	5	2	10
		F	-	-	-	-	-	-	-	2	-	2	4
Nonrheumatic mitral valve disorders	I34	M	-	-	-	-	-	1	-	3	8	8	20
		F	-	-	-	-	-	-	-	1	5	15	21
Nonrheumatic aortic valve disorders	I35	M	-	-	-	-	-	-	-	8	27	84	119
		F	-	-	-	-	-	-	1	2	16	113	132
Endocarditis	I38	M	-	-	-	-	-	-	-	3	7	16	26
		F	-	-	-	-	-	-	-	4	6	31	41
Acute myocarditis	I40	M	-	-	-	-	-	-	-	2	-	-	2
		F	-	-	-	-	-	-	-	4	-	-	4
Cardiomyopathy	I42	M	-	-	-	-	-	2	5	27	41	46	121
		F	-	-	-	-	-	1	2	8	12	59	82
Atrioventricular & left bundle-branch block	I44	M	-	-	-	-	-	-	-	-	1	6	7
		F	-	-	-	-	-	-	-	-	-	3	3
Other conduction disorders	I45	M	-	-	-	-	-	-	-	1	4	3	8
		F	-	-	-	-	-	-	-	1	3	8	12
Cardiac arrest	I46	M	-	-	-	-	-	-	-	8	5	5	18
		F	-	-	-	-	-	-	-	1	4	9	14
Paroxysmal tachycardia	I47	M	-	-	-	-	-	-	-	2	1	2	5
		F	-	-	-	-	-	-	-	1	-	-	1
Atrial fibrillation & flutter	I48	M	-	-	-	-	-	-	-	8	44	137	189
		F	-	-	-	-	-	-	-	3	39	250	292
Other cardiac arrhythmias	I49	M	-	-	-	-	-	-	3	7	12	28	50
		F	-	-	-	-	2	-	4	5	7	31	49
Heart failure	I50	M	-	-	-	-	-	-	-	3	46	229	278
		F	-	-	-	-	-	-	-	3	31	400	434
Complications & ill-defined descriptions of heart disease	I51	M	-	-	-	-	-	-	-	14	21	16	51
		F	-	-	-	-	-	-	2	5	7	23	37
Subarachnoid haemorrhage	I60	M	-	-	-	-	1	-	1	12	12	8	34
		F	-	-	-	-	-	-	4	23	18	13	58
Intracerebral haemorrhage	I61	M	-	-	-	-	-	-	1	16	28	36	81
		F	-	-	-	-	-	1	-	7	27	61	96

APPENDIX 2 (I62 - J18)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Other nontraumatic intracranial haemorrhage	I62	M	-	-	-	-	-	-	2	10	25	42	79
		F	-	-	-	-	-	-	2	11	12	49	74
Cerebral infarction	I63	M	-	-	-	-	-	-	1	8	23	33	65
		F	-	-	-	-	-	-	-	3	13	59	75
Cerebrovascular accident, NOS	I64	M	-	-	-	-	-	-	2	28	145	310	485
		F	-	-	-	-	-	-	1	13	92	625	731
Other cerebrovascular diseases	I67	M	-	-	-	-	-	-	1	4	28	93	126
		F	-	-	-	-	-	-	-	2	23	158	183
Sequelae of cerebrovascular disease	I69	M	-	-	-	-	-	-	-	2	10	19	31
		F	-	-	-	-	-	-	-	1	10	44	55
Atherosclerosis	I70	M	-	-	-	-	-	-	-	3	5	19	27
		F	-	-	-	-	-	-	-	-	6	31	37
Aortic aneurysm & dissection	I71	M	-	-	-	-	-	-	2	19	41	49	111
		F	-	-	-	-	-	-	2	4	21	37	64
Other aneurysm	I72	M	-	-	-	-	-	-	-	1	3	4	8
		F	-	-	-	-	-	-	-	-	1	1	2
Other peripheral vascular diseases	I73	M	-	-	-	-	-	-	-	1	19	32	52
		F	-	-	-	-	-	-	-	1	13	50	64
Arterial embolism & thrombosis	I74	M	-	-	-	-	-	-	-	1	1	2	4
		F	-	-	-	-	-	-	-	-	1	1	2
Other disorders of arteries & arterioles	I77	M	-	-	-	-	-	-	-	2	5	6	13
		F	-	-	-	-	-	1	-	1	4	3	9
Phlebitis & thrombophlebitis	I80	M	-	-	-	-	-	-	-	2	5	2	9
		F	-	-	-	-	-	-	2	3	4	5	14
Portal vein thrombosis	I81	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	1	2
Other venous embolism & thrombosis	I82	M	-	-	-	-	-	-	-	-	2	2	4
		F	-	-	-	-	-	-	-	-	-	-	0
Varicose veins of lower extremities	I83	M	-	-	-	-	-	-	-	-	2	-	2
		F	-	-	-	-	-	-	-	-	1	1	2
Oesophageal varices	I85	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other disorders of veins	I87	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other & unspecified disorders of circulatory system	I99	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Acute pharyngitis	J02	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Acute upper respiratory infections of multiple & unspecified sites	J06	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	4	4
Influenza due to certain identified influenza virus	J09	M	-	-	-	-	-	-	3	1	-	-	4
		F	-	-	-	-	-	-	1	1	4	1	7
Influenza due to identified influenza virus	J10	M	-	-	-	-	-	-	-	3	1	2	6
		F	-	-	-	-	-	-	1	2	1	5	9
Influenza, virus not identified	J11	M	-	-	-	-	-	-	-	1	3	6	10
		F	-	-	-	-	-	-	1	2	4	9	16
Viral pneumonia, NEC	J12	M	-	-	-	-	-	-	-	-	2	1	3
		F	-	-	-	-	-	-	1	1	-	3	5
Pneumonia due to Streptococcus pneumoniae	J13	M	-	-	-	-	-	-	-	2	-	-	2
		F	-	-	-	-	-	-	-	1	-	1	2
Bacterial pneumonia, NEC	J15	M	-	-	-	-	-	-	2	3	5	5	15
		F	1	-	-	-	-	-	1	1	4	5	12
Pneumonia, organism unspecified	J18	M	1	-	-	-	-	2	-	26	80	351	460
		F	-	-	-	-	-	-	1	25	62	452	540

APPENDIX 2 (J20 - K04)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Acute bronchitis	J20	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	2	2
Unspecified acute lower respiratory infection	J22	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	-	5	5
Chronic sinusitis	J32	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Diseases of vocal cords & larynx, NEC	J38	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	1	-	1
Other diseases of upper respiratory tract	J39	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Bronchitis, not specified as acute or chronic	J40	M	1	-	-	-	-	-	-	-	-	1	2
		F	-	-	-	-	-	-	-	-	-	6	6
Unspecified chronic bronchitis	J42	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	1	2	3
Emphysema	J43	M	-	-	-	-	-	-	-	5	19	15	39
		F	-	-	-	-	-	-	-	1	3	27	31
Other chronic obstructive pulmonary disease	J44	M	-	-	-	-	-	-	1	65	283	395	744
		F	-	-	-	-	-	-	-	37	217	437	691
Asthma	J45	M	-	-	-	-	-	-	2	4	3	8	17
		F	-	-	-	-	-	-	2	2	4	16	24
Status asthmaticus	J46	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	1	-	-	-	1	-	-	2
Bronchiectasis	J47	M	-	-	-	-	-	-	-	1	6	4	11
		F	-	-	-	-	-	-	-	1	8	9	18
Coalworker's pneumoconiosis	J60	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Pneumoconiosis due to asbestos & other mineral fibres	J61	M	-	-	-	-	-	-	-	-	3	13	16
		F	-	-	-	-	-	-	-	-	-	-	0
Hypersensitivity pneumonitis due to organic dust	J67	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	1	-	2
Aspiration pneumonia due to solids & liquids	J69	M	-	-	-	-	-	-	-	4	21	81	106
		F	-	-	-	-	-	-	-	4	9	57	70
Adult respiratory distress syndrome	J80	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	1	-	1
Pulmonary oedema	J81	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	1	-	-	1
Other interstitial pulmonary diseases	J84	M	-	-	-	-	-	-	-	17	85	78	180
		F	-	-	-	-	-	-	1	6	37	56	100
Abscess of lung & mediastinum	J85	M	-	-	-	-	-	-	-	1	2	-	3
		F	-	-	-	-	-	-	-	-	-	1	1
Pyothorax	J86	M	-	-	-	-	-	-	-	1	1	1	3
		F	-	-	-	-	-	-	-	-	1	-	1
Pleural effusion, NEC	J90	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	1	1	7	9
Pneumothorax (spontaneous)	J93	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	1	1
Other pleural conditions	J94	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	2	2
Respiratory failure, NEC	J96	M	-	-	-	-	-	-	-	-	-	4	4
		F	-	-	-	-	-	-	-	-	-	8	8
Other respiratory disorders	J98	M	-	1	-	-	-	-	-	2	7	14	24
		F	-	-	-	-	-	1	1	1	4	18	25
Diseases of pulp & periapical tissues	K04	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	1	2	3

APPENDIX 2 (K10 - K56)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Other diseases of jaws	K10	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Diseases of salivary glands	K11	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	2	2
Stomatitis & related lesions	K12	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Oesophagitis	K20	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	-	-	0
Gastro-oesophageal reflux disease	K21	M	-	-	-	-	-	-	1	1	-	5	7
		F	-	-	-	-	-	-	-	1	1	3	5
Other diseases of oesophagus	K22	M	-	-	-	-	-	-	-	6	6	3	15
		F	-	-	-	-	-	-	-	-	1	10	11
Gastric ulcer	K25	M	-	-	-	-	-	-	-	2	6	1	9
		F	-	-	-	-	-	-	1	1	2	3	7
Duodenal ulcer	K26	M	-	-	-	-	-	-	-	4	4	7	15
		F	-	-	-	-	-	-	2	-	-	5	7
Peptic ulcer	K27	M	-	-	-	-	-	-	-	1	1	5	7
		F	-	-	-	-	-	-	-	-	1	4	5
Gastrojejunal ulcer	K28	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	1	1
Gastritis & duodenitis	K29	M	-	-	-	-	-	-	-	1	1	2	4
		F	-	-	-	-	-	-	-	-	-	3	3
Other diseases of stomach & duodenum	K31	M	-	-	-	-	-	-	-	1	1	-	2
		F	-	-	-	-	-	-	-	1	-	2	3
Acute appendicitis	K35	M	-	1	-	-	-	1	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	1	1	2
Chronic appendicitis	K36	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Unspecified appendicitis	K37	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	1	2
Other diseases of appendix	K38	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Inguinal hernia	K40	M	-	-	-	-	-	-	-	1	-	6	7
		F	-	-	-	-	-	-	-	-	-	-	0
Umbilical hernia	K42	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	3	3
Ventral hernia	K43	M	-	-	-	-	-	-	-	-	1	2	3
		F	-	-	-	-	-	-	-	-	1	2	3
Diaphragmatic hernia	K44	M	-	-	-	-	-	-	-	-	-	2	2
		F	-	-	-	-	-	-	-	-	1	6	7
Other abdominal hernia	K45	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Unspecified abdominal hernia	K46	M	-	-	-	-	-	-	-	1	1	1	3
		F	-	-	-	-	-	-	-	-	3	3	6
Crohn's disease	K50	M	-	-	-	-	-	-	1	3	-	1	5
		F	-	-	-	-	-	-	-	-	1	1	2
Ulcerative colitis	K51	M	-	-	-	-	-	-	-	-	1	2	3
		F	-	-	-	-	-	-	-	-	-	2	2
Other noninfective gastroenteritis & colitis	K52	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Vascular disorders of intestine	K55	M	-	-	-	-	-	-	1	9	19	27	56
		F	-	-	-	-	-	-	-	6	24	50	80
Paralytic ileus & intestinal obstruction without hernia	K56	M	-	-	-	-	-	-	1	5	13	41	60
		F	-	-	-	-	-	-	1	2	9	51	63

APPENDIX 2 (K57 - L08)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Diverticular disease of intestine	K57	M	-	-	-	-	-	-	1	3	9	9	22
		F	-	-	-	-	-	-	-	1	4	26	31
Irritable bowel syndrome	K58	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other functional intestinal disorders	K59	M	-	-	-	-	-	-	-	1	-	2	3
		F	-	-	-	-	-	-	-	1	-	2	3
Fissure & fistula of anal & rectal regions	K60	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Abscess of anal & rectal regions	K61	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	1	-	1
Other diseases of anus & rectum	K62	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	3	3
Other diseases of intestine	K63	M	-	-	-	-	-	-	1	3	10	10	24
		F	-	-	-	-	-	-	-	2	8	15	25
Peritonitis	K65	M	-	-	-	-	-	-	-	1	2	2	5
		F	-	-	-	-	-	-	-	-	2	2	4
Other disorders of peritoneum	K66	M	-	-	-	-	-	-	-	1	1	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Alcoholic liver disease	K70	M	-	-	-	-	-	-	15	148	91	13	267
		F	-	-	-	-	-	-	14	74	41	7	136
Toxic liver disease	K71	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	-	1	-	2
Hepatic failure	K72	M	-	-	-	-	-	-	-	4	2	3	9
		F	-	-	-	-	-	-	-	2	5	4	11
Chronic hepatitis, NOS	K73	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Fibrosis & cirrhosis of liver	K74	M	-	-	-	-	-	-	1	8	7	8	24
		F	-	-	-	-	-	-	-	9	15	11	35
Other inflammatory liver diseases	K75	M	-	-	-	-	-	-	1	4	7	3	15
		F	-	-	-	-	-	-	-	3	6	2	11
Other diseases of liver	K76	M	-	-	-	-	-	-	-	3	7	1	11
		F	-	-	-	-	-	-	-	-	9	3	12
Cholelithiasis	K80	M	-	-	-	-	-	-	-	2	5	5	12
		F	-	-	-	-	-	-	-	-	1	11	12
Cholecystitis	K81	M	-	-	-	-	-	-	-	-	5	12	17
		F	-	-	-	-	-	-	-	-	-	11	11
Other diseases of gallbladder	K82	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	1	3	4
Other diseases of biliary tract	K83	M	-	-	-	-	-	-	-	4	6	6	16
		F	-	-	-	-	-	-	-	2	2	8	12
Acute pancreatitis	K85	M	-	-	-	-	-	-	4	5	9	8	26
		F	-	-	-	-	-	-	2	5	4	10	21
Other diseases of pancreas	K86	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	1	1	2
Intestinal malabsorption	K90	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other diseases of digestive system	K92	M	-	-	-	-	-	-	2	24	23	46	95
		F	-	-	-	-	-	-	1	5	8	87	101
Carbuncles	L02	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	1	1
Cellulitis	L03	M	-	-	-	-	-	-	-	1	1	8	10
		F	-	-	-	-	-	-	1	1	1	9	12
Other local infections of skin & subcutaneous tissue	L08	M	-	-	-	-	-	-	1	-	1	-	2
		F	-	-	-	-	-	-	-	1	-	3	4

APPENDIX 2 (L10 - M46)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Pemphigus	L10	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Pemphigoid	L12	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Dermatitis due to substances taken internally	L27	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Psoriasis	L40	M	-	-	-	-	-	-	-	1	1	-	2
		F	-	-	-	-	-	-	-	1	-	-	1
Erythema multiforme	L51	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Follicular cysts of skin & subcutaneous tissue	L72	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other follicular disorders	L73	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Decubitus ulcer	L89	M	-	-	-	-	-	-	-	-	3	6	9
		F	-	-	-	-	-	-	-	-	4	8	12
Ulcer of lower limb, NEC	L97	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Other disorders of skin & subcutaneous tissue, NEC	L98	M	-	-	-	-	-	-	-	-	-	2	2
		F	-	-	-	-	-	-	-	-	-	2	2
Pyogenic arthritis	M00	M	-	-	-	-	-	-	-	-	1	3	4
		F	-	-	-	-	-	-	-	-	-	3	3
Seropositive rheumatoid arthritis	M05	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	2	-	2
Other rheumatoid arthritis	M06	M	-	-	-	-	-	-	-	1	2	3	6
		F	-	-	-	-	-	-	1	3	10	11	25
Gout	M10	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Other arthritis	M13	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	1	2	3
Coxarthrosis	M16	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	1	-	1
Gonarthrosis	M17	M	-	-	-	-	-	-	-	1	1	-	2
		F	-	-	-	-	-	-	-	1	-	-	1
Other arthrosis	M19	M	-	-	-	-	-	-	-	-	-	3	3
		F	-	-	-	-	-	-	1	-	3	16	20
Other necrotizing vasculopathies	M31	M	-	-	-	-	-	-	-	1	-	3	4
		F	-	-	-	-	-	-	-	1	2	6	9
Systemic lupus erythematosus	M32	M	-	-	-	-	-	-	-	1	3	-	4
		F	-	-	-	-	1	-	3	2	1	3	10
Dermatopolymyositis	M33	M	-	-	-	-	-	-	-	1	1	-	2
		F	-	-	-	-	-	-	-	-	-	1	1
Systemic sclerosis	M34	M	-	-	-	-	-	-	-	4	5	-	9
		F	-	-	-	-	-	-	1	7	13	4	25
Other systemic involvement of connective tissue	M35	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	4	3	7
Kyphosis & lordosis	M40	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	-	-	1	1
Scoliosis	M41	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	2	3	5
Ankylosing spondylitis	M45	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	1	1
Other inflammatory spondylopathies	M46	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	1	1

APPENDIX 2 (M47 - N17)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Spondylosis	M47	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	1	1
Other spondylopathies	M48	M	1	-	-	-	-	-	-	-	1	1	3
		F	-	-	-	-	-	-	-	-	-	2	2
Other intervertebral disc disorders	M51	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Myositis	M60	M	-	-	-	-	-	-	-	-	3	-	3
		F	-	-	-	-	-	-	-	-	-	-	0
Other disorders of muscle	M62	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	1	2	3
Spontaneous rupture of synovium & tendon	M66	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Fibroblastic disorders	M72	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Other soft tissue disorders, NEC	M79	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Osteoporosis with pathological fracture	M80	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	1	15	16
Osteoporosis without pathological fracture	M81	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	9	10
Disorders of continuity of bone	M84	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Osteomyelitis	M86	M	-	-	-	-	-	-	-	1	5	1	7
		F	-	-	-	-	-	-	1	2	2	2	7
Other disorders of bone	M89	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other juvenile osteochondrosis	M92	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other disorders of cartilage	M94	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Acute nephritic syndrome	N00	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Chronic haematuria	N02	M	-	-	-	-	-	-	-	-	2	1	3
		F	-	-	-	-	-	-	-	-	-	-	0
Chronic nephritic syndrome	N03	M	-	-	-	-	-	-	-	-	2	3	5
		F	-	-	-	-	-	-	-	-	-	2	2
Nephrotic syndrome	N04	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	2	2	4
Unspecified nephritic syndrome	N05	M	-	-	-	-	-	-	-	2	1	2	5
		F	-	-	-	-	-	-	1	1	1	-	3
Acute tubulo-interstitial nephritis	N10	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Chronic tubulo-interstitial nephritis	N11	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	1	-	-	2
Tubulo-interstitial nephritis, not specified as acute or chronic	N12	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	3	3	4	10
Obstructive & reflux uropathy	N13	M	-	-	-	-	-	-	-	2	1	4	7
		F	-	-	-	-	-	-	-	1	2	5	8
Drug- & heavy-metal-induced tubulo-interstitial & tubular conditions	N14	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	1	-	1
Other renal tubulo-interstitial diseases	N15	M	-	-	-	-	-	-	-	-	-	2	2
		F	-	-	-	-	-	-	-	-	1	-	1
Acute renal failure	N17	M	-	-	-	-	-	-	1	1	5	10	17
		F	-	-	-	-	-	-	-	1	-	13	14

APPENDIX 2 (N18 - P20)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Chronic renal failure	N18	M	-	-	-	-	-	-	-	-	7	36	43
		F	-	-	-	-	-	-	-	3	12	57	72
Unspecified renal failure	N19	M	-	-	-	-	-	-	-	1	7	14	22
		F	-	-	-	-	-	-	-	1	4	22	27
Calculus of kidney & ureter	N20	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	1	2	6	9
Calculus of lower urinary tract	N21	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Unspecified contracted kidney	N26	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other disorders of kidney & ureter, NEC	N28	M	-	-	-	-	-	-	-	-	2	3	5
		F	-	-	-	-	-	-	-	-	2	4	6
Cystitis	N30	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	1	3	4
Neuromuscular dysfunction of bladder, NEC	N31	M	-	-	-	-	-	-	-	1	-	6	7
		F	-	-	-	-	-	-	-	-	-	1	1
Other disorders of bladder	N32	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	1	1
Other disorders of urinary system	N39	M	-	-	-	-	-	-	-	7	19	67	93
		F	-	-	-	-	-	-	1	3	20	139	163
Prostatic hypertrophy	N40	M	-	-	-	-	-	-	-	1	2	11	14
		F	-	-	-	-	-	-	-	-	-	-	0
Inflammatory diseases of prostate	N41	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other disorders of prostate	N42	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Inflammatory disorders of male genital organs, NEC	N49	M	-	-	-	-	-	-	-	-	1	1	2
		F	-	-	-	-	-	-	-	-	-	-	0
Other disorders of male genital organs	N50	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other female pelvic inflammatory diseases	N73	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Female genital prolapse	N81	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Noninflammatory disorders of ovary, fallopian tube & broad ligament	N83	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Other abnormal uterine & vaginal bleeding	N93	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Postpartum haemorrhage	O72	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	-	-	-	1
Fetus & newborn affected by maternal complications of pregnancy	P01	M	3	-	-	-	-	-	-	-	-	-	3
		F	11	-	-	-	-	-	-	-	-	-	11
Fetus & newborn affected by complications of placenta, cord & membranes	P02	M	11	-	-	-	-	-	-	-	-	-	11
		F	6	-	-	-	-	-	-	-	-	-	6
Fetus & newborn affected by other complications of labour & delivery	P03	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1
Fetus & newborn affected by noxious influences transmitted via placenta or breast milk	P04	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1
Disorders related to short gestation & low birth weight, NEC	P07	M	15	-	-	-	-	-	-	-	-	-	15
		F	10	-	-	-	-	-	-	-	-	-	10
Other birth injuries to central nervous system	P11	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Intrauterine hypoxia	P20	M	-	-	-	-	-	-	-	-	-	-	0
		F	2	-	-	-	-	-	-	-	-	-	2

APPENDIX 2 (P21 - Q26)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Birth asphyxia	P21	M	3	-	-	-	-	-	-	1	-	-	4
		F	1	-	-	-	-	-	-	-	-	-	1
Respiratory distress of newborn	P22	M	-	-	-	-	-	-	-	-	-	-	0
		F	2	-	-	-	-	-	-	-	-	-	2
Perinatal pneumonia	P23	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Neonatal aspiration syndromes	P24	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Chronic respiratory disease originating in the perinatal period	P27	M	1	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	1
Cardiovascular disorders originating in the perinatal period	P29	M	2	-	-	-	-	-	-	-	-	-	2
		F	1	-	-	-	-	-	-	-	-	-	1
Congenital viral diseases	P35	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other infections specific to the perinatal period	P39	M	1	1	-	-	-	-	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Intracranial nontraumatic haemorrhage of fetus & newborn	P52	M	3	-	-	-	-	-	-	-	-	-	3
		F	1	-	-	-	-	-	-	-	-	-	1
Neonatal jaundice from other & unspecified causes	P59	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other perinatal haematological disorders	P61	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1
Transitory disorders of carbohydrate metabolism specific to fetus & newborn	P70	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	1	-	-	-	-	-	-	-	1
Necrotizing enterocolitis of fetus & newborn	P77	M	3	-	-	-	-	-	-	-	-	-	3
		F	-	-	-	-	-	-	-	-	-	-	0
Other perinatal digestive system disorders	P78	M	1	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	1
Other conditions of integument specific to fetus & newborn	P83	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other disturbances of cerebral status of newborn	P91	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1
Other conditions originating in the perinatal period	P96	M	3	-	-	-	-	-	-	-	-	-	3
		F	3	-	-	-	-	-	-	-	-	-	3
Anencephaly & similar malformations	Q00	M	1	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	1
Other congenital malformations of brain	Q04	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	1	-	-	-	-	-	-	-	1
Spina bifida	Q05	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	2	-	-	-	2
Congenital malformations of cardiac chambers & connections	Q20	M	3	-	-	-	-	-	-	-	-	1	4
		F	1	-	-	-	-	-	1	-	-	-	2
Congenital malformations of cardiac septa	Q21	M	1	1	-	-	-	-	-	2	1	-	5
		F	-	2	-	-	-	1	2	1	-	-	6
Congenital malformations of pulmonary & tricuspid valves	Q22	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1
Congenital malformations of aortic & mitral valves	Q23	M	1	-	-	-	-	-	-	1	1	-	3
		F	3	-	-	-	-	-	-	-	-	-	3
Other congenital malformations of heart	Q24	M	1	-	1	-	-	-	-	-	1	-	3
		F	1	-	-	-	-	-	-	-	-	-	1
Congenital malformations of great arteries	Q25	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Congenital malformations of great veins	Q26	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1

APPENDIX 2 (Q27 - R59)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Other congenital malformations of peripheral vascular system	Q27	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other congenital malformations of circulatory system	Q28	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1
Congenital malformations of larynx	Q31	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Congenital malformations of lung	Q33	M	1	-	-	-	-	-	-	1	-	-	2
		F	1	-	-	-	-	-	-	-	-	-	1
Congenital absence, atresia & stenosis of small intestine	Q41	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Congenital malformations of gallbladder, bile ducts & liver	Q44	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Cystic kidney disease	Q61	M	-	-	-	-	-	-	-	2	4	1	7
		F	-	-	-	-	-	-	-	-	3	1	4
Other congenital malformations of urinary system	Q64	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	1	-	-	2
Congenital musculoskeletal head, face, spine, chest deformities	Q67	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	-	-	-	1
Osteochondrodysplasia with growth defects of tubular bones & spine	Q77	M	2	-	-	-	-	-	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Other osteochondrodysplasias	Q78	M	-	-	-	-	-	-	-	-	-	-	0
		F	2	-	-	-	-	-	-	-	-	-	2
Congenital malformations of the musculoskeletal system, NEC	Q79	M	2	-	-	-	-	-	-	-	-	-	2
		F	2	-	-	-	-	-	-	-	-	-	2
Epidermolysis bullosa	Q81	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Phakomatoses, NEC	Q85	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Other specified malformation syndromes affecting multiple systems	Q87	M	2	-	-	-	-	-	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	1	-	1
Other congenital malformations, NEC	Q89	M	-	-	-	-	-	-	1	-	-	-	1
		F	2	-	-	-	-	-	-	-	-	-	2
Down's syndrome	Q90	M	-	-	-	-	-	-	-	5	2	-	7
		F	-	-	-	-	-	-	-	7	2	-	9
Edwards' syndrome & Patau's syndrome	Q91	M	8	-	-	-	-	-	-	-	-	-	8
		F	2	-	-	-	-	-	-	-	-	-	2
Other trisomies & partial trisomies of the autosomes, NEC	Q92	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	1	-	-	-	-	-	-	-	-	1
Monosomies & deletions from the autosomes, NEC	Q93	M	-	-	-	-	-	-	-	-	-	-	0
		F	1	-	-	-	-	-	-	-	-	-	1
Other chromosome abnormalities, NEC	Q99	M	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Abnormalities of heart beat	R00	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	2	2
Other symptoms & signs involving the circulatory & respiratory systems	R09	M	-	-	-	-	-	-	1	-	2	1	4
		F	-	-	-	-	-	-	-	1	2	4	7
Malaise & fatigue	R53	M	-	-	-	-	-	-	-	-	1	4	5
		F	-	-	-	-	-	-	-	-	2	9	11
Senility	R54	M	-	-	-	-	-	-	-	-	-	4	4
		F	-	-	-	-	-	-	-	-	-	28	28
Convulsions, NOS	R56	M	-	-	-	-	-	-	-	2	-	1	3
		F	-	-	-	-	-	-	-	-	-	-	0
Enlarged lymph nodes	R59	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0

APPENDIX 2 (R64 - V68)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Cachexia	R64	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	2	2
Systemic inflammatory response syndrome (SIRS)	R65	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other general symptoms & signs	R68	M	-	-	-	-	-	-	-	-	2	2	4
		F	-	-	-	-	-	-	1	-	1	11	13
Abnormal findings on diagnostic imaging of lung	R91	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Other ill-defined & unspecified causes of mortality	R99	M	14	-	2	2	9	18	73	115	68	72	373
		F	4	3	3	-	5	4	25	42	35	69	190
Pedestrian injured in collision with car, pick-up truck or van	V03	M	-	-	-	-	4	2	4	6	2	4	22
		F	-	-	-	-	-	-	1	3	7	3	14
Pedestrian injured in collision with heavy transport vehicle or bus	V04	M	-	-	-	-	1	-	-	1	1	1	4
		F	-	-	-	-	-	1	-	2	2	-	5
Pedestrian injured in collision with railway train or vehicle	V05	M	-	-	-	-	-	1	1	1	-	-	3
		F	-	-	-	-	1	-	-	-	-	-	1
Pedal cyclist injured in collision with car, pick-up truck or van	V13	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Pedal cyclist injured in noncollision transport accident	V18	M	-	-	-	-	-	-	-	-	2	-	2
		F	-	-	-	-	-	-	-	1	-	-	1
Motorcycle rider injured in collision with car, pick-up truck or van	V23	M	-	-	-	-	1	-	6	8	-	-	15
		F	-	-	-	-	-	-	-	-	-	-	0
Motorcycle rider injured in collision with fixed or stationary object	V27	M	-	-	-	-	-	-	2	1	-	-	3
		F	-	-	-	-	-	-	-	-	-	-	0
Motorcycle rider injured in noncollision transport accident	V28	M	-	-	-	-	-	-	-	5	-	1	6
		F	-	-	-	-	-	-	-	1	-	-	1
Car occupant injured in collision with pedestrian or animal	V40	M	-	-	-	1	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Car occupant injured in collision with car, pick-up truck or van	V43	M	-	-	-	2	-	1	2	6	1	1	13
		F	-	-	-	-	1	2	3	2	9	2	19
Car occupant injured in collision with heavy transport vehicle or bus	V44	M	-	-	-	-	2	1	3	2	-	-	8
		F	-	-	-	-	-	-	-	1	1	-	2
Car occupant injured in collision with railway train or railway vehicle	V45	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Car occupant injured in collision with fixed or stationary object	V47	M	-	-	-	-	1	4	3	1	-	1	10
		F	-	-	-	-	-	-	2	-	1	-	3
Car occupant injured in noncollision transport accident	V48	M	-	-	-	-	1	1	5	6	5	3	21
		F	-	-	-	1	1	-	3	2	2	2	11
Car occupant injured in other & unspecified transport accidents	V49	M	-	-	-	-	1	-	-	-	-	1	2
		F	-	-	-	-	1	-	-	-	-	-	1
Occupant of pick-up truck or van injured in collision with car, pick-up truck or van	V53	M	-	-	-	-	-	-	1	2	3	2	8
		F	-	-	-	-	-	1	-	1	2	1	5
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus	V54	M	-	-	-	-	-	-	2	2	2	-	6
		F	-	-	-	-	-	-	-	-	2	-	2
Occupant of pick-up truck or van injured in collision with fixed or stationary object	V57	M	-	-	-	-	1	-	1	1	-	-	3
		F	-	-	-	-	-	-	-	-	-	-	0
Occupant of pick-up truck or van injured in noncollision transport accident	V58	M	-	-	-	-	-	3	9	7	4	2	25
		F	-	-	-	-	1	-	5	-	2	-	8
Occupant of pick-up truck or van injured in other & unspecified transport accidents	V59	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	V64	M	-	-	-	-	-	-	1	1	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Occupant of heavy transport vehicle injured in noncollision transport accident	V68	M	-	-	-	-	-	1	1	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0

APPENDIX 2 (V80 - W22)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Animal-rider or occupant of animal-drawn vehicle injured in transport accident	V80	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Occupant of special vehicle mainly used on industrial premises injured in transport accident	V83	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Occupant of special vehicle mainly used in agriculture injured in transport accident	V84	M	-	-	-	-	-	-	-	1	1	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	V86	M	-	-	-	-	1	-	4	3	3	-	11
		F	-	-	-	-	-	-	1	1	-	-	2
Traffic accident of specified type but victim's mode of transport unknown	V87	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Accident to watercraft causing drowning & submersion	V90	M	-	-	-	-	-	2	1	1	-	-	4
		F	-	-	-	-	-	-	-	-	-	-	0
Accident to watercraft causing other injury	V91	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	1	-	-	-	-	1
Water-transport-related drowning & submersion without accident to watercraft	V92	M	-	-	-	-	2	1	1	-	2	-	6
		F	-	-	-	-	1	-	-	-	-	-	1
Other & unspecified water transport accidents	V94	M	-	-	-	1	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	1	-	-	1
Accident to powered aircraft causing injury to occupant	V95	M	-	-	-	-	-	-	-	1	1	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Fall on same level involving ice & snow	W00	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Fall on same level from slipping, tripping & stumbling	W01	M	-	-	-	-	-	-	-	-	1	11	12
		F	-	-	-	-	-	-	-	-	1	2	3
Fall involving ice-skates, skis, roller-skates or skateboards	W02	M	-	-	-	1	-	-	1	-	2	1	5
		F	-	-	-	-	-	-	-	-	-	-	0
Fall involving wheelchair	W05	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	3	3
Fall involving bed	W06	M	-	-	-	-	-	-	-	2	3	8	13
		F	1	-	-	-	-	-	-	-	4	12	17
Fall involving chair	W07	M	1	-	-	-	-	-	-	-	2	2	5
		F	-	-	-	-	-	-	-	-	-	1	1
Fall involving other furniture	W08	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	6	6
Fall on & from stairs & steps	W10	M	-	-	-	-	-	-	3	9	11	3	26
		F	-	-	-	-	-	-	-	1	2	4	7
Fall on & from ladder	W11	M	-	-	-	-	-	-	-	2	1	2	5
		F	-	-	-	-	-	-	-	-	-	-	0
Fall from, out of or through building or structure	W13	M	-	-	-	-	-	1	1	-	3	1	6
		F	-	-	-	-	-	-	-	-	1	-	1
Fall from tree	W14	M	-	-	-	-	-	1	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Fall from cliff	W15	M	-	-	-	-	-	-	2	1	1	-	4
		F	-	-	-	-	-	-	-	-	-	-	0
Diving or jumping into water causing injury other than drowning or submersion	W16	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Other fall from one level to another	W17	M	-	-	-	-	-	-	-	1	1	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Unspecified fall	W19	M	-	-	-	-	2	-	3	17	33	100	155
		F	-	-	-	-	-	-	-	5	28	170	203
Struck by thrown, projected or falling object	W20	M	-	-	-	-	-	1	-	3	-	-	4
		F	-	-	-	-	-	-	-	-	-	-	0
Striking against or struck by other objects	W22	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1

APPENDIX 2 (W23 - X08)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Caught, crushed, jammed or pinched in or between objects	W23	M	-	-	-	-	-	-	-	-	2	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Contact with powered lawn mower	W28	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Contact with agricultural machinery	W30	M	-	-	-	-	-	-	-	2	1	-	3
		F	-	-	-	-	-	-	-	-	-	-	0
Contact with other & unspecified machinery	W31	M	-	-	-	-	-	-	1	1	1	-	3
		F	-	-	-	-	-	-	-	-	-	-	0
Foreign body entering into or through eye or natural orifice	W44	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Exposure to other & unspecified inanimate mechanical forces	W46	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	-	-	-	1
Bitten or struck by other mammals	W55	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	-	-	-	1
Drowning & submersion while in bathtub	W65	M	-	1	-	-	-	-	-	-	-	1	2
		F	-	-	-	-	-	-	-	-	1	-	1
Drowning & submersion following fall into bathtub	W66	M	-	-	-	-	-	-	-	1	-	-	1
		F	1	-	-	-	-	-	-	-	1	-	2
Drowning & submersion while in swimming pool	W67	M	-	-	-	-	-	-	1	-	1	-	2
		F	-	-	-	-	-	-	2	-	-	-	2
Drowning & submersion following fall into swimming pool	W68	M	-	-	-	-	1	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Drowning & submersion while in natural water	W69	M	-	-	1	-	-	-	7	3	1	1	13
		F	-	-	-	-	-	-	-	1	1	1	3
Drowning & submersion following fall into natural water	W70	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Unspecified drowning & submersion	W74	M	-	-	-	-	-	-	1	3	1	-	5
		F	-	-	-	-	-	-	-	1	1	-	2
Accidental suffocation & strangulation in bed	W75	M	5	-	-	-	-	-	-	-	-	-	5
		F	2	-	-	-	-	-	-	-	-	-	2
Other accidental hanging & strangulation	W76	M	-	-	-	-	-	-	1	-	-	2	3
		F	-	-	-	-	-	-	-	-	-	-	0
Inhalation of gastric contents	W78	M	-	-	-	-	-	1	-	-	-	-	1
		F	-	-	-	-	-	-	-	1	-	-	1
Inhalation & ingestion of food causing obstruction of respiratory tract	W79	M	-	-	-	-	-	-	-	5	3	4	12
		F	-	-	-	-	-	-	-	2	2	5	9
Inhalation & ingestion of other objects causing obstruction of respiratory tract	W80	M	-	-	-	-	-	-	-	-	2	-	2
		F	-	-	-	-	-	-	-	1	-	-	1
Other specified threats to breathing	W83	M	-	-	-	-	-	-	1	1	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Exposure to electric transmission lines	W85	M	-	-	-	-	-	1	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Exposure to other specified electric current	W86	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Exposure to uncontrolled fire in building or structure	X00	M	-	1	-	-	-	-	1	3	-	1	6
		F	-	-	-	-	-	-	-	3	2	2	7
Exposure to ignition of highly flammable material	X04	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Exposure to ignition or melting of nightwear	X05	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	-	1	1
Exposure to ignition or melting of other clothing & apparel	X06	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	0
Exposure to other specified smoke, fire & flames	X08	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0

APPENDIX 2 (X11 - X76)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Contact with hot tap-water	X11	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Contact with hornets, wasps & bees	X23	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Contact with venomous marine animals & plants	X26	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Exposure to excessive natural cold	X31	M	-	-	-	-	-	2	-	5	2	1	10
		F	-	-	-	-	-	-	-	-	-	1	1
Victim of avalanche, landslide & other earth movements	X36	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Accidental poisoning by & exposure to nonopioid analgesics, antipyretics & antirheumatics	X40	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	1	1	1	1	1	5
Accidental poisoning by & exposure to antiepileptic, sedative-hypnotic, antiparkinsonism & psychotropic drugs, NEC	X41	M	-	-	-	-	-	1	7	8	-	1	17
		F	-	-	-	-	-	1	5	8	2	-	16
Accidental poisoning by & exposure to narcotics & psychodysleptics [hallucinogens], NEC	X42	M	-	-	-	-	5	12	99	70	2	-	188
		F	-	-	-	-	-	4	28	14	-	1	47
Accidental poisoning by & exposure to other & unspecified drugs, medicaments & biological substances	X44	M	-	-	-	-	-	2	32	33	3	-	70
		F	-	-	-	-	1	3	21	25	2	1	53
Accidental poisoning by & exposure to alcohol	X45	M	-	-	-	-	-	-	9	9	2	-	20
		F	-	-	-	-	-	1	2	6	-	-	9
Accidental poisoning by & exposure to organic solvents & halogenated hydrocarbons & their vapours	X46	M	-	-	-	-	-	-	1	1	-	-	2
		F	-	-	-	-	-	-	1	-	-	-	1
Accidental poisoning by & exposure to other gases & vapours	X47	M	-	-	-	-	-	-	-	2	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Accidental poisoning by & exposure to other & unspecified chemicals & noxious substances	X49	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Exposure to other specified factors	X58	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	1	1	-	-	2
Exposure to unspecified factor	X59	M	-	-	-	-	-	-	-	2	1	4	7
		F	-	-	-	-	-	-	1	1	1	4	7
Intentional self-poisoning by & exposure to nonopioid analgesics, antipyretics & antirheumatics	X60	M	-	-	-	-	-	-	1	1	2	1	5
		F	-	-	-	-	-	-	-	1	-	-	1
Intentional self-poisoning by & exposure to antiepileptic, sedative-hypnotic, antiparkinsonism & psychotropic drugs, NEC	X61	M	-	-	-	-	-	1	4	7	5	2	19
		F	-	-	-	-	-	1	5	9	3	3	21
Intentional self-poisoning by & exposure to narcotics & psychodysleptics [hallucinogens], NEC	X62	M	-	-	-	-	-	-	2	3	-	-	5
		F	-	-	-	-	-	-	-	2	1	-	3
Intentional self-poisoning by & exposure to other & unspecified drugs, medicaments & biological substances	X64	M	-	-	-	-	-	1	5	16	5	2	29
		F	-	-	-	-	-	-	8	13	5	3	29
Intentional self-poisoning by & exposure to organic solvents & halogenated hydrocarbons & their vapours	X66	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	1	-	-	-	-	1
Intentional self-poisoning by & exposure to other gases & vapours	X67	M	-	-	-	-	1	1	8	22	4	2	38
		F	-	-	-	-	-	-	3	3	3	1	10
Intentional self-harm by hanging, strangulation & suffocation	X70	M	-	-	-	1	14	13	68	78	23	11	208
		F	-	-	-	-	1	5	21	11	3	2	43
Intentional self-harm by drowning & submersion	X71	M	-	-	-	-	1	1	2	3	-	2	9
		F	-	-	-	-	-	-	1	2	2	-	5
Intentional self-harm by handgun discharge	X72	M	-	-	-	-	-	-	-	2	1	2	5
		F	-	-	-	-	-	-	-	-	-	-	0
Intentional self-harm by rifle, shotgun & larger firearm discharge	X73	M	-	-	-	-	1	-	5	11	2	-	19
		F	-	-	-	-	-	-	1	-	-	-	1
Intentional self-harm by other & unspecified firearm discharge	X74	M	-	-	-	1	1	2	7	20	10	4	45
		F	-	-	-	-	-	-	2	3	-	-	5
Intentional self-harm by smoke, fire & flames	X76	M	-	-	-	-	-	-	1	2	-	-	3
		F	-	-	-	-	-	-	-	1	-	-	1

APPENDIX 2 (X78 - Y33)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Intentional self-harm by sharp object	X78	M	-	-	-	-	1	-	7	14	1	2	25
		F	-	-	-	-	-	-	-	3	-	-	3
Intentional self-harm by jumping from a high place	X80	M	-	-	-	-	1	3	7	8	4	3	26
		F	-	-	-	-	2	2	2	4	3	-	13
Intentional self-harm by jumping or lying before moving object	X81	M	-	-	-	-	2	-	-	1	-	1	4
		F	-	-	-	-	-	-	1	-	1	-	2
Intentional self-harm by crashing of motor vehicle	X82	M	-	-	-	-	2	-	1	-	-	-	3
		F	-	-	-	-	-	-	-	-	-	-	0
Intentional self-harm by other specified means	X83	M	-	-	-	-	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	1	-	1
Intentional self-harm by unspecified means	X84	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Assault by drugs, medicaments & biological substances	X85	M	-	-	-	-	1	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Assault by hanging, strangulation & suffocation	X91	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	1	-	-	-	-	-	1
Assault by drowning & submersion	X92	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	1	-	-	-	-	-	1
Assault by rifle, shotgun & larger firearm discharge	X94	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Assault by other & unspecified firearm discharge	X95	M	-	-	-	-	-	-	3	2	-	-	5
		F	-	-	-	-	-	-	1	2	-	-	3
Assault by sharp object	X99	M	-	-	-	-	-	1	5	3	-	-	9
		F	-	-	-	-	-	-	1	1	-	1	3
Assault by blunt object	Y00	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	-	1	-	1
Assault by bodily force	Y04	M	-	-	-	-	-	-	-	2	1	-	3
		F	-	-	-	-	-	-	1	-	-	-	1
Poisoning by & exposure to nonopioid analgesics, antipyretics & antirheumatics, undetermined intent	Y10	M	-	-	-	-	-	-	1	-	-	-	1
		F	-	-	-	-	-	-	-	1	-	-	1
Poisoning by & exposure to antiepileptic, sedative-hypnotic, antiparkinsonism & psychotropic drugs, NEC	Y11	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	1	-	1
Poisoning by & exposure to narcotics & psychodysleptics [hallucinogens], NEC, undetermined intent	Y12	M	-	-	-	-	-	1	1	3	-	-	5
		F	-	-	-	-	-	-	-	-	-	-	0
Poisoning by & exposure to other & unspecified drugs, medicaments & biological substances, undetermined intent	Y14	M	-	-	-	-	-	-	1	4	1	-	6
		F	-	-	-	-	-	-	1	5	1	-	7
Poisoning by & exposure to other gases & vapours, undetermined intent	Y17	M	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Hanging, strangulation & suffocation, undetermined intent	Y20	M	-	-	-	1	-	-	2	-	-	-	3
		F	-	-	-	-	-	-	-	-	-	-	0
Drowning & submersion, undetermined intent	Y21	M	-	-	-	-	-	-	2	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Contact with sharp object, undetermined intent	Y28	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Falling, jumping or pushed from a high place, undetermined intent	Y30	M	-	-	-	-	-	-	1	1	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Falling, lying or running before or into moving object, undetermined intent	Y31	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Crashing of motor vehicle, undetermined intent	Y32	M	-	-	-	-	-	1	-	1	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	0
Other specified events, undetermined intent	Y33	M	-	-	-	-	-	-	1	1	-	3	5
		F	-	-	-	-	-	-	-	-	1	-	1

APPENDIX 2 (Y34 - Y86)

DETAILED CAUSE OF DEATH BY SEX AND AGE

BRITISH COLUMBIA, 2014

Causes of Death	ICD- 10 Code(s)	Sex	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	Total
Unspecified event, undetermined intent	Y34	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	0
Systemic antibiotics	Y40	M	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	1	1
Surgical operation & other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, w/o misadventure	Y83	M	-	-	-	-	-	-	-	1	-	1	2
		F	-	-	-	-	-	-	-	3	2	2	7
Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure	Y84	M	-	-	-	-	-	-	-	-	-	-	0
		F	-	-	-	-	-	-	-	1	-	-	1
Sequelae of transport accidents	Y85	M	-	-	-	-	-	-	3	6	2	-	11
		F	-	-	-	-	-	-	-	-	-	-	0
Sequelae of other accidents	Y86	M	-	-	-	-	-	-	-	2	3	-	5
		F	-	-	-	-	-	-	-	-	1	-	1
Totals		M	107	11	8	12	64	99	669	3,287	5,524	7,624	17,405
		F	77	12	8	3	26	37	392	1,938	3,843	9,874	16,210
		All	184	23	16	15	90	136	1,061	5,225	9,367	17,498	33,615

Notes:

The output from ICD-10 mortality coding and underlying cause of death selection was modified in British Columbia to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time. Data using the standard ICD-10 rules for such categories as pneumonia/ influenza, diabetes, or cancer should not be compared to the numbers shown above.

Non-residents and unknown gender are excluded.



Appendix Three

Selected Health Status Indicators
by Local Health Area,
Health Service Delivery Area
and Health Authority
British Columbia, 2010 - 2014

TABLE A - SUMMARY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

Local Health Area	2014 Population	Live Birth		Still Birth		Death		Infant Death	
		Total	Rate	Total	Rate ²	Total	Rate	Total	Rate ¹
001 Fernie	14,887	821	11.15	7	8.45	429	5.83	2	2.44
002 Cranbrook	25,762	1,216	9.47	3	2.46	1,057	8.23	4	3.29
003 Kimberley	8,398	397	9.55	2	5.01	403	9.70	1	2.52
004 Windermere	9,012	394	8.73	2	5.05	332	7.35	2	5.08
005 Creston	12,388	478	7.70	3	6.24	784	12.62	2	4.18
006 Kootenay Lake	3,412	103	6.07	-	0.00	181	10.67	1	9.71
007 Nelson	25,917	1,097	8.64	11	9.93	989	7.79	2	1.82
009 Castlegar	13,746	570	8.35	5	8.70	611	8.95	2	3.51
010 Arrow Lakes	4,615	119	5.17	-	0.00	253	11.00	1	8.33
011 Trail	18,949	890	9.26	12	13.30	1,055	10.98	1	1.12
012 Grand Forks	8,199	236	5.58	1	4.22	585	13.82	2	8.47
013 Kettle Valley	3,159	92	5.59	-	0.00	154	9.36	1	10.87
014 Southern Okanagan	18,438	606	6.53	8	13.03	1,301	14.02	1	1.65
015 Penticton	42,587	1,494	7.12	14	9.28	2,607	12.42	1	0.67
016 Keremeos	5,122	168	6.59	4	23.26	351	13.76	-	0.00
017 Princeton	4,541	147	6.48	-	0.00	309	13.63	-	0.00
018 Golden	7,021	352	10.14	3	8.45	196	5.65	2	5.68
019 Revelstoke	7,786	443	11.47	5	11.16	284	7.35	3	6.77
020 Salmon Arm	34,114	1,292	7.65	12	9.20	1,773	10.50	4	3.10
021 Armstrong - Spallumcheen	10,064	451	9.00	5	10.96	408	8.14	1	2.22
022 Vernon	65,402	2,845	8.76	26	9.06	3,373	10.38	9	3.16
023 Central Okanagan	188,900	8,203	8.88	79	9.54	7,831	8.47	25	3.05
024 Kamloops	112,642	5,152	9.28	56	10.75	4,629	8.34	19	3.69
025 100 Mile House	13,754	467	6.81	4	8.49	669	9.76	1	2.14
026 North Thompson	4,239	175	8.34	6	33.15	186	8.87	-	0.00
027 Cariboo - Chilcotin	25,791	1,337	10.38	19	14.01	980	7.61	9	6.73
028 Quesnel	23,696	1,088	9.16	14	12.70	993	8.36	6	5.51
029 Lillooet	4,261	204	9.61	-	0.00	178	8.39	3	14.63
030 South Cariboo	6,999	295	8.46	4	13.38	374	10.73	1	3.39
031 Merritt	11,644	563	9.87	8	14.01	590	10.34	4	7.10
032 Hope	7,327	291	7.73	2	6.83	505	13.41	4	13.75
033 Chilliwack	91,120	5,187	11.67	38	7.27	3,704	8.34	30	5.78
034 Abbotsford	138,771	8,487	12.32	98	11.42	4,754	6.90	32	3.77
035 Langley	141,998	7,280	10.70	67	9.12	4,893	7.19	37	5.08
037 Delta	101,876	4,091	8.02	46	11.12	3,465	6.79	13	3.18
038 Richmond	205,262	8,991	9.03	76	8.38	4,613	4.63	24	2.67
040 New Westminster	69,860	3,504	10.26	46	12.96	2,381	6.97	19	5.42
041 Burnaby	233,734	11,487	9.93	121	10.42	6,593	5.70	30	2.61
042 Maple Ridge	99,694	4,798	9.85	50	10.31	3,120	6.40	14	2.92
043 Coquitlam	238,677	10,739	9.35	110	10.14	5,244	4.56	36	3.35
044 North Vancouver	141,658	6,076	8.73	47	7.68	4,110	5.90	16	2.63
045 West Vancouver-Bowen Island	50,371	1,287	5.10	19	14.55	2,300	9.12	-	0.00
046 Sunshine Coast	29,584	995	6.85	7	6.99	1,421	9.78	6	6.03
047 Powell River	19,491	711	7.28	8	11.13	1,092	11.18	3	4.22
048 Howe Sound	37,235	2,359	13.10	26	10.90	645	3.58	6	2.54
049 Bella Coola Valley	2,615	171	12.97	-	0.00	100	7.58	1	5.85
050 Queen Charlotte	4,342	234	10.72	3	12.66	145	6.64	1	4.27
051 Snow Country	583	14	4.66	-	0.00	22	7.33	-	0.00
052 Prince Rupert	13,274	876	12.65	10	11.29	490	7.08	10	11.42
053 Upper Skeena	4,543	283	12.85	4	13.94	155	7.04	5	17.67
054 Smithers	16,849	1,015	12.06	11	10.72	503	5.97	5	4.93
055 Burns Lake	7,039	360	10.34	4	10.99	270	7.76	4	11.11
056 Nechako	17,119	1,087	13.02	17	15.40	602	7.21	7	6.44
057 Prince George	94,041	5,207	11.05	58	11.02	3,068	6.51	27	5.19
059 Peace River South	28,430	1,763	12.88	12	6.76	963	7.04	10	5.67
060 Peace River North	37,495	3,142	17.70	35	11.02	803	4.52	15	4.77
061 Greater Victoria	218,616	9,095	8.32	70	7.64	10,436	9.55	45	4.95
062 Sooke	75,957	4,195	11.55	23	5.45	1,909	5.26	14	3.34
063 Saanich	62,566	1,952	6.20	13	6.62	3,361	10.68	4	2.05
064 Gulf Islands	15,324	413	5.44	1	2.42	708	9.33	1	2.42
065 Cowichan	58,023	2,641	9.18	34	12.71	2,484	8.63	6	2.27
066 Lake Cowichan	6,105	211	6.99	7	32.11	252	8.34	-	0.00
067 Ladysmith	18,320	730	8.09	6	8.15	1,095	12.13	1	1.37
068 Nanaimo	107,120	4,634	8.85	36	7.71	5,139	9.82	21	4.53
069 Qualicum	45,787	1,180	5.18	10	8.40	2,780	12.21	5	4.24
070 Alberni	30,876	1,562	10.02	23	14.51	1,544	9.91	8	5.12
071 Courtenay	64,639	2,607	8.10	19	7.24	3,008	9.35	9	3.45
072 Campbell River	42,578	1,887	9.03	18	9.45	1,796	8.59	10	5.30
075 Mission	41,649	2,300	11.08	17	7.34	1,422	6.85	9	3.91
076 Agassiz - Harrison	9,303	442	9.58	9	19.96	402	8.71	2	4.52
077 Summerland	11,641	346	5.89	5	14.25	729	12.42	-	0.00
078 Enderby	7,322	372	10.15	2	5.35	387	10.56	-	0.00
080 Kitimat	9,570	504	10.53	5	9.82	344	7.19	5	9.92
081 Fort Nelson	6,190	388	12.55	4	10.20	121	3.91	1	2.58
083 Central Coast	1,611	111	13.93	-	0.00	69	8.66	1	9.01
084 Vancouver Island West	2,089	92	8.72	1	10.75	50	4.74	-	0.00
085 Vancouver Island North	11,725	653	11.02	4	6.09	430	7.26	2	3.06
087 Stikine	954	34	7.37	-	0.00	18	3.90	-	0.00
088 Terrace	20,761	1,204	11.77	16	13.11	773	7.56	9	7.48
092 Nisga'a	2,151	155	15.24	3	18.99	56	5.51	1	6.45
094 Telegraph Creek	692	39	11.88	-	0.00	23	7.01	-	0.00
161 Vancouver - City Centre	122,619	5,329	8.86	65	12.05	3,235	5.38	6	1.13
162 Vancouver - Downtown Eastside	61,730	2,997	9.92	43	14.14	2,443	8.09	13	4.34
163 Vancouver - North East	106,399	5,207	9.97	69	13.08	2,895	5.54	16	3.07
164 Vancouver - Westside	137,384	5,440	8.16	60	10.91	3,500	5.25	12	2.21
165 Vancouver - Midtown	91,800	5,440	12.11	44	8.02	2,143	4.77	40	7.35
166 Vancouver - South	138,553	6,187	9.10	84	13.39	4,132	6.08	26	4.20
201 Surrey	441,371	25,873	12.21	333	12.71	9,792	4.62	93	3.59
202 South Surrey/White Rock	91,444	3,277	7.39	28	8.47	4,621	10.43	11	3.36
998 Unknown LHA	-	3	0.00	1	250.00	55	0.00	1	333.33
Total	4,631,302	219,630	9.67	2,281	10.28	161,978	7.13	837	3.81

TABLE A - SUMMARY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

Local Health Area	Low Birth Weight		Caesarean		Preterm		Teenage Mother		Elderly Gravida	
	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹
001 Fernie	30	36.54	274	333.74	45	54.81	23	28.01	136	165.65
002 Cranbrook	62	50.99	352	289.47	79	64.97	43	35.36	175	143.91
003 Kimberley	17	42.82	112	282.12	22	55.42	10	25.19	77	193.95
004 Windermere	30	76.14	121	307.11	31	78.68	18	45.69	76	192.89
005 Creston	22	46.03	130	271.97	38	79.50	33	69.04	59	123.43
006 Kootenay Lake	4	38.83	19	184.47	6	58.25	3	29.13	27	262.14
007 Nelson	44	40.11	233	212.40	59	53.78	21	19.14	314	286.24
009 Castlegar	39	68.42	165	289.47	46	80.70	24	42.11	92	161.40
010 Arrow Lakes	8	67.23	25	210.08	10	84.03	5	42.02	21	176.47
011 Trail	49	55.06	274	307.87	62	69.66	27	30.34	159	178.65
012 Grand Forks	21	88.98	73	309.32	24	101.69	10	42.37	46	194.92
013 Kettle Valley	7	76.09	20	217.39	13	141.30	1	10.87	22	239.13
014 Southern Okanagan	33	54.46	157	259.08	49	80.86	22	36.30	99	163.37
015 Penticton	82	54.89	386	258.37	111	74.30	83	55.56	257	172.02
016 Keremeos	5	29.76	48	285.71	10	59.52	8	47.62	33	196.43
017 Princeton	14	95.24	35	238.10	19	129.25	12	81.63	16	108.84
018 Golden	14	39.77	124	352.27	14	39.77	5	14.20	74	210.23
019 Revelstoke	17	38.37	132	297.97	27	60.95	8	18.06	95	214.45
020 Salmon Arm	60	46.44	449	347.52	76	58.82	53	41.02	202	156.35
021 Armstrong - Spallumcheen	21	46.56	122	270.51	33	73.17	9	19.96	62	137.47
022 Vernon	160	56.24	790	277.68	188	66.08	119	41.83	457	160.63
023 Central Okanagan	426	51.93	2,574	313.79	592	72.17	205	24.99	1,496	182.37
024 Kamloops	316	61.34	1,790	347.44	417	80.94	181	35.13	764	148.29
025 100 Mile House	22	47.11	139	297.64	41	87.79	17	36.40	74	158.46
026 North Thompson	12	68.57	39	222.86	12	68.57	9	51.43	23	131.43
027 Cariboo - Chilcotin	81	60.58	420	314.14	124	92.74	101	75.54	155	115.93
028 Quesnel	67	61.58	365	335.48	82	75.37	68	62.50	120	110.29
029 Lillooet	12	58.82	61	299.02	21	102.94	23	112.75	41	200.98
030 South Cariboo	15	50.85	77	261.02	25	84.75	23	77.97	43	145.76
031 Merritt	34	60.39	191	339.25	55	97.69	40	71.05	67	119.01
032 Hope	14	48.11	87	298.97	24	82.47	18	61.86	37	127.15
033 Chilliwack	248	47.81	1,746	336.61	409	78.85	252	48.58	681	131.29
034 Abbotsford	545	64.22	2,674	315.07	677	79.77	195	22.98	1,199	141.27
035 Langley	367	50.41	2,236	307.14	488	67.03	132	18.13	1,413	194.09
037 Delta	277	67.71	1,427	348.81	341	83.35	38	9.29	1,132	276.70
038 Richmond	489	54.39	2,754	306.31	611	67.96	56	6.23	2,764	307.42
040 New Westminster	220	62.79	1,275	363.87	282	80.48	36	10.27	1,043	297.66
041 Burnaby	683	59.46	4,042	351.88	874	76.09	94	8.18	3,567	310.52
042 Maple Ridge	239	49.81	1,756	365.99	355	73.99	96	20.01	984	205.09
043 Coquitlam	575	53.54	3,724	346.77	788	73.38	118	10.99	3,299	307.20
044 North Vancouver	313	51.51	2,073	341.18	425	69.95	35	5.76	2,480	408.16
045 West Vancouver-Bowen Island	76	59.05	515	400.16	102	79.25	7	5.44	622	483.29
046 Sunshine Coast	41	41.21	315	316.58	78	78.39	24	24.12	212	213.07
047 Powell River	24	33.76	183	257.38	41	57.67	31	43.60	142	199.72
048 Howe Sound	105	44.51	822	348.45	150	63.59	40	16.96	803	340.40
049 Bella Coola Valley	10	58.48	51	298.25	22	128.65	27	157.89	23	134.50
050 Queen Charlotte	4	17.09	58	247.86	13	55.56	7	29.91	50	213.68
051 Snow Country	2	142.86	3	214.29	3	214.29	-	0.00	4	285.71
052 Prince Rupert	42	47.95	237	270.55	74	84.47	77	87.90	129	147.26
053 Upper Skeena	17	60.07	68	240.28	26	91.87	38	134.28	34	120.14
054 Smithers	43	42.36	265	261.08	54	53.20	44	43.35	175	172.41
055 Burns Lake	20	55.56	87	241.67	19	52.78	41	113.89	46	127.78
056 Nechako	59	54.28	326	299.91	79	72.68	77	70.84	125	115.00
057 Prince George	309	59.34	1,489	285.96	409	78.55	268	51.47	702	134.82
059 Peace River South	84	47.65	516	292.68	113	64.10	118	66.93	159	90.19
060 Peace River North	148	47.10	907	288.67	191	60.79	135	42.97	320	101.85
061 Greater Victoria	488	53.66	2,776	305.22	670	73.67	163	17.92	2,472	271.80
062 Sooke	233	55.54	1,376	328.01	305	72.71	99	23.60	855	203.81
063 Saanich	132	67.62	529	271.00	168	86.07	64	32.79	524	268.44
064 Gulf Islands	24	58.11	109	263.92	32	77.48	8	19.37	117	283.29
065 Cowichan	131	49.60	573	216.96	238	90.12	132	49.98	428	162.06
066 Lake Cowichan	17	80.57	50	236.97	16	75.83	5	23.70	31	146.92
067 Ladysmith	38	52.05	160	219.18	59	80.82	46	63.01	98	134.25
068 Nanaimo	244	52.65	1,170	252.48	357	77.04	173	37.33	824	177.82
069 Qualicum	45	38.14	319	270.34	68	57.63	35	29.66	273	231.36
070 Alberni	81	51.86	433	277.21	149	95.39	162	103.71	204	130.60
071 Courtenay	115	44.11	725	278.10	170	65.21	78	29.92	515	197.55
072 Campbell River	96	50.87	535	283.52	159	84.26	98	51.93	287	152.09
075 Mission	115	50.00	702	305.22	182	79.13	72	31.30	376	163.48
076 Agassiz - Harrison	26	58.82	125	282.81	46	104.07	43	97.29	45	101.81
077 Summerland	21	60.69	82	236.99	24	69.36	6	17.34	57	164.74
078 Enderby	15	40.32	112	301.08	20	53.76	15	40.32	40	107.53
080 Kitimat	22	43.65	165	327.38	28	55.56	42	83.33	64	126.98
081 Fort Nelson	24	61.86	133	342.78	31	79.90	31	79.90	38	97.94
083 Central Coast	7	63.06	24	216.22	20	180.18	13	117.12	11	99.10
084 Vancouver Island West	5	54.35	25	271.74	12	130.43	9	97.83	11	119.57
085 Vancouver Island North	25	38.28	162	248.09	54	82.70	58	88.82	68	104.13
087 Stikine	3	88.24	8	235.29	2	58.82	2	58.82	2	58.82
088 Terrace	67	55.65	246	204.32	85	70.60	83	68.94	160	132.89
092 Nisga'a	6	38.71	27	174.19	14	90.32	19	122.58	15	96.77
094 Telegraph Creek	3	76.92	8	205.13	1	25.64	2	51.28	9	230.77
161 Vancouver - City Centre	315	59.11	1,810	339.65	385	72.25	8	1.50	1,895	355.60
162 Vancouver - Downtown Eastside	195	65.07	868	289.62	248	82.75	49	16.35	1,096	365.70
163 Vancouver - North East	323	62.03	1,562	299.98	413	79.32	52	9.99	1,755	337.05
164 Vancouver - Westside	266	48.90	1,743	320.40	349	64.15	9	1.65	2,356	433.09
165 Vancouver - Midtown	360	66.18	1,655	304.23	405	74.45	22	4.04	2,103	386.58
166 Vancouver - South	413	66.75	1,913	309.20	472	76.29	63	10.18	1,972	318.73
201 Surrey	1,845	71.31	9,241	357.17	2,091	80.82	458	17.70	5,099	197.08
202 South Surrey/White Rock	164	50.05	1,159	353.68	236	72.02	27	8.24	1,052	321.03
998 Unknown LHA	2	666.67	1	333.33	-	0.00	-	0.00	1	333.33
Total	12,544	57.11	69,859	318.08	16,488	75.07	5,354	24.38	52,280	238.04

TABLE B - MORTALITY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

Local Health Area	01 All Causes of Death					02 All Cancer Sites					03 Lung Cancer				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
001 Fernie	1.13	429		0.95	175	1.12	136		0.86	73	1.21	37		0.73	19
002 Cranbrook	1.09	1,057	↘	1.14	402	1.12	325		1.18	167	1.13	83		1.33	47
003 Kimberley	1.04	403		0.97	132	1.05	118		0.85	49	1.50	42		1.26	19
004 Windermere	0.94	332		1.02	128	0.94	103		0.95	59	1.11	31		0.93	18
005 Creston	1.14	784		1.16	235	1.00	204		1.00	103	1.18	61		1.66	39
006 Kootenay Lake	1.18	181		1.71	94	1.23	59		1.15	36	1.30	16		1.22	12
007 Nelson	1.09	989	↘	1.13	392	1.06	286		1.08	157	1.10	74		1.74	54
009 Castlegar	1.12	611		1.08	222	1.10	178		1.05	93	1.30	53		1.33	29
010 Arrow Lakes	1.09	253	↘	1.50	111	0.93	66		0.89	36	1.06	19		1.32	15
011 Trail	1.21	1,055	↘	1.20	341	1.14	283		1.16	132	1.12	69		1.36	36
012 Grand Forks	1.32	585		1.46	208	1.24	170		1.52	88	1.20	42		1.56	23
013 Kettle Valley	0.92	154		1.39	86	1.33	69		1.48	44	1.51	20		1.86	14
014 Southern Okanagan	1.09	1,301	↘	1.19	407	1.14	409		1.21	194	1.25	115		1.13	56
015 Penticton	1.04	2,607	↘	1.12	704	1.06	724		1.01	280	1.10	185		1.14	80
016 Keremeos	1.17	351		1.75	150	1.23	113		1.55	62	1.40	33		1.30	15
017 Princeton	1.29	309		1.59	131	1.32	98		1.28	52	2.04	39		2.10	24
018 Golden	1.04	196		0.89	73	1.00	59		0.80	30	0.74	11	↘	0.97	8
019 Revelstoke	1.22	284		1.39	121	1.20	85		1.13	43	1.29	23		1.31	14
020 Salmon Arm	1.03	1,773	↘	1.19	616	1.01	513	↘	0.99	249	1.04	133		1.04	70
021 Armstrong - Spallumcheen	0.97	408	↘	0.97	137	0.94	118		0.96	65	1.13	36		1.18	20
022 Vernon	1.10	3,373	↘	1.20	1,107	1.07	944		1.09	441	1.09	241		1.14	133
023 Central Okanagan	0.99	7,831	↘	1.00	2,504	1.00	2,269		1.02	1,056	1.04	586		1.01	293
024 Kamloops	1.17	4,629	↘	1.21	1,938	1.15	1,376		1.16	784	1.28	388		1.27	219
025 100 Mile House	1.16	669	↘	1.34	337	1.18	227		1.20	136	1.25	63		1.06	39
026 North Thompson	1.27	186		1.18	90	0.95	46		0.81	29	1.35	17		1.68	13
027 Cariboo - Chilcotin	1.24	980	↘	1.46	473	1.12	276		1.16	162	0.95	59		1.22	41
028 Quesnel	1.28	993	↘	1.44	468	1.30	317		1.20	179	1.62	100		1.42	58
029 Lillooet	1.20	178		1.86	109	1.09	50		1.20	35	1.46	17		2.11	11
030 South Cariboo	1.26	374		1.58	183	1.23	119		1.31	68	1.24	31		1.44	20
031 Merritt	1.39	590		1.60	257	1.26	165		1.04	83	1.39	46		1.15	26
032 Hope	1.39	505		2.21	249	1.35	146		1.56	89	1.85	51		2.48	34
033 Chilliwack	1.12	3,704	↘	1.21	1,408	1.14	1,097		1.14	542	1.23	297		1.37	152
034 Abbotsford	1.00	4,754	↘	1.01	1,639	0.97	1,287	↘	1.06	661	0.86	281	↘	0.86	150
035 Langley	1.08	4,893	↘	0.98	1,736	1.07	1,400	↘	1.06	720	1.20	387		1.10	204
037 Delta	0.99	3,465	↘	0.87	1,238	0.95	997		0.95	540	0.82	217		0.73	116
038 Richmond	0.74	4,613	↘	0.57	1,572	0.82	1,540	↘	0.77	801	0.80	373	↘	0.70	183
040 New Westminster	1.06	2,381	↘	1.05	908	1.01	643	↘	1.02	336	1.15	180		1.26	101
041 Burnaby	0.87	6,593	↘	0.71	2,114	0.89	1,947	↘	0.85	918	0.87	469	↘	0.87	240
042 Maple Ridge	1.16	3,120	↘	1.09	1,317	1.14	938		1.11	526	1.21	248	↘	1.20	151
043 Coquitlam	0.90	5,244	↘	0.72	2,070	0.92	1,659	↘	0.87	955	0.88	393	↘	0.78	220
044 North Vancouver	0.86	4,110	↘	0.67	1,242	0.90	1,254	↘	0.80	595	0.72	247	↘	0.61	115
045 West Vancouver-Bowen Island	0.80	2,300	↘	0.55	453	0.84	654		0.68	230	0.56	108		0.43	42
046 Sunshine Coast	0.95	1,421	↘	1.09	515	1.11	491		1.20	263	1.05	118		1.14	65
047 Powell River	1.15	1,092		1.35	419	1.25	353		1.23	185	1.27	91		1.37	50
048 Howe Sound	0.98	645	↘	0.91	343	0.92	186		0.77	120	0.81	40		0.68	32
049 Bella Coola Valley	1.14	100		2.52	59	0.86	23		1.25	14	0.75	5		1.47	4
050 Queen Charlotte	1.26	145		1.47	86	1.58	59		1.50	39	1.49	14		1.24	10
051 Snow Country	1.41	22		1.15	9	0.93	5		0.17	3	2.16	3		0.75	3
052 Prince Rupert	1.27	490		1.88	267	1.02	118		1.08	75	0.91	26		1.16	19
053 Upper Skeena	1.31	155		2.21	89	0.84	31		0.77	16	0.43	4		0.46	2
054 Smithers	1.15	503	↘	1.13	232	1.17	161		0.97	86	1.39	48		1.19	25
055 Burns Lake	1.25	270		1.57	125	0.96	64		0.84	36	1.37	23		0.92	13
056 Nechako	1.39	602		1.66	301	1.23	168		1.20	103	1.22	42		0.95	25
057 Prince George	1.27	3,068	↘	1.37	1,609	1.26	959		1.28	611	1.54	294		1.41	191
059 Peace River South	1.32	963	↘	1.46	488	1.31	291		1.26	171	1.81	100		1.44	56
060 Peace River North	1.26	803		1.44	439	1.05	204		1.04	133	1.16	55		1.28	35
061 Greater Victoria	1.01	10,436	↘	1.02	2,966	0.99	2,690	↘	1.04	1,220	0.94	612	↘	1.04	310
062 Sooke	0.97	1,909	↘	0.93	876	1.13	680		1.14	405	1.24	187		1.13	101
063 Saanich	0.86	3,361	↘	0.75	762	0.97	1,033	↘	0.87	384	0.81	214		0.62	77
064 Gulf Islands	0.79	708		0.82	225	0.86	227	↘	0.75	103	0.66	44		0.55	20
065 Cowichan	1.03	2,484	↘	1.12	914	1.05	747	↘	1.09	386	1.01	180	↘	1.02	100
066 Lake Cowichan	1.13	252		1.60	146	1.27	92	↘	1.21	62	1.67	31	↘	1.81	23
067 Ladysmith	1.21	1,095	↗	1.15	360	1.15	313		1.08	150	1.29	89		1.26	41
068 Nanaimo	1.12	5,139	↘	1.28	1,849	1.13	1,494		1.20	784	1.11	364		1.14	201
069 Qualicum	0.94	2,780	↘	0.94	812	0.94	827	↘	0.92	364	0.88	197		0.76	90
070 Alberni	1.28	1,544	↘	1.67	713	1.25	453		1.39	261	1.40	128		1.69	79
071 Courtenay	1.03	3,008	↘	1.03	1,048	1.06	929	↘	1.14	464	1.08	238		1.18	123
072 Campbell River	1.22	1,796	↘	1.40	839	1.22	576		1.25	341	1.45	175	↘	1.30	105
075 Mission	1.21	1,422	↘	1.34	657	1.29	459		1.27	265	1.36	120		1.57	79
076 Agassiz - Harrison	1.04	402	↘	1.33	161	1.05	122	↘	1.04	63	0.92	27		1.03	19
077 Summerland	0.93	729	↘	0.74	157	0.99	206		0.82	74	0.99	50		0.94	21
078 Enderby	1.19	387		1.34	150	1.26	123		0.99	56	1.17	29		1.10	12
080 Kitimat	1.33	344		1.35	172	1.27	107		1.13	70	1.27	27		0.91	18
081 Fort Nelson	1.40	121		1.57	86	1.25	34		0.99	24	0.92	6		0.93	5
083 Central Coast	2.07	69		2.56	44	1.09	12		1.45	9	1.45	4		1.20	2
084 Vancouver Island West	0.89	50		1.38	36	0.93	18		1.06	12	0.80	4		1.01	3
085 Vancouver Island North	1.50	430		1.90	287	1.36	133		1.47	95	1.60	40		1.67	27
087 Stikine	0.54	18		0.92	12	1.08	11		0.94	7	1.57	4		1.95	3
088 Terrace	1.42	773		1.83	428	1.22	209		1.28	136	1.66	72		1.57	44
092 Nisga'a	1.16	56		1.59	30	1.18	17		1.40	12	1.69	6		1.65	4
094 Telegraph Creek	1.02	23		2.13	13	1.03	6		1.70	2	1.45	2		0.00	-
161 Vancouver - City Centre	0.98	3,235	↘	0.86	1,328	0.99	941		0.94	518	0.95	222		0.89	131
162 Vancouver - Dwntrwn Eastside	1.41	2,443	↘	2.16	1,455	1.27	625		1.62	396	1.50	180		1.95	115
163 Vancouver - North East	0.83	2,895	↘	0.77	966	0.87	889	↘	0.92	424	0.90	228	↘	0.89	98
164 Vancouver - Westside	0.74	3,500	↘	0.50	884	0.75	972	↘	0.64	427	0.57	179	↘	0.49	83
165 Vancouver - Midtown	0.83	2,143	↘	0.80	784	0.82	606	↘	0.81	321	0.70	127	↘	0.69	66
166 Vancouver - South	0.80	4,132	↘	0.73	1,203	0.75	1,083	↘	0.79	496	0.72	257	↘	0.70	113
201 Surrey	0.99	9,792	↘	1.00	4,597	0.93	2,811	↘	0.97	1,703	0.86	650		0.93	408
202 South Surrey/White Rock	0.94	4,621	↘	0.78	1,028	0.89	1,184	↘	0.89	476	0.77	252	↘	0.71	105
998 Unknown LHA	-	55		-	51	-	6		-	5	-	3		-	3
Total	1.00	161,978	↘	1.00	59,297	1									

TABLE B - MORTALITY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

Local Health Area	04 Endocrine, Nutritional, Metabolic Disease					05 Diabetes					06 Circulatory System				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
001 Fernie	1.29	26		1.31	13	1.35	23		1.15	11	1.07	101	↘	0.70	25
002 Cranbrook	1.05	55		0.78	16	0.94	42		0.72	11	0.96	252	↘	0.90	57
003 Kimberley	1.33	28		1.53	8	1.29	23		1.22	4	0.79	86	↘	1.01	18
004 Windermere	0.82	16		0.57	5	0.85	14		0.74	5	0.80	76		0.75	17
005 Creston	1.65	63	↗	1.30	20	1.47	48	↗	1.45	16	1.22	237	↘	1.11	35
006 Kootenay Lake	0.60	5		0.21	1	0.70	5		0.26	1	1.03	43		0.72	11
007 Nelson	1.22	59		1.17	18	1.32	54		1.06	16	1.32	327	↘	1.13	78
009 Castlegar	1.01	30		0.74	6	1.07	27		0.37	5	1.22	185		1.22	46
010 Arrow Lakes	1.81	23		1.41	10	1.57	17		1.27	8	0.88	57	↘	0.91	17
011 Trail	1.41	66		1.44	24	1.38	55		1.44	19	1.24	309	↘	1.30	60
012 Grand Forks	0.97	24		0.99	8	1.04	22		1.22	7	1.53	186		1.65	44
013 Kettle Valley	0.54	5		0.61	1	0.64	5		0.77	1	0.95	44		1.48	17
014 Southern Okanagan	1.20	81		0.91	19	1.18	68		0.84	15	1.01	342	↘	0.92	61
015 Penticton	0.86	117		0.86	32	0.89	104		0.85	26	0.97	727	↘	1.28	128
016 Keremeos	1.30	22		1.43	8	1.11	16	↗	1.74	7	0.98	82	↘	1.02	19
017 Princeton	2.02	27		2.43	9	2.11	24		1.96	6	1.21	80		1.30	22
018 Golden	0.60	6		0.40	3	0.71	6		0.54	3	1.29	62		1.23	12
019 Revelstoke	0.72	9		0.66	4	0.67	7		0.22	2	1.30	79	↘	0.98	19
020 Salmon Arm	0.97	92		1.20	33	0.97	78		1.10	26	1.00	490	↘	1.04	104
021 Armstrong - Spallumcheen	0.74	17		1.14	6	0.72	14		1.08	5	1.09	126	↘	1.16	27
022 Vernon	1.17	196		1.04	57	1.26	180	↗	1.29	52	1.15	1,006	↘	1.19	211
023 Central Okanagan	0.93	398	↗	0.89	120	0.91	330	↗	0.81	94	1.00	2,236	↘	0.93	413
024 Kamloops	1.15	247		1.06	103	1.11	203		0.99	82	1.09	1,153	↘	1.07	323
025 100 Mile House	1.01	33		1.02	18	1.19	33		1.30	18	1.17	174	↘	1.49	76
026 North Thompson	1.49	12		1.21	6	1.76	12	↗	1.56	6	1.48	55		1.37	19
027 Cariboo - Chilcotin	1.22	52		1.73	25	1.14	41		1.51	19	1.22	252	↘	1.14	83
028 Quesnel	1.49	63	↗	1.71	28	1.59	57	↗	1.56	23	1.18	240	↘	1.41	86
029 Lillooet	1.87	15		1.53	9	1.62	11		0.79	5	0.73	29	↘	1.72	16
030 South Cariboo	1.02	17		1.24	8	1.05	15		1.27	7	1.12	87		1.24	32
031 Merritt	1.73	40	↗	1.50	14	1.79	35		1.19	10	1.44	164	↘	1.82	58
032 Hope	1.46	29		1.53	14	1.12	19		1.17	10	1.33	135	↘	2.34	46
033 Chilliwack	1.21	218		1.67	90	1.15	175		1.48	69	1.10	1,003	↘	1.25	246
034 Abbotsford	1.05	265		1.04	83	1.10	235	↗	1.12	73	1.01	1,349	↘	1.06	288
035 Langley	1.03	249		0.89	86	1.05	214	↗	0.84	70	1.07	1,347	↘	1.01	325
037 Delta	0.99	186	↗	0.87	67	0.94	151	↗	0.77	51	1.03	981	↘	0.81	204
038 Richmond	0.70	233		0.47	61	0.70	196		0.34	47	0.71	1,186	↘	0.52	251
040 New Westminster	1.19	141		1.63	63	1.17	117		1.69	54	1.04	649	↘	0.92	150
041 Burnaby	0.88	351		0.86	119	0.88	300	↗	0.87	99	0.87	1,812	↘	0.76	363
042 Maple Ridge	1.17	168	↗	0.97	67	1.16	141	↗	1.08	60	1.16	816	↘	1.15	234
043 Coquitlam	0.83	257		0.70	97	0.85	221		0.74	79	0.86	1,290	↘	0.64	331
044 North Vancouver	0.71	181		0.60	56	0.70	152		0.56	45	0.90	1,184	↘	0.56	177
045 West Vancouver-Bowen Island	0.41	63		0.30	12	0.40	53		0.36	10	0.87	750	↘	0.51	78
046 Sunshine Coast	0.72	59		0.60	16	0.74	52		0.75	14	0.98	412	↘	0.74	71
047 Powell River	1.09	57		1.86	24	1.04	46		0.98	16	1.11	296	↘	1.69	82
048 Howe Sound	1.39	46		1.04	19	1.56	43		1.25	18	0.98	154	↘	0.89	51
049 Bella Coola Valley	2.35	11		8.81	7	2.02	8		5.24	4	1.26	30		1.99	12
050 Queen Charlotte	1.30	8		1.71	4	1.16	6		1.39	2	1.00	29	↘	1.33	13
051 Snow Country	4.71	4		5.70	2	4.18	3		1.86	1	1.34	5		0.00	0
052 Prince Rupert	1.93	39		1.23	15	2.06	35		1.59	14	1.11	113	↘	1.75	49
053 Upper Skeena	0.96	6		0.93	3	0.76	4		0.39	2	1.08	33	↘	2.18	17
054 Smithers	1.15	27		1.31	14	0.96	19		1.00	10	1.03	115	↘	1.07	36
055 Burns Lake	0.86	10		2.33	6	0.92	9		1.37	5	1.41	81		1.45	22
056 Nechako	1.38	32		1.19	13	1.28	25		1.07	10	1.34	147		1.91	55
057 Prince George	1.72	221		1.77	106	1.70	184	↗	1.80	84	1.19	725	↘	1.49	284
059 Peace River South	1.91	74		2.05	36	2.05	67		2.03	33	1.43	273	↘	1.85	101
060 Peace River North	1.70	55	↗	1.47	28	1.75	47	↗	1.63	22	1.34	206		1.48	72
061 Greater Victoria	1.03	559	↗	1.03	159	1.02	469	↗	1.00	132	1.14	3,496	↘	1.01	507
062 Sooke	0.83	86		0.72	36	0.82	72		0.70	27	0.99	507	↘	1.00	152
063 Saanich	0.67	141		0.78	37	0.64	116		0.66	26	0.85	991	↘	0.59	124
064 Gulf Islands	0.47	23		0.33	6	0.43	18		0.36	5	0.77	197	↘	0.88	45
065 Cowichan	1.29	169	↗	1.36	52	1.34	150	↗	1.49	45	1.02	693	↘	1.33	160
066 Lake Cowichan	1.31	16		1.55	9	1.25	13		1.25	7	1.22	71	↘	1.93	27
067 Ladysmith	1.01	51	↗	1.56	19	0.91	39	↗	1.10	14	1.32	336		1.42	71
068 Nanaimo	1.20	299	↗	0.93	88	1.25	264	↗	0.87	69	1.17	1,521	↘	1.38	345
069 Qualicum	0.68	112		0.44	31	0.68	96		0.48	26	0.91	770	↘	0.95	148
070 Alberni	1.39	91		1.16	32	1.40	78		1.06	27	1.35	447	↘	2.02	156
071 Courtenay	1.02	164		0.84	53	1.08	148	↗	0.98	46	1.04	855	↘	0.95	179
072 Campbell River	1.35	110		0.95	39	1.35	93		0.94	31	1.09	423	↘	1.12	119
075 Mission	1.03	64		0.85	25	1.10	58		0.98	21	1.09	341	↘	1.36	111
076 Agassiz - Harrison	1.09	23		1.27	11	1.17	21		1.63	10	0.94	100	↘	1.16	29
077 Summerland	0.85	36		0.28	8	0.78	28		0.30	6	1.00	241	↘	0.85	33
078 Enderby	0.84	15		0.96	6	0.86	13		0.72	5	1.24	112	↘	1.69	31
080 Kitimat	3.15	44	↗	3.03	14	3.56	42	↗	3.35	13	1.23	80	↘	1.24	30
081 Fort Nelson	2.42	10		3.00	8	2.95	10		4.34	8	1.32	25		2.19	16
083 Central Coast	6.25	11		10.47	9	6.77	10		11.84	8	1.77	14		3.79	7
084 Vancouver Island West	1.32	4		1.93	3	1.56	4		2.54	3	0.75	10		1.65	7
085 Vancouver Island North	2.40	37		2.78	21	2.70	35		2.52	19	1.16	79		1.45	41
087 Stikine	0.00	-		0.00	-	0.00	0		0.00	0	0.22	2	↘	0.43	1
088 Terrace	2.44	71		3.38	39	2.36	58		3.33	32	1.43	198		1.81	80
092 Nisga'a	0.41	1		1.48	1	0.49	1		2.06	1	1.50	19		2.42	7
094 Telegraph Creek	0.00	-		0.00	-	0.00	0		0.00	0	0.60	4		0.48	1
161 Vancouver - City Centre	0.84	143		0.78	57	0.86	124		0.97	53	0.93	812	↘	0.87	218
162 Vancouver - Dwntrwn Eastside	1.24	112		1.74	57	1.32	100		2.04	51	1.20	565	↘	2.20	237
163 Vancouver - North East	0.92	173		0.80	49	0.97	155		1.05	46	0.74	705	↘	0.83	159
164 Vancouver - Westside	0.55	135		0.52	40	0.46	96		0.51	32	0.74	1,004	↘	0.44	138
165 Vancouver - Midtown	0.81	110		0.89	39	0.77	88		0.69	29	0.83	582	↘	0.75	131
166 Vancouver - South	0.77	212		0.69	61	0.77	180		0.85	52	0.75	1,106	↘	0.77	215
201 Surrey	1.20	621	↗	1.25	290	1.23	539	↗	1.41	255	1.02	2,540	↘	1.13	833
202 South Surrey/White Rock	0.75	199	↗	0.64	42	0.64	144		0.53	33	1.03	1,516	↘	0.77	189
998 Unknown LHA	-	1		-	1	-	1		-	1	-	8		-	6
Total	1.00	8,677	↗	1.00	3,082	1.00	7,354	↗	1.00	2,545	1.00	44,778	↘	1.00	10,245

TABLE B - MORTALITY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

Local Health Area	07 Ischemic Heart Disease					08 Cerebrovascular Disease/Stroke					09 Arteries/Arterioles/Capillaries				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
001 Fernie	0.94	39	↘	0.73	12	1.06	24		0.14	2	0.68	3		2.07	1
002 Cranbrook	0.93	104	↘	1.16	32	0.99	64	↘	0.75	9	1.17	14		0.20	1
003 Kimberley	0.72	33	↘	0.73	8	0.70	19		1.51	5	1.44	7		3.90	2
004 Windermere	0.88	36		1.10	12	0.77	18		0.55	3	1.37	6		0.00	0
005 Creston	1.29	105	↘	0.85	16	0.97	47		1.49	6	1.02	9	↘	1.36	3
006 Kootenay Lake	0.95	17	↘	0.55	6	1.48	15		2.31	4	0.00	0		0.00	0
007 Nelson	1.33	140	↘	1.17	42	1.52	92		1.22	16	1.26	14		0.87	3
009 Castlegar	1.27	81	↘	1.09	23	1.26	47		1.46	11	1.17	8		1.90	3
010 Arrow Lakes	0.80	22		0.77	7	0.76	12		2.11	5	0.69	2	↘	0.89	1
011 Trail	1.38	144	↘	1.18	34	1.05	65		0.85	8	1.72	19	↘	4.68	6
012 Grand Forks	1.87	97		1.42	19	1.43	43		2.05	12	1.42	8		2.92	3
013 Kettle Valley	1.01	20		1.66	9	0.80	9		0.80	3	2.87	6		5.18	3
014 Southern Okanagan	0.90	128	↘	1.07	32	0.88	75	↘	0.84	10	2.38	37		1.23	6
015 Penticton	0.84	260	↘	0.74	49	1.06	200	↘	1.79	29	1.07	35	↘	1.10	9
016 Keremeos	1.01	36	↘	1.02	11	0.57	12		0.48	2	2.06	8		2.79	2
017 Princeton	0.89	25		0.77	10	0.93	15		1.38	4	2.65	8		1.83	2
018 Golden	1.45	30		1.46	8	1.21	14		0.00	0	1.36	3		0.00	0
019 Revelstoke	1.15	30		1.16	10	1.42	21		0.41	2	1.43	4		0.72	1
020 Salmon Arm	0.90	184	↘	1.11	59	0.93	113	↘	0.53	14	0.96	21	↘	0.47	4
021 Armstrong - Spallumcheen	1.00	49		0.99	14	1.15	33		2.19	6	0.95	5		0.00	0
022 Vernon	1.31	480	↘	1.48	126	1.13	246	↘	1.01	37	1.02	40	↘	0.66	11
023 Central Okanagan	0.97	906	↘	0.99	220	0.94	523	↘	0.88	78	0.83	83	↘	0.56	15
024 Kamloops	1.07	482	↘	1.36	196	1.07	279	↘	0.82	47	1.22	59	↘	0.79	16
025 100 Mile House	1.15	75	↘	1.37	35	1.12	40		1.40	17	2.54	18		3.71	11
026 North Thompson	1.66	27		1.55	9	0.90	8		0.61	2	2.28	4		1.43	2
027 Cariboo - Chilcotin	1.09	97	↘	1.08	43	1.20	60	↘	1.32	12	1.37	13		0.68	2
028 Quesnel	1.00	87	↘	1.17	41	1.18	58		0.86	12	1.28	12		2.11	5
029 Lillooet	0.71	12		1.11	7	0.31	3	↘	1.32	2	2.21	4		0.39	1
030 South Cariboo	1.19	40		1.97	22	1.11	21		0.55	5	0.82	3		0.00	0
031 Merritt	1.60	78		2.05	33	1.83	51	↘	2.30	15	1.54	8		0.00	0
032 Hope	1.33	57	↘	2.40	24	1.28	32		2.49	11	1.53	7		2.47	2
033 Chilliwack	1.15	441	↘	1.20	124	1.05	239	↘	1.11	48	1.28	53		1.22	14
034 Abbotsford	0.98	546	↘	0.84	134	0.98	324	↘	1.62	61	0.98	58	↘	0.98	12
035 Langley	1.15	609	↘	1.15	175	1.05	327	↘	0.90	61	1.15	64		0.84	15
037 Delta	1.04	420	↘	0.92	106	1.08	251	↘	0.85	46	0.79	34	↘	0.28	8
038 Richmond	0.66	470	↘	0.44	114	0.83	340	↘	0.70	62	0.68	51	↘	0.56	13
040 New Westminster	1.20	314	↘	0.91	76	0.94	145	↘	0.98	24	1.27	35	↘	1.28	13
041 Burnaby	1.00	875	↘	0.82	201	0.85	434	↘	0.84	72	0.76	71	↘	0.75	19
042 Maple Ridge	1.18	356	↘	1.20	121	1.10	189	↘	0.99	44	1.21	39		1.27	9
043 Coquitlam	0.83	534	↘	0.67	176	0.89	324	↘	0.58	54	0.92	63	↘	0.79	20
044 North Vancouver	0.82	452	↘	0.48	85	1.13	368	↘	1.04	50	0.75	44	↘	0.24	8
045 West Vancouver-Bowen Island	0.74	263	↘	0.51	41	1.05	228	↘	0.25	13	0.99	37		0.47	4
046 Sunshine Coast	1.03	182	↘	0.71	33	1.08	113	↘	0.45	15	0.79	15		0.86	5
047 Powell River	1.10	124	↘	1.97	49	0.85	56	↘	0.68	5	1.58	19		2.72	9
048 Howe Sound	1.01	69	↘	1.02	29	1.00	37	↘	1.07	10	0.69	5	↘	0.48	2
049 Bella Coola Valley	1.09	11		1.83	7	1.21	7		3.10	2	0.93	1		0.00	0
050 Queen Charlotte	0.86	11		1.40	7	1.17	8		2.07	3	0.00	0		0.00	0
051 Snow Country	0.60	1		0.00	0	1.15	1		0.00	0	0.00	0		0.00	0
052 Prince Rupert	0.98	43	↘	1.29	20	1.25	31		4.10	19	0.44	2		1.24	1
053 Upper Skeena	0.91	12		1.72	7	0.95	7		1.56	3	0.00	0		0.00	0
054 Smithers	0.72	35	↘	0.74	13	1.11	30		1.74	10	1.55	8		1.71	3
055 Burns Lake	1.38	34		1.25	12	1.29	18		3.19	5	2.30	6		2.35	1
056 Nechako	1.03	49		1.74	26	1.82	48		3.18	15	0.79	4		1.51	3
057 Prince George	1.16	308	↘	1.68	145	1.26	184	↘	1.07	51	1.20	34		1.16	16
059 Peace River South	2.06	168	↘	2.28	64	0.67	31	↘	1.25	12	1.03	9	↘	1.24	5
060 Peace River North	1.35	90		1.55	37	0.93	34		1.05	12	1.27	9	↘	1.30	4
061 Greater Victoria	1.13	1,434	↘	0.88	229	1.02	791	↘	0.99	92	0.97	128	↘	1.39	31
062 Sooke	0.94	207	↘	1.02	81	0.93	114	↘	0.79	24	0.99	23	↘	0.13	3
063 Saanich	0.82	393	↘	0.52	60	0.81	238	↘	0.51	24	0.77	39	↘	1.15	8
064 Gulf Islands	0.69	74		0.82	23	0.68	43		0.76	8	1.05	12		0.88	2
065 Cowichan	0.96	274	↘	1.03	67	0.80	134	↘	1.00	26	1.09	33		2.39	12
066 Lake Cowichan	1.31	33	↘	1.75	13	1.29	18	↘	2.96	6	1.84	5	↘	3.22	3
067 Ladysmith	1.23	132		1.35	36	1.32	83		1.84	15	2.17	25		1.42	5
068 Nanaimo	1.15	626	↘	1.26	176	1.17	379	↘	1.23	53	0.98	57	↘	0.87	15
069 Qualicum	0.91	321	↘	0.90	75	0.91	192	↘	0.71	27	0.86	33	↘	1.00	7
070 Alberni	1.57	221	↘	2.07	87	1.25	102		1.85	23	1.20	18		3.04	10
071 Courtenay	0.97	335	↘	1.03	99	1.32	267		0.70	28	0.84	31	↘	1.53	9
072 Campbell River	1.07	179	↘	1.19	68	1.08	101	↘	0.83	16	1.29	23		1.18	9
075 Mission	1.19	159	↘	1.45	61	1.12	85		1.66	21	0.78	11	↘	0.79	5
076 Agassiz - Harrison	1.00	45		1.13	16	1.14	30		1.04	6	0.83	4		0.18	1
077 Summerland	1.07	105	↘	0.99	20	0.96	58		0.27	5	1.07	11		0.97	1
078 Enderby	1.20	46	↘	1.32	16	1.44	32		2.52	7	1.95	8		4.13	3
080 Kitimat	1.48	42		1.30	15	1.10	17		1.41	5	0.66	2		0.37	2
081 Fort Nelson	1.89	16		3.03	12	0.69	3		0.00	0	0.00	0		0.00	0
083 Central Coast	1.15	4		3.79	2	1.61	3		1.75	1	0.00	0		0.00	0
084 Vancouver Island West	0.83	5		1.50	4	0.32	1		0.22	1	0.00	0		0.00	0
085 Vancouver Island North	1.35	41	↘	1.95	27	0.82	13		0.61	3	0.61	2		0.87	2
087 Stikine	0.52	2		0.85	1	0.00	0		0.00	0	0.00	0		0.00	0
088 Terrace	1.45	87		2.02	47	1.47	49		1.28	12	2.18	14		2.51	5
092 Nisga'a	1.29	7		1.29	3	1.98	6		8.12	3	0.00	0		0.00	0
094 Telegraph Creek	0.00	0	↘	0.00	0	0.60	1		0.00	0	0.00	0		0.00	0
161 Vancouver - City Centre	0.84	312	↘	0.80	98	0.92	197	↘	1.08	46	0.84	33	↘	0.73	13
162 Vancouver - Dwntrwn Eastside	1.22	240	↘	2.02	118	1.14	132	↘	1.70	39	0.85	18	↘	1.49	10
163 Vancouver - North East	0.71	286	↘	0.66	71	0.90	214	↘	1.31	51	0.58	25	↘	0.93	5
164 Vancouver - Westside	0.67	375	↘	0.45	65	0.75	253	↘	0.52	31	0.63	37	↘	0.22	3
165 Vancouver - Midtown	0.74	217	↘	0.71	69	0.97	167	↘	0.71	23	0.73	23		1.05	5
166 Vancouver - South	0.73	449	↘	0.79	104	0.79	290	↘	0.77	51	0.91	59	↘	1.33	16
201 Surrey	1.06	1,142	↘	1.20	439	1.02	614	↘	1.14	156	1.12	129	↘	1.02	46
202 South Surrey/White Rock	1.15	699	↘	0.69	87	1.07	395	↘	0.92	42	1.13	72	↘	1.29	14
998 Unknown LHA	-	4		-	4	-	3		-	1	-	0		-	0
Total	1.00	18,850	↘	1.00	5,264	1.00	11,058	↘	1.00	1,932	1.00	2,004	↘	1.00	544

TABLE B - MORTALITY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

Local Health Area	10 Respiratory System					11 Influenza and Pneumonia					12 Chronic Pulmonary Disease				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
001 Fernie	1.03	35		0.78	7	1.30	14		1.61	2	0.82	13		0.40	2
002 Cranbrook	1.08	104		1.27	33	0.54	17	↘	1.37	5	1.57	69		1.57	23
003 Kimberley	1.36	54		1.22	15	0.66	9	↘	1.40	2	1.68	30		1.22	9
004 Windermere	1.00	35		0.84	8	0.80	9		1.37	3	1.17	19		0.79	4
005 Creston	0.92	66		0.78	12	0.97	23		0.00	0	1.03	34		0.92	8
006 Kootenay Lake	1.06	16		2.43	8	0.60	3		0.78	1	1.15	8		1.38	4
007 Nelson	0.75	67		0.78	22	0.27	8	↘	0.12	1	0.97	39		0.94	12
009 Castlegar	0.76	42		0.82	12	0.16	3	↘	0.00	0	1.23	31		1.30	9
010 Arrow Lakes	0.68	16	↘	0.94	3	0.38	3		2.12	1	0.94	10		0.51	1
011 Trail	1.02	92		0.96	18	0.32	10		0.52	2	1.62	65		1.44	13
012 Grand Forks	0.98	44	↘	1.45	13	0.63	9	↘	2.21	2	1.27	27		1.28	8
013 Kettle Valley	0.77	13		1.59	6	0.18	1		0.00	0	1.29	10		3.06	5
014 Southern Okanagan	1.10	139		1.28	34	1.03	42		2.18	9	1.12	66		1.03	19
015 Penticton	1.06	290	↘	1.14	43	1.11	107	↘	1.71	12	1.11	133		0.90	19
016 Keremeos	0.80	25		1.42	7	0.80	8		0.55	1	0.96	14		1.66	4
017 Princeton	1.32	32		1.65	9	1.02	8		0.59	1	1.24	14		1.92	5
018 Golden	0.87	15		0.77	3	0.36	2		0.00	0	1.12	9		0.76	1
019 Revelstoke	1.77	39		2.03	13	0.98	7		2.36	2	2.45	25		3.00	10
020 Salmon Arm	1.02	182		0.94	37	0.92	55		0.89	7	1.20	98		1.15	24
021 Armstrong - Spallumcheen	0.92	39		1.07	6	0.71	10		0.30	1	1.29	25		0.43	3
022 Vernon	1.00	319	↘	1.42	79	0.88	96	↘	1.47	18	1.17	169		1.54	51
023 Central Okanagan	0.91	737	↘	0.95	148	0.79	220	↘	0.98	31	1.02	374		1.02	90
024 Kamloops	1.21	469	↘	1.44	131	0.96	121	↘	1.89	27	1.57	281		1.40	77
025 100 Mile House	1.20	66		1.43	20	1.33	22		1.80	4	1.05	28		1.43	10
026 North Thompson	1.55	21		0.91	7	2.40	10		1.97	3	1.70	11		0.77	4
027 Cariboo - Chilcotin	1.61	120		1.75	40	1.45	35		1.40	10	1.71	59		1.61	20
028 Quesnel	1.23	91	↘	1.74	30	1.02	24	↘	0.59	4	1.39	48		1.26	17
029 Lillooet	1.12	16		2.06	9	0.64	3		2.30	2	1.21	8		1.33	3
030 South Cariboo	1.32	38		0.97	11	1.26	11		0.93	1	1.36	19	↘	1.35	8
031 Merritt	1.28	53		0.80	12	1.41	19		0.52	2	1.30	25		0.83	9
032 Hope	1.67	62		1.27	17	1.05	13		0.88	3	2.36	40		2.03	12
033 Chilliwack	1.32	442		1.77	128	1.39	156		2.07	30	1.47	225	↗	2.12	85
034 Abbotsford	1.04	501		0.99	99	1.34	225		0.96	29	0.80	172	↘	0.74	37
035 Langley	1.25	564		0.99	114	1.51	235	↘	0.94	26	1.12	225		1.13	66
037 Delta	0.99	341	↘	0.75	70	1.36	156		0.86	19	0.77	121	↘	0.51	30
038 Richmond	0.85	509	↘	0.40	66	0.94	188	↘	0.56	18	0.65	177	↘	0.22	25
040 New Westminster	1.12	250	↘	1.18	59	1.05	82	↘	1.21	13	1.17	115		1.36	33
041 Burnaby	1.03	773	↘	0.72	130	1.31	336	↘	0.56	35	0.82	275	↘	0.74	57
042 Maple Ridge	1.35	343		1.34	95	1.17	98	↘	1.03	17	1.35	158		1.31	49
043 Coquitlam	1.02	552	↘	0.59	93	1.04	185	↘	0.27	14	0.95	236		0.84	56
044 North Vancouver	0.84	399	↘	0.43	44	0.99	160	↘	0.40	9	0.71	151	↘	0.38	19
045 West Vancouver-Bowen Island	0.69	216	↘	0.23	13	0.85	95	↘	0.35	3	0.58	79	↘	0.22	8
046 Sunshine Coast	0.80	122	↘	0.57	23	0.80	41	↘	0.22	3	0.73	51		0.51	11
047 Powell River	0.97	94		0.70	14	0.83	27	↘	0.87	4	1.15	51		0.63	7
048 Howe Sound	1.10	61	↘	1.11	20	1.09	20	↘	1.51	6	0.99	25	↘	1.01	9
049 Bella Coola Valley	0.70	6		2.74	4	0.69	2		3.46	1	0.52	2		3.12	2
050 Queen Charlotte	1.36	14		1.13	5	0.90	3		0.22	1	1.88	9		1.97	3
051 Snow Country	1.48	2		0.00	0	2.50	1		0.00	0	1.51	1		0.00	0
052 Prince Rupert	1.04	38		2.63	17	0.73	9	↘	3.02	4	1.16	19		1.41	9
053 Upper Skeena	1.46	16		1.30	4	1.38	5		0.23	1	0.80	4	↘	0.00	0
054 Smithers	0.94	38	↘	0.98	10	0.85	11		2.11	4	1.23	23		0.51	5
055 Burns Lake	1.50	31		1.28	7	1.17	8		3.13	3	2.01	19		0.81	4
056 Nechako	1.41	56		1.51	24	1.18	15		0.82	5	1.89	35		2.04	15
057 Prince George	1.39	305	↘	1.83	118	1.05	74	↘	2.12	26	1.72	176	↘	1.93	72
059 Peace River South	1.00	69	↘	1.29	24	0.79	18	↘	2.38	7	1.30	41		0.81	14
060 Peace River North	1.55	85		2.01	34	0.94	17		1.77	7	2.28	57		2.24	22
061 Greater Victoria	0.81	886	↘	1.09	161	0.56	226	↘	1.06	28	0.95	446	↘	1.14	93
062 Sooke	0.87	159	↘	0.66	34	0.55	33	↘	0.55	2	1.05	88		0.75	20
063 Saanich	0.76	321	↘	0.59	46	0.75	112	↘	0.58	9	0.74	136		0.47	18
064 Gulf Islands	0.83	77	↘	0.29	10	1.15	36		0.23	2	0.64	27	↘	0.38	7
065 Cowichan	0.98	242	↘	1.08	60	0.67	56	↘	0.58	7	1.17	130		1.15	37
066 Lake Cowichan	0.90	19	↘	0.92	6	0.75	5	↘	0.00	0	1.00	10	↘	1.87	5
067 Ladysmith	1.10	102		1.12	22	1.24	38		1.21	3	1.07	46		0.76	12
068 Nanaimo	1.08	512	↘	1.40	105	1.18	192		1.45	21	1.12	237		1.30	56
069 Qualicum	1.25	389		1.03	64	1.98	203		1.41	18	0.93	133		0.70	29
070 Alberni	1.05	127		1.61	41	0.80	32		1.62	7	1.35	74		1.88	26
071 Courtenay	0.90	269	↘	0.84	64	0.66	66	↘	0.45	8	1.04	143	↘	0.92	38
072 Campbell River	1.13	160		1.12	51	0.72	32		0.05	2	1.34	89		1.60	35
075 Mission	1.22	137	↘	1.44	47	1.17	44	↘	1.12	10	1.38	70		1.49	25
076 Agassiz - Harrison	0.85	33	↘	0.64	9	0.54	7		0.11	1	1.06	19		1.06	4
077 Summerland	0.72	62	↘	0.53	9	0.63	20	↘	0.00	0	0.86	32	↘	1.12	9
078 Enderby	0.97	32		1.86	9	1.09	12		0.00	0	0.86	13		2.44	7
080 Kitimat	1.27	30		0.57	6	1.50	11		1.25	2	1.26	14		0.37	3
081 Fort Nelson	1.55	10		1.82	4	2.32	5		1.96	1	1.39	4		1.47	2
083 Central Coast	2.10	6		1.72	2	2.31	2	↘	5.25	2	2.94	4		0.00	0
084 Vancouver Island West	0.62	3		0.39	1	0.00	0		0.00	0	0.85	2		0.00	0
085 Vancouver Island North	2.00	49		3.16	28	0.96	7		1.48	2	2.37	28		2.78	17
087 Stikine	0.31	1		0.86	1	0.00	0		0.00	0	0.69	1		1.86	1
088 Terrace	1.18	59	↘	2.09	22	1.37	22	↘	3.50	7	1.24	29		1.81	12
092 Nisga'a	1.35	6		2.02	2	3.21	5		6.32	2	0.00	0		0.00	0
094 Telegraph Creek	0.42	1		0.55	1	0.00	0		0.00	0	0.00	0		0.00	0
161 Vancouver - City Centre	1.03	323	↘	0.95	67	1.00	108	↘	1.05	18	0.90	126	↘	0.87	34
162 Vancouver - Dwntrwn Eastside	1.65	278		4.46	141	1.59	93		4.96	42	1.78	133		5.87	80
163 Vancouver - North East	0.87	305	↘	0.60	53	0.81	94	↘	0.72	18	0.77	123		0.69	24
164 Vancouver - Westside	0.81	390	↘	0.38	36	1.03	179	↘	0.52	10	0.54	113	↘	0.27	18
165 Vancouver - Midtown	0.83	209	↘	0.71	39	0.91	79	↘	0.74	7	0.70	79	↘	0.63	17
166 Vancouver - South	0.86	460	↘	0.54	66	0.96	179	↘	0.32	10	0.72	169		0.68	40
201 Surrey	0.98	883	↘	0.98	246	1.05	308	↘	1.02	63	0.86	360	↘	0.77	111
202 South Surrey/White Rock	0.94	498	↘	0.55	54	1.14	218		0.54	13	0.70	161	↘	0.51	26
998 Unknown LHA	-	4		-	3	-	2		-	2	-	2		-	1
Total	1.00	16,206	↘	1.00	3,538	1.00	5,515	↘	1.00	759	1.00	7,289	↘	1.00	1,929

TABLE B - MORTALITY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

Local Health Area	13 Digestive System					14 Motor Vehicle Accidents					15 Unintentional Falls				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
001 Fernie	0.54	9		0.10	4	1.93	8		2.74	8	2.62	16		0.95	3
002 Cranbrook	1.29	52		1.28	25	1.05	8		1.12	7	0.75	13		0.05	1
003 Kimberley	1.07	17		1.30	8	1.96	5		1.97	5	0.95	7		0.16	1
004 Windermere	0.93	14		0.99	5	2.95	8		3.32	7	2.25	14	↗	5.85	4
005 Creston	1.40	39		1.21	13	2.03	8		2.49	6	1.86	24	↗	8.27	6
006 Kootenay Lake	0.92	6		2.14	5	1.96	2		1.37	2	1.47	4		8.21	3
007 Nelson	0.91	35		1.19	20	1.89	14		2.52	11	1.64	27		1.37	3
009 Castlegar	1.06	24		0.94	13	0.97	4		1.48	3	1.39	14		1.89	4
010 Arrow Lakes	0.41	4	↘	0.63	3	8.34	12		5.73	8	1.42	6		2.62	2
011 Trail	1.38	49		1.22	18	2.87	17		2.44	12	1.36	23		1.08	4
012 Grand Forks	0.88	16		0.97	9	2.24	6		1.87	4	1.26	10		1.19	2
013 Kettle Valley	0.14	1		0.29	1	1.97	2		2.01	2	0.33	1		1.83	1
014 Southern Okanagan	1.14	55		1.56	23	2.06	13		1.90	12	1.12	25		0.48	1
015 Penticton	1.08	107		1.38	46	1.01	14		1.14	11	1.34	69		0.57	6
016 Keremeos	1.97	24		3.00	16	3.62	6		5.96	6	1.09	6	↗	0.00	0
017 Princeton	0.81	8		1.07	6	1.37	2	↘	0.85	2	1.17	5		0.00	0
018 Golden	1.22	10		1.51	8	0.00	0	↘	0.00	0	2.57	8		0.00	0
019 Revelstoke	1.22	12		1.27	6	2.22	5	↘	3.33	5	1.25	5		6.38	2
020 Salmon Arm	1.20	84		1.30	38	2.72	29		3.72	29	0.86	28		1.25	5
021 Armstrong - Spallumcheen	0.81	14		0.56	6	1.66	5	↘	1.30	3	0.52	4		1.03	2
022 Vernon	1.06	132		1.47	60	1.68	34		2.01	26	0.95	56		1.12	8
023 Central Okanagan	1.08	345		0.99	128	1.08	62		1.04	51	0.96	145		0.97	20
024 Kamloops	1.31	217		1.26	105	1.97	66		2.24	61	1.24	87		1.49	19
025 100 Mile House	1.29	32		1.79	20	2.64	11		2.67	10	1.61	15		1.48	5
026 North Thompson	0.62	4		0.49	2	4.92	6		3.69	4	0.00	0		0.00	0
027 Cariboo - Chilcotin	1.27	43		1.44	29	2.70	20		3.93	19	1.12	15		0.69	4
028 Quesnel	1.57	52		2.12	35	2.61	18		2.62	16	1.22	16		1.45	5
029 Lillooet	2.53	16		4.12	10	5.64	7		4.48	7	1.16	3		0.00	0
030 South Cariboo	1.84	23		2.80	16	3.25	7		3.65	5	0.61	3		0.00	0
031 Merritt	1.63	29		3.31	22	3.27	11		2.81	8	1.07	8		1.12	2
032 Hope	1.47	22		1.62	12	3.01	7		5.00	7	0.89	6		1.85	1
033 Chilliwack	1.09	146		1.10	68	1.07	28	↘	1.11	23	1.17	72		0.79	12
034 Abbotsford	0.81	156		0.66	67	0.97	39		1.04	32	1.40	127	↗	1.19	19
035 Langley	0.89	167		0.84	76	1.04	41		0.99	32	1.09	93	↗	0.40	7
037 Delta	0.98	145		0.77	66	0.60	18		0.55	15	1.05	66		0.67	13
038 Richmond	0.75	198		0.47	73	0.62	37		0.41	26	0.62	69		0.25	7
040 New Westminster	1.22	114		0.94	51	0.88	18		0.99	16	0.85	36		1.48	9
041 Burnaby	0.82	257	↘	0.57	97	0.43	30	↘	0.31	20	0.71	100		0.65	17
042 Maple Ridge	1.06	122		0.86	59	0.86	24	↘	0.88	20	0.79	37		1.08	7
043 Coquitlam	0.82	208		0.69	105	0.65	43		0.56	34	0.86	86		0.86	22
044 North Vancouver	0.89	177		0.80	77	0.22	9	↘	0.32	9	0.87	77		1.44	17
045 West Vancouver-Bowen Island	0.88	101		0.70	30	0.31	5		0.34	4	0.97	58		0.55	5
046 Sunshine Coast	0.91	56		1.28	32	0.66	6		1.20	6	1.00	28		1.88	4
047 Powell River	0.92	36		0.98	18	1.15	7		2.05	7	1.02	18		0.77	4
048 Howe Sound	1.17	34		1.05	22	0.61	6		0.58	5	1.72	18		5.21	11
049 Bella Coola Valley	1.35	5		1.76	3	0.00	0	↘	0.00	0	1.27	2		0.00	0
050 Queen Charlotte	1.73	9		2.71	7	0.83	1		0.22	1	0.00	0		0.00	0
051 Snow Country	0.00	0		0.00	0	0.00	0		0.00	0	0.00	0		0.00	0
052 Prince Rupert	1.94	32		2.32	18	3.09	12		3.09	11	1.32	9		1.50	4
053 Upper Skeena	1.36	7		4.09	7	4.99	6		5.41	6	1.49	3		0.00	0
054 Smithers	1.52	29		2.11	16	3.01	14		1.27	10	0.69	5		0.93	2
055 Burns Lake	1.63	15		1.99	10	4.12	8		4.24	8	0.00	0		0.00	0
056 Nechako	1.60	30		1.59	14	4.13	19		4.93	18	1.54	11		1.10	2
057 Prince George	1.21	127		1.29	79	2.02	54	↘	1.95	51	0.96	38		0.91	7
059 Peace River South	1.35	42		1.66	28	2.31	18	↘	2.36	16	1.66	21		1.20	7
060 Peace River North	0.91	25		0.91	15	4.30	41		4.18	37	0.97	10		1.73	5
061 Greater Victoria	1.09	448		1.16	162	0.47	33		0.33	23	1.29	278		1.31	34
062 Sooke	1.00	85		0.88	46	0.78	16		0.78	15	0.86	29		1.85	8
063 Saanich	0.84	130		0.83	39	0.19	4		0.15	2	0.94	75		0.12	4
064 Gulf Islands	0.76	28	↘	0.53	7	0.82	4		1.92	3	0.71	12	↘	0.73	3
065 Cowichan	1.15	115		1.13	47	1.27	22		1.74	22	1.02	46		1.40	12
066 Lake Cowichan	1.45	14	↘	2.02	9	2.25	4		3.42	4	0.81	3		2.03	2
067 Ladysmith	1.21	45		1.69	27	2.11	12		1.80	9	1.43	24	↗	0.98	4
068 Nanaimo	0.98	183		1.14	79	1.32	43		1.64	38	1.27	112		1.33	18
069 Qualicum	0.92	110		1.13	42	0.72	11		0.47	4	1.06	59		1.22	8
070 Alberni	1.49	75		2.27	45	1.94	18		1.78	14	1.05	23		1.40	6
071 Courtenay	1.10	133	↘	1.11	56	0.76	15		0.87	12	0.74	40		0.58	7
072 Campbell River	1.34	85		1.48	50	1.54	19		1.87	17	1.33	33		0.87	5
075 Mission	0.88	44	↘	0.88	23	1.79	21		1.70	18	1.30	27		0.72	3
076 Agassiz - Harrison	0.75	12	↘	0.72	4	1.80	5		1.52	4	1.42	10		0.00	0
077 Summerland	0.71	22		1.16	8	1.54	6		0.77	4	0.60	10		0.00	0
078 Enderby	0.96	13		1.09	8	2.70	6		2.98	4	2.00	12		2.94	3
080 Kitimat	2.45	28		3.27	18	0.37	1	↘	0.29	1	0.72	3		0.00	0
081 Fort Nelson	0.99	4		0.99	4	4.88	8		5.25	8	0.79	1		0.00	0
083 Central Coast	5.38	8		4.20	4	2.25	1		1.91	1	1.98	1		7.25	1
084 Vancouver Island West	1.18	3	↗	1.79	3	1.73	1		2.92	1	0.00	0		0.00	0
085 Vancouver Island North	2.23	29		3.23	24	2.46	8		2.21	7	0.95	4		0.00	0
087 Stikine	0.00	0		0.00	0	0.00	0		0.00	0	0.00	0		0.00	0
088 Terrace	1.53	36		1.75	22	2.80	16		2.96	14	1.33	12		0.70	3
092 Nisga'a	0.47	1	↘	0.91	1	5.50	3		8.84	3	3.52	3		1.94	1
094 Telegraph Creek	2.18	2		1.67	2	5.37	1		2.19	1	2.09	1		10.10	1
161 Vancouver - City Centre	0.99	136	↘	0.82	63	0.24	9	↘	0.21	7	0.74	44		1.46	15
162 Vancouver - Dwntrwn Eastside	1.89	136		2.98	99	0.70	13	↘	0.54	11	0.90	29		1.92	15
163 Vancouver - North East	0.79	114	↘	0.53	36	0.35	11	↘	0.24	6	0.65	42		0.66	8
164 Vancouver - Westside	0.73	141		0.38	36	0.02	1	↘	0.00	0	0.63	59		0.17	6
165 Vancouver - Midtown	0.76	82	↘	0.76	40	0.34	9	↘	0.39	7	0.55	26		0.56	6
166 Vancouver - South	0.67	142	↘	0.67	55	0.48	20	↘	0.39	15	0.73	74		0.04	4
201 Surrey	1.00	423		0.96	227	0.84	100	↘	0.81	88	1.07	176	↗	1.03	47
202 South Surrey/White Rock	0.73	144		0.62	45	0.50	14	↘	0.49	9	0.96	97		0.61	9
998 Unknown LHA	-	1		-	1	-	4		-	4	-	1		-	1
Total	1.00	6,705	↘	1.00	3,082	1.00	1,360	↘	1.00	1,140	1.00	3,013	↗	1.00	529

TABLE B - MORTALITY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

	16 Suicide					17 Alcohol-Related Deaths					18 Medically Treatable Disease				
Local Health Area	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
001 Fernie	1.96	16		1.81	12	1.01	31		0.97	24	0.78	2		0.94	2
002 Cranbrook	1.59	23		2.26	23	1.24	76		1.48	57	1.16	5		1.23	5
003 Kimberley	0.41	2		0.45	2	1.27	28	↘	1.03	18	0.70	1		0.82	1
004 Windermere	1.72	9		1.75	8	1.37	32		1.88	26	0.61	1		0.73	1
005 Creston	1.67	12		1.68	9	1.21	45		1.66	33	0.97	2		0.78	2
006 Kootenay Lake	3.96	8		3.42	6	1.70	17		2.24	15	1.52	1		0.89	1
007 Nelson	1.18	17		1.20	15	1.51	90		1.40	70	0.67	3		0.67	3
009 Castlegar	0.64	5		0.64	5	1.31	44		1.25	35	0.87	2		0.45	2
010 Arrow Lakes	0.36	1		0.04	1	1.48	21		1.68	17	1.11	1		1.45	1
011 Trail	0.81	9		0.71	8	1.85	91		1.70	65	0.90	3		0.67	3
012 Grand Forks	1.19	6		0.57	3	1.69	44		1.41	27	4.65	7		4.99	7
013 Kettle Valley	1.51	3		1.75	3	1.06	11		1.54	10	0.00	0		0.00	0
014 Southern Okanagan	1.05	12		1.22	9	1.21	76		1.31	52	0.32	1		0.19	1
015 Penticton	1.24	31		1.17	27	1.24	148		1.58	112	1.17	8		1.47	8
016 Keremeos	2.28	7		2.23	5	2.04	34		2.84	27	0.00	0		0.00	0
017 Princeton	2.17	6		2.00	4	1.25	18		1.30	10	0.00	0		0.00	0
018 Golden	0.26	1		0.54	1	1.10	16		0.96	13	0.00	0		0.00	0
019 Revelstoke	1.38	6		1.40	6	1.63	27		1.95	25	0.00	0		0.00	0
020 Salmon Arm	1.41	28		1.81	24	0.98	94		1.17	70	0.87	5		0.86	5
021 Armstrong - Spallumcheen	0.71	4		0.42	4	0.78	20		0.54	14	0.00	0		0.00	0
022 Vernon	1.26	47		1.32	39	1.05	179	↘	1.13	133	0.75	8		0.85	8
023 Central Okanagan	1.10	116		1.08	101	0.95	427	↘	1.02	331	0.91	27		1.05	27
024 Kamloops	1.24	78		1.27	70	1.25	325		1.28	249	1.14	21		1.17	21
025 100 Mile House	1.23	10		1.09	10	1.42	58		1.97	51	1.54	4		2.24	4
026 North Thompson	0.83	2		0.81	2	1.72	19		1.39	14	0.00	0		0.00	0
027 Cariboo - Chilcotin	1.54	22		1.79	20	1.73	99		1.99	83	1.82	8		2.20	8
028 Quesnel	0.91	12		0.81	10	1.60	88		2.14	82	1.71	7		2.06	7
029 Lillooet	1.25	3		1.01	2	3.22	33		4.20	31	2.69	2		1.99	2
030 South Cariboo	1.71	7		2.32	7	3.03	60		3.22	49	0.80	1		0.81	1
031 Merritt	1.56	10		1.71	8	1.65	46		2.40	42	2.58	5		2.23	5
032 Hope	2.05	9		2.32	8	1.70	36		1.97	28	3.81	5		4.30	5
033 Chilliwack	0.98	47		1.03	40	0.95	186	↘	0.97	154	1.20	16		1.41	16
034 Abbotsford	0.74	54		0.71	49	0.56	157	↘	0.62	129	0.84	17		0.78	17
035 Langley	0.86	64		0.78	57	0.84	240		0.77	190	0.83	18		0.83	18
037 Delta	0.88	50		0.96	47	0.76	175		0.66	132	0.77	13		0.66	13
038 Richmond	0.49	55		0.53	52	0.34	145	↘	0.29	113	0.48	16		0.49	16
040 New Westminster	0.99	39	↘	0.89	36	1.00	146	↘	0.88	118	0.94	11	↘	0.77	11
041 Burnaby	0.76	99		0.69	87	0.69	332	↘	0.49	237	0.81	30		0.78	30
042 Maple Ridge	0.90	48		1.01	45	0.81	158	↘	0.75	128	1.27	20		1.13	20
043 Coquitlam	0.63	79		0.65	73	0.50	224	↘	0.43	178	0.90	34		0.80	34
044 North Vancouver	0.87	68		0.90	63	0.71	218	↘	0.56	155	0.48	11		0.45	11
045 West Vancouver-Bowen Island	0.88	26		0.85	22	0.57	80		0.40	47	0.49	4		0.74	4
046 Sunshine Coast	1.21	21		1.22	16	1.20	103		1.27	75	0.95	5		0.80	5
047 Powell River	1.39	16		1.66	15	1.76	98		2.25	80	0.86	3		0.93	3
048 Howe Sound	1.14	22		1.13	22	1.21	72		1.11	62	0.71	4		0.73	4
049 Bella Coola Valley	3.53	5		5.61	5	2.55	15		3.54	14	0.00	0		0.00	0
050 Queen Charlotte	1.24	3	↘	1.69	3	2.84	27		2.84	20	1.27	1		0.92	1
051 Snow Country	6.04	2		5.30	2	1.48	2		3.11	2	0.00	0		0.00	0
052 Prince Rupert	2.02	15		2.66	15	2.34	65		3.05	60	2.66	6		3.53	6
053 Upper Skeena	1.73	4		1.45	4	2.91	26		4.30	24	0.00	0		0.00	0
054 Smithers	1.35	12		1.00	11	1.40	47		1.73	44	1.83	5		1.86	5
055 Burns Lake	1.09	4		0.55	3	2.12	32		2.63	26	0.00	0		0.00	0
056 Nechako	1.14	10		1.25	10	2.44	81		2.27	64	1.50	4		1.19	4
057 Prince George	1.21	62		1.24	61	1.64	310		1.61	267	1.36	21		1.55	21
059 Peace River South	1.92	28	↗	1.52	26	2.18	116		2.26	98	1.63	7		1.54	7
060 Peace River North	1.42	25	↗	1.51	24	1.93	105		1.96	94	1.98	10		1.86	10
061 Greater Victoria	1.19	152		1.00	125	1.26	659	↘	1.19	493	1.12	40		1.13	40
062 Sooke	0.96	38		0.99	33	1.13	167		1.09	145	1.41	17		1.17	17
063 Saanich	1.13	43		1.19	31	0.80	151		0.75	95	0.38	4		0.57	4
064 Gulf Islands	1.50	14		1.59	13	0.87	43		1.09	34	0.35	1		0.21	1
065 Cowichan	1.44	47		1.68	44	1.32	189		1.48	151	0.93	9		0.93	9
066 Lake Cowichan	1.99	7		2.19	7	1.94	31	↘	2.34	24	3.53	4		3.54	4
067 Ladysmith	1.13	12		1.76	11	1.43	75		1.72	53	1.26	4		1.78	4
068 Nanaimo	1.09	66	↘	1.19	59	1.38	364		1.64	292	1.38	24		1.38	24
069 Qualicum	1.03	29		1.15	22	0.97	151		1.17	112	1.27	10		1.45	10
070 Alberni	1.08	19		1.60	19	2.50	191		2.99	159	3.04	16		3.15	16
071 Courtenay	1.15	43		1.25	40	1.20	207		1.05	150	0.73	8		0.66	8
072 Campbell River	1.59	38		2.09	33	1.69	177		1.92	152	1.07	8		0.86	8
075 Mission	1.03	23		0.99	22	0.91	76		0.95	57	1.19	8		1.19	8
076 Agassiz - Harrison	1.92	10		2.96	10	0.98	23		0.53	12	2.66	4		3.20	4
077 Summerland	1.13	8		1.38	7	0.79	28		0.73	17	0.00	0	↘	0.00	0
078 Enderby	1.18	5		1.24	3	1.07	21	↘	1.42	20	0.78	1		0.43	1
080 Kitimat	0.76	4		0.96	4	1.21	25		1.55	23	1.81	3		1.90	3
081 Fort Nelson	1.89	6		2.44	6	2.60	24		2.90	22	1.03	1		1.03	1
083 Central Coast	1.17	1		1.10	1	7.76	23		6.83	19	7.76	2		10.27	2
084 Vancouver Island West	0.00	0		0.00	0	1.86	9		2.18	8	0.00	0		0.00	0
085 Vancouver Island North	2.79	18		3.36	17	3.08	78		3.84	71	1.91	4		2.47	4
087 Stikine	1.91	1		3.69	1	0.88	2		2.45	2	0.00	0		0.00	0
088 Terrace	2.12	23		2.07	21	1.72	71		2.58	68	1.53	5		1.24	5
092 Nisga'a	0.96	1		1.26	1	0.81	3		0.61	2	3.10	1		2.13	1
094 Telegraph Creek	2.88	1		2.30	1	4.74	6		7.65	6	0.00	0		0.00	0
161 Vancouver - City Centre	1.34	98		1.11	90	0.99	237	↘	0.80	194	0.74	15		0.67	15
162 Vancouver - Dwntrwn Eastside	2.31	83		2.01	79	3.01	357	↘	2.84	320	2.86	29		2.85	29
163 Vancouver - North East	0.68	40		0.72	37	0.51	113	↘	0.46	79</					

TABLE B - MORTALITY STATISTICS BY LOCAL HEALTH AREA
BRITISH COLUMBIA, 2010 - 2014

Local Health Area	19 Drug-Induced Death					20 Smoking-Attributable Deaths				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
001 Fernie	0.59	5		0.64	4	0.99	74	↘	0.66	30
002 Cranbrook	1.08	15	↗	1.16	15	1.16	219	↘	1.15	93
003 Kimberley	0.44	2		0.53	2	1.20	89	↘	1.03	33
004 Windermere	0.40	2		0.60	2	0.98	70		0.90	29
005 Creston	1.44	9		1.27	7	1.13	155	↘	1.23	59
006 Kootenay Lake	2.68	5		2.67	3	1.15	35		1.08	21
007 Nelson	0.56	8		0.62	8	1.05	184	↘	1.30	90
009 Castlegar	1.06	8		1.24	8	1.13	120	↘	1.17	51
010 Arrow Lakes	1.18	3		0.62	3	0.92	42	↘	1.10	22
011 Trail	0.95	10		1.02	10	1.20	199	↘	1.30	73
012 Grand Forks	1.35	6		1.21	4	1.25	111		1.43	45
013 Kettle Valley	1.13	2		1.21	2	1.22	42		1.73	25
014 Southern Okanagan	1.15	11		0.94	9	1.13	272	↘	1.14	100
015 Penticton	1.38	31		1.47	30	1.05	500	↘	1.14	148
016 Keremeos	2.67	7		2.70	6	1.14	70	↘	1.28	27
017 Princeton	1.22	3		1.91	3	1.53	75		1.66	36
018 Golden	0.99	4		0.69	3	0.94	34	↘	0.93	14
019 Revelstoke	0.45	2		0.64	2	1.45	65	↘	1.47	32
020 Salmon Arm	1.00	18		1.23	18	1.05	356	↘	1.02	132
021 Armstrong - Spallumcheen	0.38	2		0.70	2	1.06	88	↘	0.88	32
022 Vernon	1.24	43		1.31	39	1.11	656	↘	1.23	261
023 Central Okanagan	1.24	125		1.35	120	1.00	1,511	↘	1.01	542
024 Kamloops	1.14	70		1.18	67	1.25	966	↘	1.24	425
025 100 Mile House	1.35	10		1.20	9	1.16	142	↘	1.21	76
026 North Thompson	1.72	4		1.58	4	1.34	41		1.24	21
027 Cariboo - Chilcotin	0.92	13		0.75	13	1.24	194	↘	1.32	96
028 Quesnel	1.24	16		1.53	15	1.36	210	↘	1.28	102
029 Lillooet	2.14	5		2.02	4	1.22	36	↘	1.75	21
030 South Cariboo	1.86	7		1.53	7	1.23	78		1.47	40
031 Merritt	1.63	10		1.52	10	1.40	118	↘	1.29	56
032 Hope	1.49	6		1.42	6	1.66	120	↘	2.22	59
033 Chilliwack	1.12	52		1.12	50	1.22	774	↘	1.32	314
034 Abbotsford	1.19	86		1.23	85	0.94	832	↘	0.98	309
035 Langley	0.96	71		1.00	67	1.15	970	↘	1.05	388
037 Delta	0.63	35		0.67	34	0.91	615	↘	0.77	235
038 Richmond	0.36	41		0.39	40	0.74	878	↘	0.61	323
040 New Westminster	1.27	52		1.12	51	1.11	452	↘	1.16	191
041 Burnaby	0.60	80		0.54	76	0.89	1,261	↘	0.81	442
042 Maple Ridge	1.11	60		1.12	60	1.22	621	↘	1.15	284
043 Coquitlam	0.62	81		0.67	79	0.88	979	↘	0.74	411
044 North Vancouver	0.45	35		0.44	32	0.80	717	↘	0.58	224
045 West Vancouver-Bowen Island	0.68	18		0.52	12	0.69	375	↘	0.46	79
046 Sunshine Coast	1.08	17		1.42	17	0.94	279	↘	0.98	111
047 Powell River	1.89	20	↗	2.29	20	1.20	222	↘	1.39	94
048 Howe Sound	0.57	12		0.53	12	0.90	111	↘	0.82	61
049 Bella Coola Valley	0.72	1		1.07	1	0.92	16		1.84	11
050 Queen Charlotte	1.62	4		2.06	4	1.55	37		1.58	20
051 Snow Country	2.98	1		3.44	1	1.46	5		0.30	3
052 Prince Rupert	0.94	7		1.00	7	1.11	82	↘	1.46	48
053 Upper Skeena	1.29	3		1.15	3	0.86	20	↘	0.91	9
054 Smithers	0.89	8		0.85	8	1.16	100	↘	1.04	46
055 Burns Lake	1.11	4		1.26	4	1.41	61		1.14	26
056 Nechako	1.02	9		0.91	9	1.40	120		1.41	62
057 Prince George	1.00	52		1.12	52	1.39	658	↘	1.43	358
059 Peace River South	1.41	21		1.72	21	1.51	211	↘	1.61	112
060 Peace River North	0.85	16	↗	0.88	16	1.36	161		1.31	83
061 Greater Victoria	1.25	156	↘	1.16	140	1.01	1,868	↘	1.08	606
062 Sooke	0.86	35		0.82	32	1.07	404	↘	1.01	177
063 Saanich	0.57	19		0.64	15	0.82	609	↘	0.63	151
064 Gulf Islands	0.37	3		0.44	3	0.76	135	↘	0.63	47
065 Cowichan	0.75	23		0.72	23	1.05	495	↘	1.13	202
066 Lake Cowichan	1.79	6		1.60	6	1.42	64	↘	1.85	40
067 Ladysmith	0.73	7		0.92	7	1.21	218		1.25	81
068 Nanaimo	1.61	92		1.69	87	1.14	1,004	↘	1.25	398
069 Qualicum	0.89	21	↗	0.77	19	0.96	566	↘	0.85	183
070 Alberni	1.72	29		2.02	29	1.35	321	↘	1.78	161
071 Courtenay	1.27	44		1.18	42	1.03	591	↘	1.11	232
072 Campbell River	1.83	42		1.82	42	1.24	369	↘	1.26	182
075 Mission	1.63	37		1.79	37	1.26	284	↘	1.45	149
076 Agassiz - Harrison	0.82	4		1.23	4	0.98	75		1.11	35
077 Summerland	0.80	5		0.97	5	0.94	137	↘	0.88	40
078 Enderby	1.01	4		1.07	4	1.14	74	↘	1.42	32
080 Kitimat	1.31	7		0.89	7	1.20	62	↘	0.95	32
081 Fort Nelson	0.29	1		0.46	1	1.11	18		1.16	12
083 Central Coast	0.00	0		0.00	0	1.66	11		1.80	5
084 Vancouver Island West	1.76	2		1.89	2	0.72	9		0.97	5
085 Vancouver Island North	1.68	11		1.54	11	1.57	93		1.59	61
087 Stikine	1.93	1		2.24	1	0.73	5	↘	1.13	4
088 Terrace	1.38	15		1.34	15	1.42	152	↘	1.58	82
092 Nisga'a	0.00	0		0.00	0	1.29	12		1.59	6
094 Telegraph Creek	2.81	1		2.06	1	0.59	3		0.07	0
161 Vancouver - City Centre	1.32	106		1.09	102	0.94	570	↘	0.92	255
162 Vancouver - Dwntrwn Eastside	4.82	187		4.09	185	1.49	481	↘	2.37	289
163 Vancouver - North East	0.33	20	↘	0.40	20	0.80	528	↘	0.81	190
164 Vancouver - Westside	0.42	32		0.41	30	0.66	571	↘	0.43	155
165 Vancouver - Midtown	0.50	27	↘	0.47	26	0.76	360	↘	0.70	133
166 Vancouver - South	0.76	58		0.82	57	0.75	719	↘	0.76	238
201 Surrey	1.06	245		1.07	239	0.93	1,748	↘	0.98	850
202 South Surrey/White Rock	0.84	40		0.77	36	0.87	795	↘	0.72	207
998 Unknown LHA	-	6		-	6	-	8		-	6
Total	1.00	2,534	↗	1.00	2,430	1.00	30,787	↘	1.00	12,281

Notes for all tables in Appendix 3 are listed after Table E.

TABLE C
SUMMARY STATISTICS BY HEALTH SERVICE DELIVERY AREA
 BRITISH COLUMBIA, 2010 - 2014

Health Authority Area	Population	Live Birth		Still Birth		Death		Infant Death	
		Total	Rate	Total	Rate ²	Total	Rate	Total	Rate ¹
11 East Kootenay	77,468	3,658	9.49	20	5.44	3,201	8.30	13	3.55
12 Kootenay Boundary	77,997	3,107	7.97	29	9.25	3,828	9.81	10	3.22
13 Okanagan	354,017	14,632	8.38	143	9.68	17,296	9.91	37	2.53
14 Thompson Cariboo Shuswap	221,230	9,928	9.07	114	11.35	9,663	8.83	44	4.43
21 Fraser East	288,170	16,707	11.73	164	9.72	10,787	7.57	77	4.61
22 Fraser North	641,965	30,528	9.74	327	10.60	17,338	5.53	99	3.24
23 Fraser South	776,689	40,521	10.80	474	11.56	22,771	6.07	154	3.80
31 Richmond	205,262	8,991	9.03	76	8.38	4,613	4.63	24	2.67
32 Vancouver	658,485	30,600	9.50	365	11.79	18,348	5.70	113	3.69
33 North Shore/Coast Garibaldi	282,565	11,710	8.41	107	9.05	9,737	6.99	33	2.82
41 South Vancouver Island	372,463	15,655	8.48	107	6.79	16,414	8.89	64	4.09
42 Central Vancouver Island	266,231	10,958	8.33	116	10.47	13,294	10.11	41	3.74
43 North Vancouver Island	121,031	5,239	8.72	42	7.95	5,284	8.80	21	4.01
51 Northwest	73,719	4,358	11.83	52	11.79	2,529	6.86	36	8.26
52 Northern Interior	141,895	7,742	10.93	93	11.87	4,933	6.96	44	5.68
53 Northeast	72,115	5,293	15.33	51	9.54	1,887	5.47	26	4.91
Unknown	-	3	-	1	250.00	55	-	1	333.33
Total	4,631,302	219,630	9.67	2,281	10.28	161,978	7.13	837	3.81

Health Service Delivery Area	Low Birth Weight Live Birth		Caesarean		Preterm		Teenage Mother		Elderly Gravida	
	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹
11 East Kootenay	175	47.84	1,113	304.26	229	62.60	132	36.09	597	163.20
12 Kootenay Boundary	172	55.36	809	260.38	220	70.81	91	29.29	681	219.18
13 Okanagan	777	53.10	4,306	294.29	1,046	71.49	479	32.74	2,517	172.02
14 Thompson Cariboo Shuswap	569	57.31	3,298	332.19	798	80.38	455	45.83	1,464	147.46
21 Fraser East	948	56.74	5,334	319.27	1,338	80.09	580	34.72	2,338	139.94
22 Fraser North	1,717	56.24	10,797	353.68	2,299	75.31	344	11.27	8,893	291.31
23 Fraser South	2,653	65.47	14,063	347.05	3,156	77.89	655	16.16	8,696	214.60
31 Richmond	489	54.39	2,754	306.31	611	67.96	56	6.23	2,764	307.42
32 Vancouver	1,872	61.18	9,551	312.12	2,272	74.25	203	6.63	11,177	365.26
33 North Shore/Coast Garibaldi	576	49.19	3,983	340.14	838	71.56	177	15.12	4,293	366.61
41 South Vancouver Island	877	56.02	4,790	305.97	1,175	75.06	334	21.34	3,968	253.47
42 Central Vancouver Island	556	50.74	2,705	246.85	887	80.95	553	50.47	1,858	169.56
43 North Vancouver Island	241	46.00	1,447	276.20	395	75.40	243	46.38	881	168.16
51 Northwest	209	47.96	1,085	248.97	300	68.84	314	72.05	642	147.32
52 Northern Interior	455	58.77	2,267	292.82	589	76.08	454	58.64	993	128.26
53 Northeast	256	48.37	1,556	293.97	335	63.29	284	53.66	517	97.68
Unknown	2	666.67	1	333.33	-	-	-	-	1	333.33
Total	12,544	57.11	69,859	318.08	16,488	75.07	5,354	24.38	52,280	238.04

Notes for all tables in Appendix 3 are listed after Table E.

TABLE D
MORTALITY STATISTICS BY HEALTH SERVICE DELIVERY AREA
 BRITISH COLUMBIA, 2010 - 2014

Health Service Delivery Area	01 All Causes of Death					02 All Cancer Sites					03 Lung Cancer				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
11 East Kootenay	1.08	3,201	↘	1.05	1,145	1.05	945	↘	1.00	481	1.17	265	↘	1.20	150
12 Kootenay Boundary	1.15	3,828	↘	1.24	1,454	1.12	1,111		1.16	586	1.18	293		1.51	183
13 Okanagan	1.03	17,296	↘	1.08	5,447	1.05	5,004	↘	1.05	2,280	1.10	1,314		1.09	654
14 Thompson Cariboo Shuswap	1.17	9,663	↘	1.30	4,124	1.12	2,857	↘	1.13	1,589	1.20	777		1.23	453
21 Fraser East	1.08	10,787	↘	1.17	4,114	1.08	3,111	↘	1.13	1,620	1.09	776	↘	1.19	434
22 Fraser North	0.94	17,338	↘	0.81	6,409	0.95	5,187	↘	0.92	2,735	0.96	1,290	↘	0.93	712
23 Fraser South	1.00	22,771	↘	0.95	8,599	0.95	6,392	↘	0.97	3,439	0.90	1,506	↘	0.90	833
31 Richmond	0.74	4,613	↘	0.57	1,572	0.82	1,540	↘	0.77	801	0.80	373	↘	0.70	183
32 Vancouver	0.87	18,348	↘	0.86	6,620	0.86	5,116	↘	0.88	2,582	0.82	1,193	↘	0.83	606
33 North Shore/Coast Garibaldi	0.89	9,737	↘	0.81	3,075	0.95	2,973	↘	0.87	1,416	0.79	613	↘	0.73	310
41 South Vancouver Island	0.96	16,414	↘	0.94	4,829	1.00	4,630	↘	1.01	2,112	0.93	1,057	↘	0.94	508
42 Central Vancouver Island	1.08	13,294	↘	1.23	4,794	1.09	3,926	↘	1.13	2,007	1.09	989	↘	1.12	534
43 North Vancouver Island	1.11	5,284	↘	1.25	2,210	1.13	1,656	↘	1.21	912	1.23	457	↘	1.26	258
51 Northwest	1.28	2,529	↘	1.59	1,338	1.17	724		1.13	446	1.33	206		1.22	128
52 Northern Interior	1.29	4,933	↘	1.42	2,503	1.25	1,508		1.24	929	1.51	459		1.34	287
53 Northeast	1.30	1,887	↘	1.46	1,013	1.20	529		1.13	328	1.47	161		1.32	96
Unknown HSDA	-	55		-	51	-	6		-	5	-	3		-	3
Total	1.00	161,978	↘	1.00	59,297	1.00	47,215	↘	1.00	24,268	1.00	11,732	↘	1.00	6,332
Health Service Delivery Area	04 Endocrine, Nutritional/Metabolic Disease					05 Diabetes Mellitus					06 Circulatory System				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
11 East Kootenay	1.20	194	↗	1.00	65	1.14	156	↗	0.97	50	1.01	814	↘	0.92	164
12 Kootenay Boundary	1.18	212		1.08	68	1.21	185		1.01	57	1.25	1,151	↘	1.23	273
13 Okanagan	1.00	909	↗	0.94	265	1.00	777	↗	0.93	216	1.03	4,952	↘	1.05	945
14 Thompson Cariboo Shuswap	1.14	517		1.18	220	1.13	435		1.10	175	1.11	2,483	↘	1.17	730
21 Fraser East	1.12	599		1.24	223	1.12	508		1.24	183	1.06	2,928	↘	1.21	720
22 Fraser North	0.94	917		0.90	346	0.95	779	↗	0.95	292	0.93	4,567	↘	0.80	1,078
23 Fraser South	1.03	1,255	↗	1.04	485	1.02	1,048	↗	1.07	409	1.03	6,384	↘	1.01	1,551
31 Richmond	0.70	233		0.47	61	0.70	196		0.34	47	0.71	1,186	↘	0.52	251
32 Vancouver	0.80	885		0.81	303	0.79	743		0.92	263	0.82	4,774	↘	0.86	1,098
33 North Shore/Coast Garibaldi	0.73	428		0.82	143	0.73	364		0.75	115	0.93	2,840	↘	0.73	478
41 South Vancouver Island	0.89	809	↗	0.88	238	0.88	675	↗	0.84	190	1.04	5,191	↘	0.92	828
42 Central Vancouver Island	1.10	738	↗	1.01	231	1.12	640	↗	0.96	188	1.11	3,838	↘	1.37	907
43 North Vancouver Island	1.21	315	↗	1.08	116	1.26	280	↗	1.13	99	1.06	1,367	↘	1.07	346
51 Northwest	1.90	200	↗	2.11	92	1.89	168	↗	2.06	75	1.17	598	↘	1.51	234
52 Northern Interior	1.59	326	↗	1.72	153	1.59	275	↗	1.65	122	1.22	1,193	↘	1.52	447
53 Northeast	1.85	139	↗	1.86	72	1.97	124	↗	2.04	63	1.38	504	↘	1.71	189
Unknown HSDA	-	1		-	1	-	1		-	1	-	8		-	6
Total	1.00	8,677	↗	1.00	3,082	1.00	7,354	↗	1.00	2,545	1.00	44,778	↘	1.00	10,245
Health Service Delivery Area	07 Ischemic Heart Disease					08 Cerebrovascular Disease					09 Arteries, Arterioles, Capillaries				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
11 East Kootenay	1.01	347	↘	1.00	88	0.94	186	↘	0.77	25	1.15	42		1.11	7
12 Kootenay Boundary	1.34	521	↘	1.15	140	1.24	283		1.37	59	1.37	57	↘	2.36	19
13 Okanagan	1.02	2,035	↘	1.06	498	1.00	1,194	↘	1.07	178	1.10	235	↘	0.82	49
14 Thompson Cariboo Shuswap	1.08	1,025	↘	1.34	414	1.09	596	↘	0.93	116	1.31	134	↘	0.88	37
21 Fraser East	1.07	1,248	↘	1.12	359	1.03	710	↘	1.47	147	1.07	133	↘	1.05	34
22 Fraser North	1.00	2,079	↘	0.83	574	0.91	1,092	↘	0.78	194	0.94	208	↘	0.90	61
23 Fraser South	1.10	2,870	↘	1.08	807	1.05	1,587	↘	1.02	305	1.08	299	↘	0.91	83
31 Richmond	0.66	470	↘	0.44	114	0.83	340	↘	0.70	62	0.68	51	↘	0.56	13
32 Vancouver	0.77	1,879	↘	0.80	525	0.87	1,253	↘	0.94	241	0.75	195	↘	0.90	52
33 North Shore/Coast Garibaldi	0.86	1,105	↘	0.73	246	1.07	812	↘	0.81	96	0.89	121	↘	0.59	28
41 South Vancouver Island	1.02	2,108	↘	0.83	393	0.95	1,186	↘	0.85	148	0.93	202	↘	1.08	44
42 Central Vancouver Island	1.10	1,607	↘	1.25	454	1.06	908	↘	1.24	150	1.10	171	↘	1.56	52
43 North Vancouver Island	1.02	560	↘	1.18	198	1.21	382	↘	0.73	48	0.95	56	↘	1.32	20
51 Northwest	1.09	240	↘	1.37	113	1.23	150	↘	2.12	55	1.11	26		1.34	11
52 Northern Interior	1.13	478	↘	1.57	224	1.31	308	↘	1.38	83	1.24	56		1.43	25
53 Northeast	1.75	274	↘	2.00	113	0.78	68	↘	1.04	24	1.08	18	↘	1.16	9
Unknown HSDA	-	4		-	4	-	3		-	1	0.00	0		0.00	-
Total	1.00	18,850	↘	1.00	5,264	1.00	11,058	↘	1.00	1,932	1.00	2,004	↘	1.00	544
Health Service Delivery Area	10 Respiratory System					11 Influenza and Pneumonia					12 Chronic Pulmonary Disease				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
11 East Kootenay	1.05	309		0.99	78	0.77	74	↘	1.07	12	1.29	174		1.05	47
12 Kootenay Boundary	0.87	290	↘	1.05	82	0.33	37	↘	0.58	7	1.25	190		1.27	52
13 Okanagan	0.96	1,675	↘	1.11	344	0.88	523	↘	1.14	73	1.07	840	↘	1.15	207
14 Thompson Cariboo Shuswap	1.23	1,004	↘	1.36	280	1.07	283	↘	1.59	58	1.46	554	↘	1.38	165
21 Fraser East	1.17	1,175		1.30	300	1.30	445	↘	1.30	73	1.16	526		1.36	163
22 Fraser North	1.08	1,918	↘	0.82	377	1.18	701	↘	0.60	79	0.98	784	↘	0.93	195
23 Fraser South	1.03	2,286	↘	0.89	484	1.22	917	↘	0.92	121	0.86	867	↘	0.75	233
31 Richmond	0.85	509	↘	0.40	66	0.94	188	↘	0.56	18	0.65	177	↘	0.22	25
32 Vancouver	0.94	1,965	↘	0.97	402	1.00	732	↘	1.07	105	0.80	743	↘	1.06	213
33 North Shore/Coast Garibaldi	0.82	904	↘	0.53	120	0.91	347	↘	0.60	28	0.73	363	↘	0.47	56
41 South Vancouver Island	0.80	1,443	↘	0.87	251	0.63	407	↘	0.84	41	0.89	697	↘	0.88	138
42 Central Vancouver Island	1.10	1,391	↘	1.25	298	1.24	526	↘	1.23	56	1.10	630		1.17	165
43 North Vancouver Island	1.02	481	↘	1.14	144	0.69	105	↘	0.40	12	1.20	262		1.31	90
51 Northwest	1.12	205	↘	1.57	68	1.12	67	↘	2.36	21	1.19	100	↘	1.08	33
52 Northern Interior	1.36	483	↘	1.75	179	1.07	121	↘	1.75	38	1.69	278		1.76	108
53 Northeast	1.26	164	↘	1.68	62	0.93	40	↘	2.04	15	1.72	102		1.51	38
Unknown HSDA	-	4		-	3	-	2		-	2	-	2		-	1
Total	1.00	16,206	↘	1.00	3,538	1.00	5,515	↘	1.00	759	1.00	7,289	↘	1.00	1,929

TABLE D (continued)
MORTALITY STATISTICS BY HEALTH SERVICE DELIVERY AREA
 BRITISH COLUMBIA, 2010 - 2014

Health Service Delivery Area	13 Digestive System					14 Motor Vehicle Accidents					15 Unintentional Falls				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
11 East Kootenay	1.14	141		1.04	63	1.61	37	↘	1.87	33	1.54	82	↗	2.23	15
12 Kootenay Boundary	0.98	135		1.10	69	2.42	57		2.35	42	1.39	85		1.78	19
13 Okanagan	1.07	720		1.19	301	1.34	148	↘	1.36	119	1.03	332		0.91	40
14 Thompson Cariboo Shuswap	1.33	460		1.53	248	2.46	162	↘	2.85	148	1.12	164		1.40	37
21 Fraser East	0.93	380		0.87	174	1.20	100	↘	1.26	84	1.29	242	↗	0.98	35
22 Fraser North	0.91	701		0.70	312	0.62	115	↘	0.56	90	0.79	259		0.89	55
23 Fraser South	0.92	879		0.86	414	0.80	173	↘	0.78	144	1.04	432	↗	0.81	76
31 Richmond	0.75	198		0.47	73	0.62	37		0.41	26	0.62	69		0.25	7
32 Vancouver	0.87	751	↘	0.84	329	0.32	63	↘	0.26	46	0.69	274		0.68	54
33 North Shore/Coast Garibaldi	0.93	417		0.91	186	0.41	34	↘	0.55	32	0.98	202		1.78	42
41 South Vancouver Island	1.00	691		1.01	254	0.49	57		0.45	43	1.14	394		1.19	49
42 Central Vancouver Island	1.08	542		1.33	249	1.34	110		1.57	91	1.15	267		1.33	50
43 North Vancouver Island	1.25	250	↘	1.46	133	1.19	43		1.40	37	0.91	77		0.61	12
51 Northwest	1.67	144		2.29	91	2.63	54		2.35	47	1.08	36		0.83	11
52 Northern Interior	1.35	224		1.51	138	2.46	99	↘	2.50	93	1.02	65		0.98	14
53 Northeast	1.13	71		1.24	47	3.53	67		3.59	61	1.32	32		1.36	12
Unknown HSDA	-	1		-	1	-	4		-	4	-	1		-	1
Total	1.00	6,705	↘	1.00	3,082	1.00	1,360	↘	1.00	1,140	1.00	3,013	↗	1.00	529

Health Service Delivery Area	16 Suicide					17 Alcohol-Related Deaths					18 Medically Treatable Disease				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
11 East Kootenay	1.44	63		1.67	55	1.20	228	↘	1.36	171	0.83	11		0.88	11
12 Kootenay Boundary	1.08	49		0.96	41	1.57	318		1.51	239	1.23	17		1.10	17
13 Okanagan	1.17	236		1.16	199	1.04	951	↘	1.14	716	0.79	45		0.91	45
14 Thompson Cariboo Shuswap	1.33	166		1.44	149	1.41	761	↘	1.60	614	1.24	46		1.31	46
21 Fraser East	0.93	143		0.95	129	0.79	478	↘	0.81	380	1.16	50		1.21	50
22 Fraser North	0.76	265		0.75	241	0.68	860	↘	0.55	661	0.93	95	↘	0.84	95
23 Fraser South	0.81	328		0.80	296	0.77	1,176		0.74	952	1.05	123		1.03	123
31 Richmond	0.49	55		0.53	52	0.34	145	↘	0.29	113	0.48	16		0.49	16
32 Vancouver	0.93	348		0.87	320	0.81	1,088	↘	0.77	885	0.83	88		0.79	88
33 North Shore/Coast Garibaldi	1.01	159		1.04	144	0.93	609	↘	0.87	452	0.63	29	↘	0.66	29
41 South Vancouver Island	1.15	247		1.04	202	1.12	1,020	↘	1.09	767	1.01	62		1.01	62
42 Central Vancouver Island	1.18	180		1.40	162	1.42	1,001		1.71	791	1.51	67		1.58	67
43 North Vancouver Island	1.44	99		1.75	90	1.53	471		1.66	381	0.95	20		0.91	20
51 Northwest	1.68	66		1.76	63	1.82	274	↘	2.45	251	1.73	21		1.79	21
52 Northern Interior	1.15	88		1.14	84	1.75	511		1.82	439	1.37	32		1.52	32
53 Northeast	1.67	59	↗	1.60	56	2.10	245		2.17	214	1.75	18		1.65	18
Unknown HSDA	-	5		-	5	-	16		-	16	-	2		-	2
Total	1.00	2,556	↗	1.00	2,288	1.00	10,152	↘	1.00	8,042	1.00	742	↘	1.00	742

Health Service Delivery Area	19 Drug-Induced Deaths					20 Smoking-Attributable Deaths				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
11 East Kootenay	0.88	37	↗	0.88	33	1.10	641	↘	1.02	258
12 Kootenay Boundary	0.98	42		0.99	38	1.13	735	↘	1.29	327
13 Okanagan	1.23	231		1.33	218	1.05	3,382	↘	1.09	1,218
14 Thompson Cariboo Shuswap	1.16	139		1.16	134	1.21	1,996	↘	1.24	899
21 Fraser East	1.23	185		1.28	182	1.10	2,086	↘	1.21	866
22 Fraser North	0.76	273		0.74	266	0.96	3,313	↘	0.88	1,328
23 Fraser South	0.96	391		0.98	376	0.96	4,128	↘	0.92	1,679
31 Richmond	0.36	41		0.39	40	0.74	878	↘	0.61	323
32 Vancouver	1.11	430	↘	1.03	420	0.83	3,230	↘	0.87	1,260
33 North Shore/Coast Garibaldi	0.67	103		0.67	94	0.84	1,731	↘	0.72	583
41 South Vancouver Island	1.03	213	↘	0.99	190	0.96	3,016	↘	0.95	981
42 Central Vancouver Island	1.26	178	↗	1.33	171	1.11	2,668	↘	1.22	1,066
43 North Vancouver Island	1.51	99	↗	1.46	97	1.13	1,060	↘	1.20	481
51 Northwest	1.18	47		1.14	47	1.23	477	↘	1.28	251
52 Northern Interior	1.04	81		1.17	80	1.39	1,049	↘	1.39	549
53 Northeast	1.02	38	↗	1.16	38	1.42	391	↘	1.43	206
Unknown HSDA	-	6		-	6	-	8		-	6
Total	1.00	2,534	↗	1.00	2,430	1.00	30,787	↘	1.00	12,281

TABLE E
SUMMARY STATISTICS BY HEALTH AUTHORITY
 BRITISH COLUMBIA, 2010 - 2014

Health Authority Area	Population	Live Birth		Still Birth		Death		Infant Death	
		Total	Rate	Total	Rate ²	Total	Rate	Total	Rate ¹
01 Interior	730,712	31,325	8.67	306	9.67	33,988	9.40	104	3.32
02 Fraser	1,706,824	87,756	10.56	965	10.88	50,896	6.12	330	3.76
03 Vancouver Coastal	1,146,312	51,301	9.14	548	10.57	32,698	5.83	170	3.31
04 Vancouver Island	759,725	31,852	8.46	265	8.25	34,992	9.30	126	3.96
05 Northern	287,729	17,393	12.23	196	11.14	9,349	6.57	106	6.09
Unknown Health Authority	-	3	0.00	1	250.00	55	0.00	1	333.33
Total	4,631,302	219,630	9.67	2,281	10.28	161,978	7.13	837	3.81

Health Authority Area	Low Birth Weight Live Birth		Caesarean		Preterm		Teenage Mother		Elderly Gravida	
	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹	Total	Rate ¹
01 Interior	1,693	54.05	9,526	304.10	2,293	73.20	1,157	36.94	5,259	167.89
02 Fraser	5,318	60.60	30,194	344.07	6,793	77.41	1,579	17.99	19,927	227.07
03 Vancouver Coastal	2,937	57.25	16,288	317.50	3,721	72.53	436	8.50	18,234	355.43
04 Vancouver Island	1,674	52.56	8,942	280.74	2,457	77.14	1,130	35.48	6,707	210.57
05 Northern	920	52.89	4,908	282.18	1,224	70.37	1,052	60.48	2,152	123.73
Unknown Health Authority	2	666.67	1	333.33	-	0.00	-	0.00	1	333.33
Total	12,544	57.11	69,859	318.08	16,488	75.07	5,354	24.38	52,280	238.04

Notes for Tables A - F in Appendix 3

Total	The number of events in the specified category for the five year time period.
Infant Death	Deaths of children under one year of age.
Low Birth Weight live births	Live births with birth weight <2,500 grams.
Caesarean	Live births delivered by caesarean section.
Preterm	Live births with gestational age <37 weeks.
Teenage Mother	Live births to mothers under 20 years of age.
Elderly Gravida	Live births to mothers 35 years of age or older.
Deaths	The total number of deaths from the specified cause for the five year period.
D<75	The number of deaths under 75 years of age from the specified cause.
SMR	Standardized Mortality Ratio.
PYLLI	Potential Years of Life Lost Index.
Rate	Per 1,000 population in the specified area.
Rate ¹	Per 1,000 live births in the specified area.
Rate ²	Per 1,000 total births in the specified area.
SMR, PYLLI, and Rate	Based on the five year period ending with the current year.
TR	Trend in ASMR based on single year rates for the previous 15 years.
TR*	Trend reflects change in Medical Certification of Death introduced in 1993. The revised form contained questions about lifestyle factors including abuse of alcohol, which resulted in increased reporting of deaths indirectly related to alcohol.
↗	Statistically significantly positive (increasing) trend.
↘	Statistically significantly negative (decreasing) trend.
N.S.	Not stated.

Trends shown in previous annual reports were based on three year moving averages and should not be compared to the trends in these tables.

HSDA 32 Vancouver may include unspecified Vancouver addresses.

Total SAM numbers may not add up due to rounding. SAM numbers for each cause are rounded

Nonresidents are excluded.

TABLE F
MORTALITY STATISTICS BY HEALTH AUTHORITY
 BRITISH COLUMBIA, 2010 - 2014

Health Authority	01 All Causes of Death					02 All Cancer Sites					03 Lung Cancer				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
01 Interior	1.09	33,988	↘	1.16	12,170	1.08	9,917	↘	1.08	4,936	1.14	2,649	↘	1.19	1,440
02 Fraser	1.00	50,896	↘	0.93	19,122	0.98	14,690	↘	0.98	7,794	0.96	3,572	↘	0.96	1,979
03 Vancouver Coastal	0.86	32,698	↘	0.79	11,267	0.88	9,629	↘	0.86	4,799	0.81	2,179	↘	0.78	1,099
04 Vancouver Island	1.03	34,992	↘	1.09	11,833	1.05	10,212	↘	1.09	5,031	1.04	2,503	↘	1.06	1,300
05 Northern	1.29	9,349	↘	1.48	4,854	1.22	2,761	↘	1.18	1,703	1.45	826	↘	1.30	511
Unknown Health Authority	-	55		-	51	-	6		-	5	-	3		-	3
Total	1.00	161,978	↘	1.00	59,297	1.00	47,215	↘	1.00	24,268	1.00	11,732	↘	1.00	6,332
Health Authority	04 Endocrine, Nutritional/Metabolic Disease					05 Diabetes					06 Circulatory System				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
01 Interior	1.07	1,832	↗	1.04	618	1.07	1,553	↗	1.00	498	1.07	9,400	↘	1.09	2,112
02 Fraser	1.02	2,771	↗	1.02	1,054	1.02	2,335	↗	1.06	884	1.00	13,879	↘	0.96	3,349
03 Vancouver Coastal	0.76	1,546	↘	0.75	507	0.76	1,303	↘	0.76	425	0.83	8,800	↘	0.76	1,827
04 Vancouver Island	1.01	1,862	↗	0.96	585	1.02	1,595	↗	0.94	477	1.07	10,396	↘	1.11	2,081
05 Northern	1.72	665	↗	1.85	317	1.74	567	↗	1.84	260	1.24	2,295	↘	1.56	870
Unknown Health Authority	-	1		-	1	-	1		-	1	-	8		-	6
Total	1.00	8,677	↗	1.00	3,082	1.00	7,354	↗	1.00	2,545	1.00	44,778	↘	1.00	10,245
Health Authority	07 Ischemic Heart Disease					08 Cerebrovascular Diseases					09 Arteries, Arterioles, Capillaries				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
01 Interior	1.07	3,928	↘	1.15	1,140	1.04	2,259	↘	1.03	378	1.19	468	↘	1.05	112
02 Fraser	1.06	6,197	↘	0.99	1,740	1.00	3,389	↘	1.01	646	1.03	640	↘	0.93	178
03 Vancouver Coastal	0.78	3,454	↘	0.71	885	0.92	2,405	↘	0.86	399	0.78	367	↘	0.76	93
04 Vancouver Island	1.05	4,275	↘	1.04	1,045	1.02	2,476	↘	0.97	346	0.99	429	↘	1.29	116
05 Northern	1.24	992	↘	1.60	450	1.18	526	↘	1.51	162	1.17	100	↘	1.35	45
Unknown Health Authority	-	4		-	4	-	3		-	1	0.00	0		0.00	0
Total	1.00	18,850	↘	1.00	5,264	1.00	11,058	↘	1.00	1,932	1.00	2,004	↘	1.00	544
Health Authority	10 Respiratory System					11 Influenza and Pneumonia					12 Chronic Pulmonary Disease				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
01 Interior	1.03	3,278	↘	1.17	784	0.86	917	↘	1.21	150	1.21	1,758	↘	1.23	471
02 Fraser	1.07	5,379	↘	0.94	1,161	1.22	2,063	↘	0.86	273	0.96	2,177	↘	0.93	591
03 Vancouver Coastal	0.89	3,378	↘	0.75	588	0.97	1,267	↘	0.86	151	0.76	1,283	↘	0.74	294
04 Vancouver Island	0.94	3,315	↘	1.05	693	0.85	1,038	↘	0.90	109	1.01	1,589	↘	1.06	393
05 Northern	1.28	852	↘	1.68	309	1.05	228	↘	1.98	74	1.56	480	↘	1.52	179
Unknown Health Authority	-	4		-	3	-	2		-	2	-	2		-	1
Total	1.00	16,206	↘	1.00	3,538	1.00	5,515	↘	1.00	759	1.00	7,289	↘	1.00	1,929
Health Authority	13 Digestive System					14 Motor Vehicle Accidents					15 Unintentional Falls				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
01 Interior	1.13	1,456		1.27	681	1.81	404	↘	1.98	342	1.13	663		1.30	111
02 Fraser	0.92	1,960	↘	0.80	900	0.80	388	↘	0.77	318	1.00	933	↗	0.87	166
03 Vancouver Coastal	0.87	1,366	↘	0.79	588	0.39	134	↘	0.35	104	0.76	545		0.88	103
04 Vancouver Island	1.07	1,483		1.20	636	0.90	210		0.97	171	1.12	738		1.14	111
05 Northern	1.39	439		1.66	276	2.76	220	↘	2.75	201	1.10	133		1.03	37
Unknown Health Authority	-	1		-	1	-	4		-	4	-	1		-	1
Total	1.00	6,705	↘	1.00	3,082	1.00	1,360	↘	1.00	1,140	1.00	3,013	↗	1.00	529
Health Authority	16 Suicide					17 Alcohol-Related Deaths					18 Medically Treatable Diseases				
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75
01 Interior	1.24	514		1.28	444	1.22	2,258	↘	1.34	1,740	0.98	119		1.05	119
02 Fraser	0.81	736	↘	0.81	666	0.74	2,514	↘	0.68	1,993	1.02	268	↘	0.98	268
03 Vancouver Coastal	0.87	562		0.85	516	0.76	1,842	↘	0.71	1,450	0.72	133	↘	0.71	133
04 Vancouver Island	1.20	526		1.27	454	1.30	2,492		1.40	1,939	1.18	149		1.19	149
05 Northern	1.41	213		1.41	203	1.84	1,030		2.07	904	1.55	71		1.62	71
Unknown Health Authority	-	5		-	5	-	16		-	16	-	2		-	2
Total	1.00	2,556	↘	1.00	2,288	1.00	10,152	↘	1.00	8,042	1.00	742	↘	1.00	742
Health Authority	19 Drug-Induced Deaths					20 Smoking-Attributable Deaths									
	SMR	Death	TR	PYLLI	D<75	SMR	Death	TR	PYLLI	D<75					
01 Interior	1.14	449	↗	1.19	423	1.11	6,753	↘	1.15	2,701					
02 Fraser	0.93	849		0.93	824	0.99	9,527	↘	0.95	3,873					
03 Vancouver Coastal	0.88	574		0.84	554	0.82	5,839	↘	0.78	2,166					
04 Vancouver Island	1.18	490		1.18	458	1.04	6,745	↘	1.09	2,528					
05 Northern	1.07	166	↗	1.16	165	1.35	1,917	↘	1.37	1,005					
Unknown Health Authority	-	6		-	6	-	8		-	6					
Total	1.00	2,534	↗	1.00	2,430	1.00	30,787	↘	1.00	12,281					

Notes for this table are listed after Table E.



BRITISH
COLUMBIA

Ministry of
Health