



P-001 Series
Page 1



P-002-1
Page 1



P-002-2
Page 2



P-002-3
Page 2



P-002-4
Page 3



P-002-5
Page 3



P-003 Series
Page 4



P-004 Series
Page 5



P-006 Series
Page 5



P-008 Series
Page 35



P-010 Series
Page 4



P-012-1 Series
Page 6



P-012-2 Series
Page 7



P-014-1 Series
Page 7



P-014-2 Series
Page 8



P-014-2 Tab
Page 8



P-014-5
Page 9



P-014-6
Page 9



P-015 Series
Page 10



P-017
Page 10



P-019 Series
Page 11



P-020-1
Page 11



P-020-2L
Page 12



P-020-2R
Page 12



P-020-2D
Page 13



P-020-3-Ta
Page 13



P-021 Series
Page 14



P-023 Series
Page 14



P-025 Series
Page 15



P-027 Series
Page 15



P-029 Series
Page 16



P-030 Series
Page 16



P-031 Series
Page 17



P-050 Series
Page 17



P-058 Series
Page 18



P-060 Series
Page 18



P-062 Series
Page 19



P-064 Series
Page 19



P-066-1 Series
Page 20



P-066-2 Series
Page 20



P-066-2 Series
Page 21



P-066-7 Series
Page 21



P-066-8 Series
Page 22



P-066 Tab
Page 23



P-080-1
Page 23



P-081-1
Page 24



P-081-2
Page 24



P-081-3
Page 25



P-081-4
Page 25



P-081 Tabs
Page 26



P-092
Page 26



P-092 Tab
Page 27



P-094
Page 27



P-110
Page 28



P-111-LRD
Page 28



P-112
Page 29



P-113
Page 29



P-200-1
Page 30



P-200-2
Page 30



P-200-3
Page 31

Sign Item Number	Description	Page
P-001	No Parking symbol DIRECTIONAL ARROW(S)	1
P-001-x	No Parking symbol DIRECTIONAL ARROW(S)	1
P-001-xx	No Parking symbol DIRECTIONAL ARROW(S)	1
P-002-1	No Parking symbol, BUS STOP, DIRECTIONAL ARROW(S)	1
P-002-2	No Parking symbol, Bus Parking Permitted symbol, DIRECTIONAL ARROW(S)	2
P-002-3	No Parking symbol, Bus Parking Permitted symbol, BUS STOP, DIRECTIONAL ARROW(S)	2
P-002-4	No Stopping symbol, Bus Parking Permitted symbol, DIRECTIONAL ARROW(S)	3
P-002-5	No Stopping symbol, Bus Parking Permitted symbol, BUS STOP, DIRECTIONAL ARROW(S)	3
P-003	No Parking symbol Loading Zone DIRECTIONAL ARROW(S)	4
P-004	No Parking symbol Fire Lane DIRECTIONAL ARROW(S)	4
P-006	No Parking symbol Here to Corner DIRECTIONAL ARROW(S)	5
P-008	No Parking symbol Hours/Days Option DIRECTIONAL ARROW(S)	5
P-010	No Parking symbol On Pavement	6
P-010-x	No Parking symbol On Pavement	6
P-010-xx	No Parking symbol On Pavement	6
P-012-1	No Parking symbol In Snow Season Tow Away Zone	6
P-012-2u	No Parking symbol In Snow Season on All Roads Tow Away Zone	7
P-012-2	No Parking symbol In Snow Season on All Roads Tow Away Zone	7
P-014-1	Please Limit Your Stay to 8 Hours No Campfires/Camping symbols	7
P-014-2	No Parking symbol Please Limit Your Stay to 1 Hour	8
P-014-2T	Brake Inspection Site tab	8
P-014-5	NO PARKING for Long Combination Commercial Vehicles	9
P-014-6	NO PARKING for Detached Commercial Vehicle Trailers	9
P-015	No Camping or Overnight Parking	10
P-017	Unattended Vehicles - Towed At Owners Expense	10
P-019	No Parking symbol Disabled Parking Permitted symbol DIRECTIONAL ARROW(S)	11
P-020-1	Handicap Parking - Immediate Reserved Parking Space	11
P-020-2L	Handicap Parking - Reserved Parking Space, LEFT ARROW	12
P-020-2R	Handicap Parking - Reserved Parking Space, RIGHT ARROW	12
P-020-2D	Handicap Parking - Reserved Parking, DOUBLE ARROW	13
P-020-3-Ta	Handicap Parking - Van Accessible TAB	13
P-021	Parking Permitted symbol Length/Hours Option DIRECTIONAL ARROW(S)	14
P-023	Parking Permitted symbol Parallel Only DIRECTIONAL ARROW(S)	14
P-025	Parking Permitted symbol Angle Only DIRECTIONAL ARROW(S)	15
P-027	Parking Permitted symbol Employee Only	15
P-029	Parking Permitted symbol Carpool Only	16

Sign Item Number	Description	Page
P-030	Parking Permitted symbol Commercial Buses Only	16
P-031	Commercial Vehicle Parking (intended for access to businesses without sufficient commercial parking)	17
P-050	Stopping Permitted symbol Emergency Only	17
P-050-x	Stopping Permitted symbol Emergency Only	17
P-050-xx	Stopping Permitted symbol Emergency Only	17
P-058	No Stopping symbol DIRECTIONAL ARROW(S)	18
P-058-x	No Stopping symbol DIRECTIONAL ARROW(S)	18
P-058-xx	No Stopping symbol DIRECTIONAL ARROW(S)	18
P-060	No Stopping symbol On Pavement	18
P-060-x	No Stopping symbol On Pavement	18
P-060-xx	No Stopping symbol On Pavement	18
P-062	No Stopping symbol On Bridge	19
P-062-x	No Stopping symbol On Bridge	19
P-062-xx	No Stopping symbol On Bridge	19
P-064	No Stopping symbol On Tracks	19
P-066-1u	No Stopping symbol Avalanche Area	20
P-066-1	No Stopping symbol Avalanche Area	20
P-066-1xx	No Stopping symbol Avalanche Area	20
P-066-2u	No Stopping symbol Mud Slide Area	20
P-066-2	No Stopping symbol Mud Slide Area	20
P-066-2xx	No Stopping symbol Mud Slide Area	20
P-066-6u	No stopping, slide area	21
P-066-6	No stopping, slide area	21
P-066-6xx	No stopping, slide area	21
P-066-7u	No stopping, flash flood area	21
P-066-7	No stopping, flash flood area	21
P-066-7xx	No stopping, flash flood area	21
P-066-8u	No stopping, rockfall area	22
P-066-8	No stopping, rockfall area	22
P-066-8xx	No stopping, rockfall area	22
P-066-Tu	Next () km tab	23
P-066-T	Next () km tab	23
P-066-Txx	Next () km tab	23
P-080-1	BC is Idle Free Plug Into Conservation Use Power Outlets (orange)	23
P-081-1	BC is Idle Free Turn Engine Off Improve Air Quality Car Graphic (orange)	24
P-081-2	BC is Idle Free No Idling Improve Air Quality Car Graphic (orange)	24
P-081-3	BC is Idle Free Turn Engine Off Improve Air Quality Truck Graphic (orange)	25

Sign Item Number	Description	Page
P-081-4	BC is Idle Free No Idling Improve Air Quality Truck Graphic (orange)	25
P-081-Ta	While Waiting in Line-up tab (orange)	26
P-081-Tb	Daylight Hours Only tab (orange)	26
P-081-Tc	Refrigeration Units Exempt tab (orange)	26
P-092	Please Turn Off Headlights While Waiting for Ferry	26
P-092-T	Leave Park Lights On	27
P-094	High Water Instructions/Drive Slowly Warning HINGED	27
P-110	No Parking Except for Vehicles Requiring EV Charging.	28
P-111-LRD	Parking Spots Designated for Vehicles Requiring EV Charging.	28
P-112	Electrical Vehicle Charging Station.	29
P-113	Vehicles Requiring EV Charging to Limit Stay to X Hours	29
P-200-1	OH Symbol Sign for Commercial Vehicle Parking Available, in this lane - DOWN ARROW	30
P-200-2	OH Symbol Sign for Recreational Vehicle Parking Available, in this lane - DOWN ARROW	30
P-200-3	OH Symbol Sign for Vehicle Thru Lane in Parking Area, this lane - DOWN ARROW	31

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-001	300 x 300	1	-	Local Road / Low Speed
P-001-x	450 x 450	1	-	Arterial
P-001-xx	600 x 600	1	-	Expressway

0.081 Aluminum



NOTE:
When ordering sign, please specify the directional arrow configuration you require, **Left**, **Right**, or **Double Arrows**. Arrow(s) are to be black.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-002-1	300 x 450	1	-	Static or Local Road / Low Speed

0.081 Aluminum



NOTE:
When ordering sign, please
specify the directional arrow
configuration you require,
Left, Right, or Double Arrows.
Arrow(s) are to be black.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-002-2	300 x 600	1	-	Static or Local Road / Low Speed

0.081 Aluminum



NOTE:
When ordering sign, please
specify the directional arrow
configuration you require,
Left, Right, or Double Arrows.
Arrow(s) are to be black.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-002-3	300 x 750	1	-	Static or Local Road / Low Speed

0.081 Aluminum



NOTE:
When ordering sign, please
specify the directional arrow
configuration you require,
Left, **Right**, or **Double Arrows**.
Arrow(s) are to be black.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-002-4	300 x 600	1	-	Static or Local Road / Low Speed

0.081 Aluminum



NOTE:
When ordering sign, please
specify the directional arrow
configuration you require,
Left, **Right**, or **Double Arrows**.
Arrow(s) are to be black.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-002-5	300 x 750	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-003	300 x 450	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-004	300 x 450	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-006	300 x 450	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-008	300 x 450	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-010	450 x 600	1	-	Local Road / Low Speed
P-010-x	600 x 750	1	-	Arterial
P-010-xx	900 x 1200	1	-	Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-012-1	2400 x 1200	1	STOE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-012-2u	1200 x 600	1	STOE	Local Road / Low Speed
P-012-2	2400 x 1200	1	STOE	Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-014-1	600 x 600	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-014-2	600 x 750	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-014-2T	600 x 300	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-014-5	600 x 750	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-014-6	600 x 750	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-015	450 x 600	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-017	600 x 600	1	-	All Roads or Highways

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-019	300 x 600	1	-	Static or Local Road / Low Speed

0.081 Aluminum



P-020-1

P-020-3-Ta
(Optional)



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-020-1	300 x 450	1	-	Static, within Rest Areas

0.081 Aluminum



P-020-2L



P-020-3-Ta
(Optional)



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-020-2L	300 x 450	1	–	Static, within Rest Areas

0.081 Aluminum



P-020-2R



P-020-3-Ta
(Optional)



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-020-2R	300 x 450	1	–	Static, within Rest Areas

0.081 Aluminum				
  P-020-3-Ta (Optional) P-020-2D 				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-020-2D	300 x 450	1	–	Static, within Rest Areas

0.081 Aluminum				
  P-020-3-Ta P-020-1 				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-020-3-Ta	300 x 200	1	–	Static, within Rest Areas

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-021	300 x 450	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-023	300 x 450	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-025	300 x 450	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-027	300 x 450	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-029	300 x 450	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-030	300 x 450	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-031	300 x 450	1	-	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-050	450 x 600	1	-	Local Road / Low Speed
P-050-x	600 x 750	1	-	Arterial
P-050-xx	900 x 1200	1	-	Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-058	300 x 300	1	-	Local Road / Low Speed
P-058-x	450 x 450	1	-	Arterial
P-058-xx	600 x 600	1	STOE	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-060	450 x 600	1	-	Local Road / Low Speed
P-060-x	600 x 750	1	-	Arterial
P-060-xx	900 x 1200	1	STOE	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-062	450 x 600	1	-	Local Road / Low Speed
P-062-x	600 x 750	1	-	Arterial
P-062-xx	900 x 1200	1	STOE	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-064	450 x 600	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-066-1u	450 x 600	1	STOE	Local Road / Low Speed
P-066-1	600 x 750	1	STOE	Arterial or Expressway
P-066-1xx	900 x 1200	1	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-066-2u	450 x 600	1	STOE	Local Road / Low Speed
P-066-2	600 x 750	1	STOE	Arterial or Expressway
P-066-2xx	900 x 1200	1	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-066-6u	450 x 600	1	STOE	Local Road / Low Speed
P-066-6	600 x 750	1	STOE	Arterial or Expressway
P-066-6xx	900 x 1200	1	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-066-7u	450 x 600	1	STOE	Local Road / Low Speed
P-066-7	600 x 750	1	STOE	Arterial or Expressway
P-066-7xx	900 x 1200	1	STOE	Freeway

0.081 Aluminum



P-066-8

P-066-T




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-066-8u	450 x 600	1	STOE	Local Road / Low Speed
P-066-8	600 x 750	1	STOE	Arterial or Expressway
P-066-8xx	900 x 1200	1	STOE	Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-066-Tu	450 x 300	1	STOE	Local Road / Low Speed
P-066-T	600 x 300	1	STOE	Arterial or Expressway
P-066-Txx	900 x 300	1	STOE	Freeway


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-080-1	900 x 1200	1	STOE	Static or Local Road / Low Speed

*Fabrication Note: The sign is to be digitally printed and be sheeted with a **3M UV/Anti-Graffiti Guard Clearcoat**, or equivalent, applied in accordance to manufacturer's specifications.*

0.081 Aluminum



See T-Circ T-08/08

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-081-1	600 x 750	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum




See T-Circ T-08/08

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-081-2	600 x 750	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum

See T-Circ T-08/08



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-081-3	600 x 750	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum

See T-Circ T-08/08



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-081-4	600 x 750	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum

See T-Circ T-08/08

**While Waiting
In Line-up**

P-081-Ta

**Daylight
Hours Only**


P-081-Tb

**Refrigeration
Units Exempt**

P-081-Tc

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-081-Tabs	600 x 300	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-092	600 x 750	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-092-T	600 x 300	1	STOE	Static or Local Road / Low Speed

0.081 Aluminum



Hinge Closed



Hinge Open

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-094	450 x 600	1	STOE	Static or Local Road / Low Speed

NOTE: Hinged sign for high water incidents.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-110	300 x 450	1	STOE	Static Traffic

0.081 Aluminum

When ordering the **P-111-LRD**, specify if you require directional arrows in the following configurations:
(Left, Right, Double-Arrows or None)



Arrow(s) are to be blue

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-111-LRD	300 x 450	1	STOE	Static Traffic

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-112	300 x 450	1	STOE	Static Traffic

0.081 Aluminum



Standard
application
example



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-113	300 x 450	1	STOE	Static Traffic

NOTE: "X" to be identified when ordering sign.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-200-1	750 x 1500	3	STOE	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-200-2	750 x 1500	3	STOE	Static or Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
P-200-3	750 x 1500	3	STOE	Static or Local Road / Low Speed

0.081 Aluminum