

Appendix Two



Detailed Cause of Death by Gender and Age
British Columbia, 2007

Preamble to Appendix 2

Appendix 2 provides detailed causes of death by gender and age group for deaths that occurred in BC to provincial residents in the current year. Causes of death are coded according to the World Health Organization's *International Statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10)*. ICD-10 defines the underlying cause of death as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury." ICD-10 codes consist of a letter followed by a two-digit number, and often include a third digit to provide more specificity. In this appendix, the ICD-10 codes are presented at the three character level only, truncating the third digit.

The list below provides a summary of ICD-10 codes, including many of the subgroups used for underlying causes of death in this report:

Cause of Death Category	ICD-10 Code(s)
Certain infectious and parasitic diseases	A00-B99
Tuberculosis	A15-A19, B90
HIV disease	B20-B24
Neoplasms	C00-D48
Malignant neoplasms	C00-C97
Malignant neoplasm of colon and rectum	C18-C21
Malignant neoplasm of lung	C34
Malignant neoplasm of female breast	C500-C509
Diseases of blood and blood-forming organs and disorders involving the immune mechanism	D50-D89
Endocrine, nutritional, and metabolic diseases	E00-E90
Diabetes mellitus	E10-E14
Mental and behavioural disorders	F00-F99
Vascular/senile dementia	F01, F03
Psychoactive substance and drug use/abuse	F11-F16, F19
Diseases of the nervous system	G00-G99
Alzheimer's disease	G30
Diseases of the eye and adnexa	H00-H59
Diseases of the ear and mastoid process	H60-H95
Diseases of the circulatory system	I00-I99
Cardiovascular disease	I00-I51
Ischemic heart diseases	I20-I25
Cerebrovascular diseases	I60-I69
Atherosclerosis	I70
Diseases of the respiratory system	J00-J99
Pneumonia/Influenza (excluding hypostatic)	J10-J181, J188, J189
Chronic Pulmonary Disease	J40-J44
Asthma	J45-J46
Diseases of the digestive system	K00-K93
Diseases of liver	K70-K76
Chronic liver disease/cirrhosis	K70, K73-74, K760-K761
Diseases of the skin and subcutaneous tissue	L00-L99
Diseases of the musculoskeletal system and connective tissue	M00-M99

Diseases of the genitourinary system	N00-N99
Complications of pregnancy, childbirth, and the puerperium	O00-O99
Certain conditions originating in the perinatal period	P00-P96
Congenital malformations and chromosome abnormalities	Q00-Q99
Symptoms, signs and abnormal finding, unknown causes	R00-R99
Sudden infant death syndrome (SIDS)	R95
Cause of death unknown or pending	R96-R99
External causes	V01-Y98
Motor vehicle accidents	V02-V04, V09, V12-V14, V190-V196, V20-V79, V803-V805, V820-V821, V823-V890, V899, Y850
Other transport accidents	V01, V05-V06, V10-V11, V15-V18, V198-V199, V800-V802, V806-V809, V812-V819, V822-V829, V891, V893, V91, V93-V99, Y859
Unintentional drowning (including water transport)	V90, V92, W65-W74
Unintentional falls	W00-W19
Exposure to smoke, fire and flames	X00-X09
Unintentional poisoning	X40-X49
Suicide	X60-X84, Y870
Homicide	X85-Y09, Y871

APPENDIX 2

DETAILED CAUSE OF DEATH BY GENDER AND AGE

BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	
A04 Other bacterial intestinal infections	M	-	-	-	-	-	-	-	5	10	20	35
	F	-	-	-	-	-	-	-	1	10	33	44
A08 Viral and other specified intestinal infections	M	-	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	-	15	15
A16 Respiratory tuberculosis	M	-	-	-	-	-	-	-	2	1	3	6
	F	-	-	-	-	-	-	1	-	-	2	3
A40 Streptococcal septicemia	M	-	-	-	-	-	-	1	2	-	-	3
	F	-	-	-	-	-	-	-	1	-	2	3
A41 Other septicemia	M	-	-	-	-	-	-	1	10	38	45	94
	F	1	-	-	-	-	-	1	11	23	57	93
A49 Bacterial infection of unspecified site	M	-	-	-	-	-	-	-	1	1	2	4
	F	-	-	-	-	-	-	1	-	-	2	3
A81 Atypical virus infections of central nervous system	M	-	-	-	-	-	-	-	2	1	2	5
	F	-	-	-	-	-	-	-	1	-	-	1
B02 Zoster [herpes zoster]	M	-	-	-	-	-	-	-	-	-	3	3
	F	-	-	-	-	-	-	-	-	1	5	6
B18 Chronic viral hepatitis	M	-	-	-	-	-	-	4	61	9	3	77
	F	-	-	-	-	-	-	2	24	8	2	36
B20 HIV resulting in infectious and parasitic diseases	M	-	-	-	-	-	-	20	16	1	-	37
	F	-	-	-	-	-	-	5	8	2	-	15
B21 HIV resulting in malignant neoplasms	M	-	-	-	-	-	-	4	5	1	-	10
	F	-	-	-	-	-	-	-	-	-	-	-
B22 HIV resulting in other specified diseases	M	-	-	-	-	-	-	3	6	3	-	12
	F	-	-	-	-	-	1	1	1	-	-	3
B23 HIV disease resulting in other conditions	M	-	-	-	-	-	-	3	7	1	-	11
	F	-	-	-	-	-	-	-	-	-	-	-
B24 Unspecified HIV disease	M	-	-	-	-	-	-	2	5	-	-	7
	F	-	-	-	-	-	-	1	1	-	-	2
C02 Malignant neoplasm of other and unspecified parts of tongue	M	-	-	-	-	-	-	-	6	6	2	14
	F	-	-	-	-	-	-	1	8	7	7	23
C06 Malignant neoplasm of other and unspecified parts of mouth	M	-	-	-	-	-	-	1	1	3	3	8
	F	-	-	-	-	-	-	1	2	1	5	9
C07 Malignant neoplasm of parotid gland	M	-	-	-	-	-	-	-	2	3	3	8
	F	-	-	-	-	-	-	-	2	2	1	5
C09 Malignant neoplasm of tonsil	M	-	-	-	-	-	-	-	11	4	-	15
	F	-	-	-	-	-	-	-	-	1	-	1
C10 Malignant neoplasm of oropharynx	M	-	-	-	-	-	-	-	6	2	-	8
	F	-	-	-	-	-	-	-	-	-	1	1
C11 Malignant neoplasm of nasopharynx	M	-	-	-	-	-	-	2	5	9	1	17
	F	-	-	-	-	-	-	1	3	2	-	6
C14 Malignant neop. of other and ill-defined sites in the lip, oral cavity and pharynx	M	-	-	-	-	-	-	-	10	9	3	22
	F	-	-	-	-	-	-	-	3	1	1	5
C15 Malignant neoplasm of esophagus	M	-	-	-	-	-	-	3	71	83	42	199
	F	-	-	-	-	-	-	-	12	25	28	65
C16 Malignant neoplasm of stomach	M	-	-	-	-	-	-	4	31	60	37	132
	F	-	-	-	-	-	-	6	22	22	32	82
C17 Malignant neoplasm of small intestine	M	-	-	-	-	-	-	-	3	2	2	7
	F	-	-	-	-	-	-	-	1	5	4	10
C18 Malignant neoplasm of colon	M	-	-	-	-	-	-	4	95	168	117	384
	F	-	-	-	-	-	-	9	58	97	158	322
C19 Malignant neoplasm of rectosigmoid junction	M	-	-	-	-	-	-	-	17	10	4	31
	F	-	-	-	-	-	-	1	3	8	9	21
C20 Malignant neoplasm of rectum	M	-	-	-	-	-	-	4	29	30	32	95
	F	-	-	-	-	-	-	1	11	22	22	56
C21 Malignant neoplasm of anus and anal canal	M	-	-	-	-	-	-	-	2	5	1	8
	F	-	-	-	-	-	-	-	5	4	4	13
C22 Malignant neoplasm of liver and intrahepatic bile ducts	M	-	-	-	-	-	-	7	64	80	29	180
	F	-	-	-	-	-	-	2	24	42	25	93
C23 Malignant neoplasm of gallbladder	M	-	-	-	-	-	-	1	3	8	3	15
	F	-	-	-	-	-	-	-	8	6	6	20
C24 Malignant neoplasm of other and unspecified parts of biliary tract	M	-	-	-	-	-	-	-	3	6	4	13
	F	-	-	-	-	-	-	-	-	7	8	15

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	
C25 Malignant neoplasm of pancreas	M	-	-	-	-	-	-	2	81	118	58	259
	F	-	-	-	-	-	-	1	48	90	102	241
C26 Malignant neoplasm of other and ill-defined digestive organs	M	-	-	-	-	-	-	2	20	45	27	94
	F	-	-	-	-	-	-	-	11	28	42	81
C31 Malignant neoplasm of accessory sinuses	M	-	-	-	-	-	-	-	2	-	1	3
	F	-	-	-	-	-	-	-	-	1	1	2
C32 Malignant neoplasm of larynx	M	-	-	-	-	-	-	1	14	13	8	36
	F	-	-	-	-	-	-	-	1	6	-	7
C34 Malignant neoplasm of bronchus and lung	M	-	-	-	-	-	-	8	285	617	327	1,237
	F	-	-	-	-	-	-	11	258	481	324	1,074
C38 Malignant neoplasm of heart, mediastinum and pleura	M	-	-	-	-	-	-	-	4	1	1	6
	F	-	-	-	-	-	-	-	-	1	2	3
C41 Malignant neop. of bone and articular cartilage of other and unspecified sites	M	-	-	-	-	2	-	-	4	3	-	9
	F	-	-	-	-	1	-	-	1	4	6	12
C43 Malignant melanoma of skin	M	-	-	-	-	-	-	4	33	23	11	71
	F	-	-	-	-	-	1	3	19	12	18	53
C44 Other malignant neoplasms of skin	M	-	-	-	-	-	-	-	9	13	17	39
	F	-	-	-	-	-	-	-	2	3	10	15
C45 Mesothelioma	M	-	-	-	-	-	-	-	12	31	21	64
	F	-	-	-	-	-	-	-	3	12	-	15
C48 Malignant neoplasm of peritoneum & retro-peritoneum	M	-	-	-	-	-	-	-	1	-	1	2
	F	-	-	-	-	-	-	-	6	5	6	17
C49 Malignant neoplasm of other connective and soft tissue	M	-	-	-	-	1	-	4	8	12	7	32
	F	-	1	-	-	-	-	2	6	10	7	26
C50 Malignant neoplasm of breast	M	-	-	-	-	-	-	-	2	5	-	7
	F	-	-	-	-	-	-	38	240	172	185	635
C51 Malignant neoplasm of vulva	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	3	3	7	13
C53 Malignant neoplasm of cervix uteri	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	14	22	6	7	49
C54 Malignant neoplasm of corpus uteri	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	2	16	18	18	54
C55 Malignant neoplasm of uterus, part unspecified	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	14	12	13	40
C56 Malignant neoplasm of ovary	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	1	-	3	60	73	57	194
C57 Malignant neoplasm of other and unspecified female genital organs	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	4	1	5
C60 Malignant neoplasm of penis	M	-	-	-	-	-	-	-	1	4	1	6
	F	-	-	-	-	-	-	-	-	-	-	-
C61 Malignant neoplasm of prostate	M	-	-	-	-	-	-	-	48	182	317	547
	F	-	-	-	-	-	-	-	-	-	-	-
C62 Malignant neoplasm of testis	M	-	-	-	-	-	1	2	2	-	1	6
	F	-	-	-	-	-	-	-	-	-	-	-
C64 Malignant neoplasm of kidney, except renal pelvis	M	-	-	-	-	-	-	1	33	50	30	114
	F	-	-	1	-	-	-	-	14	21	20	56
C66 Malignant neoplasm of ureter	M	-	-	-	-	-	-	-	2	3	1	6
	F	-	-	-	-	-	-	-	-	-	-	-
C67 Malignant neoplasm of bladder	M	-	-	-	-	-	-	2	31	82	86	201
	F	-	-	-	-	-	-	1	15	22	50	88
C68 Malignant neoplasm of other and unspecified urinary organs	M	-	-	-	-	-	-	-	4	5	2	11
	F	-	-	-	-	-	-	-	1	-	2	3
C71 Malignant neoplasm of brain	M	1	1	-	2	-	1	20	59	51	15	150
	F	-	1	2	1	-	1	6	32	30	17	90
C73 Malignant neoplasm of thyroid gland	M	-	-	-	-	-	-	-	1	3	1	5
	F	-	-	-	-	-	-	-	2	3	4	9
C74 Malignant neoplasm of adrenal gland	M	-	-	1	-	-	1	-	4	1	1	8
	F	-	-	1	-	-	-	1	-	2	-	4
C76 Malignant neoplasm of other and ill-defined sites	M	-	-	-	-	-	-	-	2	8	9	19
	F	-	-	-	-	-	-	-	3	8	10	21
C78 Secondary malignant neoplasm of respiratory and digestive organs	M	-	-	-	-	-	-	-	2	-	1	3
	F	-	-	-	-	-	-	-	1	-	2	3

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	
C80 Malignant neoplasm - primary site unknown	M	-	-	-	-	-	-	4	34	84	65	187
	F	-	-	-	-	-	-	2	35	65	91	193
C81 Hodgkin's disease	M	-	-	-	-	-	1	-	-	1	-	2
	F	-	-	-	-	-	-	1	1	3	-	5
C82 Follicular [nodular] non-Hodgkin's lymphoma	M	-	-	-	-	-	-	-	-	2	-	2
	F	-	-	-	-	-	-	-	-	1	2	3
C83 Diffuse non-Hodgkin's lymphoma	M	-	-	-	-	-	-	-	6	9	5	20
	F	-	-	-	-	-	-	2	1	5	8	16
C84 Peripheral and cutaneous T-cell lymphomas	M	-	-	-	-	-	-	2	3	4	1	10
	F	-	-	-	-	-	-	-	3	3	1	7
C85 Other and unspecified types of non-Hodgkin's lymphoma	M	-	-	-	-	-	1	5	30	62	39	137
	F	-	-	-	-	-	1	2	21	47	47	118
C88 Malignant immunoproliferative diseases	M	-	-	-	-	-	-	-	1	2	3	6
	F	-	-	-	-	-	-	-	-	3	-	3
C90 Multiple myeloma and malignant plasma cell neoplasms	M	-	-	-	-	-	-	1	15	39	32	87
	F	-	-	-	-	-	-	-	9	26	40	75
C91 Lymphoid leukemia	M	-	1	2	-	-	2	1	6	22	19	53
	F	-	-	1	-	1	-	-	3	17	11	33
C92 Myeloid leukemia	M	-	-	-	-	-	-	5	19	36	15	75
	F	-	-	-	1	-	-	2	10	20	22	55
C95 Leukemia of unspecified cell type	M	-	-	-	-	-	1	-	2	16	18	37
	F	-	-	-	1	-	-	-	6	7	21	35
D32 Benign neoplasm of meninges	M	-	-	-	-	-	-	-	1	1	2	4
	F	-	-	-	-	-	-	-	1	5	4	10
D37 Neoplasm of uncer./unk. behaviour of oral cavity and digestive organs	M	-	-	-	-	-	-	-	-	-	2	2
	F	-	-	-	-	-	-	-	-	3	5	8
D38 Neoplasm of uncer./unk. behaviour of mid. ear, resp. and intrathoracic organs	M	-	-	-	-	-	-	-	-	2	2	4
	F	-	-	-	-	-	-	-	-	-	2	2
D43 Neoplasm of uncer./unk. behaviour of brain & central nervous system	M	-	-	-	-	-	-	-	4	1	2	7
	F	-	-	-	-	-	-	-	-	9	2	11
D45 Polycythemia vera	M	-	-	-	-	-	-	-	1	1	-	2
	F	-	-	-	-	-	-	-	-	2	1	3
D46 Myelodysplastic syndromes	M	-	-	-	-	-	-	-	2	7	33	42
	F	-	-	-	-	-	-	-	2	11	11	24
D47 Neoplasm of uncer./unk. behaviour of lymphoid, hematopoietic and rel. tissue	M	-	-	-	-	-	-	-	-	11	14	25
	F	-	-	-	-	-	-	-	-	1	8	9
D48 Neoplasm of uncer./unk. behaviour of other and unspecified sites	M	-	-	-	-	-	-	-	3	3	-	6
	F	-	-	-	-	-	-	-	-	-	3	3
D58 Other hereditary haemolytic anaemias	M	-	-	-	-	-	-	-	1	1	-	2
	F	-	-	-	-	-	-	-	-	1	2	3
D61 Other aplastic anaemias	M	-	-	-	-	-	-	-	1	3	3	7
	F	-	-	-	-	-	-	-	1	1	2	4
D64 Other anaemias	M	-	-	-	-	-	-	-	-	-	14	14
	F	-	-	-	-	-	-	-	1	2	13	16
D65 Disseminated intravascular coagulation [defibrination syndrome]	M	-	-	-	-	-	-	1	1	-	1	3
	F	-	-	-	-	-	-	-	-	2	-	2
D68 Other coagulation defects	M	-	-	-	-	-	-	-	2	1	-	3
	F	-	-	-	-	-	-	-	1	1	1	3
D69 Purpura and other hemorrhagic conditions	M	-	-	-	-	-	-	-	-	1	2	3
	F	-	-	-	-	-	-	-	-	3	5	8
D70 Agranulocytosis	M	-	-	-	-	-	-	-	1	1	2	4
	F	-	-	-	-	-	-	-	-	-	1	1
D86 Sarcoidosis	M	-	-	-	-	-	-	-	1	1	-	2
	F	-	-	-	-	-	-	-	2	3	-	5
E03 Other hypothyroidism	M	-	-	-	-	-	-	-	-	2	2	4
	F	-	-	-	-	-	-	-	-	1	5	6
E10 Insulin-dependent diabetes mellitus	M	-	-	-	-	-	-	-	8	12	9	29
	F	-	-	-	-	-	-	2	4	9	15	30
E11 Non-insulin-dependent diabetes mellitus	M	-	-	-	-	-	-	-	17	46	55	118
	F	-	-	-	-	-	-	-	7	30	56	93
E14 Diabetes mellitus NOS	M	-	-	-	-	-	-	10	71	154	179	414
	F	-	-	-	-	-	-	2	33	102	199	336

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1–4	5–9	10–14	15–19	20–24	25–44	45–64	65–79	80+	
E22 Hyperfunction of pituitary gland	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	1	-	4	5
E46 Unspecified protein-energy malnutrition	M	-	-	-	-	-	-	-	2	3	3	8
	F	-	-	-	-	-	-	-	-	2	11	13
E66 Obesity	M	-	-	-	-	-	-	3	8	6	3	20
	F	-	-	-	-	-	-	-	8	12	7	27
E78 Disorders of lipoprotein metabolism and other lipidemias	M	-	-	-	-	-	-	-	8	11	17	36
	F	-	-	-	-	-	-	-	1	6	12	19
E84 Cystic fibrosis	M	-	-	-	-	-	-	1	-	-	-	1
	F	-	-	-	-	1	1	2	-	1	-	5
E85 Amyloidosis	M	-	-	-	-	-	-	-	1	6	4	11
	F	-	-	-	-	-	-	-	2	3	2	7
E86 Volume depletion	M	-	-	-	-	-	-	-	1	4	8	13
	F	-	-	-	-	-	-	-	-	-	22	22
E87 Other disorders of fluid, electrolyte and acid-base balance	M	-	-	-	-	-	-	1	3	3	4	11
	F	-	-	-	-	-	-	-	1	2	9	12
E88 Other metabolic disorders	M	-	-	-	-	-	-	-	1	1	1	3
	F	-	-	-	-	-	-	-	-	2	2	4
F01 Vascular dementia	M	-	-	-	-	-	-	-	-	1	2	3
	F	-	-	-	-	-	-	-	-	1	4	5
F03 Unspecified dementia	M	-	-	-	-	-	-	1	9	57	238	305
	F	-	-	-	-	-	-	-	5	46	531	582
F05 Delirium, not induced by alcohol and other psychoactive substances	M	-	-	-	-	-	-	-	-	3	14	17
	F	-	-	-	-	-	-	-	-	1	6	7
F06 Oth. mental disord. due to brain damage & dysfunction & phys. dis.	M	-	-	-	-	-	-	-	2	-	-	2
	F	-	-	-	-	-	-	-	-	2	2	4
F10 Mental and behavioural disorders due to use of alcohol	M	-	-	-	-	-	-	4	33	32	11	80
	F	-	-	-	-	-	-	2	11	7	3	23
F14 Use of cocaine	M	-	-	-	-	-	-	4	3	-	-	7
	F	-	-	-	-	-	-	3	-	1	-	4
F17 Use of tobacco	M	-	-	-	-	-	-	-	1	2	2	5
	F	-	-	-	-	-	-	-	-	1	-	1
F19 Multiple drug misuse and misuse of other psychoactive substances	M	-	-	-	-	-	-	4	4	-	-	8
	F	-	-	-	-	-	-	2	2	-	-	4
F20 Schizophrenia	M	-	-	-	-	-	-	1	-	1	1	3
	F	-	-	-	-	-	-	-	-	1	6	7
F32 Depressive episode	M	-	-	-	-	-	-	-	-	1	1	2
	F	-	-	-	-	-	-	-	-	1	5	6
F33 Recurrent depressive disorder	M	-	-	-	-	-	-	-	-	-	2	2
	F	-	-	-	-	-	-	-	-	1	5	6
F50 Eating disorders	M	-	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	3	-	-	7	10
G03 Meningitis due to other and unspecified causes	M	-	-	-	-	1	-	-	-	-	-	1
	F	-	-	-	-	-	-	2	2	-	-	4
G04 Encephalitis, myelitis and encephalomyelitis	M	-	-	-	-	-	-	-	3	-	-	3
	F	-	-	-	-	1	-	-	1	-	-	2
G10 Huntington's disease	M	-	-	-	-	-	-	-	6	1	-	7
	F	-	-	-	-	-	-	-	3	-	-	3
G12 Spinal muscular atrophy and related syndromes	M	1	1	-	-	-	-	3	27	29	8	69
	F	1	-	-	-	-	-	-	11	17	17	46
G20 Parkinson's disease	M	-	-	-	-	-	-	-	1	51	100	152
	F	-	-	-	-	-	-	-	1	22	88	111
G30 Alzheimer's disease	M	-	-	-	-	-	-	-	6	42	125	173
	F	-	-	-	-	-	-	-	2	43	355	400
G31 Other degenerative diseases of nervous system, NEC	M	-	-	-	-	-	-	-	4	12	18	34
	F	-	-	-	-	-	-	-	4	12	18	34
G35 Multiple sclerosis	M	-	-	-	-	-	1	2	7	4	2	16
	F	-	-	-	-	-	-	2	23	10	6	41
G40 Epilepsy	M	-	-	-	1	2	1	3	6	1	1	15
	F	-	-	-	-	-	-	-	-	-	2	2
G45 Transient cerebral ischemic attacks and related syndromes	M	-	-	-	-	-	-	-	-	-	5	5
	F	-	-	-	-	-	-	-	-	-	3	3

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1–4	5–9	10–14	15–19	20–24	25–44	45–64	65–79	80+	
G70 Other myoneural disorders	M	-	-	-	-	-	-	-	-	2	1	3
	F	-	-	-	-	1	-	-	2	-	2	5
G71 Primary disorders of muscles	M	2	-	-	-	3	2	-	2	-	1	10
	F	-	-	-	-	-	-	-	4	2	2	8
G80 Infantile cerebral palsy	M	-	-	-	-	-	1	-	2	-	-	3
	F	-	-	-	-	1	-	2	2	1	-	6
G93 Other disorders of brain	M	-	-	1	-	-	-	1	12	10	2	26
	F	-	-	-	-	-	-	2	5	8	3	18
G95 Other diseases of spinal cord	M	-	-	-	-	-	-	-	-	-	3	3
	F	-	-	-	-	-	-	-	-	-	2	2
I05 Rheumatic mitral valve diseases	M	-	-	-	-	-	-	-	1	4	5	10
	F	-	-	-	-	-	-	1	2	4	5	12
I07 Rheumatic tricuspid valve diseases	M	-	-	-	-	-	-	1	-	2	2	5
	F	-	-	-	-	-	-	1	-	2	3	6
I08 Multiple valve diseases	M	-	-	-	-	-	-	-	3	3	4	10
	F	-	-	-	-	-	-	-	1	4	6	11
I09 Other rheumatic heart diseases	M	-	-	-	-	-	-	-	-	2	-	2
	F	-	-	-	-	-	-	-	-	1	2	3
I10 Essential (primary) hypertension	M	-	-	-	-	-	-	-	1	12	23	36
	F	-	-	-	-	-	-	-	1	7	52	60
I11 Hypertensive heart disease	M	-	-	-	-	-	-	1	6	11	22	40
	F	-	-	-	-	-	-	-	-	8	35	43
I12 Hypertensive renal disease	M	-	-	-	-	-	-	-	2	6	27	35
	F	-	-	-	-	-	-	-	-	7	55	62
I13 Hypertensive heart and renal disease	M	-	-	-	-	-	-	-	-	-	4	4
	F	-	-	-	-	-	-	-	-	2	3	5
I20 Angina pectoris	M	-	-	-	-	-	-	-	1	1	1	3
	F	-	-	-	-	-	-	-	-	-	3	3
I21 Acute MI	M	-	-	-	-	-	1	13	179	429	519	1,141
	F	-	-	-	-	-	-	-	40	175	610	825
I24 Other acute ischemic heart diseases	M	-	-	-	-	-	-	1	5	17	30	53
	F	-	-	-	-	-	-	-	7	12	29	48
I25 Chronic ischemic heart disease	M	-	-	-	-	-	-	17	235	392	642	1,286
	F	-	-	-	-	-	-	5	43	196	810	1,054
I26 Pulmonary embolism	M	-	-	-	-	-	-	2	6	10	10	28
	F	-	-	-	-	-	-	2	7	10	20	39
I27 Other pulmonary heart diseases	M	-	-	-	-	-	-	1	4	5	6	16
	F	-	-	-	-	-	-	1	2	3	13	19
I31 Other diseases of pericardium	M	-	-	-	-	-	-	-	-	2	1	3
	F	-	-	-	-	-	-	-	-	1	1	2
I33 Acute and subacute endocarditis	M	-	-	-	-	-	-	-	2	4	1	7
	F	-	-	-	-	-	-	3	1	-	-	4
I34 Nonrheumatic mitral valve disorders	M	-	-	-	-	-	-	-	1	8	16	25
	F	-	-	-	-	1	-	-	1	3	11	16
I35 Nonrheumatic aortic valve disorders	M	-	-	-	-	-	-	-	6	19	42	67
	F	-	-	-	-	-	-	-	2	8	74	84
I38 Endocarditis	M	-	-	-	-	-	-	1	6	8	23	38
	F	-	-	-	-	-	-	2	4	7	31	44
I42 Cardiomyopathy	M	-	-	-	-	1	1	6	30	30	37	105
	F	-	-	-	-	-	-	4	11	19	18	52
I44 Atrioventricular and left bundle-branch block	M	-	-	-	-	-	-	-	-	3	4	7
	F	-	-	-	-	-	-	-	-	-	3	3
I45 Other conduction disorders	M	-	-	-	-	-	-	-	-	1	4	5
	F	-	-	-	-	-	-	-	-	1	5	6
I46 Cardiac arrest	M	-	-	-	-	-	-	1	1	8	6	16
	F	-	-	-	-	-	-	-	1	4	14	19
I47 Paroxysmal tachycardia	M	-	-	-	-	-	-	-	-	2	-	2
	F	-	-	-	-	-	-	-	1	1	2	4
I48 Atrial fibrillation and flutter	M	-	-	-	-	-	-	-	6	29	104	139
	F	-	-	-	-	-	-	-	2	26	218	246
I49 Other cardiac arrhythmias	M	-	-	-	-	-	-	2	5	10	24	41
	F	-	-	-	-	-	-	1	1	5	37	44

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1–4	5–9	10–14	15–19	20–24	25–44	45–64	65–79	80+	
I50 Heart failure	M	-	-	-	-	-	-	-	7	66	224	297
	F	-	-	-	-	-	-	-	4	41	418	463
I51 Complications and ill-defined descriptions of heart disease	M	-	-	-	-	-	1	5	5	16	15	42
	F	-	-	-	-	-	-	1	4	6	24	35
I60 Subarachnoid hemorrhage	M	-	-	-	-	-	1	5	22	13	3	44
	F	-	-	-	-	-	-	7	15	21	14	57
I61 Intracerebral hemorrhage	M	-	-	-	-	-	1	3	27	37	37	105
	F	-	-	-	-	-	-	4	11	30	74	119
I62 Other nontraumatic intracranial hemorrhage	M	-	-	-	-	-	-	-	5	21	20	46
	F	-	-	-	-	-	-	-	10	17	32	59
I63 Cerebral infarction	M	-	-	-	-	-	-	1	7	19	21	48
	F	-	-	-	-	-	-	-	-	17	34	51
I64 CVA, NOS	M	-	-	-	-	-	-	1	37	154	346	538
	F	-	-	-	-	-	-	-	16	141	701	858
I65 Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarc.	M	-	-	-	-	-	-	-	1	2	1	4
	F	-	-	-	-	-	-	-	-	1	2	3
I67 Other cerebrovascular diseases	M	-	-	-	-	-	-	-	7	22	65	94
	F	-	-	-	-	-	-	-	7	18	136	161
I69 Sequelae of cerebrovascular disease	M	-	-	-	-	-	-	-	-	19	40	59
	F	-	-	-	-	-	-	-	2	11	54	67
I70 Atherosclerosis	M	-	-	-	-	-	-	-	4	10	26	40
	F	-	-	-	-	-	-	-	-	12	49	61
I71 Aortic aneurysm and dissection	M	-	-	-	-	-	-	5	23	54	65	147
	F	-	-	-	-	-	-	1	4	22	60	87
I72 Other aneurysm	M	-	-	-	-	-	-	-	2	2	2	6
	F	-	-	-	-	-	-	-	-	2	-	2
I73 Other peripheral vascular diseases	M	-	-	-	-	-	-	1	2	10	31	44
	F	-	-	-	-	-	-	-	-	11	50	61
I74 Arterial embolism and thrombosis	M	-	-	-	-	-	-	-	-	1	1	2
	F	-	-	-	-	-	-	-	-	1	2	3
I77 Other disorders of arteries and arterioles	M	-	-	-	-	-	-	-	2	8	2	12
	F	-	-	-	-	-	-	-	2	2	2	6
I80 Phlebitis and thrombophlebitis	M	-	-	-	-	-	-	1	4	6	6	17
	F	-	-	-	-	-	-	2	2	2	7	13
J11 Influenza, virus not identified	M	-	-	-	-	-	1	-	-	-	4	5
	F	-	-	1	-	-	-	-	1	1	7	10
J15 Bacterial pneumonia, NEC	M	-	-	-	1	-	-	1	3	5	2	12
	F	-	-	-	-	-	-	3	5	1	1	10
J18 Pneumonia, organism unspecified	M	1	-	-	-	-	2	3	45	112	390	553
	F	1	-	-	-	1	2	4	21	74	584	687
J22 Unspecified acute lower respiratory infection	M	-	-	-	-	-	-	-	-	1	1	2
	F	-	-	-	-	-	-	-	-	-	4	4
J40 Bronchitis, not specified as acute or chronic	M	-	-	-	-	-	-	-	-	1	3	4
	F	-	-	-	-	-	-	-	-	-	3	3
J42 Unspecified chronic bronchitis	M	-	-	-	-	-	-	-	-	1	1	2
	F	-	-	-	-	-	-	-	-	1	3	4
J43 Emphysema	M	-	-	-	-	-	-	-	12	33	29	74
	F	-	-	-	-	-	-	-	8	26	32	66
J44 Other chronic obstructive pulmonary disease	M	-	-	-	-	-	-	3	50	244	349	646
	F	-	-	-	-	-	-	1	46	191	309	547
J45 Asthma	M	-	-	-	-	1	1	-	3	1	10	16
	F	-	-	-	-	-	-	2	1	3	14	20
J47 Bronchiectasis	M	-	-	-	-	-	-	-	-	5	7	12
	F	-	-	-	-	-	-	1	1	5	11	18
J61 Pneumoconiosis due to asbestos and other mineral fibres	M	-	-	-	-	-	-	-	-	4	6	10
	F	-	-	-	-	-	-	-	-	-	-	-
J62 Pneumoconiosis due to dust containing silica	M	-	-	-	-	-	-	-	-	3	2	5
	F	-	-	-	-	-	-	-	-	-	-	-
J69 Aspiration pneumonia due to solids and liquids	M	-	-	-	-	-	1	4	14	36	80	135
	F	-	-	-	-	-	-	4	5	24	86	119
J80 Adult respiratory distress syndrome	M	-	-	-	-	-	-	-	3	3	1	7
	F	-	-	-	-	-	-	1	3	1	1	6

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1–4	5–9	10–14	15–19	20–24	25–44	45–64	65–79	80+	
J84 Other interstitial pulmonary diseases	M	-	-	-	-	-	-	-	11	46	58	115
	F	-	-	-	-	-	-	-	9	29	41	79
J90 Pleural effusion, NEC	M	-	-	-	-	-	-	-	-	1	1	2
	F	-	-	-	-	-	-	-	-	1	4	5
J96 Respiratory failure, NEC	M	-	-	-	-	-	-	-	-	-	3	3
	F	-	-	-	-	-	-	-	1	-	7	8
J98 Other respiratory disorders	M	-	-	-	-	-	-	-	1	8	9	18
	F	-	-	-	-	-	-	-	2	3	24	29
K21 Gastro-esophageal reflux disease	M	-	-	-	-	-	-	1	1	2	2	6
	F	-	1	-	-	-	-	-	-	4	3	8
K22 Other diseases of esophagus	M	-	-	-	-	-	-	-	-	-	6	6
	F	-	-	-	-	-	-	-	2	-	4	6
K25 Gastric ulcer	M	-	-	-	-	-	-	1	1	2	3	7
	F	-	-	-	-	-	-	-	4	-	3	7
K26 Duodenal ulcer	M	-	-	-	-	-	-	-	6	6	7	19
	F	-	-	-	-	-	-	-	1	2	3	6
K27 Peptic ulcer	M	-	-	-	-	-	-	-	1	4	4	9
	F	-	-	-	-	-	-	-	1	3	10	14
K29 Gastritis and duodenitis	M	-	-	-	-	-	-	-	2	2	2	6
	F	-	-	-	-	-	-	-	-	1	3	4
K31 Other diseases of stomach and duodenum	M	-	-	-	-	-	-	-	-	1	1	2
	F	-	-	1	-	-	-	-	-	-	2	3
K40 Inguinal hernia	M	-	-	-	-	-	-	-	-	-	5	5
	F	-	-	-	-	-	-	-	-	-	1	1
K44 Diaphragmatic hernia	M	-	-	-	-	-	-	-	-	1	2	3
	F	-	-	-	-	-	-	-	-	-	7	7
K46 Unspecified abdominal hernia	M	-	-	-	-	-	-	-	3	2	1	6
	F	-	-	-	-	-	-	-	1	4	2	7
K50 Crohn's disease	M	-	-	-	-	-	-	1	-	-	2	3
	F	-	-	-	-	-	-	-	3	3	2	8
K52 Other noninfective gastroenteritis and colitis	M	1	-	-	-	-	-	1	4	4	12	22
	F	-	-	-	-	-	-	1	1	6	27	35
K55 Vascular disorders of intestine	M	-	-	-	-	-	-	2	6	17	24	49
	F	-	-	-	-	-	-	-	5	22	43	70
K56 Paralytic ileus and intestinal obstruction without hernia	M	-	-	-	-	-	-	1	4	12	27	44
	F	-	-	-	-	-	-	-	1	13	46	60
K57 Diverticular disease of intestine	M	-	-	-	-	-	-	-	3	4	5	12
	F	-	-	-	-	-	-	-	3	8	22	33
K59 Other functional intestinal disorders	M	-	-	-	-	-	-	-	2	2	3	7
	F	-	-	-	-	-	-	-	1	1	5	7
K63 Other diseases of intestine	M	-	-	-	-	-	-	-	1	6	4	11
	F	-	-	-	-	-	-	-	3	7	12	22
K65 Peritonitis	M	-	-	-	-	-	-	-	2	3	2	7
	F	-	-	-	-	-	-	-	1	1	5	7
K66 Other disorders of peritoneum	M	-	-	-	-	-	-	-	-	2	1	3
	F	-	-	-	-	-	-	-	-	2	1	3
K70 Alcoholic liver disease	M	-	-	-	-	-	-	15	126	46	9	196
	F	-	-	-	-	-	-	9	67	21	4	101
K72 Hepatic failure	M	-	-	1	-	-	-	-	8	16	7	32
	F	-	-	-	-	-	-	1	8	3	5	17
K74 Fibrosis and cirrhosis of liver	M	-	-	-	-	-	-	1	17	15	4	37
	F	-	-	-	-	-	1	-	10	19	12	42
K75 Other inflammatory liver diseases	M	-	-	-	-	-	-	1	-	3	3	7
	F	-	-	-	-	1	-	-	1	5	2	9
K76 Other diseases of liver	M	-	-	-	-	-	-	-	5	5	3	13
	F	-	-	-	-	-	-	1	1	4	1	7
K80 Cholelithiasis	M	-	-	-	-	-	-	1	-	2	2	5
	F	-	-	-	-	-	-	-	1	2	9	12
K81 Cholecystitis	M	-	-	-	-	-	-	-	1	3	7	11
	F	-	-	-	-	-	-	-	1	1	12	14
K83 Other diseases of biliary tract	M	-	-	-	-	-	-	1	-	2	3	6
	F	-	-	-	-	-	-	-	1	2	6	9

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1–4	5–9	10–14	15–19	20–24	25–44	45–64	65–79	80+	
K85 Acute pancreatitis	M	-	-	-	-	-	-	3	8	11	2	24
	F	-	-	-	-	-	-	1	4	7	14	26
K86 Other diseases of pancreas	M	-	-	-	-	-	-	-	1	-	-	1
	F	-	-	-	-	-	-	-	2	1	1	4
K92 Other diseases of digestive system	M	-	-	-	-	-	-	3	6	25	53	87
	F	-	-	-	-	-	-	-	5	11	90	106
L03 Cellulitis	M	-	-	-	-	-	-	-	1	4	2	7
	F	-	-	-	-	-	-	-	-	3	9	12
L08 Other local infections of skin and subcutaneous tissue	M	-	-	-	-	-	-	-	1	-	1	2
	F	-	-	-	-	-	-	-	-	1	2	3
L89 Decubitus ulcer	M	-	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	2	3	5
L97 Ulcer of lower limb, NEC	M	-	-	-	-	-	-	-	-	1	-	1
	F	-	-	-	-	-	-	-	-	1	6	7
L98 Other disorders of skin and subcutaneous tissue, NEC	M	-	-	-	-	-	-	1	-	-	-	1
	F	-	-	-	-	-	-	-	-	1	5	6
M06 Other rheumatoid arthritis	M	-	-	-	-	-	-	-	-	5	1	6
	F	-	-	-	-	-	-	1	2	7	13	23
M13 Other arthritis	M	-	-	-	-	-	-	-	-	1	3	4
	F	-	-	-	-	-	-	-	-	1	4	5
M19 Other arthrosis	M	-	-	-	-	-	-	-	-	6	4	10
	F	-	-	-	-	-	-	-	-	1	13	14
M31 Other necrotizing vasculopathies	M	-	-	-	-	-	-	-	1	2	1	4
	F	-	-	-	-	-	-	-	-	2	4	6
M32 Systemic lupus erythematosus	M	-	-	-	-	-	-	1	-	3	-	4
	F	-	-	-	-	-	-	3	6	2	1	12
M34 Systemic sclerosis	M	-	-	-	-	-	-	-	1	1	1	3
	F	-	-	-	-	-	-	1	6	7	-	14
M35 Other systemic involvement of connective tissue	M	-	-	-	-	-	-	-	-	1	-	1
	F	-	-	-	-	-	-	-	-	2	2	4
M72 Fibroblastic disorders	M	-	-	-	-	-	-	-	1	1	-	2
	F	-	-	-	-	-	-	1	2	-	-	3
M80 Osteoporosis with pathological fracture	M	-	-	-	-	-	-	-	-	-	2	2
	F	-	-	-	-	-	-	-	-	-	15	15
M81 Osteoporosis without pathological fracture	M	-	-	-	-	-	-	-	-	-	1	1
	F	-	-	-	-	-	-	-	-	3	7	10
M84 Disorders of continuity of bone	M	-	-	-	-	-	-	-	-	1	1	2
	F	-	-	-	-	-	-	-	-	-	3	3
M86 Osteomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	7	7
N03 Chronic nephritic syndrome	M	-	-	-	-	-	-	-	1	1	3	5
	F	-	-	-	-	-	-	-	1	1	8	10
N04 Nephrotic syndrome	M	-	-	-	-	-	-	-	1	-	-	1
	F	-	-	-	-	-	-	-	1	2	2	5
N05 Unspecified nephritic syndrome	M	-	-	-	-	-	-	-	1	3	-	4
	F	-	-	-	-	-	-	-	-	1	1	2
N12 Tubulo-interstitial nephritis, not specified as acute or chronic	M	-	-	-	-	-	-	-	1	-	1	2
	F	-	-	-	-	-	-	-	-	-	6	6
N13 Obstructive and reflux uropathy	M	-	-	-	-	-	-	-	-	3	1	4
	F	-	-	-	-	-	-	-	1	2	-	3
N17 Acute renal failure	M	-	-	-	-	-	-	-	2	6	13	21
	F	-	-	-	-	-	-	-	-	3	24	27
N18 Chronic renal failure	M	-	-	-	-	-	1	1	6	20	68	96
	F	-	-	-	-	-	-	2	9	10	58	79
N19 Unspecified renal failure	M	-	-	-	-	-	-	1	11	26	81	119
	F	-	-	-	-	-	-	1	2	26	77	106
N28 Other disorders of kidney and ureter, NEC	M	-	-	-	-	-	-	-	2	1	2	5
	F	-	-	-	-	-	-	-	-	1	2	3
N39 Other disorders of urinary system	M	-	-	-	-	-	-	-	2	11	64	77
	F	-	-	-	-	-	-	-	4	21	127	152
N40 Prostatic hypertrophy	M	-	-	-	-	-	-	-	-	2	8	10
	F	-	-	-	-	-	-	-	-	-	-	-

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	
P01 Fetus and newborn affected by maternal complications of pregnancy	M	6	-	-	-	-	-	-	-	-	-	6
	F	4	-	-	-	-	-	-	-	-	-	4
P02 Fetus and newborn affected by comp. of placenta, cord and membranes	M	6	-	-	-	-	-	-	-	-	-	6
	F	6	-	-	-	-	-	-	-	-	-	6
P07 Disorders related to short gestation and low birth weight, NEC	M	23	-	-	-	-	-	1	-	-	-	24
	F	13	-	-	-	-	-	-	-	-	-	13
P77 Necrotizing enterocolitis of fetus and newborn	M	5	-	-	-	-	-	-	-	-	-	5
	F	1	-	-	-	-	-	-	-	-	-	1
P96 Other conditions originating in the perinatal period	M	3	-	-	-	-	-	-	-	-	-	3
	F	6	-	-	-	-	-	-	-	-	-	6
Q21 Congenital malformations of cardiac septa	M	2	-	-	-	-	-	-	1	-	-	3
	F	1	-	-	-	-	-	1	2	-	1	5
Q24 Other congenital malformations of heart	M	2	1	-	-	-	-	1	1	-	-	5
	F	1	1	-	-	1	-	2	-	1	-	6
Q61 Cystic kidney disease	M	1	-	-	-	-	-	-	2	1	-	4
	F	-	-	-	-	-	-	-	-	1	2	3
Q87 Other specified malformation syndromes affecting multiple systems	M	1	-	-	1	-	1	-	1	-	1	5
	F	-	-	-	-	-	-	-	-	-	1	1
Q90 Down's syndrome	M	-	-	-	-	-	-	-	1	-	-	1
	F	2	-	-	-	-	-	-	3	-	-	5
R53 Malaise and fatigue	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	1	6	7
R54 Senility	M	-	-	-	-	-	-	-	-	-	9	9
	F	-	-	-	-	-	-	-	-	3	43	46
R56 Convulsions, NOS	M	-	-	-	-	-	-	3	-	1	-	4
	F	-	-	-	-	-	-	-	1	-	-	1
R68 Other general symptoms and signs	M	-	-	-	-	-	-	-	-	-	2	2
	F	-	-	-	-	-	-	-	-	-	5	5
R95 Sudden infant death syndrome	M	7	-	-	-	-	-	-	-	-	-	7
	F	4	1	-	-	-	-	-	-	-	-	5
R99 Other ill-defined and unspecified causes of mortality	M	16	4	3	6	23	30	176	228	65	24	575
	F	5	5	2	-	11	17	60	97	47	22	266
V03 Pedestrian injured in collision with car, pick-up truck or van	M	-	1	-	-	3	2	2	5	2	7	22
	F	-	-	-	-	-	2	4	1	1	4	12
V04 Pedestrian injured in collision with heavy transport vehicle or bus	M	-	-	-	-	-	-	1	1	2	-	4
	F	-	-	-	-	-	-	2	1	-	-	3
V09 Pedestrian injured in other and unspecified transport accident	M	-	-	-	-	1	-	3	1	-	2	7
	F	-	-	-	1	-	-	-	1	-	1	3
V13 Pedal cyclist injured in collision with car, pick-up truck or van	M	-	-	-	-	1	2	1	1	-	1	6
	F	-	-	-	-	-	-	1	-	-	-	1
V23 Motorcycle rider injured in collision with car, pick-up truck or van	M	-	-	-	-	-	4	3	2	-	-	9
	F	-	-	-	-	-	-	-	-	-	-	-
V27 Motorcycle rider injured in collision with fixed or stationary object	M	-	-	-	-	1	2	3	3	-	-	9
	F	-	-	-	-	-	-	-	1	-	-	1
V28 Motorcycle rider injured in noncollision transport accident	M	-	-	-	-	-	-	3	2	-	-	5
	F	-	-	-	-	-	-	-	-	-	-	-
V43 Car occupant injured in collision with car, pick-up truck or van	M	-	-	-	-	4	4	6	8	4	1	27
	F	-	-	-	-	4	-	2	6	2	2	16
V44 Car occupant injured in collision with heavy transport vehicle or bus	M	-	-	-	1	1	2	3	3	-	-	10
	F	-	-	-	1	2	1	-	2	1	-	7
V47 Car occupant injured in collision with fixed or stationary object	M	-	-	-	-	1	5	5	2	1	1	15
	F	-	-	-	-	-	1	3	-	-	-	4
V48 Car occupant injured in noncollision transport	M	-	-	-	-	1	2	7	7	-	1	18
	F	-	-	-	1	3	1	3	4	-	-	12
V49 Car occupant injured in other and unspecified transport accidents	M	-	-	-	-	2	-	4	1	-	1	8
	F	-	-	-	-	-	-	1	2	-	-	3
V53 Occupant of pick-up truck or van inj. in collision with car, pick-up truck or van	M	-	-	-	-	-	-	1	1	1	-	3
	F	-	-	-	-	-	-	-	1	-	2	3
V54 Occupant of pick-up truck or van inj. in coll. with heavy trans. vehicle or bus	M	-	-	-	1	1	1	3	2	-	-	8
	F	-	-	-	-	-	-	1	1	-	-	2
V57 Occupant of pick-up truck or van inj. in collision with fixed or stationary object	M	-	-	-	-	3	1	2	1	-	-	7
	F	-	-	-	-	-	-	1	-	-	-	1

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	
V58 Occupant of pick-up truck or van inj. in noncollision transport accident	M	-	-	-	-	-	4	8	3	-	1	16
	F	-	-	-	-	-	1	-	1	1	-	3
V86 Occupant of special A.T./other m.v. for off-road use, inj. in transport accident	M	-	-	-	-	1	1	1	1	-	-	4
	F	-	-	-	-	-	-	-	1	-	-	1
V89 Motor or nonmotor vehicle, type of vehicle unspecified	M	-	-	-	-	3	1	-	-	-	-	4
	F	-	-	-	-	2	1	-	-	-	-	3
V90 Accident to watercraft causing drowning and submersion	M	-	-	-	-	-	-	4	-	1	-	5
	F	-	-	-	-	-	-	-	-	-	-	-
W01 Fall on same level from slipping, tripping and stumbling	M	-	-	-	-	-	-	-	-	2	3	5
	F	-	-	-	-	-	-	-	-	2	1	3
W05 Fall involving wheelchair	M	-	-	-	-	-	-	-	-	2	2	4
	F	-	-	-	-	-	-	-	-	1	3	4
W06 Fall involving bed	M	-	-	-	-	-	-	-	-	-	5	5
	F	-	-	-	-	-	-	-	1	-	5	6
W10 Fall on and from stairs and steps	M	-	-	-	-	-	-	-	3	6	6	15
	F	-	-	-	-	-	-	-	-	1	7	8
W11 Fall on and from ladder	M	-	-	-	-	-	-	-	3	-	3	6
	F	-	-	-	-	-	-	-	-	1	-	1
W15 Fall from cliff	M	-	-	-	-	1	-	-	1	-	-	2
	F	-	-	-	1	-	-	1	1	-	-	3
W17 Other fall from one level to another	M	-	-	-	-	-	-	-	3	1	2	6
	F	-	-	-	1	-	-	-	-	-	1	2
W18 Other fall on same level	M	-	-	-	-	-	-	-	-	2	14	16
	F	-	-	-	-	-	-	-	3	2	11	16
W19 Unspecified fall	M	-	-	-	-	-	-	-	5	19	60	84
	F	-	-	-	-	-	-	-	-	19	95	114
W69 Drowning and submersion while in natural water	M	-	-	-	-	-	2	5	2	1	-	10
	F	-	-	-	-	-	-	-	-	-	-	-
W70 Drowning and submersion following fall into natural water	M	-	-	-	-	-	-	-	3	2	1	6
	F	-	-	-	-	-	-	-	1	-	-	1
W76 Other al hanging and strangulation	M	-	-	-	-	-	1	1	3	-	-	5
	F	-	-	-	-	-	-	-	-	-	-	-
W79 Inhalation and ingestion of food causing obstruction of respiratory tract	M	-	-	-	-	-	-	1	1	2	-	4
	F	-	-	-	-	-	-	-	1	2	-	3
W80 Inhalation and ingestion of other objects causing obstruction of respiratory tract	M	-	-	-	-	-	-	-	3	5	11	19
	F	-	-	-	-	-	-	1	1	4	5	11
W83 Other specified threats to breathing	M	-	-	-	-	-	1	3	1	-	-	5
	F	-	-	-	-	-	-	-	-	-	-	-
X00 Exposure to uncontrolled fire in building or structure	M	-	-	-	-	-	1	4	6	1	3	15
	F	-	-	-	-	-	-	3	2	-	1	6
X31 Exposure to excessive natural cold	M	-	-	-	-	-	1	1	1	-	-	3
	F	-	-	-	-	-	-	-	2	2	-	4
X40 Acc. poisoning by & exp. to nonopioid. analgesics, antipyretics and antirheum	M	-	-	-	-	-	-	3	3	1	-	7
	F	-	-	-	-	-	-	-	1	-	-	1
X41 Acc. pois. by & exp. to antiepileptic, sed.-hypn., antipark. & psych. drugs, NEC	M	-	-	-	-	-	-	7	4	-	1	12
	F	-	-	-	-	1	-	1	11	-	-	13
X42 Acc. pois. by & exp. to narcotics & psychodysleptics [hallucin.], NEC	M	-	-	-	-	1	5	51	35	3	-	95
	F	-	-	-	-	-	2	17	9	-	1	29
X44 Acc. pois. by & exp. to other & unspec. drugs, medicaments and biolo. sub.	M	-	-	-	-	-	1	15	22	-	1	39
	F	-	-	-	-	-	3	6	13	4	1	27
X45 Accidental poisoning by and exposure to alcohol	M	-	-	-	-	1	-	3	10	1	-	15
	F	-	-	-	-	-	-	2	4	2	1	9
X47 Acc. poisoning by and exposure to other gases and vapours	M	-	-	-	-	-	-	-	4	2	-	6
	F	-	-	-	-	-	-	1	1	-	-	2
X59 Exposure to unspecified factor	M	-	-	-	-	-	-	-	2	5	12	19
	F	-	-	-	-	-	-	-	1	2	9	12
X60 Suicide by nonopioid analgesics, antipyretics and antirheumatics	M	-	-	-	-	-	-	-	1	-	-	1
	F	-	-	-	-	-	-	1	3	-	-	4
X61 Suicide by antiepileptic, sed-hypno, antipark. & psychotropic drugs, NEC	M	-	-	-	-	-	-	3	7	1	-	11
	F	-	-	-	-	-	2	3	8	1	-	14
X62 Suicide by narcotics & psychodysleptics [hallucinogens], NEC	M	-	-	-	-	-	2	1	3	-	-	6
	F	-	-	-	-	-	-	-	3	-	-	3

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2007

ICD-10 Cause of Death	Gender	Age of Deceased (in Years)										Total
		<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-79	80+	
X64 Suicide by other and unspecified drugs, medicaments and biological substances	M	-	-	-	-	-	-	3	6	1	-	10
	F	-	-	-	-	-	-	10	11	-	2	23
X67 Suicide by other gases and vapours	M	-	-	-	-	-	2	12	14	-	-	28
	F	-	-	-	-	-	-	1	1	-	-	2
X70 Suicide by hanging, strangulation and suffocation	M	-	-	-	1	3	14	37	39	11	3	108
	F	-	-	-	1	4	1	12	6	1	2	27
X71 Suicide by drowning and submersion	M	-	-	-	-	-	-	6	5	1	2	14
	F	-	-	-	-	-	-	-	3	1	-	4
X73 Suicide by rifle, shotgun and larger firearm discharge	M	-	-	-	-	-	-	5	6	2	2	15
	F	-	-	-	-	-	-	-	-	-	-	-
X74 Suicide by other and unspecified firearm discharge	M	-	-	-	-	2	4	6	19	7	3	41
	F	-	-	-	-	-	-	-	3	-	-	3
X78 Suicide by sharp object	M	-	-	-	-	1	-	3	4	-	-	8
	F	-	-	-	-	-	-	1	1	1	-	3
X80 Suicide by jumping from a high place	M	-	-	-	-	-	4	9	6	4	1	24
	F	-	-	-	-	-	-	6	5	1	-	12
X81 Suicide by jumping or lying before moving object	M	-	-	-	-	-	2	-	4	1	-	7
	F	-	-	-	-	-	1	2	-	1	-	4
X95 Assault by other and unspecified firearm discharge	M	-	-	-	-	-	-	7	-	-	-	7
	F	-	-	-	-	-	-	-	1	-	-	1
X99 Assault by sharp object	M	-	-	1	-	-	1	2	-	-	-	4
	F	-	-	-	-	-	-	2	1	-	-	3
Y14 Pois. by other & unspec. drugs, medic. and biol. subst., undetermined intent	M	-	-	-	-	-	-	-	2	-	-	2
	F	-	-	-	-	-	-	-	1	1	1	3
Y83 Surg. oper and othr. surg. proc. causing abno. react. or later compl., w/o misadv.	M	-	-	-	-	1	-	-	2	2	-	5
	F	-	-	-	-	-	-	1	1	4	3	9
Y85 Sequelae of transport accidents	M	-	-	-	-	-	-	3	3	1	-	7
	F	-	-	-	-	-	-	-	-	1	1	2
Y86 Sequelae of other accidents	M	-	-	-	-	-	-	2	6	4	1	13
	F	-	-	-	-	-	-	-	1	-	-	1
All Causes of Death	M	107	12	9	18	76	135	746	3,164	5,189	6,549	16,005
	F	65	12	12	14	41	44	402	1,957	3,548	9,005	15,100

Note: The output from ICD-10 mortality coding and underlying cause of death selection was modified in BC to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time. Data using the standard ICD-10 rules for such categories as pneumonia/influenza, diabetes, or cancer should not be compared to the numbers shown above.
 Non-residents and unknown gender are excluded.