TELLURIC PETROPH

Petrophysical Analysis Log

Petrophysical Study
200D094G092O1200
Nechako Basin, B.C.

WELL: 200D094G092O1200 COUNTRY: CANADA

Elev: K.B 1337.00 m Meas Ref: K.B. Scale 1:500

PROVINCE: BRITISH COLUMBIA
FIELD: WILDCAT
COMPANY: BURLINGTON RESOURCES CANADA

Log Header Data

Date	26-FEB-86	Mud Type	
Run No.		Mud Res	Ohmm @ Deg C
Analyzed Interval Top	0.0	Mud Rmf	Ohhms @ Deg C
Analyzed Interval Base	2194.0	Mud Rmc	Ohmm @ Deg C
Drilled Depth (m)	-	BHT (Deg C)	-
Csg. Shoe Driller		Bit Size (mm)	-
Logger	SCHLUMBERGER	Mud Dens (k/m3)	-

Petrophysical Parameters/Equations

Water Resistivity	5.0 - 0.33 ohmms @25		
a	1.0	Shale Volume (VSH)	Gamma Ray / SP linear equations
m (cementation exp.)	2.0	Eff. Porosity (PHIE)	Shale corrected density and/or sonic (ss matrix)
n (saturation exp.)	2.0	Water Saturation (SW)	Simandoux Equation
Rt Shale	30 - 50 ohmm	Permeability (K)	Not applicable
Dt Shale	250 +/- 20 us/m	Net Pay Cutoffs	Vsh <= 30%, Porosity >= 5.0%, Water saturation <= 60%
Rho Shale	2575 - 2650 k/m3	Badhole Effect	Caliper and Density Correction Log

Petrophysicist: I.F.Smith Date Modified: 14-Mar-2007 09:26:41

Comments:

Pay Summary Results (see Report)		Pay Summary Results	
Net Pay:	- m	Net Pay:	- m
Phi*h:	- m	Phi*h:	- m
HCPV:	- m	HCPV:	- m
Avg Phie:	- v/v	Avg Phie:	- v/v
Avg Sw:	- v/v	Avg Sw:	- v/v
AvgVsh:	- v/v	Avg Vsh:	- v/v








725
600
750
575
775
550
800
525
825
500
850
475
875
450
900
425
925
400
950
375
975
350
1000
325
1025
Lacustrine Ss80%,SH20%
Lacustrine Slst85%,Ss10%,SH5%
Lacustrine Slst85%,Ss10%,SH5%
Lacustrine Slst55%,Ss40%,SH5%
Lacustrine Slst55%,Ss40%,SH5%
Lacustrine Slst35%,Ss35%,SH30%
Lacustrine Ss80%,SH20%
Lacustrine Ss80%,SH20%
Lacustrine Ss80%,SH20%
Lacustrine Ss80%,SH20%
Lacustrine Slst80%,SH10%,Ss10%
Lacustrine SH60%,Ss20%,Slst20%
Lacustrine Ss80%,Slst15%,SH5%
Lacustrine Ss50%,Slst45%,SH5%
Lacustrine Ss55%,Slst45%
Lacustrine Ss55%,Slst45%
Lacustrine Slst60%,Ss30%,SH10%
Lacustrine Ss70%,Slst25%,SH5%
Lacustrine Slst90%,SH5%,Ss5%
Lacustrine Slst65%,Ss30%, SH5%
Lacustrine Ss70%,Slst25%,SH5%
Lacustrine Slst60%,Ss30%,SH10%
Lacustrine Slst55%,Ss45%
Lacustrine Slst80%,Ss15%,SH5%
Lacustrine Slst80%,Ss15%,SH5%
Lacustrine Slst55%,Ss40%,SH5%
Lacustrine Ss70%,Slst25%,SH5%
Lacustrine Slst55%,Ss40%,SH5%
Lacustrine Slst75%,Ss20%,SH5%
Lacustrine Ss70%,Slst25%,SH5%
Lacustrine Ss70%,Slst25%,SH5%
Lacustrine Ss70%,Slst25%,SH5%
Lacustrine Ss70%,Slst25%,SH5%
Lacustrine Slst75%,Ss20%,SH5%
Lacustrine Slst75%,Ss20%,SH5%
Lacustrine Ss60%,Slst35%,SH5%
Lacustrine Slst55%,Ss40%,SH5%
Lacustrine Slst55%,Ss40%,SH5%
Lacustrine Ss60%,Slst35%,SH5%
Lacustrine Ss80%,Slst15%,SH5%
Lacustrine Slst65%,Ss25%,SH10%
Lacustrine Slst65%,Ss25%,SH10%
Lacustrine Slst50%,SH30%,Ss20%
Lacustrine Slst50%,SH30%,Ss20%
Lacustrine Slst50%,SH30%,Ss20%
Lacustrine Slst50%,SH30%,Ss20%
Lacustrine Slst50%,SH40%,Ss10%
Lacustrine SH50%,Slst40%,Ss10%
Lacustrine SH50%,Slst40%,Ss10%
Lacustrine SH70%,Slst20%,Ss10%
Lacustrine SH70%,Slst20%,Ss10%
Lacustrine SH60%,Slst20%,Ss20%
Lacustrine Ss50%,Slst30%,SH20%
Lacustrine SH80%,Slst15%, Ss5%
Lacustrine SH80%,Slst15%, Ss5%
Lacustrine SH80%,Slst15%, Ss5%
Lacustrine Ss60%,SH30%,Slst10%
Lacustrine SH90%,Ss10%
Lacustrine SH90%,Ss10%
Lacustrine SH90%,Ss10%
Lacustrine SH90%,Ss10%
Lacustrine SH90%,Ss10%


300
1050
275
1075
250
1100
225
1125
200
1150
175
1175
150
1200
125
1225
100
1250
75
1275
50
1300
25
Lacustrine SH90%,Ss10%
Lacustrine SH80%,Ss10%,Slst10%
Lacustrine Slst50%,SH40%,Ss10%
Lacustrine Slst60%,SH30%,Ss10%
Lacustrine Slst80%,SH10%,Ss10%
Lacustrine Slst75%,SH15%,Ss10%
Lacustrine Slst60%,Ss25%,SH15%
Lacustrine Slst50%,SH40%,Ss10%
Channel Spays Slst40,Ss40%,SH20%
Channel Spays Ss50%,Slst30%,SH20%
Channel Spays Slst70%,SH20%,Ss10%
Channel Spays Slst70%,SH20%,Ss10%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss60%,SH30%,Slst10%
Channel Spays Ss60%,SH30%,Slst10%
Channel Spays Slst40%,Ss30%,SH30%
Channel Spays SH70%,Slst20%,Ss10%
Channel Spays SH50%,Slst30%,Ss20%
Channel Spays Ss70%,SH20%,Slst10%
Channel Spays SH70%,Slst20%,Ss10%
Channel Spays SH70%,Slst20%,Ss10%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Slst55%,SH45% , trace Ss
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss40%,Slst30%,SH30%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Slst60%,Ss25%,SH15%
Channel Spays Ss60%,Slst30%,SH10%
Channel Spays Ss60%,Slst30%,SH10%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Slst60%,Ss30%,SH20%
Channel Spays Slst80%,Ss10%,SH10%
Channel Spays Slst80%,Ss10%,SH10%
Channel Spays Slst80%,Ss10%,SH10%
Channel Spays Slst60%,Ss30%,SH10%
Channel Spays Ss50%,Slst30%,SH20%
Channel Spays Ss50%,Slst30%,SH20%
Channel Spays Slst80%,Ss10%,SH10%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Slst70%,Ss20%,SH10%
Channel Spays Slst60%, SH30%,Ss10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Slst60%,SH20%,Ss20%
Channel Spays Slst40%,SH30%,Ss30%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Slst70%,Ss20%,SH10%
Channel Spays Slst60%,Ss30%,SH10%


1325
0
1350
-25
1375
-50
1400
-75
1425
-100
1450
-125
1475
-150
1500
-175
1525
-200
1550
-225
1575
-250
1600
Channel Spays Slst60%,Ss30%,SH10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Slst60%,SH20%,Ss20%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Slst70%,Ss20%,SH10%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Ss80%,Slst10%,SH10%
Channel Spays Ss80%,Slst10%,SH10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays SH70%,Slst20%,Ss10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Slst80%,SH10%,Ss10%
Channel Spays Ss50%,Slst40%,SH10%
Channel Spays Ss60%,Slst20%,SH20%
Channel Spays Slst60%,SH20%,Ss20%
Channel Spays Slst60%,SH20%,Ss20%
Channel Splays Slst60%,SH20%,Ss20%
Channel Splays Slst50%,Ss30%,SH20%
Upper SHoreface Slst50%,Ss30%,SH20%
Upper SHoreface Slst90%, Ss10%
Upper SHoreface Slst90%, Ss10%
Upper SHoreface Slst90%, Ss10%
Upper SHoreface Ss60%,Slst40%
Upper SHoreface Slst50%,Ss40%,SH10%
Upper SHoreface Slst90%, Ss10%
Upper SHoreface Ss70%,Slst30%
Upper SHoreface Slst60%,Ss40%
Upper SHoreface Slst90%,Ss10%
Upper SHoreface Slst80%,Ss20%
Upper SHoreface Ss50%,Slst40%,SH10%
Upper SHoreface Ss50%,Slst40%,SH10%
Upper SHoreface Ss50%,Slst40%,SH10%
Upper SHoreface Slst80%,Ss10%,SH10%
Upper SHoreface Ss80%,Slst10%,SH10%
Upper SHoreface Ss60%, Slst30%,SH10%
Upper SHoreface Ss80%,Slst10%,SH10%
Upper SHoreface Ss50%,Slst30%,SH20%


-275
Lower SHoreface Ss40%,Slst30%,SH30%
Lower SHoreface SH60%,Ss30%,Slst10%
1625
Lower SHoreface SH50%,Ss30%,Calvein10%,Slst10%
Lower SHoreface SH60%,Calvein20%,Ss10%,Slst10%
Lower SHoreface SH60%,,Ss15%,Calvein15%,Slst10%
-300
Lower SHoreface SH70%,Ss10%,Calvein10%,Slst10%
Lower SHoreface Slst50%,SH20%,Ss20%,Calvein10%
Lower SHoreface Slst50%,SH20%,Ss20%,Calvein10%
1650
Lower SHoreface SH40%,Slst30%,Calvein20%,Ss10%
Lower SHoreface SH40%,Slst30%,Calvein20%,Ss10%
-325
Lower SHoreface Slst50%,SH20%,,Calvein20%,Ss10%
Lower SHoreface Slst50%,SH20%,,Calvein20%,Ss10%
Lower SHoreface Ss50%,Calvein20%,Slst20,SH10%
1675
Lower SHoreface Ss50%,Calvein20%,Slst20,SH10%
Lower SHoreface Ss50%,Calvein20%,SH20%,Slst10%
-350
Lower SHoreface Ss60%,SLst20%,Calv10%,SH10%
Lower SHoreface Slst40%,Ss20%,Calv20%,SH20%
Lower SHoreface Slst40%,Ss20%,Calv20%,SH20%
1700
Lower SHoreface Ss50%,Slst20%,SH20%,Calv10%
Lower SHoreface Ss50%,SH25%,Slst20%,Calv5%
-375
Lower SHoreface Slst30%,Calv30%,SH20%, Ss10%
Lower SHoreface SH40%,Ss30%,Slst20%,Calv10%
Lower SHoreface Ss50%,SH20%,Calv20%,Slst10%
1725
Lower SHoreface Ss40%,Slst30%,SH20%,Calv10%
Lower SHoreface Ss40%,Slst20%,SH20%,Calv20%
-400
Lower SHoreface Slst60%,Ss20%, SH20%
Lower SHoreface Ss40%,SH30%,Slst10%,Calv10%
Lower SHoreface Slst40%,SH30%,Ss20%,Calv10%
1750
Lower SHoreface Ss50%,Slst30%,SH10%,Calv10%
Lower SHoreface Ss50%,Slst30%,SH10%,Calv10%
-425
Lower SHoreface Ss50%,Slst30%,SH10%,Calv10%
Lower SHoreface Slst70%,Ss20%,SH10%
1775
Lower SHoreface Ss50%,Slst20%,SH20%,Calv10%
Lower SHoreface Slst40%,Ss30%,SH10%,Calv10%
Lower SHoreface Slst70%,Ss20%,SH10%
-450
Lower SHoreface Slst70%,SH20%,Ss10%
Lower SHoreface Ss50%,Slst20%,Calv20%,SH10%
1800
Lower SHoreface Ss80%,SH20%
Lower SHoreface Ss70%,SH30%
-475
Lower SHoreface Ss60%,SH30%,Slst10%
Lower SHoreface Ss60%,SH30%,Slst10%
Lower SHoreface Ss50%,SH20%,Slst20%,Calv10%
1825
Lower SHoreface Ss60%,SH20%, Slst10%,Calv10%
Lower SHoreface Ss60%, Slst20%,SH10%,Calv10%
-500
Lower SHoreface Slst60%,Ss30%,SH10%
Lower SHoreface Slst35%,Ss35%,SH30%
Lower SHoreface Slst60%,Ss20%,SH20%
1850
Lower SHoreface Ss70%,SH20%,Slst10%
Lower SHoreface SH60%,Ss20%,Slst20%
-525
Lower SHoreface Ss60%,Slst30%,SH10%
Upper SHoreface Ss90%,SH10%
Upper SHoreface Ss90%,SH10%
1875
Upper SHoreface Slst80%,SH10%,Ss10
Upper SHoreface Slst65%,Ss25%,SH10%
-550
Upper SHoreface Slst65%,Ss25%,SH10%
Upper SHoreface Slst40%,Ss40%,SH20%
Upper SHoreface Slst55%,Ss45%
1900
Upper SHoreface Ss60%,Slst20%,SH20%
Upper SHoreface Ss80%,Slst10%,SH10%
Upper SHoreface Ss100%,SH, trace