

EN ROUTE SIGN



DIRECTIONAL ARROW 76w x 76h mm

Icon: Black circle 64mm outside  
Black circle 54mm inside

Other examples of directional arrows may be found on pg. 3 of 4

DIFFICULTY RATING 76w x 89h mm

White lettering or green flood on white substrate Tahoma Bold 24 point  
character spacing 0% line spacing 85% character height

Icon: White square 58mm  
Blue square 52mm

Other examples of directional arrows may be found on pg. 3 of 4

TRAIL NAME 76w x various height mm

White lettering or green flood on white substrate Tahoma Bold 18 & 32 point  
character spacing 0% line spacing 85% character height

RESTRICTIONS LOCATION 76w x various height mm

Black lettering or green flood on white substrate Tahoma Bold 18 & 32 point  
character spacing 0% line spacing 85% character height

GPS LOCATOR 76w x 76h mm

White lettering or green flood on white substrate  
Header & Footer - Tahoma Bold 28 point  
LAT, LONG, SAR - Tahoma Bold 22 point  
CALL 911 - Tahoma Bold u&l case 22 point  
character spacing 0%

Recreation Sites and Trails BC Logo 76w x 22h mm  
Icons 68w mm x 14.5h mm centred

SIGN COLOURS

- Reflective paints

BLACK - C0, M0, Y0, K100

WHITE - C0, M0, Y0, K0

RED - C0, M100, Y100, K0

GREEN - C100, M0, Y100, K0

YELLOW - C0, M13, Y100, K0


BLUE - C100, M50, Y0, K0

MOUNTING

signage printed on 76mm (3") wide  
.055 Duraflex Plastic (sticker/decal)  
bond to Polyplate or Aluminum  
mounted to wood post measuring  
89mm x 89mm (4x4 post)  
pre-treated or western red cedar  
or Fiberglass Dual-Flex Marker  
top of post 1.0m above ground

Standard		TRAIL SIGNS - EN ROUTE - pg. 1 of 4	
File No:	En Route Trail Sign.pdf	Draft Date:	10/08
Revision No:	001	Date:	09/12
Revision No:	002	Date:	09/13
Revision No:	003	Date:	02/18
		Drawing Scale:	1 : 2
		Sheet Size:	8.5" X 11"
		Drawing No:	RST 481-TS-ER

EN ROUTE SIGN



Recreation Sites and Trails BC Logo 76w x 22h mm  
Icons 68w mm x 14.5h mm centred

TRAIL NAME 76w x various height mm  
White lettering or green flood on white substrate Tahoma Bold 18 & 32 point character spacing 0% line spacing 85% character height

DIFFICULTY RATING 76w x 89h mm  
White lettering or green flood on white substrate Tahoma Bold 24 point character spacing 0% line spacing 85% character height

Icon: White square 58mm  
Blue square 52mm

Other examples of directional arrows may be found on pg. 3 of 4

DIRECTIONAL ARROW 76w x 76h mm

Icon: White circle 64mm outside  
White circle 54mm inside

Other examples of directional arrows may be found on pg. 3 of 4

TRAIL RESTRICTIONS; use page 4 "Not Permitted" ICONS for more specific activities.  
Black lettering or green flood on white substrate Tahoma Bold 28 point character spacing 0% line spacing 85% character height

GPS LOCATOR 76w x 76h mm

White lettering or green flood on white substrate  
Header & Footer - Tahoma Bold 28 point  
LAT, LONG, SAR - Tahoma Bold 22 point  
CALL 911 - Tahoma Bold u&l case 22 point  
character spacing 0%

SIGN COLOURS

- Reflective paints

- BLACK - C0, M0, Y0, K100
- WHITE - C0, M0, Y0, K0
- RED - C0, M100, Y100, K0
- GREEN - C100, M0, Y100, K0
- YELLOW - C0, M13, Y100, K0
- BLUE - C100, M50, Y0, K0

MOUNTING

signage printed on 76mm (3") wide .055 Duraflex Plastic (sticker/decals) bonded to Polyplate or Aluminum mounted to wood post measuring 89mm x 89mm (4x4 post) pre-treated or western red cedar or Fiberglass Dual-Flex Marker top of post 1.0m above ground

Standard		TRAIL SIGNS - EN ROUTE - pg. 2 of 4	
File No:	En Route Trail Sign.pdf	Draft Date:	10/08
Revision No:	001	Date:	09/12
Revision No:	002	Date:	09/13
Revision No:	003	Date:	02/18
		Drawing Scale:	1 : 2
		Sheet Size:	8.5" X 11"
		Drawing No:	RST 481-TS-ER

DIFFICULTY RATING - OTHER EXAMPLES OF DIFFICULTY RATINGS (Where Applicable to Trail Activity)



89mm

DIFFICULTY RATINGS  
INDIVIDUALLY 76w x 89h mm

White lettering or green flood on white substrate  
Tahoma Bold 24 point character spacing 0%  
line spacing 85% character height



DIRECTIONAL ARROWS - OTHER EXAMPLES OF DIRECTIONAL ARROWS



76mm

ONE WAY DIRECTIONAL ARROW  
SQUARE 76w x 76h mm  
Icon: Black circle 64mm outside  
Black circle 54mm inside  
Rotate icon 90 degree angle(s)  
to suit direction



76mm

TWO WAY TRAFFIC DIRECTIONAL ARROW  
SQUARE 76w x 76h mm  
Icon: Black circle 64mm outside  
Black circle 54mm inside  
Rotate icon 90 degree angle(s)  
to suit direction




**SIGN COLOURS**  
- Reflective paints

- BLACK - C0, M0, Y0, K100**
- WHITE - C0, M0, Y0, K0**
- RED - C0, M100, Y100, K0**
- GREEN - C100, M0, Y100, K0**
- YELLOW - C0, M13, Y100, K0**
- BLUE - C100, M50, Y0, K0**

Standard		TRAIL SIGNS - EN ROUTE - pg. 3 of 4	
File No:	En Route Trail Sign.pdf	Draft Date:	10/08
Revision No:	001	Date:	09/12
Revision No:	002	Date:	09/13
Revision No:	003	Date:	02/18
		Drawing Scale:	1 : 2
		Sheet Size:	8.5" X 11"
		Drawing No:	RST 481-TS-ER

TRAIL ACTIVITIES - OTHER EXAMPLES OF TRAIL ACTIVITIES THAT ARE PERMITTED OR NOT PERMITTED

Trail Activity Stickers/Decals 38h mm x 38w mm spaced accordingly Icons print size at 35h mm x 35w mm centred giving a 1.5mm white surround



PERMITTED  
NOT PERMITTED



PERMITTED  
NOT PERMITTED



**SIGN COLOURS**  
- Reflective paints

- BLACK - C0, M0, Y0, K100
- WHITE - C0, M0, Y0, K0
- RED - C0, M100, Y100, K0
- GREEN - C100, M0, Y100, K0
- YELLOW - C0, M13, Y100, K0
- BLUE - C100, M50, Y0, K0

Standard		TRAIL SIGNS - EN ROUTE - pg. 4 of 4	
File No:	En Route Trail Sign.pdf	Draft Date:	10/08
Revision No:	001 Date: 09/12	Revision No:	004 Date: 05/18
Revision No:	002 Date: 09/13	Revision No:	Date:
Revision No:	003 Date: 02/18	Revision No:	Date:
		Drawing Scale:	1 : 2 Sheet Size: 8.5" X 11"
		Drawing No:	RST 481-TS-ER