

TimberWest

**Tree Farm Licence No. 46
Management Plan No. 4
Twenty Year Plan**

**TFL Forest Ltd
Honeymoon Bay Operation**

August 30th, 2001

1.0 Introduction

This Twenty Year Plan (TYP) has been prepared as part of Management Plan (MP) No. 4 and is a requirement of both the Licence Agreement for Tree Farm Licence (TFL) No. 46 and Section 35(1)(d)(viii)(C) of the *Forest Act*. The TYP is intended to provide a hypothetical sequence of harvesting which is consistent with the measures to be taken and specifications to be followed for meeting the management objectives of MP No. 4 as they have been defined in the Information Package (IP) for the base case scenario of the Timber Supply Analysis (TSA). The TYP encompasses the period between January 1st, 2000 and December 31st, 2019.

2.0 Guidelines

The TYP is consistent with the terms-of-reference approved by the District Manager of the South Island Forest District on June 27th, 2001 (Appendix No. 1) and draws heavily upon information contained in the '*Guide for Tree Farm Licence Management Plans (20-month) and Calendar Year Reports*' (Ministry of Forests, Resource Tenures and Engineering Branch/Timber Supply Branch - March 2001).

3.0 Assumptions

The following assumption were used in the preparation of the TYP.

3.1 Vancouver Island Land Use Plan Higher Level Plan

The Vancouver Island Land Use Plan Higher Level Plan (VILUP HLP) became effective December 1st, 2000 and makes some components of the Vancouver Island Land Use Plan (VILUP) enforceable under the Forest Practices Code (FPC). Although not accounted for in the base case scenario of the TSA, the Twenty Year Plan will be consistent with the VILUP HLP as it relates to the targets (objectives) set for seral stage representation in Special Management Zones No. 21 (Walbran) and No. 22 (San Juan Ridge) and the relaxed maximum cutblock size and green-up constraints identified for Resource Management Zone No. 47 (Loss – Jordan). Seral stage targets were evaluated only for the portion of the Special Management Zones No. 21 and No. 22 within TFL No. 46 under the assumption that areas outside TFL No. 46 have similar representation of ecosystem variants and stand history.

3.2 Vancouver Island Land Use Plan

The VILUP identifies Landscape Units for Vancouver Island of which ten are located, either in entirely or in part, with TFL No. 46. As objectives for these Landscape Units will not likely be established by the District Manager prior to approval of MP No. 4, landscape level biodiversity will has been modeled using Biodiversity Emphasis Options identified in the VILUP and using old seral targets for ecosystem variants as identified in the *Landscape Unit Planning Guidebook* (March 1999). Old seral targets were evaluated only for the portion Landscape Units within TFL No. 46 under the assumption that areas outside TFL No. 46 have similar representation of ecosystem variants and stand history.

3.3 Hill 60 Designated Area

Effective April 4th, 2001, an area of approximately 1,632 hectares within TFL No. 46, as part of a larger 1,700 hectare area, became specified as a Designated Area under Section 169 of the *Forest Act* for the period ending March 31st, 2003. Although not removed from the TFL or the Timber Harvesting Land Base (THLB) in the base case scenario of the TSA, cutblocks have not been proposed within the Hill 60 Designated Area in the TYP.

3.4 Small Business Forest Enterprise Program Take-Back

On October 24th, 1997, the AAC for TFL No. 46 was reduced by 5 percent or 20,196 m³. Subsequently, the Ministry of Forests has identified to TimberWest that their intention is to remove an area or areas from TFL No. 46 of sufficient size to account for this reduction. The base case scenario of the TSA does not reflect the take-back of this area or areas. As TimberWest and the Ministry of Forests are still in the process of working towards delineating an area or areas, the TYP will identify cutblocks throughout TFL No. 46 consistent with the base case scenario of the TSA.

3.5 Harvesting Outside Of Operable Limits

The inoperable landbase for TFL No. 46, for the most part, consists of large contiguous mapped areas which have been excluded from the THLB in the base case scenario of the TSA as they have been identified as uneconomic to harvest. Consistent with MP No. 4, a portion the harvesting proposed on the TYP may occur outside the limits of the operable land-base when economically and environmentally feasible to do so.

In addition to the areas identified as inoperable, other smaller areas with low site index value, usually isolated within the broader areas delineated as accessible, have also been excluded from the THLB in the base case scenario of the TSA. Within the TYP, harvesting within these low site areas may be proposed but will likely only occur as part of proposals which are primarily located in adjacent, more productive sites.

3.6 Green-Up/Adjacency

Leave areas between cutblocks in the TYP have been designed to incorporate a viable future harvesting unit and are usually at least 400 meters in width. Leave areas generally were assumed not to be available for harvesting until any adjacent cutblocks had aged two periods or on average 10 years. The TYP made two provisions where this was not the case. Harvesting of leave areas could occur concurrently with adjacent cutblocks within the portion of TFL No. 46 within Resource Management Zone No. 47 (Loss-Jordan) or elsewhere in TFL No. 46 if at least 40% of the volume was identified as being retained.

3.7 Visual Resource Management

The management of visual resources within the TYP was evaluated on the relative amount of denudation within aggregated Visual Sensitivity Units (VSU) of similar Recommended Visual Quality Classification (RVQC). Harvesting was proposed to reflect the maximum denudation targets identified for RVQC's in the *'Procedures for Factoring Visual Resources into Timber Supply Analysis'* consistent with the base case scenario of the TSA. It is likely that RVQC's denudation targets may be exceeded in some VSU if they were evaluated separately.

Visually Effective Green-Up (VEG) was generally assumed to occur after cutblocks had aged three periods or on average 15 years. Proposed harvesting adjacent to non-VEG areas within the TYP was permitted provided that at least 40% of the volume was identified as being retained.

3.8 Cutblock Size

Cutblocks were permitted to exceed the 40 hectare maximum prescribed for the Vancouver Forest Region within the TYP. For those cutblocks 47 hectares of greater, a netdown factor was applied. The 7 hectare tolerance reflects the inaccuracies associated with projecting cutblocks.

3.2 Vancouver Island Land Use Plan

The VILUP identifies Landscape Units for Vancouver Island of which ten are located, either in entirely or in part, with TFL No. 46. As objectives for these Landscape Units will not likely be established by the District Manager prior to approval of MP No. 4, landscape level biodiversity will has been modeled using Biodiversity Emphasis Options identified in the VILUP and using old seral targets for ecosystem variants as identified in the *Landscape Unit Planning Guidebook* (March 1999). Old seral targets were evaluated only for the portion Landscape Units within TFL No. 46 under the assumption that areas outside TFL No. 46 have similar representation of ecosystem variants and stand history.

3.3 Hill 60 Designated Area

Effective April 4th, 2001, an area of approximately 1,632 hectares within TFL No. 46, as part of a larger 1,700 hectare area, became specified as a Designated Area under Section 169 of the *Forest Act* for the period ending March 31st, 2003. Although not removed from the TFL or the Timber Harvesting Land Base (THLB) in the base case scenario of the TSA, cutblocks have not been proposed within the Hill 60 Designated Area in the TYP.

3.4 Small Business Forest Enterprise Program Take-Back

On October 24th, 1997, the AAC for TFL No. 46 was reduced by 5 percent or 20,196 m³. Subsequently, the Ministry of Forests has identified to TimberWest that their intention is to remove an area or areas from TFL No. 46 of sufficient size to account for this reduction. The base case scenario of the TSA does not reflect the take-back of this area or areas. As TimberWest and the Ministry of Forests are still in the process of working towards delineating an area or areas, the TYP will identify cutblocks throughout TFL No. 46 consistent with the base case scenario of the TSA.

3.5 Harvesting Outside Of Operable Limits

The inoperable landbase for TFL No. 46, for the most part, consists of large contiguous mapped areas which have been excluded from the THLB in the base case scenario of the TSA as they have been identified as uneconomic to harvest. Consistent with MP No. 4, a portion the harvesting proposed on the TYP may occur outside the limits of the operable land-base when economically and environmentally feasible to do so.

3.9 Undercut Carry-Forward

On February 27th, 2001 TimberWest received confirmation from the Regional Manager of the Vancouver Forest Region that he intended to disposed of approximately 300,000 m³ of the undercut volume from the 1993-1997 cut control period in the form of a timber sale licence which would be harvested within TFL No. 46 for up to a period of 10 years. As the base case scenario of the TSA considers the entire THLB and does keep a reserve of un-harvested timber, the TYP incorporates the 30,000 m³ for the first two periods to reflect the disposition of this volume.

3.10 Watershed Assessments

The base case scenario of the TSA does not include any constraints for watershed management. The TYP is inconsistent with the base case as it incorporates the recommendations and conclusions, specifically the elevation-weighted Equivalent Clearcut Area (ECA) targets, of the Gordon River and Hatton Coastal Watershed Assessments. For the purpose of preparing the TYP, the maximum allowable ECA was 33% for the Gordon and 42% for the Hatton.

Within the TYP, watershed rate of harvest was evaluated for both drainages in their entirety without looking at ECA thresholds for individual sub-basins. It is likely that ECA targets may be exceed in some sub-basins if they were evaluated separately. In addition, the ECA was evaluate only for the portion of the drainages within TFL No. 46 under the assumption that adjacent tenures have an equivalent stand history and that they will be managed for similar ECA thresholds.

3.11 Community Watersheds

The base case scenario of the TSA does not include any constraints for community watershed management. The TYP is inconsistent with the base case as it manages for a maximum elevation weighted ECA of 33% in the Shawnigan Lake Community Watershed. The hydrologic state of the watershed (ECA) was evaluate only for the portion of the drainage within TFL No. 46 under the assumption that adjacent tenures have an equivalent stand history and that they will be managed for similar ECA thresholds.

3.12 Harvesting Systems

Harvesting systems identified for cutblocks in the TYP reflect the current technology employed on TFL No. 46.

3.13 Access Management

Roads required to access conventional cable cutblocks have been delineated on the TYP up to proposed cutblock boundaries.

3.14 First Entry Ages

The TYP relies heavily on the ability to harvest stands at their first entry ages prior to culmination at mean annual increment. Table No. 1 describes the first entry ages for different leading species and site index. This information was used to determine when stands were first available for harvest during the TYP.

Table No. 1 – First Entry Ages

Site Index	Leading Species							
	Fd	Ba	Ss	Hw	Cw	Cy	Dr	Mp
35	45	45	45	50	50	50	30	30
30	50	50	50	55	55	55	35	35
25	60	60	60	65	65	65	40	40
20	65	65	65	70	70	70		
15	70	70	70	75	75	75		

3.15 Rate Of Harvest

The TYP has been prepared consistent with the base case of the TSA which identifies that a long-term level of harvest of 495,000 m³/yr is sustainable. The TYP is based on maintaining the current AAC of 462,544 m³/yr on TFL No. 46. Additional volumes have been projected to the account for the 20,186 m³/yr committed to the Small Business Forest Enterprise Program and to accommodate the 30,000 m³/yr that the Regional Manager intends to dispose of during the first two periods of the TYP. Any volume deficiencies in the TYP were assumed to be attributable to the Hill 60 Designated Area.

3.16 Forest Development Plan

The first five year period of the TYP generally reflects the approved Forest Development Plan (FDP) for TFL No. 46. Exceeding constraint thresholds in the first period was accepted in the TYP as cutblocks, with the exception of Category 'I' cutblocks identified in the FDP, are Category 'A' and have protection under the FPC. These cutblocks have previously been determined by the District Manager of the South Island Forest District to adequately manage and conserve the forest resource.

3.16 Ungulate Winter Ranges

Harvesting within the TYP was proposed within Ungulate Winter Ranges consistent with the base cases scenario of the TSA. To simplify the evaluation of harvesting proposed within the TYP, Ungulate Winter Ranges have been aggregated into one for TFL No. 46 with a single weighted netdown. It is likely that netdown thresholds for individual UWR's may be exceed if they were evaluated separately.

3.17 Volume Calculations

For the TYP, cutblock harvest volumes were calculated consistent with the base case scenario of the TSA. Mature volumes were calculated using an average volume line and immature volumes were calculated using the yield curves for managed and unmanaged stands specified in the IP.


4.0 Results

The results of the TYP are as follows.

4.1 Harvest Levels


Figure No. 1 identifies the annual harvest levels projected in the TYP. Annual harvest levels reach a maximum in the first five year period of 540,054 m³/yr. This is likely a result of first period of the TYP generally reflecting the cutblocks identified in the approved FDP. To provide for increased harvesting flexibility, Licensee typically identify more volume than what is intended to be harvested during the term of the FDP. Annual projected harvest levels decline through the second and third periods to a low of 467,249 m³/yr before increasing again in the fourth period to 484,230 m³/yr. The average projected harvest level in the TYP is 496,292 m³/yr slightly above the long-run sustainable harvest level of 495,000 m³/yr identified in the base case scenario of the TSA.

Figure No. 1 – Annual Harvest Levels




To maintaining the current AAC of 462,544 m³/yr on TFL No. 46, while providing additional volume to the account for the 20,186 m³/yr committed to the Small Business Forest Enterprise Program and to accommodate the 30,000 m³/yr that the Regional Manager intends to dispose of during the first two periods of the TYP, a total volume of 2,564,350 m³/period would be required to achieve an annual harvest level of 512,870 m³/yr in each the first two periods and a total volume of 2,414,350 m³/period would be required to achieve an annual harvest level of 482,870 m³/yr in each of the later two periods. Figure No. 2 identifies how the TYP varies from the total volume require to achieve the annual harvest level targets.

Figure No. 2 – Variance from Annual Harvest Levels



The TYP as a whole is deficient only 28,769 m³. As shown in Figure No. 3, projected shortfalls in the second (95,488 m³) and third (77,403 m³) periods of the TYP are anticipated to be offset by reallocating the excess volume which has been identified in the first (136,619 m³) and last periods (7,502 m³) in the TYP and by obtaining volume from the Hill 60 Designated area where harvesting is currently deferred.


Figure No. 3 – Annual Harvest Volume Allocation



4.2 Unit Volume Trends

Unit volumes within the TYP varied only marginally from an average of 541.9 m³/ha. The lowest unit volume of 530.3 m³/ha is reported in the second period. The highest unit volume of 551.7 m³/ha is experienced in the third period. (See Figure No. 4) Volumes reported in the TYP are consistent with those experience on TFL No. 46.


Figure No. 4 – Unit Volumes



4.3 Harvesting Systems


The distribution of harvesting systems in the TYP by period is identified in Figure No. 5. The trend experience in the TYP is for increased use of conventional cables systems and decrease use of ground based systems. Cutblock projections show conventional cable systems increasing 11.7% over the four periods and ground based systems decreasing by 14.0%. The amount of volume harvested using aerial systems remain relatively constant throughout the TYP.

Figure No. 5 – Harvesting Systems



The relative amount of volume harvested by each systems within the TYP closely reflects that which has been experience over the past five years on TFL No. 46 (Figure No. 6).


Figure No. 6 – Harvesting System Comparison



4.4 Stand Ages

Stands within the TYP are harvested on average at age 170. 55.1% of the entire volume harvested in the TYP is from stands exceeding 250 years of age. The remaining 44.9% is harvested from stands averaging approximately 66 years of age. (See Figure No. 7)

Figure No. 7 – Stand Ages




4.5 Visual Resource Management

Table No. 2 identifies the relative amount of denudation within aggregated VSU's of similar RVQC's within TFL No. 46 during the TYP. Although denudation levels in RVQC's, with the exception of modification, exceed the maximum targets by the end of the TYP, within the TYP 1344.6 hectares have been identified within VSU's as retaining greater than 40% of the cutblock volume to offset constraints. (See figure No. 8) Cutblocks with retention levels exceeding 40% are expected to have negligible impact on visual resources.

Table No. 2 – Denudation by RVQC Classification

Period	Preservation		Retention		Partial Retention		Modification	
	Denudation Actual (%)	Denudation Maximum (%)	Denudation Actual (%)	Denudation Maximum (%)	Denudation Actual (%)	Denudation Maximum (%)	Denudation Actual (%)	Denudation Maximum (%)
0	0.0%	1%	1.5%	5%	13.0%	15%	24.5%	25%
1	13.3%		3.9%		16.6%		27.1%	
2	13.3%		6.4%		15.9%		17.6%	
3	13.3%		8.9%		14.4%		17.5%	
4	13.3%		9.9%		16.0%		21.4%	
Total Area (ha)	21.8		476.1		9,283.7		6,081.8	


Figure No. 8 – Areas within RVQC's with Stand Retention > 40%



4.6 Watershed Assessments

Figure No. 9 identifies the elevation-weighted ECA by period for the Hatton and Gordon watersheds. Proposed harvesting in the TYP failed to elevate the ECA's beyond the maximum acceptable limits in both of these drainages. Both drainages show a declining ECA trend over the term of the TYP.


Figure No. 9 – ECA's for Hatton and Gordon Watersheds



4.7 Community Watersheds

Figure No. 10 identifies the elevation-weighted ECA by period for the Shawnigan Community Watershed. By the fourth period, proposed harvesting in the TYP elevates the ECA's beyond the maximum acceptable limit. ECA increases by 18.4% over the term of the TYP.

Figure No. 10 – ECA's Shawnigan Community Watershed



4.8 Landscape Unit Ecosystem Representation

Figures No. 11 through No. 16 identify the representation (> 250 years) of the six variants within each of the ten landscape units. With the exception of CWHvm1 in the San Juan and CWHmm2 in the Caycuse, no other landscape units had variants drawn down below their old seral targets during the TYP. Those variants below their old seral target prior to the term of the TYP were generally not drawn down further by any significance.

Figure No. 11 – CWHmm1 Old Seral Representation




Figure No. 12 – CWHmm2 Old Seral Representation




Figure No. 13 – CWHvm1 Old Seral Representation




Figure No. 14 – CWHvm2 Old Seral Representation




Figure No. 15 – CWHxm Old Seral Representation





Figure No. 16 – MHmm1 Old Seral Representation



4.9 Special Management Zone Ecosystem Representation

Figures No. 17 and No. 18 identify the representation of stands within SMZ's No. 21 and No. 22 by seral stage. During the Term of the TYP, the SMZ's remain heavily dominated by stands in old and early seral stages. The representation of old stands stay well above target levels. In time, the growth of early stands will satisfy the mature seral targets.

As shown in Figures No. 19 and No. 20, ecosystem variants in old seral stages within each SMZ were not drawn down below their old seral targets (CWHmm1/CWHmm2/CWHxm1 – 9% CWHvm1/CWHvm2 - 13% MHmm1 – 19%) during the TYP.

Figure No. 17 – Walbran Seral Stages




Figure No. 18 – San Juan Seral Stages




Figure No. 19 – Walbran Old Seral Ecosystem Representation






Figure No. 20 – San Juan Old Seral Ecosystem Representation



4.10 Inoperable/Low Site

As shown in Figure No. 21, 473.2 hectares have been proposed in the TYP in areas which have either been identified as inoperable or with low site in the base case scenario of the TSA . This represents only 6.6% of the total 7,172.0 hectares identified as inoperable or with low site within TFL No. 46.


Figure No. 21 – Inoperable/Low Site



4.11 Ungulate Winter Ranges

As shown in Figure No. 22, 88.0 hectares have been proposed in the TYP in areas which have been identified as grandparented UWR's consistent with the base case scenario of the TSA . The IP identifies that the mapped area of UWR's in TFL No. 46 is approximately 2,460 hectares and that netdowns range from 40% to 100% for individual UWR's. Assuming that UWR's have no additional netdowns for other constraints, approximately 573 hectares would be available for harvesting. The harvesting proposed within the TYP represents only 15.4% of the area available to harvesting within UWR's or 3.6% of the total mapped area of UWR's on TFL No. 46.

Figure No. 22 – Ungulate Winter Ranges



4.12 Volume Calculations

Within the TYP, there are example of cutblocks with no volume or very low volume being identified. These are likely a result of either inconsistencies between the forest cover inventory and mapped cutblock projections or portions of the cutblock being harvested prior to the term of the TYP.

Appendix No. 1 (Terms-Of-Reference)

Terms of Reference for Twenty Year Plan
for
Tree Farm Licence No. 46
(Management Plan No. 4)

The Twenty Year Plan for Tree Farm Licence (TFL) No. 46 is a requirement of Section 35(1)(d)(viii)(C) of the *Forest Act* and is intended to provide a hypothetical sequence of harvesting consistent with the measures to be taken and specifications to be followed for meeting the management objectives outlined in Management Plan (MP) No. 4 including:

- Management and utilization of timber resources including harvesting methods and utilization specifications suitable to the types of timber and terrain;
- Protection and conservation of the non-timber values and resources including visual quality, biological diversity, soils, water, recreation resources, cultural heritage resources, range land and fish habitats;
- Integration of harvesting activities with purposes other than timber production;
- Forest fire prevention and suppression;
- Forest health, including pest management;
- Silviculture; and
- Road construction, maintenance and deactivation.

The Timber Supply Information Package (IP) documents inputs and assumptions used in the Timber Supply Analysis to model the measures to be taken and specifications to be followed for meeting the management objectives in MP No. 4. The IP was approved April 24th, 2001. The Twenty Year Plan, for the most part, reflects the base case of the Timber Supply Analysis. The first five year period of the Twenty Year Plan will generally follow the approved Forest Development Plan (FDP) for TFL No. 46. In addition to existing roads, roads required to access conventional cutblocks will be delineated in the Twenty Year Plan up to proposed cutblock boundaries.

The Vancouver Island Land Use Plan (VILUP) was formally established as a Higher Level Plan (HLP) and became effective December 1st, 2000. The VILUP provides for the establishment of Landscape Units within TFL No. 46. As objectives for these Landscape Units will not likely be established by the District Manager prior to approval of MP No. 4, landscape level biodiversity will be modeled using Biodiversity Emphasis Options identified in the VILUP. The Twenty Year Plan Report will summarize the representation of Biogeoclimatic subzone variants in old seral stages by Landscape Unit following each of the four, five year periods. Although not accounted for in the Information Package and Timber Supply Analysis, the Twenty Year Plan will be consistent with the VILUP HLP as it relates to the targets (objectives) set for seral stage representation in Special Management Zones No. 21 (Walbran) and No. 22 (San Juan Ridge) and the relaxed maximum cutblock size and green-up constraints identified for Resource Management Zone No. 47 (Loss – Jordan).

Effective April 4th, 2001, an area of approximately 1,700 hectares within Hill 60 became specified as a Designated Area under Section 169 of the *Forest Act*. The approved Forest Development Plan (FDP) for TFL No. 46, which will generally form the first five year period of the Twenty Year Plan, proposes no cutblocks within the Designated Area. Although the Hill 60 Designated Area ceases to exist during the first five year period of the Twenty Year Plan (March 31st, 2003), cutblocks will not be delineated for the remaining three five year periods. The Twenty Year Plan will instead only report on the amount of harvesting necessary from the Hill 60 Designated Area to achieve the Allowable Annual Cut (AAC) for TFL No. 46.

On October 24th, 1997, the AAC for TFL No. 46 was reduced by 5 percent or 20,196 m³. Subsequently, the Ministry of Forests has identified to TimberWest that their intent is to remove an area from TFL No. 46 of sufficient size to account for this reduction. The Information Package and Timber Supply Analysis do not reflect the take-back of this area and as such the base case uses the entire area of TFL No. 46. As TimberWest and the Ministry of Forests are still in the process of working towards delineating this area, the 20 Year Plan will identify cutblocks throughout TFL No. 46 consistent with the base case analysis.

As identified in MP No. 4, a portion the harvesting on TFL No. 46 may occur outside the limits of the operable land-base when economically and environmentally feasible to do so. The inoperable landbase for the most part consists of large contiguous mapped areas identified as uneconomic to harvest. As the mapping of the inoperable landbase was done at a large scale, primarily for purpose of timber supply analysis, it is anticipated that the 20 Year Plan will identify cutblocks, whether

entirely or in part, within these areas. In addition to the areas identified as inoperable, other smaller areas with low site index value, usually isolated within the broader areas delineated as accessible, have also been excluded from the harvestable landbase. Within the 20 Year Plan, harvesting within these low site areas may be proposed but will likely only occur as part of proposals which are primarily located in adjacent, more productive sites. The Twenty Year Plan will report on the amount of harvesting by period in inoperable and low site areas.

The Twenty Year Plan is due following approval of the IP. It will be presented in two parts:

- A written report; and
- Twenty Year Plan maps at 1:20,000 scale.

20 Year Plan Report

The report will consist of a write-up explaining the underlying assumptions of the Twenty Year Plan.

The report will include tabular information for each cutblock showing the following:

- five year period
- block name
- area
- volume
- harvesting system
- nature of harvesting constraints which apply (i.e. VQO-P, VQO-R, VQO-PR, VQO-M, ESA, wildlife, recreation)
- percent of volume to harvest for those cutblocks which will be harvested using a partial cutting silvicultural system
- area in inoperable and low site

The report will also summarize the representation of Biogeoclimatic subzone variants (old seral stage) in each Landscape Unit following each of the four, five year periods.

The following two tables will be used to summarize information from the Twenty Year Plan:

Harvest Summary Table

Period	Block Name	% To Harvest	Harvesting Constraints							Harvesting Systems		Inop. or Low Site (ha)	Total Area (ha)	Total Volume (m ³)
			Visually Quality Objectives				ESA (ha)	Rec (ha)	Wild (ha)	Con (ha)	Aerial (ha)			
			P (ha)	R (ha)	PR (ha)	M (ha)								
Period Sub-Totals														
Period Sub-Totals														
Period Sub-Totals														
Period Sub-Totals														
Plan Totals														

Ecosystem Representation Table

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage	
			Target (%)	From Plan (%)
		1		
		2		
		3		
		4		
	Average BGC Subzone Variant Representation (%)			
		1		
		2		
		3		
		4		
	Average BGC Subzone Variant Representation (%)			
		1		
		2		
		3		
		4		
	Average BGC Subzone Variant Representation (%)			
		1		
		2		
		3		
		4		
	Average BGC Subzone Variant Representation (%)			

Twenty Year Plan Maps

The maps will show the following features:

- Scale of 1:20,000
- Forest cover in five categories
 - Recently Logged (0 years) – 15 years
 - 16 years – 30 years
 - 31 years – 120 years
 - 121 years – 250 years
 - 250+ years
 -
- roads
- streams and lakes and known classifications
- contours
- legal boundaries
- designated community watersheds and Known domestic surface water sources
- all 100% netdown polygons will be colour filled (non-forest, inoperable, low site, transmission lines, etc)
- netdowns of 50% to 90% will be shown in symbol (i.e. single hatched background)
- netdowns of less than 50% will not be mapped (to reduce map clutter)
- scenic landscape polygons with ratings of preservation (P), retention (R), partial retention (PR) and modification (M) will be outlined on the map and labeled with the corresponding letter
- harvestable timber by block, colour-coded in 5 year periods

Appendix No. 2 (Harvest Summary Tables)

Period	Campus Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Sites (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Upland Winter Forages (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
1	10-10-A	0.0	0.0	17.1	1.3	0.3	0.0	0.0	2.3	0.0	18.4	0.0	0.0	0.0	18.4		
1	10-11-B	0.0	0.0	0.0	5.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	5.5		
1	10-11-C	0.0	0.0	0.0	14.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	14.8	2.9	14.8		
1	10-11-D	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.4	7.6		
1	10-1-F	0.0	0.0	19.8	0.0	0.0	0.0	0.0	0.0	0.0	33.0	0.0	0.0	0.0	33.0		
1	10-2-B	0.0	0.0	6.9	0.0	0.1	0.0	0.0	0.0	0.0	7.6	0.0	0.0	0.0	7.6		
1	10-2-N	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	0.0	0.0	0.0	17.6		
1	10-2-N(1)	0.0	0.0	7.7	0.0	0.1	0.0	0.0	0.0	0.0	23.7	0.0	0.8	0.8	23.7		
1	10-2-R	0.0	0.0	3.1	0.0	2.2	0.0	0.0	0.0	0.0	39.6	0.0	2.9	2.9	39.6		
1	10-4-G	0.0	0.0	15.2	0.0	0.2	0.0	0.0	0.0	0.0	20.9	0.0	0.0	0.0	20.9		
1	10-6-S	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	0.0	7.0	7.0	18.2		
1	10-6-A	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	31.3	0.0	0.0	0.0	31.3		
1	10-6-D	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	29.4	0.0	0.6	0.6	29.4		
1	10-6-F	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
1	10-7-I	0.0	0.0	0.0	18.0	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0		
1	10-7-S	0.0	0.0	1.9	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	1.9	0.0	1.9		
1	10-7-E	0.0	0.0	0.0	19.1	12.6	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	19.1		
1	10-8-H	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	9.4		
1	10-8-J	2.9	0.0	0.0	17.4	0.6	0.0	0.0	0.0	0.0	20.3	0.0	0.0	0.0	20.3		
1	10-8-K	0.0	0.0	1.3	3.7	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	5.0		
1	10-8-L	0.0	0.0	0.1	13.9	0.0	0.0	0.0	0.0	0.0	14.5	0.0	0.7	0.7	14.5		
1	1-10-H	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	23.9	0.0	0.1	0.1	23.9		
1	1-10-J	0.0	0.0	0.3	0.0	18.1	0.0	0.0	0.0	0.0	13.9	32.4	0.0	0.0	46.3		
1	1-12-H	0.0	0.0	24.1	0.0	15.8	0.0	0.0	0.0	0.0	0.0	24.2	0.1	0.1	24.2		
1	1-16-2	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	5.8	5.8	1.2	1.2	11.6		
1	1-1-K	0.0	0.0	24.2	0.0	13.4	0.0	0.0	0.0	0.0	4.9	19.6	2.7	2.7	49.5		
1	1-1-L	0.0	0.0	0.0	18.5	7.1	0.0	0.0	0.0	0.0	9.2	9.2	1.4	1.4	18.5		
1	1-20-S	0.0	0.0	0.0	0.0	13.8	0.0	0.0	0.0	0.0	0.0	18.5	0.0	0.0	18.5		
1	1-23-S	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	19.6	0.0	0.0	19.6		
1	1-30-S	0.0	0.0	0.0	0.0	17.8	0.0	0.0	0.0	0.0	0.0	17.9	0.8	0.8	17.9		
1	1-39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.8	0.0	0.0	0.1	0.1	31.8		
1	15-2-E	0.0	0.0	9.5	0.0	3.9	0.0	0.0	0.0	0.0	0.0	9.5	0.0	0.0	9.5		
1	15-2-F	0.0	0.0	34.6	0.0	11.9	0.0	0.0	0.0	0.0	0.0	34.7	0.0	0.0	34.7		
1	15-3-M	0.0	1.0	63.9	0.0	56.7	0.0	0.0	0.0	36.1	36.1	0.0	0.4	0.4	72.1		
1	15-3-V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	0.0	0.0	8.7		
1	15-3-X	0.0	0.0	21.8	0.0	0.6	0.0	0.0	0.0	0.0	22.2	0.0	0.0	0.0	22.2		
1	15-4-E	0.0	0.9	2.9	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0	6.5		
1	15-4-P	0.0	0.0	9.0	0.0	7.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	9.0		
1	15-4-Y	0.0	0.0	5.6	0.0	2.0	0.0	0.0	0.0	5.1	15.4	0.0	0.4	0.4	20.6		
1	15-6-A	0.0	0.0	19.3	0.0	19.4	0.0	0.0	0.0	0.0	0.0	26.5	0.0	0.0	26.5		
1	15-7-F	0.0	0.0	3.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	3.0	0.0	0.0	3.0		
1	15-7-H	0.0	0.0	5.7	0.0	0.1	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	5.7		
1	16-12	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	5.4	12.7	0.0	0.0	0.0	18.1		
1	16-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	0.0	0.0	0.0	11.7		
1	20-10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.2	0.0	0.0	0.0	0.0	22.2		
1	20-11	0.0	0.0	32.6	0.0	0.0	0.0	0.0	0.0	3.3	29.4	0.0	0.0	0.0	32.7		
1	20-12	0.0	0.0	8.5	0.0	0.0	0.0	0.0	0.0	0.9	7.7	0.0	0.0	0.0	8.5		
1	20-12(1)	0.0	0.0	14.4	0.0	0.0	0.0	0.0	0.0	1.4	12.9	0.0	0.4	0.4	14.4		
1	20-13	0.0	0.0	14.9	0.0	0.0	0.0	0.0	0.0	14.0	21.0	0.0	0.0	0.0	35.1		
1	20-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.7	18.7	0.0	0.0	0.0	37.4		
1	20-15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.0	0.0	0.0	0.0	0.0	35.0		

Parcel	Cutoffs Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
1	2016	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	19.9	0.0	0.0	0.0	33.2		
1	2017	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	5.5	8.2	0.0	0.0	0.0	13.7		
1	2019	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9	0.0	0.0	0.0	0.0	17.9		
1	2020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.3	24.4	0.0	0.0	0.0	40.7		
1	2021	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	18.6	0.0	0.0	0.0	37.3		
1	2029	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	15.2	10.1	0.0	0.0	0.0	25.3		
1	2030	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	35.9	0.0	0.0	0.0	39.9		
1	2031	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.7	0.0	0.0	0.0	0.0	20.7		
1	2040	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.2	21.2	0.0	0.0	0.0	42.3		
1	2042	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	18.1	18.1	0.0	0.0	0.0	36.2		
1	2070	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	10.6	24.7	0.0	0.0	0.0	35.3		
1	2072	0.0	0.0	0.0	17.3	0.0	0.4	0.0	0.0	7.9	31.7	0.0	0.0	0.0	39.6		
1	2083	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	10.8	16.1	0.0	0.0	0.0	26.9		
1	2090	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	11.9	0.0	0.0	0.0	0.0	11.9		
1	2081	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.9	16.6	0.0	0.0	0.0	41.5		
1	2083	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.7	13.8	0.0	0.0	0.0	34.5		
1	2303	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.1	11.6	0.0	0.0	0.0	38.8		
1	2305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.8	0.0	0.0	0.0	0.0	35.8		
1	2307	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.6	0.0	0.0	0.0	0.0	16.6		
1	2309	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.2	0.0	0.0	0.0	0.0	22.2		
1	2402	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.4	17.4	0.0	0.0	0.0	34.8		
1	2404	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.2	11.4	0.0	0.0	0.0	28.6		
1	2408	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.7	17.8	0.0	0.0	0.0	44.5		
1	2520	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.0	0.0	0.0	0.0	39.0		
1	2550	0.0	0.0	0.0	23.6	0.0	0.0	0.1	0.0	13.1	19.7	0.0	0.0	0.1	32.9		
1	2560	0.0	0.0	0.0	33.5	0.0	0.0	0.0	0.0	14.7	22.1	0.0	0.0	0.0	36.8		
1	2570	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	13.8	20.6	0.0	0.0	1.0	34.4		
1	30-1-C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.7	0.0	0.0	0.0	0.0	25.7		
1	30-1-D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	3.8		
1	30-1-F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	0.0	0.0	0.0	0.0	18.0		
1	30-1-G	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	22.3	0.0	0.0	0.0	0.0	22.3		
1	30-1-H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	40.0		
1	30-1-I	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	16.1	0.0	0.0	0.0	0.0	16.1		
1	30-1-J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	0.0	0.0	0.0	0.0	34.8		
1	30-1-J(1)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.8	0.0	0.0	0.0	0.0	12.8		
1	30-1-K	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	14.0	6.0	0.0	0.0	0.0	20.0		
1	30-1-M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.0	0.0	0.0	0.0	0.0	45.0		
1	30-1-P	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	16.0	0.0	0.0	0.0	16.0		
1	30-1-Q(1)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.8	0.0	0.0	0.0	7.5		
1	30-1-Q(2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.4	12.4	0.0	0.0	0.0	24.8		
1	30-1-Q(3)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	2.3	0.0	0.0	0.0	7.5		
1	30-1-Q(4)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	4.4	0.0	0.0	0.0	8.9		
1	30-1-Q(5)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	4.8		
1	30-1-Q(6)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	3.6		
1	30-1-Q(7)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	5.1		
1	30-1-Q(8)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1		
1	30-1-R	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	33.9	0.0	0.0	0.0	0.0	33.9		
1	30-1-S	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	27.9	0.0	0.0	0.0	0.0	27.9		
1	30-1-T	0.0	0.0	17.6	0.0	1.6	0.0	0.0	0.0	8.9	13.3	0.0	0.0	0.0	22.2		
1	30-1-V	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	14.4	14.4	0.0	0.0	0.0	28.8		
1	30-1-W	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	2.5		

Parcel	Cutover Name	Harvesting Constraints										Harvesting Systems			Inoperable and Low Site (ha)	Total Area (ha)
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)	Environmentally Sensitive Areas (ha)	Recreation (ha)	Upland Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
1	30-2-A	0.0	0.0	7.2	0.0	0.0	0.0	0.0	15.3	0.0	0.0	0.0	0.0	0.0	0.0	15.3
1	30-2-C	0.0	0.0	13.4	0.0	0.0	0.0	0.0	27.2	0.0	0.0	0.0	0.0	0.0	0.0	27.2
1	30-2-D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	2.7
1	30-2-E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.2	25.8	0.0	0.0	0.0	0.0	0.0	43.0
1	30-2-G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.7	0.0	0.0	0.0	0.0	0.0	0.0	36.7
1	30-2-J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	0.0	0.0	6.3
1	30-2-K(1)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.6	0.0	0.0	0.0	0.0	0.0	0.0	34.6
1	30-2-P	0.0	0.0	0.0	0.0	0.0	1.0	0.0	31.6	0.0	0.0	0.0	0.0	0.0	0.0	31.6
1	30-3-A	0.0	0.0	4.8	0.0	0.0	0.0	0.0	37.5	0.0	0.0	0.0	0.0	0.0	0.0	37.5
1	30-3-C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7	0.0	0.0	0.0	0.0	0.0	0.0	39.7
1	30-3-D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.2	0.0	0.0	0.0	0.0	0.0	0.0	31.2
1	30-3-F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.4	0.0	0.0	0.0	0.0	0.0	0.0	37.4
1	30-3-H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7	0.0	0.0	0.0	0.0	0.0	0.0	39.7
1	30-3-I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.1	0.0	0.0	0.0	0.0	0.0	0.0	20.1
1	30-4-A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	2.0	0.0	0.0	0.0	0.0	0.0	10.1
1	30-4-B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.8	0.0	0.0	0.0	0.0	0.0	0.0	39.8
1	30-6-A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.1	30.5	0.0	0.0	0.0	0.0	0.0	43.5
1	30-6-B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.1	4.3	0.0	0.0	0.0	0.0	0.0	43.5
1	30-6-G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.3	8.6	0.0	0.0	0.0	0.0	0.0	42.9
1	307	0.0	0.0	0.0	5.5	0.0	0.0	0.0	9.6	12.1	2.4	0.0	0.0	0.0	0.0	24.1
1	322	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.0	7.5
1	323	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	9.5	0.0	0.0	0.0	0.0	0.0	19.0
1	328	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.7	6.2	0.0	0.0	0.0	0.0	0.0	8.9
1	328-1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	3.7	3.7	0.0	0.0	0.0	0.0	0.0	7.3
1	329	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	8.1	0.0	0.0	0.0	0.0	0.0	8.1
1	3-3-P	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.8	0.0	0.0	0.0	0.0	0.0	0.0	20.8
1	342	0.0	0.0	0.0	0.0	0.3	0.0	0.0	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6
1	3-4-D	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	5.1
1	3-5-B	0.0	0.0	0.0	0.0	2.7	0.0	0.0	4.1	9.6	0.0	0.0	0.0	0.0	0.0	13.7
1	3-5-C	0.0	0.0	0.0	0.6	0.3	0.0	0.0	10.7	21.4	0.0	0.0	0.0	0.0	0.0	32.1
1	3-5-D	0.0	0.0	0.0	0.0	0.1	0.0	0.0	16.2	16.2	0.0	0.0	0.0	0.0	0.0	32.4
1	3-5-F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.0	9.0	0.0	0.0	0.0	0.0	0.0	30.0
1	3-5-G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	0.0	0.0	0.0	16.7
1	3-5-H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.7	0.0	0.0	0.0	0.0	0.0	0.0	15.7
1	3-5-I	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0
1	3-5-J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.8	17.8	0.0	0.0	0.0	0.0	0.0	35.6
1	3-5-K	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.6	0.0	0.0	0.0	0.0	0.0	21.6
1	4020	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	4410	0.0	16.6	4.2	0.0	6.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.8
1	4420	0.0	0.0	4.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	4606	0.0	0.0	0.0	0.0	4.6	0.0	7.5	0.0	0.0	14.2	0.0	0.0	0.0	0.0	14.2
1	4630	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	25.6	0.0	0.0	0.0	0.0	0.0	32.0
1	4631	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.7	11.1	0.0	0.0	0.0	0.0	0.0	27.8
1	4662	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.1	0.0	0.0	0.0	0.0	0.0	0.0	14.1
1	5005	0.0	0.0	9.2	0.0	0.6	0.0	0.0	5.5	12.9	0.0	0.0	0.0	0.0	0.0	18.4
1	5010	0.0	0.0	7.9	0.0	4.0	0.0	0.0	0.0	9.2	0.0	0.0	0.0	0.0	0.0	9.2
1	506	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	508	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.5	3.6	0.0	0.0	0.0	0.0	0.0	36.2
1	510	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	6.2	0.0	0.0	0.0	0.0	0.0	15.6
1	5-11-A	0.0	0.0	0.0	0.0	0.1	0.0	0.0	17.0	11.3	0.0	0.0	0.0	0.0	0.0	28.4
1	5-11-B	0.0	0.0	12.9	0.3	3.6	0.0	0.0	5.3	15.8	0.0	0.0	0.0	0.0	0.0	26.3

H-Period	Curbcut Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
1	512	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.4	5.8	0.0	14.0	29.2		
1	514	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.7	7.4	0.0	30.4	37.1		
1	5-2-F(2)	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	16.7	0.0	0.0	16.7		
1	5310	0.0	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0	0.0	16.4	0.0	0.0	16.4		
1	5610	0.0	0.0	0.0	7.2	0.0	5.0	0.0	0.0	0.0	4.4	10.3	0.0	6.9	14.7		
1	5-6-B	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	29.2	0.0	0.0	29.2		
1	5-6-J	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	13.3	0.0	0.0	13.3		
1	5745	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	4.8		
1	5750	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	0.0	8.6		
1	60	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	0.0	10.8	0.0	0.0	10.8		
1	6010	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	0.0	0.0	0.0	11.5		
1	6020	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.0	0.0	0.0	0.0	47.0		
1	6030	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2	0.0	0.0	0.0	18.2		
1	6040	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.8	0.0	0.0	0.0	46.8		
1	6050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.6	0.0	0.0	0.0	25.6		
1	6052	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.0	0.0	0.0	11.4		
1	612	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	18.3		
1	6310	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	8.3	8.3	0.0	0.0	16.5		
1	6330	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	0.0	0.0	5.2		
1	6335	0.0	0.0	0.0	19.8	0.0	0.0	0.0	0.0	0.0	22.0	0.0	0.0	0.0	22.0		
1	6340	0.0	0.0	0.0	23.2	0.0	0.0	0.0	0.0	0.0	6.5	16.7	0.0	0.0	23.2		
1	6350	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	10.6	0.0	0.0	10.6		
1	6410	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	7.9	0.0	0.0	26.5		
1	6411	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9	0.0	0.0	0.0	16.9		
1	6420	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	16.0	0.0	0.0	22.8		
1	6421	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.0	0.0	0.0	0.0	23.0		
1	6431	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	12.8	0.0	0.0	21.3		
1	672	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	47.0	0.0	0.0	47.0		
1	6800	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	4.9	7.3	0.0	0.0	12.2		
1	681	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	19.6	0.0	0.0	19.6		
1	682	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	15.9	0.0	0.0	15.9		
1	683	0.0	0.0	0.0	0.0	0.0	29.3	0.0	0.0	0.0	0.0	23.0	15.3	0.0	38.3		
1	6837	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	3.9		
1	6838	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	5.6		
1	700-1	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	6.8	0.0	6.8		
1	7060	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	4.6	0.0	0.0	4.6		
1	7062	0.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	3.9	15.6	0.0	0.0	19.5		
1	7085	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	22.0	0.0	0.0	22.0		
1	709	0.0	0.0	0.0	8.6	0.0	7.1	0.0	0.0	0.0	3.7	33.7	0.0	0.0	37.4		
1	7130	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.0	0.0	11.4		
1	7140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	14.5	0.0	0.0	20.8		
1	7150	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	28.3	0.0	0.0	31.5		
1	7172	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
1	718	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	1.8	34.7	0.0	0.0	36.5		
1	7270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	10.0		
1	7271	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	21.0	0.3	21.0		
1	746	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	43.3	0.0	2.7	43.3		
1	748	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	19.6	0.0	0.0	19.6		
1	7590	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4	0.0	0.0	0.0	28.4		
1	7592	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	9.9	0.0	0.0	9.9		
1	7680	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.1	0.0	10.1		

Landscape	Gridlock Name	Harvesting Constraints						Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)	
		Recommended/Vision Quality Objectives			Environmentally Sensitive Areas (ha)	Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)		Aerial (ha)			
		Preservation (ha)	Retention (ha)	Partial Retention (ha)					Modification (ha)					
1	7681	0.0	0.0	0.0	0.4	5.6	0.0	0.0	0.0	0.0	0.0	17.9	1.5	17.9
1	7682	0.0	0.0	0.0	0.7	6.6	0.0	0.0	0.0	0.0	0.0	6.6	0.0	6.6
1	769	0.0	0.0	0.0	0.0	9.6	0.0	0.0	0.0	0.0	15.6	11.7	2.2	39.0
1	7690	0.0	0.0	0.0	23.3	23.1	0.0	0.0	10.8	0.0	0.0	42.4	0.0	42.4
1	771	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	35.0	0.0	35.0
1	780	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6	0.0	11.6
1	781	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	9.7	0.0	9.7
1	782	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.2	0.0	16.2
1	782	0.0	0.0	0.0	0.0	12.7	0.0	0.0	0.0	0.0	3.1	27.7	0.0	30.8
1	8021	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.3	0.0	0.0	18.3
1	841	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	4.1	16.3	0.0	20.3
1	891	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	0.0	0.0	6.9
1	912	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	0.0	0.0	32.3
1	922	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	0.0	0.0	11.8
1	9-2-X	0.0	0.0	0.0	30.8	1.3	0.0	0.0	0.0	0.0	42.0	0.0	0.0	42.0
1	9-2-Z	0.0	0.0	0.0	18.3	0.0	0.0	0.0	0.0	0.0	35.1	0.0	0.0	35.1
1	9-2-Z1	0.0	0.0	0.0	10.6	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	11.6
1	976	0.0	0.0	0.0	30.8	9.9	0.0	0.0	0.0	0.0	0.0	32.7	3.2	32.7
1	LC43F	0.0	0.0	10.2	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	10.2
Total Forested		2.9	18.5	522.4	325.4	430.3	6.5	24.2	2204.9	2112.3	695.2	131.4	5012.4	

Curbbox Period	Curbbox Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Upland Winter Ranges (ha)	Ground Bored (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
2	10-11-A	0.0	0.0	0.0	12.8		4.0	0.0	0.0	0.0	0.0	0.0	13.8	0.0	0.0	13.8	
2	1015	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	8.2	8.2	0.0	0.0	16.5	
2	10-2-A	0.0	0.0	14.7	0.2		0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0	0.0	15.3	
2	10-2-C	0.0	0.0	9.6	0.4		0.0	0.0	0.0	0.0	0.0	0.0	10.1	0.0	0.0	10.1	
2	1077	0.0	0.0	10.6			0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0	10.6	
2	1077-1	0.0	0.0	10.6	0.0		6.1	0.0	10.6	0.0	0.0	0.0	0.0	10.6	0.0	10.6	
2	1116	0.0	0.0	0.0	0.0		2.6	0.0	0.0	0.0	0.0	0.0	0.0	10.3	0.0	10.3	
2	1116-1	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.5	
2	1116-2	0.0	0.0	0.0	0.0		1.8	0.0	0.0	0.0	0.0	1.8	0.0	1.8	0.0	1.8	
2	1166	0.0	0.0	0.4	0.0		6.3	0.0	0.0	0.0	0.0	0.0	0.0	11.9	0.0	11.9	
2	1236	0.0	0.0	12.1	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.3	0.0	12.3	
2	1236-1	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.1	8.3	
2	1236-2	0.0	0.0	5.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.1	5.0	
2	1236-3	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.2	9.1	
2	1309	0.0	0.0	0.0	0.0		7.5	0.0	6.9	0.0	0.0	0.0	0.0	12.5	0.0	12.5	
2	1524	0.0	0.0	0.0	0.0		15.7	0.0	0.0	0.0	0.0	0.0	19.7	0.0	0.4	19.7	
2	15-3-N	0.0	0.0	23.3	0.0		16.2	0.0	0.0	0.0	0.0	6.4	6.4	19.1	0.0	25.5	
2	15-4-1	0.0	13.1	17.3	0.0		0.7	0.0	0.0	0.0	0.0	0.0	15.2	15.2	0.0	30.4	
2	1608	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	9.7	0.0	9.7	0.0	9.7	
2	1802	0.0	0.0	0.0	0.0		0.5	0.0	0.0	0.0	0.0	7.7	7.7	24.0	5.2	31.8	
2	2008	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	15.2	0.0	0.0	0.0	15.2	
2	2009	0.0	0.0	11.3	0.0		0.0	0.0	0.0	0.0	0.0	6.2	6.2	0.0	0.0	12.3	
2	2086	0.0	0.0	0.0	6.5		0.0	0.0	0.0	0.0	0.0	31.8	13.6	0.0	0.0	45.4	
2	2090	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	18.4	0.0	0.0	0.0	18.4	
2	214	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	11.6	17.4	0.0	0.2	28.9	
2	2200	0.0	0.0	0.0	0.0		0.0	0.0	0.5	0.0	0.0	37.9	0.0	0.0	0.0	37.9	
2	2403	0.0	0.0	0.0	0.0		0.0	0.0	3.9	0.0	0.0	20.6	13.8	0.0	0.0	34.4	
2	2406	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	8.8	3.8	0.0	1.1	12.5	
2	2430	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	15.7	15.7	0.0	0.0	31.4	
2	2434	0.0	0.0	3.7	0.0		0.0	0.0	0.0	0.0	0.0	5.2	21.0	0.0	4.6	26.2	
2	30-6-G(1)	0.0	0.0	0.0	2.7		0.0	0.0	0.0	0.0	0.0	20.6	0.0	0.0	0.0	20.6	
2	3-5-E	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	6.6	6.6	0.0	0.0	13.3	
2	4001	0.0	0.0	9.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	14.9	0.0	0.0	14.9	
2	4015	0.0	0.0	0.0	0.0		0.0	0.0	2.3	0.0	0.0	3.5	14.1	0.0	0.0	17.6	
2	4019	0.0	0.0	8.7	0.0		0.0	0.0	0.0	0.0	0.0	4.8	11.1	0.0	0.0	15.8	
2	4050	0.0	0.0	0.0	0.9		0.0	0.0	0.0	0.0	0.0	11.7	0.0	0.0	0.0	11.7	
2	4055	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	15.8	0.0	0.0	0.0	15.8	
2	4060	0.0	0.0	0.0	5.0		0.7	0.0	0.0	0.0	0.0	14.8	0.0	0.0	0.0	14.8	
2	4065	0.0	0.0	0.0	0.0		0.6	0.0	0.0	0.0	0.0	24.1	0.0	0.0	0.0	24.1	
2	4090	0.0	0.0	9.0	0.0		0.0	0.0	0.0	0.0	0.0	1.5	13.5	0.0	0.5	15.0	
2	4108	0.0	0.0	23.8	0.0		5.8	0.0	0.0	0.0	0.0	0.0	23.8	0.0	0.0	23.8	
2	4112	0.0	0.0	7.1	0.0		0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.2	7.1	
2	4117	0.0	0.0	16.9	0.0		1.4	0.0	0.0	0.0	0.0	0.0	16.9	0.0	0.0	16.9	
2	4120	0.0	0.0	19.3	0.0		0.1	0.0	0.0	0.0	0.0	0.0	19.4	0.0	0.0	19.4	
2	4210	0.0	0.0	3.0	0.0		0.0	0.0	0.0	0.0	1.9	0.0	8.5	0.0	0.0	8.5	
2	4220	0.0	0.0	0.0	10.0		18.5	0.0	0.0	0.0	0.0	0.0	32.4	0.0	3.0	32.4	
2	4223	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	4.2	4.2	
2	242	0.0	0.0	24.2	0.0		2.8	0.0	0.0	0.0	0.0	0.0	10.0	15.0	3.8	25.0	
2	4245	0.0	0.0	16.6	0.0		6.9	0.0	0.0	0.0	0.0	0.0	0.0	17.3	4.4	17.3	
2	4248	0.0	0.0	3.4	0.0		0.4	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.2	3.4	
2	4250	0.0	0.0	8.1	0.0		1.9	0.0	0.0	0.0	0.0	0.0	8.1	0.0	0.0	8.1	

Parcel ID	County Name	Harvesting Constraints										Harvesting Systems				Incompatible and Low Slope Area (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
2	4270	0.0	0.0	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	0.0	0.0	1.1	9.9	
2	4285	0.0	0.0	13.0	0.0	12.6	0.0	0.0	0.0	0.0	0.0	23.7	0.0	0.0	4.5	23.7	
2	4370	0.0	0.0	17.6	0.0	15.8	0.0	0.0	1.4	0.0	0.0	0.0	17.6	0.0	0.0	17.6	
2	4440	0.0	0.0	11.9	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	11.9	0.0	0.0	11.9	
2	4450	0.0	0.0	12.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	6.2	3.8	4.3	12.4	
2	4486	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	4.3	
2	4487	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.8	
2	4540	0.0	4.7	0.1	0.0	4.2	0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	4.9	
2	4552	0.0	0.1	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0	6.5	
2	4570	0.0	0.0	18.4	0.0	1.3	0.0	0.0	0.0	0.0	0.0	21.2	0.0	0.0	0.0	21.2	
2	4571	0.0	0.0	6.8	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	6.8	0.4	0.0	6.8	
2	4590	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	23.6	0.0	0.0	0.0	23.6	
2	4616	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1	0.0	0.2	0.0	26.1	
2	4720	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	18.7	0.0	0.0	0.0	18.7	
2	4730	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	0.0	0.0	0.0	8.2	
2	4740	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	5.4	0.0	0.0	0.0	5.4	
2	5027	0.0	0.0	0.0	0.0	5.2	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	7.1	
2	5060	0.0	0.0	0.0	2.6	17.0	0.0	0.0	0.0	0.0	0.0	0.0	22.2	21.2	0.0	22.2	
2	5080	0.0	0.0	0.0	23.3	0.4	0.0	0.0	0.0	0.0	0.0	29.2	0.0	0.0	0.0	29.2	
2	5086	0.0	0.0	14.6	8.9	0.0	0.0	0.0	0.0	0.0	16.4	7.0	0.0	0.0	0.0	23.4	
2	5160	0.0	0.0	0.0	0.0	13.2	0.0	0.0	0.0	0.0	0.0	24.1	0.0	0.0	0.0	24.1	
2	5210	0.0	0.0	14.1	3.4	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	0.0	25.8	
2	5215	0.0	0.0	0.0	4.3	4.3	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.2	0.0	4.3	
2	5230	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	12.8	0.0	0.0	0.0	16.1	
2	5236	0.0	0.0	0.0	23.5	0.0	0.0	0.0	0.0	0.0	41.4	0.0	0.0	0.0	0.0	41.4	
2	5305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	10.0	
2	5330	0.0	0.0	0.0	0.0	9.8	0.0	0.0	0.0	0.0	30.8	0.0	0.0	0.0	0.0	30.8	
2	5340	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	2.2	0.0	0.0	4.4	
2	5341	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	2.5	
2	5342	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.4	
2	5365	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	0.0	6.9	0.0	0.0	0.0	6.9	
2	5370	0.0	0.0	0.0	5.5	0.4	0.0	0.0	0.0	0.0	6.9	16.1	0.0	0.0	0.0	23.0	
2	5402	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	4.8	
2	5500	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	7.4	0.0	0.0	0.0	14.9	
2	5550	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	0.0	0.0	0.0	6.9	
2	5552	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	0.0	0.0	0.0	11.3	
2	5570	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	23.1	0.0	0.0	0.0	28.8	
2	5571	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	0.0	0.0	0.0	11.5	
2	5572	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.0	0.0	0.0	0.0	8.1	
2	5579	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.4	0.0	0.0	0.0	18.4	
2	5590	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	0.0	0.0	0.0	18.5	
2	5612	0.0	0.0	0.0	18.8	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.0	5.6	22.0	
2	5620	0.0	0.0	0.0	32.2	1.1	0.0	0.0	0.0	0.0	0.0	35.1	0.0	0.0	0.0	35.1	
2	5630	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	20.6	0.0	0.0	0.0	20.6	
2	5635	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9	0.0	0.0	0.0	12.9	
2	5638	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	14.4	0.0	0.0	0.0	14.4	
2	5715	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	7.7	0.0	0.0	9.6	7.7	
2	5754	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.2	0.0	0.0	0.0	17.2	
2	5771	0.0	0.0	0.0	3.8	0.0	0.0	1.7	0.0	0.0	5.5	8.2	0.0	0.0	0.0	13.7	
2	6065	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	13.0	0.0	0.0	0.0	16.3	
2	6070	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.2	13.8	0.0	0.0	0.0	23.0	

Year/Period	Curbuck Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmental Sensitive Areas (ha)	Recreation (ha)	Ungraze Winter Ranges (ha)	Ground Based (ha)			Conventional Cable (ha)	Aerial (ha)			
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)	Ground Based (ha)				Ground Based (ha)	Ground Based (ha)						
2	6110	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	8.6	0.0	0.0	17.3	
2	6280	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	7.2	0.0	0.0	7.2	
2	6296	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	8.8	0.0	0.0	17.6	
2	6353	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	11.0	0.0	0.0	15.7	
2	6354	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	8.6	0.0	0.0	8.6	
2	6355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.7	0.0	0.0	8.2	
2	6444	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	0.0	9.7	
2	6448	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.5	0.0	0.0	0.0	29.5	
2	6454	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	15.7	15.7	0.0	0.0	15.7	
2	6455	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.7	0.0	0.0	0.0	21.7	
2	6458	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	11.1	0.0	0.0	11.1	
2	6465	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.7	0.0	0.0	29.7	
2	6470	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.5	7.1	0.0	0.0	23.6	
2	675	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	4.3	0.0	17.0	0.0	21.3	
2	676	0.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	0.0	0.0	0.0	0.0	21.9	0.7	21.9	
2	6815	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	16.7	
2	6817	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.1	0.0	0.0	0.0	17.1	
2	682	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	2.2	0.0	0.9	0.0	3.1	
2	6823	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	9.4	
2	682B	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	
2	682C	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.7	
2	6831	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9	7.2	0.0	0.0	24.1	
2	684	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.4	5.8	
2	6840	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.5	0.0	0.0	0.0	26.5	
2	6846	0.0	0.0	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	10.7	0.0	0.0	21.4	
2	7010	0.0	0.0	0.0	0.0	0.0	12.1	0.0	0.0	0.0	0.0	21.5	21.5	0.0	0.0	42.9	
2	7052	0.0	0.0	30.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13.8	32.2	0.0	10.2	46.0	
2	7110	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	22.1	0.0	0.0	31.6	
2	7112	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	12.2	0.9	12.2	
2	7115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.1	4.2	4.2	
2	7124	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	16.0	0.0	1.4	31.9	
2	713	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	29.0	0.2	29.0	
2	7154	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	0.0	0.0	0.0	6.1	14.2	0.0	20.3	
2	7160	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	0.0	10.2	
2	7168	0.0	0.0	0.0	0.0	0.0	6.8	0.0	0.0	0.0	0.0	0.0	0.0	31.0	0.1	31.0	
2	7190	0.0	0.0	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0	0.0	14.3	
2	7192	0.0	0.0	10.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	10.1	0.0	0.0	10.1	
2	7194	0.0	0.0	5.7	0.0	0.0	12.9	0.0	0.0	0.0	0.0	0.0	0.0	13.9	0.0	13.9	
2	7204	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	11.0	
2	7206	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	8.2	12.3	0.0	0.0	20.4	
2	7210	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	8.3	33.1	0.0	41.3	41.3	
2	7240	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0	0.0	14.3	
2	7258	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	29.5	0.0	0.0	29.5	
2	7266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.2	0.0	12.2	
2	7268	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.0	0.0	0.0	33.0	
2	7275	0.0	0.0	0.0	0.0	0.0	13.4	0.0	0.0	0.0	0.0	0.0	0.0	24.9	0.1	24.9	
2	7329	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.4	11.6	0.0	0.0	28.9	
2	7332	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	6.2	0.0	12.4	12.4	
2	7340	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	6.3	6.3	0.0	0.0	12.6	
2	7370	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	22.4	22.4	0.0	44.8	44.8	
2	7380	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	9.1	0.0	9.1	9.1	

Cuckoo's Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Slope (ha)	Total Area (ha)
	General Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
	Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
2	7387	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	24.8	0.0	0.0	0.0	31.0	
2	7424	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	6.4	
2	745	0.0	0.0	0.0	0.0	18.3	0.0	0.0	0.0	0.0	37.5	0.0	0.0	0.0	37.5	
2	7509	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	7.8	11.6	0.0	0.0	0.0	19.4	
2	7515	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	8.0	32.2	0.0	0.0	0.0	40.2	
2	7520	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	17.8	0.0	0.0	0.0	25.4	
2	7540	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	23.3	0.0	0.0	0.0	23.3	
2	7541	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.7	0.0	0.0	0.0	7.4	
2	7580	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	11.6	0.0	0.0	0.0	12.9	
2	7586	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	4.0	35.9	0.0	0.0	0.0	39.9	
2	7603	0.0	0.0	4.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	4.0	
2	7604	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.4	0.0	0.0	0.0	0.0	29.4	
2	7614	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	15.3	15.3	0.0	0.0	0.0	30.6	
2	7618	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	22.3	5.6	0.0	0.0	0.0	27.9	
2	7643	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	6.6	0.0	0.0	6.6	
2	7644	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.0	13.1	0.0	0.0	13.1	
2	7652	0.0	0.0	0.0	0.0	30.7	0.0	0.0	0.0	0.0	0.0	40.6	0.0	0.0	40.6	
2	7702	0.0	0.0	36.8	0.0	8.6	0.0	0.0	0.0	11.1	25.8	0.0	0.0	0.0	36.8	
2	7705	0.0	0.0	7.8	6.5	2.9	0.0	3.5	0.0	0.0	0.0	14.3	0.0	0.0	14.3	
2	774-3	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	12.8	0.0	0.0	12.8	
2	774-4	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	6.9	0.0	0.0	6.9	
2	8003	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	27.5	11.8	0.0	0.0	0.0	39.3	
2	8009	0.0	0.0	0.9	0.0	4.5	0.0	0.0	0.0	15.1	0.0	0.0	0.0	0.0	15.1	
2	800-A	0.0	0.0	0.0	16.7	0.0	7.6	0.0	0.0	13.4	13.4	0.0	0.0	0.0	26.7	
2	8020	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	33.0	0.0	0.0	33.0	
2	8030	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	21.2	0.0	21.2	0.0	0.0	21.2	
2	8110	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	21.0	14.0	0.0	0.0	0.0	35.0	
2	8120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.2	0.0	0.0	0.0	0.0	12.2	
2	8130	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.9	0.0	0.0	0.0	0.0	29.9	
2	8250	0.0	0.0	0.0	29.2	15.2	0.0	0.0	0.0	0.0	0.0	30.7	0.0	0.0	30.7	
2	8255	0.0	0.0	25.9	4.6	5.2	0.0	0.0	0.0	0.0	0.0	35.4	0.0	0.0	35.4	
2	8330	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.8	0.0	0.0	0.0	20.8	
2	8370	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	17.6	0.0	17.6	0.0	0.0	17.6	
2	8371	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	0.0	15.0	
2	8373	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	0.0	19.3	19.3	0.0	0.0	38.6	
2	8374	0.0	0.0	0.0	0.0	11.4	0.0	0.0	0.0	0.0	0.0	22.1	0.0	0.0	22.1	
2	8410	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	26.9	26.9	0.0	0.0	0.0	53.9	
2	8450	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	14.2	0.0	0.0	0.0	14.2	
2	8451	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	5.6	13.0	0.0	0.0	0.0	18.6	
2	8454	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	12.1	28.3	0.0	0.0	0.0	40.5	
2	8456	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	12.1	28.2	0.0	0.0	0.0	40.4	
2	8480	0.0	0.0	0.0	40.3	2.3	0.0	0.0	0.0	17.3	26.0	0.0	0.0	0.0	43.3	
2	8485	0.0	0.0	0.0	0.0	8.9	0.0	0.0	0.0	0.0	35.8	0.0	0.0	0.0	35.8	
2	8487	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.4	0.0	0.0	0.0	33.4	
2	8500	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	35.0	0.0	0.0	0.0	35.0	
2	8580	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	20.9	48.8	0.0	0.0	0.0	69.7	
2	8610	0.0	0.0	32.9	0.0	28.2	0.0	3.9	0.0	0.0	9.9	23.1	0.0	0.0	32.9	
2	8635	0.0	0.0	0.0	30.2	10.6	0.0	0.0	0.0	0.0	36.5	0.0	0.0	0.0	36.5	
2	889	0.0	0.0	9.3	0.0	7.0	0.0	0.0	0.0	3.5	31.4	0.0	0.0	0.0	34.9	
2	9020	0.0	0.0	0.0	0.0	29.2	0.0	0.0	0.0	0.0	33.8	0.0	0.0	0.0	33.8	
2	907-1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	8.4	0.0	0.0	0.0	16.7	

Period	Client/Case Name	Harvesting Constraints										Harvesting Systems				Imperable and Low Site (ha)	Total Area (ha)
		Recommended/Retal Quality Objectives					Environmentally Sensitive Areas		Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)				
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
2	9075	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	26.1	6.5	0.0	0.0	6.2	32.7	
2	9105	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	14.3	0.0	0.0	0.0	14.3	
2	9110	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	6.1	24.5	0.0	0.0	0.0	30.6	
2	9120	0.0	0.0	0.0	0.3		0.0	0.1	0.0	0.0	14.9	0.0	0.0	0.0	0.0	14.9	
2	9130	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	9.8	0.0	0.0	0.0	9.8	
2	914	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	15.9	15.9	0.0	0.0	0.0	31.8	
2	963-2	0.0	0.0	3.9	0.0		0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	4.9	
2	9610	0.0	0.0	0.2	0.0		0.0	0.0	0.0	0.0	13.2	5.7	0.0	0.0	9.0	18.9	
2	9672	0.0	0.0	0.0	25.4		0.0	0.1	0.0	0.0	11.1	25.8	0.0	0.0	0.0	36.9	
2	9710	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	16.8	7.2	0.0	0.0	0.0	24.0	
2	9712	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	16.1	0.0	0.0	0.0	0.0	16.1	
2	9759	0.0	0.0	0.0	2.8		0.0	17.5	0.0	0.0	0.0	49.3	0.0	0.0	0.0	49.3	
2	9760	0.0	0.0	0.0	8.0		0.0	0.0	0.0	0.0	0.0	42.0	0.0	0.0	0.0	42.0	
2	9762	0.0	0.0	0.0	0.0		0.0	0.1	0.0	0.0	0.0	47.1	0.0	0.0	0.0	47.1	
2	9768	0.0	0.0	0.0	0.0		0.0	0.6	0.0	0.0	22.9	22.9	0.0	0.0	1.1	45.9	
2	9770	0.0	0.0	0.0	0.0		0.0	0.5	0.0	0.0	14.9	34.9	0.0	0.0	0.0	49.8	
2	9772	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	12.3	28.7	0.0	0.0	0.0	41.0	
2	977-2	0.0	0.8	0.0	0.0		0.0	0.0	0.0	0.0	0.0	6.9	0.0	6.9	0.0	6.9	
2	977-3	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	17.2	0.0	17.2	0.1	17.2	
2	9775	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	15.3	0.0	0.0	0.0	0.0	15.3	
2	983	0.0	0.0	4.6	0.0		0.0	0.0	0.0	0.0	0.0	17.1	0.0	0.0	4.5	17.1	
2	9846	0.0	0.0	0.0	0.0		0.0	31.7	0.0	0.0	22.3	22.3	0.0	0.0	0.0	44.6	
2	988	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	23.2	0.0	0.0	0.0	0.0	23.2	
Total Factor No. 2		0.0	18.7	597.6	331.5		621.9	22.9	21.2	1372.9	2501.9	779.8	135.5	4654.5			

Period	Climbox Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas		Regeneration (ha)	Ungraze Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)				
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)		Area (ha)										
3	2015(1)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.1	0.0	0.0	0.0	29.1	
3	2021	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	14.0	
3	2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.0	0.0	0.0	0.0	36.6	
3	2405	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	0.0	0.0	0.0	34.0	
3	2407	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	4.1	
3	2408	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	5.1	0.0	0.0	12.8	
3	2409	0.0	0.0	0.0	0.0	0.0	22.2	0.0	0.2	0.0	0.0	21.6	14.4	0.0	0.3	36.1	
3	2433	0.0	0.0	0.0	0.0	15.3	0.0	0.0	0.0	0.0	0.0	7.9	11.8	0.0	0.2	19.6	
3	2465	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	39.5	0.0	0.0	39.5	
3	3-5-A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	
3	4010	0.0	0.0	0.0	0.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	16.4	0.0	0.0	16.4	
3	4066	0.0	0.0	0.0	0.0	19.8	0.0	0.0	0.0	0.0	0.0	0.0	22.2	0.0	0.0	22.2	
3	4068	0.0	0.2	0.0	0.0	16.3	0.0	0.1	0.0	0.0	0.0	0.0	41.1	0.0	0.0	41.1	
3	4101	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	3.6	
3	4105	0.0	0.0	0.0	0.0	14.1	0.0	0.0	0.0	0.0	0.0	0.0	14.1	0.0	0.0	14.1	
3	4107	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	12.3	0.0	0.0	0.0	12.3	
3	4115	0.0	0.0	0.0	0.0	35.7	0.0	0.0	0.0	0.0	0.0	0.0	44.6	0.0	1.5	44.6	
3	4202	0.0	0.0	0.0	0.0	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.0	12.9	22.0	
3	4215	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	24.0	6.2	24.0	
3	4218	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	12.3	0.0	12.3	
3	4230	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	19.8	0.0	0.0	19.8	
3	4231	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	7.7	
3	4234	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.6	0.1	9.6	
3	4293	0.0	0.0	0.0	0.0	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	0.0	10.9	
3	4294	0.0	0.0	0.0	0.0	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.3	0.0	19.3	
3	4385	0.0	0.2	0.0	0.0	7.4	0.0	4.0	0.5	0.0	0.0	0.0	7.6	0.0	0.0	7.6	
3	4391	0.0	0.0	0.0	0.0	4.391	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	8.7	10	
3	4392	0.0	0.0	0.0	0.0	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	11.8	11.8	
3	4411	0.0	0.0	18.8	0.0	0.0	0.0	0.0	18.8	0.0	0.0	0.0	0.0	18.8	0.0	18.8	
3	4421	0.0	0.0	0.0	0.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	4.2	12.0	
3	4430	0.0	0.0	0.0	0.0	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.6	10.4	12.6	
3	4435	0.0	0.0	0.0	0.0	18.8	0.0	10.3	0.0	0.0	4.5	9.4	9.4	0.0	0.0	18.8	
3	4460	0.0	0.0	0.0	0.0	20.6	0.0	2.4	0.0	0.0	0.0	0.0	0.0	20.6	0.0	20.6	
3	4465	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.7	0.0	21.7	
3	4475	0.0	0.0	0.0	0.0	24.7	0.0	19.2	0.0	0.0	0.0	0.0	0.0	24.7	0.0	24.7	
3	4480	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	8.6	0.0	0.0	8.6	0.0	
3	4485	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	8.0	8.0	8.4	16.0	
3	4550	0.0	3.3	22.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	13.2	0.0	26.3	
3	4560	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	3.8	
3	4573	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.9	3.5	
3	4612	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.2	0.0	0.0	0.0	28.2	
3	4636	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	16.7	0.0	0.0	16.7	
3	4650	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0	0.0	38.6	0.0	4.3	38.6	
3	4750	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	14.9	0.0	0.0	14.9	
3	5040	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	14.3	0.0	0.0	14.3	
3	5090	0.0	0.0	0.0	0.0	8.2	5.2	0.0	0.0	0.0	0.0	9.3	4.0	0.0	0.0	13.4	
3	5140	0.0	0.0	0.0	0.0	0.0	16.9	0.0	0.0	0.0	0.0	3.4	13.5	0.0	0.0	16.9	
3	5211	0.0	0.0	0.0	0.0	0.0	1.1	0.1	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	
3	5235	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	30.5	7.6	0.0	0.0	38.2	
3	5277	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	0.0	4.0	4.0	
3	5287	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	2.6	

Parcel	Cottonwood Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmental Sensitive Areas (ha)	Recreation (ha)	Upland Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Relocation (ha)	Partial Relocation (ha)	Modification (ha)												
3	5290	0.0	0.0	0.0	30.1	19.8	0.0	0.0	0.0	0.0	0.0	47.3	0.0	0.0	0.2	47.3	
3	5302	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	9.2	0.0	0.0	0.0	9.2	
3	5315	0.0	0.0	0.0	0.0	11.0	0.0	0.0	0.0	0.0	0.0	24.2	0.0	0.0	0.0	24.2	
3	5350	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	17.9	0.0	0.0	0.0	17.9	
3	5399	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	14.0	0.0	0.0	0.0	14.0	
3	5400	0.0	0.0	0.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	21.0	0.0	0.0	0.0	21.0	
3	5505	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	19.2	0.0	0.0	0.0	19.2	
3	5520	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0	0.0	15.3	
3	5521	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	0.0	14.8	
3	5540	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.6	0.0	0.0	0.0	28.6	
3	5550	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	4.3	
3	5575	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	0.0	0.0	0.0	13.3	
3	5-5-F	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	3.4	13.6	0.0	2.4	17.0	
3	5621	0.0	0.0	0.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0	20.2	0.0	0.0	0.0	20.2	
3	5636	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	5.8	
3	5670	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	7.8	0.0	0.0	15.7	
3	5690	0.0	0.0	0.0	8.5	0.0	0.0	0.0	0.0	0.0	0.0	7.1	4.7	0.0	0.0	11.8	
3	5700	0.0	0.0	0.0	26.8	1.3	0.0	0.0	0.0	0.0	0.0	5.6	22.4	0.0	0.0	28.0	
3	5710	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	18.1	0.0	0.0	36.2	
3	5714	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	9.4	0.0	0.0	15.7	
3	5716	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.6	13.8	0.0	0.0	56.4	
3	5718	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4	26.6	0.0	0.0	38.0	
3	5720	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.1	22.7	0.0	0.0	37.8	
3	5730	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	7.3	17.1	0.0	0.0	24.5	
3	5733	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	24.1	0.0	0.0	34.4	
3	5734	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	4.3	0.0	0.0	17.6	
3	5736	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.3	2.9	0.0	0.0	20.2	
3	5737	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.0	0.0	0.0	11.3	
3	5740	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.7	15.7	0.0	0.0	31.4	
3	5751	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	9.2	0.0	0.0	11.5	
3	5753	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	
3	5755	0.0	0.0	0.0	5.5	1.9	0.0	0.0	0.0	0.0	0.0	8.8	21.2	0.0	0.0	29.1	
3	5758	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	9.0	
3	5760	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	7.7	7.7	0.0	0.0	15.3	
3	5765	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	5770	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	
3	5789	0.0	0.0	0.0	13.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	
3	5790	0.0	0.0	0.0	5.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	0.0	8.3	
3	5793	0.0	0.0	0.0	5.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	5.8	
3	5795	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	9.3	6.2	0.0	0.0	15.5	
3	5804	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	4.6	0.0	0.0	4.8	0.0	0.0	4.8	
3	60-1	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	
3	6015	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.2	8.1	0.0	0.0	40.3	
3	6025	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	8.2	0.0	0.0	16.3	
3	6026	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.1	0.0	0.0	8.3	
3	6031	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	7.5	
3	6049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	9.4	0.0	0.0	18.8	
3	6055	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	13.5	0.0	0.0	26.9	
3	6080	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	8.1	0.0	0.0	16.2	
3	6081	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.7	0.0	0.0	13.4	
3	6082	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.6	

Forest Type	Climax Vegetation	Harvesting Constraints										Harvesting Systems				Inoperable and Low-Site Area (ha)	Total Forest Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Upland Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
3	6100	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.8	0.0	11.0	0.0	0.0	0.0	0.0	11.0	
3	6109	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.6	0.0	0.0	6.6	
3	6110	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	8.6	0.0	0.0	17.1	
3	6180	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	1.6	0.0	0.0	8.1	
3	6181	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.1	0.0	0.0	0.0	0.0	15.1	
3	6182	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	5.4	0.0	0.0	6.7	
3	6183	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.9	0.0	0.0	3.8	
3	6184	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	4.8	
3	6190	0.0	0.0	0.0	23.1	0.0	0.0	0.0	0.0	0.0	10.0	0.0	23.3	0.0	0.0	33.3	
3	6195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.9	0.0	0.0	0.0	0.0	24.9	
3	6210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	15.1	0.0	0.0	0.0	0.0	15.1	
3	6211	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	0.0	0.0	14.0	
3	6215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	7.1	
3	6220	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.4	0.0	0.0	0.0	0.0	27.4	
3	6250	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	6.1	
3	6260	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	0.0	0.0	0.0	0.0	8.2	
3	6261	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0	0.0	0.0	0.0	7.4	
3	6270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	7.6	0.0	5.1	0.0	0.0	12.7	
3	6280	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0	20.0	
3	6336	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	4.9	0.0	0.0	8.2	
3	6341	0.0	0.0	0.0	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	0.0	0.0	12.7	
3	6424	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.6	0.0	0.0	0.0	0.0	25.6	
3	6434	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	22.7	0.0	0.0	32.5	
3	6436	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	28.4	0.0	0.0	0.0	0.0	28.4	
3	6440	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	6.5	0.0	0.0	13.1	
3	6450	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0	24.7	0.0	0.0	35.3	
3	6460	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.8	0.0	9.3	0.0	0.0	31.1	
3	6610	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	0.0	3.4	0.0	0.0	16.9	
3	6640	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.1	0.0	0.0	0.0	0.0	35.1	
3	6670	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	0.0	11.1	
3	6673	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	0.0	16.7	
3	6674	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	17.3	0.0	0.0	0.0	0.0	17.3	
3	6720	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.4	0.0	0.0	0.0	0.0	42.4	
3	6730	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	7.9	0.0	0.8	15.9	
3	6802	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	11.2	0.0	0.0	0.0	0.0	11.2	
3	6805	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	0.0	0.0	0.0	0.0	18.6	
3	6809	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.4	0.0	0.0	0.0	0.0	19.4	
3	6824	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	5.5	
3	6826	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	3.1	
3	6833	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	0.0	0.0	4.4	
3	6842	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	5.5	
3	6843	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	15.2	0.0	0.0	0.0	0.0	15.2	
3	6843	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.0	11.4	
3	6844	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	0.0	0.0	0.0	7.9	
3	6850	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.1	0.0	0.0	0.0	0.0	14.1	
3	69	0.0	0.0	0.0	0.0	0.0	12.9	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	20.0	
3	700	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	14.3	0.0	3.6	17.9	
3	7003	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	21.1	0.0	0.0	0.0	0.0	35.2	
3	7040	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	5.5	0.0	0.0	11.0	
3	7041	0.0	0.0	0.0	0.0	0.0	9.9	0.0	0.0	0.0	0.0	0.0	21.9	0.0	0.0	21.9	
3	7045	0.0	0.0	0.0	0.0	0.0	11.9	0.0	0.0	0.0	0.0	0.0	5.0	0.0	1.1	16.7	

Period	Culbuck Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low-Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)	Harvesting Systems											
3	7050	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0	8.6		
3	7051	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	3.2		
3	7052	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	3.9	9.1	0.0	0.0	0.0	13.0		
3	7065	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	8.4	0.0	0.0	0.0	8.4		
3	7084	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	17.5	0.0	0.0	0.0	0.0	17.5		
3	7100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.3	0.0	0.0	0.0	21.3		
3	7101	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	2.3	5.4	0.0	0.0	7.7		
3	7102	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	2.6	6.1	0.0	0.0	8.7		
3	7108	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	0.0	0.0	0.0	11.8		
3	7109	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	5.8		
3	7128	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	13.5	13.5	0.0	0.0	0.0	27.1		
3	7134	0.0	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	13.8	5.9	0.0	0.6	19.7		
3	7136	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.6	0.0	0.0	0.0	12.6		
3	7158	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	14.7	6.3	0.0	0.6	21.0		
3	716-1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	6.8	0.0	0.4	6.8		
3	7164	0.0	0.0	3.5	0.0	19.4	0.0	0.0	0.0	0.0	0.0	28.4	0.0	0.0	28.4		
3	7166	0.0	0.0	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.1	0.0	0.0	12.1		
3	7200	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	25.1	0.0	0.0	0.0	25.1		
3	7242	0.0	0.0	0.0	0.0	9.9	0.0	0.0	0.0	4.1	16.2	0.0	0.0	0.0	20.3		
3	7250	0.0	0.0	0.0	0.0	6.6	0.0	0.0	0.0	3.2	12.6	0.0	0.0	0.0	15.8		
3	7280	0.0	0.0	0.0	0.0	13.0	0.0	0.0	0.0	0.0	22.0	0.0	0.0	0.0	22.0		
3	7281	0.0	0.0	0.0	0.0	17.9	0.0	0.0	0.0	0.0	0.0	27.7	0.0	0.0	27.7		
3	7284	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	33.6	0.0	0.2	0.0	33.6		
3	7300	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.7	17.7	0.0	0.0	0.0	35.4		
3	7500	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0	12.5	29.2	0.0	0.0	0.0	41.7		
3	7525	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7	0.0	0.0	0.0	39.7		
3	7585	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	27.8	0.0	0.0	0.0	46.4		
3	7615	0.0	0.0	15.6	0.0	3.5	0.0	0.0	0.0	0.0	0.0	36.8	0.0	0.0	36.8		
3	7630	0.0	0.0	14.7	0.0	15.6	0.0	0.0	0.0	0.0	0.0	32.3	0.0	0.0	32.3		
3	7640	0.0	0.0	0.0	0.0	11.2	0.0	0.0	0.0	0.0	0.0	14.5	0.0	0.0	14.5		
3	7642	0.0	0.0	0.0	0.0	11.0	0.0	0.0	0.0	0.0	0.0	19.4	0.0	0.0	19.4		
3	7660	0.0	0.0	0.0	0.1	14.3	0.0	0.0	0.0	0.0	18.4	0.0	0.1	0.0	18.4		
3	7707	0.0	0.0	9.6	0.0	1.0	0.0	0.0	1.5	0.0	0.0	11.1	0.0	0.0	11.1		
3	7709	0.0	0.0	25.5	0.0	0.0	0.0	0.0	0.0	14.4	14.4	0.0	0.0	0.0	28.9		
3	8016	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	20.3	0.0	0.0	0.0	20.3		
3	8252	0.0	0.0	0.0	29.1	10.8	0.0	0.0	0.0	0.0	0.0	33.0	0.0	0.0	33.0		
3	8376	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	26.5	0.0	0.0	0.0	26.5		
3	8431	0.0	0.0	0.0	0.0	8.3	0.0	0.0	0.0	0.0	0.0	9.0	1.3	0.0	9.0		
3	8438	0.0	0.0	0.0	0.0	10.4	0.0	0.0	0.0	0.0	22.0	0.0	0.0	0.0	22.0		
3	8458	0.0	0.0	0.0	7.3	2.9	0.0	0.0	0.0	0.0	23.0	0.0	0.0	0.0	23.0		
3	854-B	0.0	0.0	0.0	0.0	7.2	0.0	0.0	0.0	0.0	20.5	0.0	0.6	0.0	20.5		
3	860	0.0	0.0	0.0	0.0	16.9	0.0	0.0	0.0	0.0	33.6	0.0	0.0	0.0	33.6		
3	9020	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	28.5	0.0	0.0	3.3	0.0	28.5		
3	9021	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	10.7	0.0	0.4	0.0	21.5		
3	9050	0.0	0.0	3.8	0.0	2.9	0.0	0.0	0.0	19.2	8.2	0.0	5.7	0.0	27.5		
3	9052	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4	0.0	0.1	0.0	28.4		
3	9054	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	0.0	0.4	0.0	10.5		
3	9080	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.2	0.0	0.0	0.4	0.0	16.2		
3	910	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.8	0.0	0.0	0.0	12.8		
3	910-1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.4	0.0	0.0	0.0	13.4		
3	946	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.8	0.0	0.0	18.8		

Contour Number	Contour Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low-Site (ha)	Total Area (ha)
		Recommendation Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Upland Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
3	960-4	0.0	0.0	0.0	8.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	1.6	8.6
3	961	0.0	0.0	0.0	5.3		0.0	0.0	1.4	0.0	0.0	0.0	5.3	0.0	0.0	5.3	0.0
3	9755	0.0	0.0	0.0	0.0		0.0	12.1	0.0	0.0	0.0	0.0	49.3	0.0	0.0	49.3	0.0
3	9758	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	8.1	12.1	0.0	0.4	20.2
3	9769	0.0	0.0	0.0	4.4		0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.1	0.0	0.0	29.1
3	977-1	0.0	0.0	0.0	1.2		0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	0.5	0.5	8.2
3	977-4	0.0	0.0	0.0	1.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.3
3	977-5	0.0	0.0	0.0	1.6		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.3
3	9810	0.0	0.0	0.0	0.0		0.0	0.0	0.1	0.0	0.0	0.0	7.7	7.7	0.0	0.1	15.4
3	9812	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	43.2	0.0	0.0	1.1	43.2
3	9816	0.0	0.0	0.0	0.0		0.0	0.5	0.0	0.0	0.0	0.0	21.3	21.3	0.0	0.1	42.6
3	9826	0.0	0.0	0.0	0.0		0.0	0.6	0.0	0.0	0.0	0.0	20.0	20.0	0.0	0.2	40.0
3	9841	0.0	0.0	0.0	0.0		0.0	25.3	0.0	0.0	0.0	0.0	8.0	31.8	0.0	0.0	39.8
3	9844	0.0	0.0	0.0	0.0		0.0	46.4	0.0	0.0	0.0	0.0	0.0	0.0	49.9	0.0	49.9
3	9852	0.0	0.0	0.0	0.0		0.0	8.1	0.0	0.0	0.0	0.0	0.0	37.1	0.0	0.0	37.1
3	9862	0.0	0.2	9.4	0.0		0.0	0.8	1.6	0.0	0.0	0.0	0.0	16.0	0.0	4.3	16.0
3	9870	0.0	0.0	0.0	0.0		0.0	8.7	0.0	0.0	0.0	0.0	0.0	35.5	0.0	0.0	35.5
Total Period No. 3		0.0	22.6	451.6	277.9		549.7		24.3	10.5		1355.5	2196.0	682.8		105.4	4234.3

Period	Cumulative Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Uniquely Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Flower Variation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
4	1018	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.8	0.0	35.8	
4	1162	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	6.4	
4	1525	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	7.7	
4	2018-1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	12.5	17.8	0.0	17.8	0.0	17.8	
4	2025	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.0	0.0	0.0	0.0	0.0	0.0	24.0	
4	2033	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.6	0.0	0.0	0.0	0.0	33.6	
4	2092	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	16.0	10.7	0.0	0.0	0.0	0.0	26.6	
4	2432	0.0	0.0	21.5	0.0	0.0	0.0	0.0	0.0	8.0	32.2	0.0	0.0	0.0	0.0	40.2	
4	2466	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	7.9	0.0	7.9	0.0	7.9	
4	2467	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	11.1	0.0	11.1	0.0	11.1	
4	2468	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	14.8	0.0	14.8	
4	4012	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	13.4	0.0	0.0	0.0	0.0	13.4	
4	4021	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	16.3	0.0	0.0	0.0	0.0	16.3	
4	4025	0.0	0.0	17.3	0.0	0.0	0.0	0.0	0.0	0.0	23.6	0.0	0.0	0.0	0.0	23.6	
4	4026	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	0.0	0.0	0.0	0.0	7.9	
4	4030	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	0.0	0.0	0.0	0.0	0.0	11.7	
4	4031	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.3	0.0	0.0	0.0	0.0	0.0	23.3	
4	4038	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	26.1	0.0	0.0	0.0	0.0	0.0	26.1	
4	4070	0.0	0.0	0.0	18.5	0.8	0.0	0.0	0.0	0.0	29.8	0.0	0.0	0.0	0.0	29.8	
4	4072	0.0	0.0	0.0	22.8	0.0	0.0	0.0	0.0	0.0	24.6	0.0	0.0	0.0	0.0	24.6	
4	4260	0.0	0.0	0.0	28.0	15.0	0.0	0.0	0.0	0.0	42.5	0.0	0.6	42.5	0.6	42.5	
4	4290	0.0	0.0	31.2	0.0	11.8	0.0	0.0	0.0	0.0	23.8	23.8	0.0	23.8	0.0	47.7	
4	4295	0.0	0.0	8.1	0.0	0.1	0.0	0.0	0.0	0.0	8.1	8.1	0.0	8.1	0.0	8.1	
4	4369	0.0	5.7	9.6	0.0	2.1	0.0	6.4	0.6	0.0	7.7	7.7	0.0	7.7	0.0	15.3	
4	4371	0.0	0.0	8.5	0.0	0.7	0.0	0.0	7.8	0.0	0.0	8.5	0.0	8.5	0.0	8.5	
4	4382	0.0	0.0	10.2	0.0	4.6	0.0	0.0	0.3	0.0	0.0	26.7	16.0	26.7	0.0	26.7	
4	4390	0.0	0.0	11.3	0.0	0.0	0.0	0.0	3.3	0.0	0.0	13.0	5.6	13.0	0.0	13.0	
4	4422	0.0	0.0	13.0	0.0	3.5	0.0	0.0	1.9	0.0	0.0	13.0	4.6	13.0	0.0	13.0	
4	4432	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	4.3	0.0	4.3	0.0	4.3	0.0	4.3	
4	4438	0.0	0.0	13.4	0.0	11.8	0.0	0.0	0.0	0.0	0.0	13.4	2.2	13.4	0.0	13.4	
4	4441	0.0	0.0	11.9	0.0	6.5	0.0	0.0	0.0	0.0	11.9	11.9	0.0	11.9	0.0	11.9	
4	4470	0.0	0.0	10.5	0.0	1.6	0.0	0.0	0.0	0.0	5.6	5.6	0.0	5.6	0.0	11.1	
4	4562	0.0	2.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	9.5	9.5	0.0	9.5	0.0	9.5	
4	4572	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	10.9	10.9	3.8	10.9	0.0	10.9	
4	4580	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	7.1	0.0	7.1	0.0	7.1	
4	4603	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.1	0.0	0.0	0.0	0.0	0.0	29.1	
4	4605	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	8.7	0.0	8.7	0.0	8.7	
4	4618	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.9	0.0	0.0	0.0	0.0	0.0	23.9	
4	4625	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	4.2	0.0	0.0	4.2	0.0	4.2	
4	4626	0.0	0.0	0.0	0.0	12.4	0.0	0.0	0.0	0.0	24.8	24.8	0.0	24.8	0.0	24.8	
4	4628	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	9.1	0.0	9.1	0.6	9.1	
4	4631	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	4.0	27.8	7.9	0.4	27.8	0.4	39.7	
4	4651	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	9.4	4.0	0.0	1.5	4.0	1.5	13.4	
4	4654	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	8.3	0.1	8.3	0.1	8.3	
4	4710	0.0	0.0	0.0	0.0	8.0	0.0	0.0	0.0	7.6	30.5	0.0	0.0	30.5	0.0	38.1	
4	4732	0.0	0.0	0.0	0.0	28.0	0.0	0.0	0.0	0.0	29.1	29.1	0.0	29.1	0.0	29.1	
4	4741	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.4	12.4	0.0	0.0	12.4	0.0	13.8	
4	5015	0.0	0.0	0.0	0.0	24.0	0.0	0.0	0.0	0.0	30.0	30.0	0.1	30.0	0.1	30.0	
4	502-1	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	14.8	14.8	0.0	14.8	0.0	14.8	
4	5028	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	22.5	22.5	0.0	22.5	0.0	22.5	

Parcel	Culminal Name	Perpetual Covenants						Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)	Environmentally Sensitive Areas (ha)	Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)		
4	5050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9	0.0	0.0	16.9
4	5070	0.0	0.0	0.0	1.7	12.9	0.0	0.0	0.0	19.9	0.0	0.0	19.9
4	5084	0.0	0.0	0.0	20.6	0.0	0.0	0.0	10.3	10.3	0.0	0.0	20.6
4	5161	0.0	0.0	0.0	0.0	9.8	0.0	0.0	0.0	0.0	19.2	0.0	19.2
4	5165	0.0	0.0	0.0	0.0	12.1	0.0	0.0	0.0	0.0	16.5	0.0	16.5
4	5240	0.0	0.0	0.0	25.6	0.5	0.0	0.0	7.7	18.0	0.0	0.0	25.7
4	5320	0.0	0.0	0.0	0.0	15.1	0.0	0.0	8.1	19.0	0.0	0.0	27.1
4	5385	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	20.0	0.0	0.0	28.6
4	5402	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	5.5	0.0	0.0	5.5
4	5510	0.0	0.0	0.0	0.0	0.5	0.0	0.0	7.2	7.2	0.0	0.0	14.5
4	5560	0.0	0.0	0.0	0.0	2.0	0.0	0.0	17.1	25.7	0.0	0.0	42.8
4	5578	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	5.2	0.0	0.0	10.4
4	5580	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	0.0	0.0	24.3
4	5585	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	14.0
4	5589	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.5	0.0	0.0	13.1
4	5611	0.0	0.0	0.0	6.1	9.7	0.0	0.0	4.6	18.4	0.0	0.4	23.0
4	5615	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	15.1	0.0	0.0	15.1
4	5619	0.0	0.0	0.0	1.3	5.3	0.0	0.0	0.0	18.3	0.0	0.0	18.3
4	5752	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	6.7	0.0	0.0	6.7
4	5800	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4	0.0	0.0	28.4
4	5805	0.0	0.0	0.0	0.1	0.6	0.0	0.0	0.0	13.8	0.0	0.0	13.8
4	5810	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	4.4
4	6060	0.0	0.0	0.0	0.0	0.0	1.0	0.0	3.2	12.9	0.0	0.0	16.1
4	6121	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.4	5.1	0.0	0.0	25.5
4	6290	0.0	0.0	0.0	0.0	2.6	0.0	0.0	8.1	32.6	0.0	0.0	40.7
4	6295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	32.6	0.0	0.0	40.8
4	6297	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	22.4
4	6301	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	0.0	0.0	0.0	11.8
4	6334	0.0	0.0	10.0	0.0	2.6	0.0	2.8	0.0	12.2	0.0	0.0	12.2
4	6337	0.0	0.0	12.3	0.0	0.0	0.0	0.0	6.4	14.9	0.0	0.0	21.3
4	6352	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	7.7
4	6428	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.4	10.4	0.0	0.0	20.8
4	6429	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	8.6	0.0	0.0	17.1
4	6439	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.8	0.0	0.0	9.7
4	6446	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.9	9.8	0.0	0.0	32.7
4	6475	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.3	0.0	0.0	0.0	25.3
4	6680	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	8.6	0.0	0.0	28.6
4	6690	0.0	0.0	18.0	0.0	0.0	0.0	0.0	9.0	9.0	0.0	0.0	18.1
4	677	0.0	0.0	0.0	0.0	18.8	0.0	0.0	0.0	22.7	15.2	0.0	37.9
4	6814	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	25.0
4	6830	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.8	0.0	0.0	0.0	16.8
4	6835	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	0.0	0.0	0.0	13.6
4	6837	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0	0.0	0.0	10.6
4	6848	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.0	0.0	0.0	0.0	35.0
4	689	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	7.2	7.2	0.0	14.4
4	698-1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.8	0.0	16.8
4	698-2	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	9.7	0.0	9.7
4	7061	0.0	0.0	0.0	0.0	10.7	0.0	0.0	0.0	0.0	12.2	0.0	12.2
4	7068	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	11.5	0.0	11.5
4	7070	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.5	0.0	0.0	0.0	16.5
4	7080	0.0	0.0	0.0	29.1	0.0	0.0	0.0	20.6	8.8	0.0	0.0	29.5

Period	Circuit Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Uplands Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
4	1018	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.8	0.0	35.8	
4	1162	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	6.4	
4	1525	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	7.7	
4	2018-1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	12.5	17.8	0.0	17.8	
4	2025	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.0	0.0	0.0	0.0	24.0	
4	2033	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.6	0.0	0.0	33.6	
4	2062	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	16.0	10.7	0.0	0.0	26.6	
4	2431	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2	0.0	0.0	13.2	
4	2432	0.0	0.0	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	32.2	0.0	0.0	40.2	
4	2466	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	7.9	
4	2467	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	11.1	
4	2468	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	14.8	
4	4012	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.4	0.0	0.0	13.4	
4	4021	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.3	0.0	0.0	16.3	
4	4025	0.0	0.0	17.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.6	0.0	0.0	0.0	23.6	
4	4026	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	0.0	0.0	0.0	7.9	
4	4030	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	0.0	0.0	0.0	11.7	
4	4031	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.3	0.0	0.0	0.0	23.3	
4	4038	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1	0.0	0.0	0.0	26.1	
4	4070	0.0	0.0	0.0	18.5	0.0	0.8	0.0	0.0	0.0	0.0	0.0	29.8	0.0	0.0	29.8	
4	4072	0.0	0.0	0.0	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.6	0.0	0.0	24.6	
4	4260	0.0	0.0	0.0	28.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0	42.5	0.6	0.0	42.5	
4	4290	0.0	0.0	31.2	0.0	0.0	11.8	0.0	0.0	0.0	0.0	0.0	23.8	0.0	0.0	47.7	
4	4295	0.0	0.0	8.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	8.1	0.0	0.0	8.1	
4	4369	0.0	5.7	9.6	0.0	0.0	2.1	6.4	0.6	0.0	0.0	0.0	7.7	7.7	0.0	15.3	
4	4371	0.0	0.0	8.5	0.0	0.0	0.7	0.0	7.8	0.0	0.0	0.0	0.0	8.5	0.0	8.5	
4	4382	0.0	0.0	10.2	0.0	0.0	4.6	0.0	0.3	0.0	0.0	0.0	0.0	26.7	16.0	26.7	
4	4390	0.0	0.0	11.3	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	13.0	5.6	13.0	
4	4422	0.0	0.0	13.0	0.0	0.0	3.5	0.0	1.9	0.0	0.0	0.0	0.0	13.0	4.6	13.0	
4	4432	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	4.3	0.0	4.3	
4	4438	0.0	0.0	13.4	0.0	0.0	11.8	0.0	0.0	0.0	0.0	0.0	0.0	13.4	2.2	13.4	
4	4441	0.0	0.0	11.9	0.0	0.0	6.5	0.0	0.0	0.0	0.0	0.0	11.9	11.9	0.0	11.9	
4	4470	0.0	0.0	10.5	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	5.6	5.6	0.0	11.1	
4	4562	0.0	2.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	9.5	0.0	0.0	9.5	
4	4572	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	0.0	3.8	10.9	
4	4580	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	7.1	
4	4603	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.1	0.0	0.0	0.0	29.1	
4	4605	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	0.0	0.0	8.7	
4	4618	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.9	0.0	0.0	0.0	23.9	
4	4625	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	4.2	
4	4626	0.0	0.0	0.0	0.0	0.0	12.4	0.0	0.0	0.0	0.0	0.0	24.8	0.0	0.0	24.8	
4	4628	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	9.1	0.0	9.1	
4	4631	0.0	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	0.0	4.0	27.8	7.9	0.4	39.7	
4	4651	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	9.4	4.0	0.0	1.5	13.4	
4	4654	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	0.0	0.1	8.3	
4	4710	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	0.0	0.0	7.6	30.5	0.0	0.0	38.1	
4	4732	0.0	0.0	0.0	0.0	0.0	28.0	0.0	0.0	0.0	0.0	0.0	29.1	0.0	0.0	29.1	
4	4741	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.4	12.4	0.0	0.0	13.8	
4	5015	0.0	0.0	0.0	0.0	0.0	24.0	0.0	0.0	0.0	0.0	0.0	30.0	0.0	0.1	30.0	
4	502-1	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	14.8	
4	5028	0.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	0.0	22.5	0.0	0.0	22.5	

Period	Curbcut Name	Harvesting Constraints							Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)	
		Recommended Visual Quality Objectives				Environmentally Sensitive Areas (ha)	Recreation (ha)	Ungulate Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)				
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)										
4	5050	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9	0.0	0.0	16.9	16.9
4	5070	0.0	0.0	0.0	1.7	0.0	12.9	0.0	0.0	0.0	19.9	0.0	0.0	19.9	19.9
4	5084	0.0	0.0	0.0	20.6	0.0	0.0	0.0	0.0	10.3	10.3	0.0	0.0	20.6	20.6
4	5161	0.0	0.0	0.0	0.0	0.0	9.8	0.0	0.0	0.0	0.0	0.0	19.2	0.0	19.2
4	5185	0.0	0.0	0.0	0.0	0.0	12.1	0.0	0.0	0.0	0.0	0.0	16.5	0.0	16.5
4	5240	0.0	0.0	0.0	25.6	0.0	0.5	0.0	0.0	7.7	18.0	0.0	0.0	25.7	25.7
4	5320	0.0	0.0	0.0	0.0	0.0	15.1	0.0	0.0	8.1	19.0	0.0	0.0	27.1	27.1
4	5385	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	20.0	0.0	0.0	28.6	28.6
4	5402	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	5.5	0.0	0.0	5.5	5.5
4	5510	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	7.2	7.2	0.0	0.0	14.5	14.5
4	5560	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	17.1	25.7	0.0	0.0	42.8	42.8
4	5578	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	5.2	10.4	0.0	10.4	10.4
4	5580	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	0.0	0.0	24.3	24.3
4	5585	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	14.0	14.0
4	5589	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.5	0.0	0.0	13.1	13.1
4	5611	0.0	0.0	0.0	6.1	0.0	9.7	0.0	0.0	4.6	18.4	0.0	0.0	23.0	23.0
4	5615	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	15.1	0.0	0.0	15.1	15.1
4	5619	0.0	0.0	0.0	1.3	0.0	5.3	0.0	0.0	0.0	18.3	0.0	0.0	18.3	18.3
4	5752	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	6.7	0.0	0.0	6.7	6.7
4	5800	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4	0.0	0.0	28.4	28.4
4	5805	0.0	0.0	0.0	0.1	0.0	0.6	0.0	0.0	0.0	13.8	0.0	0.0	13.8	13.8
4	5810	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	4.4	4.4
4	6060	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.2	12.9	0.0	0.0	16.1	16.1
4	6121	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.4	5.1	0.0	0.0	25.5	25.5
4	6290	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	8.1	32.6	0.0	0.0	40.7	40.7
4	6295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	32.6	0.0	0.0	40.8	40.8
4	6297	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.0	0.0	22.4	22.4
4	6301	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	0.0	0.0	0.0	11.8	11.8
4	6334	0.0	0.0	10.0	0.0	0.0	2.6	0.0	2.8	0.0	12.2	0.0	0.0	12.2	12.2
4	6337	0.0	0.0	12.3	0.0	0.0	0.0	0.0	0.0	6.4	14.9	0.0	0.0	21.3	21.3
4	6352	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	7.7	7.7
4	6428	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.4	10.4	0.0	0.0	20.8	20.8
4	6429	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	8.6	0.0	0.0	17.1	17.1
4	6439	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.8	0.0	0.0	9.7	9.7
4	6446	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.9	9.8	0.0	0.0	32.7	32.7
4	6475	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.3	0.0	0.0	0.0	25.3	25.3
4	6680	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	8.6	0.0	0.0	28.6	28.6
4	6690	0.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	9.0	9.0	0.0	0.0	18.1	18.1
4	677	0.0	0.0	0.0	0.0	0.0	18.8	0.0	0.0	0.0	22.7	15.2	0.0	37.9	37.9
4	6814	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	25.0	25.0
4	6830	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.8	0.0	0.0	0.0	16.8	16.8
4	6835	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	0.0	0.0	0.0	13.6	13.6
4	6837	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	0.0	0.0	0.0	10.6	10.6
4	6848	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.0	0.0	0.0	0.0	35.0	35.0
4	689	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	7.2	7.2	0.0	14.4	14.4
4	689-1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.8	0.0	16.8	16.8
4	689-2	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	9.7	0.0	9.7	9.7
4	7061	0.0	0.0	0.0	0.0	0.0	10.7	0.0	0.0	0.0	0.0	12.2	0.0	12.2	12.2
4	7068	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	11.5	0.0	11.5	11.5
4	7070	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.5	0.0	0.0	0.0	16.5	16.5
4	7080	0.0	0.0	0.0	29.1	0.0	0.0	0.0	0.0	20.6	8.8	0.0	0.0	29.5	29.5

Period	Cutblock Name	Harvesting Constraints										Harvesting Systems				Inoperable and Low Site (ha)	Total Area (ha)
		Recommended Visual Quality Objectives					Environmentally Sensitive Areas (ha)	Recreation (ha)	Uniquely Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)					
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)												
4	7090	0.0	0.0	0.0	0.0	0.0	9.5	0.0	0.0	15.7	23.5	0.0	0.0	0.0	0.0	39.1	
4	7111	0.0	0.0	0.0	0.0	0.0	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1	26.1	
4	7120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.6	12.6	0.0	0.0	0.0	0.0	25.2	
4	7131	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6	0.0	0.0	0.0	0.0	2.6	
4	7145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	4.9	0.0	0.0	0.0	0.0	9.9	
4	7147	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	13.0	0.0	0.0	0.0	13.0	
4	7151	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	0.0	11.5	0.0	0.0	0.0	11.5	
4	7152	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	5.7	
4	7156	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	8.5	0.0	0.0	2.3	8.5	
4	7170	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	11.0	4.7	0.0	0.0	0.0	15.7	
4	7171	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	2.4	5.7	0.0	0.0	8.1	8.1	
4	7173	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	0.0	0.0	0.0	15.6	
4	7175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.9	0.0	0.0	0.0	0.0	28.9	
4	7177	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.5	0.0	0.0	0.0	0.0	31.5	
4	7180	0.0	0.0	1.8	0.0	0.0	0.4	0.0	1.0	4.5	17.8	0.0	0.0	0.0	0.0	22.3	
4	7182	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	14.4	0.0	0.0	0.0	0.0	14.4	
4	7184	0.0	0.0	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	0.0	0.0	14.6	
4	7186	0.0	0.0	4.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	5.6	0.0	0.0	0.0	5.6	
4	7188	0.0	0.0	4.8	0.0	0.0	0.0	0.0	4.9	0.0	0.0	4.9	0.0	0.0	0.0	15.6	
4	7280	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.6	0.0	0.0	0.0	0.0	23.6	
4	7282	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	9.7	0.0	0.0	0.0	0.0	13.9	
4	7310	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.4	0.0	0.0	0.0	0.0	16.4	
4	7315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	19.3	0.0	0.0	0.0	0.0	24.1	
4	7325	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.9	0.0	0.0	0.0	0.0	32.9	
4	7330	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.3	15.3	0.0	0.0	0.0	0.0	30.6	
4	7333	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	16.6	0.0	0.0	0.0	0.0	16.6	
4	7345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	15.9	0.0	0.0	0.0	0.0	17.7	
4	7350	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	10.2	15.3	0.0	0.0	0.0	0.0	25.5	
4	7360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	0.0	0.0	0.0	0.0	11.3	
4	7382	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	6.6	0.0	0.0	0.0	0.0	16.5	
4	7384	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.0	0.0	0.0	0.0	7.6	
4	7386	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.2	0.0	0.0	0.0	0.0	29.2	
4	7390	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	6.1	24.4	0.0	0.0	0.0	0.0	30.5	
4	7400	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.9	0.0	0.0	0.0	0.0	21.9	
4	7426	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	40.0	
4	7428	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	13.8	13.8	0.0	0.0	0.0	0.0	27.7	
4	7430	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.1	23.6	0.0	0.0	0.0	0.0	33.8	
4	7432	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.9	0.0	0.0	0.0	0.0	42.9	
4	7434	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	12.3	0.0	0.0	0.0	0.0	12.3	
4	7436	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	19.4	0.0	0.0	0.0	0.0	19.4	
4	7505	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	3.3	29.4	0.0	0.0	0.0	0.0	32.6	
4	7580	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	11.7	5.0	0.0	0.0	0.0	0.0	16.8	
4	758-1	0.0	0.0	0.0	2.2	0.0	4.7	0.0	0.0	0.0	15.9	10.6	0.0	0.0	0.0	26.5	
4	7602	0.0	0.0	27.7	0.0	0.0	0.1	0.0	0.0	19.4	8.3	0.0	0.0	0.0	0.0	27.7	
4	7610	0.0	0.0	33.3	0.0	0.0	8.5	0.0	0.0	17.0	25.5	0.0	0.0	0.0	0.0	42.5	
4	7613	0.0	0.0	0.0	8.4	0.0	0.2	0.1	0.0	25.2	6.3	0.0	0.0	0.0	2.5	31.5	
4	762	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.7	0.0	0.0	0.0	0.0	30.7	
4	763-1	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	0.0	2.8	11.2	0.0	0.0	0.0	13.9	
4	764	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	8.4	0.0	0.0	0.0	0.0	16.9	
4	7641	0.0	0.0	0.0	0.0	0.0	11.7	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	16.7	
4	7650	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0	0.0	1.2	14.3	

Index	Station Name	Harvesting Objectives					Environmentally Sensitive Areas (ha)			Harvesting Systems			Inoperable and Low Site (ha)	Total Area (ha)	
		Recommended Visual Quality Objectives					Recreation (ha)	Winter Ranges (ha)	Ground Based (ha)	Conventional Cable (ha)	Aerial (ha)				
		Preservation (ha)	Retention (ha)	Partial Retention (ha)	Modification (ha)	Formation (ha)									
4	7654	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	0.0	8.1
4	780	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.3	0.0	29.3
4	8000	0.0	0.0	42.9	0.0	3.7	0.0	0.0	0.0	30.0	12.9	0.0	0.0	0.0	42.9
4	8025	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	9.8	0.0	0.0	0.0	9.8
4	8027	0.0	0.0	0.0	0.0	18.9	0.0	0.0	0.0	0.0	11.1	0.0	11.1	0.2	22.2
4	8251	0.0	0.0	0.0	42.8	8.1	0.0	0.0	0.0	0.0	46.7	0.0	0.0	0.0	46.7
4	8254	0.0	0.0	3.2	42.7	33.0	0.0	0.0	0.0	0.0	22.9	3.1	22.9	3.1	45.9
4	8256	0.0	0.0	0.0	31.7	26.0	0.0	0.0	0.0	0.0	43.7	0.0	62.4	0.0	62.4
4	8372	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13.6	0.0	0.0	0.0	13.6
4	8375	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	19.5	0.0	19.5
4	8377	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	8.9	0.0	8.9	0.0	17.8
4	8470	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	13.0	26.1	0.0	0.0	0.0	26.1
4	8471	0.0	0.0	0.0	26.3	1.3	0.0	0.0	0.0	13.7	31.9	0.0	0.0	0.0	45.6
4	8473	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	27.9	0.0	0.0	0.0	39.9
4	8481	0.0	0.0	0.0	19.2	0.9	0.0	0.0	0.0	7.2	28.9	0.0	0.0	0.0	36.2
4	8483	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.7	0.0	0.0	0.0	23.7
4	857	0.0	0.0	0.0	0.0	15.3	0.0	0.0	0.0	0.0	26.0	0.0	0.0	4.9	26.0
4	8620	0.0	0.0	0.0	22.8	7.0	0.0	0.0	0.0	6.6	26.3	0.0	0.0	0.0	32.9
4	9018	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	5.5	0.0	0.0	0.5	18.2
4	9060	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.2	0.0	0.0	0.0	0.2	31.2
4	9064	0.0	0.0	0.0	0.0	2.3	0.6	0.0	0.0	9.2	21.5	0.0	0.0	1.1	30.7
4	9100	0.0	0.0	47.8	0.0	12.1	16.5	0.0	0.0	14.4	33.5	0.0	0.0	0.0	47.8
4	922-2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.3	0.0	0.0	0.0	12.3
4	924-1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	7.0	14.0	0.0	0.0	0.0	14.0
4	945	0.0	0.0	4.8	0.0	4.7	0.0	0.0	0.0	0.0	19.7	0.0	19.7	0.0	39.4
4	953-1	0.0	0.0	6.3	0.0	6.6	0.0	0.0	0.0	0.0	13.2	0.0	13.2	0.0	13.2
4	95-H	0.0	0.0	0.0	0.0	12.7	0.0	0.0	5.5	4.5	10.6	0.0	0.0	0.0	15.1
4	9605	0.0	0.0	5.9	0.0	12.3	0.0	0.0	0.0	32.1	13.8	0.0	18.8	0.0	45.9
4	9750	0.0	0.0	0.0	21.4	0.0	0.0	0.0	0.0	0.0	42.5	0.0	0.0	0.2	42.5
4	9764	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.9	21.9	0.0	0.0	0.0	43.8
4	9766	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.7	0.0	0.0	0.0	0.0	36.7
4	977	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	7.9	31.8	0.0	14.6	0.6	14.6
4	9776	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.9	0.0	0.0	0.0	0.0	39.7
4	9814	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	24.3	0.0	0.0	0.0	36.9
4	9818	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	29.1	0.0	0.0	0.0	48.6
4	9826(1)	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	41.6	0.0	0.0	0.0	41.6
4	9828	0.0	0.0	0.0	0.0	19.2	0.0	0.0	0.0	0.0	34.6	0.0	0.0	0.1	34.6
4	9832	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	35.5	0.0	0.0	0.0	35.5
4	9850	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	11.4	26.6	0.0	0.0	0.0	38.0
4	9854	0.0	0.0	0.0	0.0	17.1	0.0	0.0	0.0	0.0	34.2	0.0	0.0	0.0	34.2
4	9864	0.0	0.0	0.0	0.0	9.4	4.4	0.0	0.0	10.4	24.4	0.0	0.0	3.9	34.8
4	9868	0.0	0.0	0.0	0.0	20.1	0.0	0.0	0.0	0.0	29.6	0.0	0.0	0.0	29.6
4	987	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	18.3	0.0	0.0	0.0	18.3
4	9874	0.0	0.0	9.8	0.0	1.5	26.7	0.0	0.0	0.0	26.7	0.0	0.0	22.8	26.7
4	9874	0.0	8.2	431.3	377.9	648.4	56.4	30.4	1167.0	2557.3	692.8	0.0	0.0	100.9	4417.1

Appendix No. 3

(Landscape Unit Ecosystem Representation Tables)

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area of Biogeoclimatic Subzone Variant in Landscape Unit (ha)	
			Target (%)	From Plan (%)		
Caycuse	CWHmm1	0	9.0	6.7	5,427.5	
		1		6.6		
		2		6.4		
		3		6.2		
		4		6.1		
	Average Biogeoclimatic Subzone Variant Representation				6.4	
	CWHmm2	0	9.0	10.2	2,048.2	
		1		9.9		
		2		9.0		
		3		8.6		
		4		8.0		
	Average Biogeoclimatic Subzone Variant Representation				9.1	
	CWHvm1	0	13.0	29.1	4,912.4	
		1		26.6		
		2		24.3		
		3		22.3		
		4		19.8		
	Average Biogeoclimatic Subzone Variant Representation				24.4	
	CWHvm2	0	13.0	44.9	1,381.4	
		1		36.9		
		2		33.3		
		3		30.9		
		4		26.3		
	Average Biogeoclimatic Subzone Variant Representation				34.5	
	CWHxm	0	9.0	23.3	405.0	
		1		23.3		
		2		23.3		
		3		19.3		
		4		19.3		
	Average Biogeoclimatic Subzone Variant Representation				21.7	
	MHmm1	0	19.0	66.0	48.6	
		1		65.9		
		2		56.5		
		3		56.5		
		4		45.8		
	Average Biogeoclimatic Subzone Variant Representation				58.2	

¹ Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area ¹ Of Biogeoclimatic Subzone Variant in Landscape Unit (ha)
			Target (%)	From Plan (%)	
Chemainus	CWHmm1	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHmm2	0	9.0	0.8	1,135.9
		1		0.8	
		2		0.8	
		3		0.8	
		4		0.7	
	Average Biogeoclimatic Subzone Variant Representation			0.8	
	CWHvm1	0	13.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHvm2	0	13.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHxm	0	9.0	0.0	1,779.1
		1		0.0	
		2		0.0	
		3		0.0	
		4		0.0	
	Average Biogeoclimatic Subzone Variant Representation			0.0	
	MHmm1	0	19.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	

¹ Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	
Cowichan	CWHmm1	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHmm2	0	9.0	3.4	111.6
		1		3.4	
		2		3.4	
		3		3.4	
		4		1.0	
	Average Biogeoclimatic Subzone Variant Representation			3.0	
	CWHvm1	0	13.0	2.7	105.9
		1		2.7	
		2		2.7	
		3		2.7	
		4		2.7	
	Average Biogeoclimatic Subzone Variant Representation			2.7	
	CWHvm2	0	13.0	6.9	113.3
		1		5.6	
		2		5.6	
		3		5.6	
		4		5.6	
	Average Biogeoclimatic Subzone Variant Representation			5.8	
	CWHxm	0	9.0	0.0	1,322.2
		1		0.0	
		2		0.0	
		3		0.0	
		4		0.0	
	Average Biogeoclimatic Subzone Variant Representation			0.0	
	MHmm1	0	19.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	

¹ Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	
Gordon	CWHmm1	0	9.0	2.0	4,154.2
		1		2.0	
		2		1.8	
		3		1.3	
		4		1.3	
	Average Biogeoclimatic Subzone Variant Representation			1.7	
	CWHmm2	0	9.0	7.4	1,615.2
		1		7.4	
		2		7.4	
		3		7.4	
		4		7.2	
	Average Biogeoclimatic Subzone Variant Representation			7.3	
	CWHvm1	0	13.0	30.0	6,791.3
		1		27.9	
		2		24.7	
		3		21.6	
		4		18.3	
	Average Biogeoclimatic Subzone Variant Representation			24.5	
	CWHvm2	0	13.0	54.1	3,103.4
		1		52.3	
		2		46.4	
		3		40.3	
		4		38.1	
	Average Biogeoclimatic Subzone Variant Representation			46.2	
	CWHxm	0	9.0	0.0	541.0
		1		0.0	
		2		0.0	
		3		0.0	
		4		0.0	
	Average Biogeoclimatic Subzone Variant Representation			0.0	
	MHmm1	0	19.0	80.7	581.7
		1		80.4	
		2		76.4	
		3		72.4	
		4		67.9	
	Average Biogeoclimatic Subzone Variant Representation			75.6	

¹ Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	
Klanawa	CWHmm1	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHmm2	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHvm1	0	13.0	0.0	2.0
		1		0.0	
		2		0.0	
		3		0.0	
		4		0.0	
	Average Biogeoclimatic Subzone Variant Representation			0.0	
	CWHvm2	0	13.0	0.0	6.0
		1		0.0	
		2		0.0	
		3		0.0	
		4		0.0	
	Average Biogeoclimatic Subzone Variant Representation			0.0	
	CWHxm	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	MHmm1	0	19.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	

¹ Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area ¹ Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	
Loss	CWHmm1	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHmm2	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHvm1	0	13.0	72.8	1,379.2
		1		62.5	
		2		57.8	
		3		48.4	
		4		43.8	
	Average Biogeoclimatic Subzone Variant Representation			57.1	
	CWHvm2	0	13.0	87.3	245.0
		1		87.2	
		2		76.1	
		3		72.0	
		4		66.3	
	Average Biogeoclimatic Subzone Variant Representation			77.8	
	CWHxm	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	MHmm1	0	19.0	91.5	133.0
		1		91.5	
		2		86.8	
		3		86.8	
		4		86.8	
	Average Biogeoclimatic Subzone Variant Representation			88.7	

¹ Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area* Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	
Nitinat	CWHmm1	0	9.0	0.9	3,047.4
		1		0.9	
		2		0.7	
		3		0.7	
		4		0.7	
	Average Biogeoclimatic Subzone Variant Representation			0.8	
	CWHmm2	0	9.0	0.8	569.1
		1		0.8	
		2		0.8	
		3		0.8	
		4		0.8	
	Average Biogeoclimatic Subzone Variant Representation			0.8	
	CWHvm1	0	13.0	29.1	5,538.5
		1		25.7	
		2		22.2	
		3		18.8	
		4		16.7	
	Average Biogeoclimatic Subzone Variant Representation			22.5	
	CWHvm2	0	13.0	66.8	1,529.0
		1		59.8	
		2		53.9	
		3		48.5	
		4		43.9	
	Average Biogeoclimatic Subzone Variant Representation			54.6	
	CWHxm	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	MHmm1	0	19.0	87.0	22.8
		1		87.0	
		2		86.9	
		3		86.4	
		4		86.4	
	Average Biogeoclimatic Subzone Variant Representation			86.7	

* Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area ¹ Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	
San Juan	CWHmm1	0	9.0	23.7	4,149.2
		1		21.3	
		2		18.3	
		3		17.2	
		4		14.0	
	Average Biogeoclimatic Subzone Variant Representation			18.9	
	CWHmm2	0	9.0	49.4	1,600.9
		1		48.1	
		2		45.0	
		3		39.0	
		4		34.4	
	Average Biogeoclimatic Subzone Variant Representation			43.2	
	CWHvm1	0	13.0	19.3	15,928.0
		1		17.4	
		2		15.1	
		3		13.9	
		4		12.2	
	Average Biogeoclimatic Subzone Variant Representation			15.6	
	CWHvm2	0	13.0	51.1	4,118.2
		1		46.0	
		2		38.9	
		3		36.4	
		4		30.7	
	Average Biogeoclimatic Subzone Variant Representation			40.6	
	CWHxm	0	9.0	51.7	123.7
		1		45.6	
		2		27.4	
		3		27.4	
		4		14.6	
	Average Biogeoclimatic Subzone Variant Representation			33.3	
	MHmm1	0	19.0	68.5	682.8
		1		63.4	
		2		55.9	
		3		52.2	
		4		46.7	
	Average Biogeoclimatic Subzone Variant Representation			57.4	

¹ Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area ¹ Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	
Tugwell	CWHmm1	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHmm2	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHvm1	0	13.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHvm2	0	13.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHxm	0	9.0	25.4	254.1
		1		25.3	
		2		25.3	
		3		11.7	
		4		11.7	
	Average Biogeoclimatic Subzone Variant Representation			19.9	
	MHmm1	0	19.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	

¹ Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Seral Stage		Total Area ¹ Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	
Walbran	CWHmm1	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHmm2	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	CWHvm1	0	13.0	41.6	4,829.3
		1		36.6	
		2		32.9	
		3		29.3	
		4		23.8	
	Average Biogeoclimatic Subzone Variant Representation			32.8	
	CWHvm2	0	13.0	81.6	1,219.8
		1		71.4	
		2		70.5	
		3		60.8	
		4		50.8	
	Average Biogeoclimatic Subzone Variant Representation			67.0	
	CWHxm	0	9.0	---	---
		1		---	
		2		---	
		3		---	
		4		---	
	Average Biogeoclimatic Subzone Variant Representation			---	
	MHmm1	0	19.0	89.6	647.0
		1		80.1	
		2		75.1	
		3		68.2	
		4		64.3	
	Average Biogeoclimatic Subzone Variant Representation			75.5	

¹ Forested Area

Appendix No. 4
(Special Management Zone Seral Stage Tables)

Special Management Zone	Seral Stage	Period	Seral Stage Representation		Area Of Seral Stage In Special Management Zone (ha)
			Target (%)	From Plan (%)	
Walbran	Early	0	---	10.7	203.5
		1		21.2	403.9
		2		29.3	557.1
		3		39.0	741.1
		4		44.9	855.0
	Average Seral Stage Representation			29.0	
	Mature	0	25.0 - 33.3	0.0	0.0
		1		0.9	16.9
		2		0.9	16.9
		3		0.9	16.9
		4		0.6	10.6
	Average Seral Stage Representation			0.6	
	Old	0	14.1 ²	88.4	1,681.8
		1		78.0	1,483.9
		2		69.9	1,329.3
		3		60.3	1,147.2
		4		54.6	1,039.3
	Average Seral Stage Representation			70.3	
	Total Area ¹ of Special Management Zone				

¹ Forested Area

² 14.1% = [1,091.9 ha (CWHvm1) x 13% + 453.8 ha (CWHvm2) x 13% + 356.5 ha (MHmm1) x 19%] + 1,902.2 ha (Walbran SMZ Forested Area)

Special Management Zone	Seral Stage	Period	Seral Stage Representation		Area ¹ Of Seral Stage In Special Management Zone (ha)
			Target (%)	From Plan (%)	
San Juan Ridge	Early	0	---	25.9	69.2
		1		28.0	74.8
		2		30.3	81.2
		3		32.6	87.3
		4		48.1	128.5
	Average Seral Stage Representation			33.0	
	Mature	0	25.0 - 33.3	0.0	0.0
		1		0.0	0.0
		2		0.0	0.0
		3		0.0	0.0
		4		0.0	0.0
	Average Seral Stage Representation			0.0	
	Old	0	13.9 ²	50.3	134.6
		1		46.5	124.3
		2		42.4	113.5
		3		42.0	112.3
		4		36.0	96.4
	Average Seral Stage Representation			43.5	
	Total Area ¹ of Special Management Zone				267.4

¹ Forested Area

² 13.9% = [171.9 ha (CWHvm1) x 13% + 53.6 ha (CWHvm2) x 13% + 41.9 ha (MHmm1) x 19%] + 267.4 ha (San Juan Ridge Forested Area)

Appendix No. 5

(Special Management Zone Ecosystem Representation Tables)

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Serai Stage		Representation of Mature Serai Stage		Total Area of Biogeoclimatic Subzone Variant in Landscape Unit (ha)
			Target (%)	From Plan (%)	Target (%)	From Plan (%)	
Walbran	CWHmm1	0	9.0	---	25.0 - 33.3	---	---
		1		---		---	
		2		---		---	
		3		---		---	
		4		---		---	
	Average Biogeoclimatic Subzone Variant Representation			---	---	---	---
	CWHmm2	0	9.0	---	25.0 - 33.3	---	---
		1		---		---	
		2		---		---	
		3		---		---	
		4		---		---	
	Average Biogeoclimatic Subzone Variant Representation			---	---	---	---
	CWHvm1	0	13.0	86.2	25.0 - 33.3	0.0	1,091.9
		1		77.6		1.3	
		2		67.2		1.3	
		3		59.1		1.3	
		4		52.8		0.7	
	Average Biogeoclimatic Subzone Variant Representation			68.6	---	0.9	---
	CWHvm2	0	13.0	95.9	25.0 - 33.3	0.0	453.8
		1		81.9		0.5	
		2		79.9		0.5	
		3		64.9		0.5	
		4		58.7		0.5	
	Average Biogeoclimatic Subzone Variant Representation			76.2	---	0.4	---
	CWHxm	0	9.0	---	25.0 - 33.3	---	---
		1		---		---	
		2		---		---	
		3		---		---	
		4		---		---	
	Average Biogeoclimatic Subzone Variant Representation			---	---	---	---
	MHmm1	0	19.0	85.6	25.0 - 33.3	0.0	356.5
		1		74.4		0.0	
		2		65.3		0.0	
		3		58.0		0.0	
		4		55.1		0.0	
	Average Biogeoclimatic Subzone Variant Representation			67.7	---	0.0	---

* Forested Area

Landscape Unit	Biogeoclimatic Subzone Variant	Period	Representation of Old Serai Stage		Representation of Mature Serai Stage		Total Area ¹ Of Biogeoclimatic Subzone Variant In Landscape Unit (ha)
			Target (%)	From Plan (%)	Target (%)	From Plan (%)	
San Juan Ridge	CWHmm1	0	9.0	---	25.0 - 33.3	---	---
		1		---		---	
		2		---		---	
		3		---		---	
		4		---		---	
	Average Biogeoclimatic Subzone Variant Representation		---	---	---	---	---
	CWHmm2	0	9.0	---	25.0 - 33.3	---	---
		1		---		---	
		2		---		---	
		3		---		---	
		4		---		---	
	Average Biogeoclimatic Subzone Variant Representation		---	---	---	---	---
	CWHvm1	0	13.0	32.9	25.0 - 33.3	0.0	171.9
		1		26.9		0.0	
		2		23.3		0.0	
		3		23.3		0.0	
		4		14.5		0.0	
	Average Biogeoclimatic Subzone Variant Representation		---	24.2	---	0.0	---
	CWHvm2	0	13.0	77.6	25.0 - 33.3	0.0	53.6
		1		77.6		0.0	
		2		72.2		0.0	
		3		70.9		0.0	
		4		70.9		0.0	
	Average Biogeoclimatic Subzone Variant Representation		---	73.8	---	0.0	---
	CWHxm	0	9.0	---	25.0 - 33.3	---	---
		1		---		---	
		2		---		---	
		3		---		---	
		4		---		---	
	Average Biogeoclimatic Subzone Variant Representation		---	---	---	---	---
	MHmm1	0	19.0	87.0	25.0 - 33.3	0.0	41.9
		1		87.0		0.0	
		2		83.1		0.0	
		3		82.0		0.0	
		4		79.8		0.0	
	Average Biogeoclimatic Subzone Variant Representation		---	83.8	---	0.0	---

¹ Forested Area

Appendix No. 6 (Twenty Year Plan Maps)