



Status of Ground-Level Ozone in B.C. (2016-2018)

British Columbia operates a network of air monitoring stations that measure ground-level ozone and other air pollutants. This indicator reports on the concentration of ground-level ozone from 2016-2018 and compares it to the Canadian Ambient Air Quality Standard established by the Canadian Council of Ministers of the Environment.

- **Ground-level ozone is an air pollutant.** While ozone in the Earth's atmosphere occurs naturally, additional ozone at the ground level is a pollutant. It forms through chemical reactions involving nitrogen oxides and volatile organic compounds in the presence of sunlight.
- Ground-level ozone can be harmful to humans. Exposure to ground-level ozone (hereafter ozone) can reduce lung function and cause inflammation of airways, which can increase respiratory symptoms and aggravate asthma¹. These effects are linked to more emergency room visits, hospitalizations, and absenteeism, and higher health care costs².
- Ozone levels met the Canadian Ambient Air Quality Standard at 39 of 41 B.C. ozone monitoring stations. Ozone levels (see box below) from the 41 stations ranged from 36 to 66 parts per billion (ppb). Ozone levels were ≤50 ppb at 22 reporting stations (54%). Two stations reported ozone levels >63 ppb.
- Ozone levels met the Canadian Ambient Air Quality Standard in five of B.C.'s seven air zones. The ozone level for an air zone is the highest ozone level reported from monitoring stations within the air zone. Currently, there are no air monitoring stations in the Northwest Air Zone.
- Ozone levels are used to set management levels for each air zone. Four management levels (green, yellow, orange, and red) are each associated with a suite of actions that become more rigorous as ozone levels approach the Canadian Ambient Air Quality Standard.

Ground-Level Ozone: Canadian Ambient Air Quality Standard

Ozone levels are calculated using a statistical form called the ozone metric. The Canadian Ambient Air Quality Standard value for ozone is 63 parts per billion (ppb). The ozone standard is achieved when ozone levels are \leq 63 ppb.


What is an Air Zone?

British Columbia is divided up into seven air zones, which are areas that typically exhibit similar air quality characteristics, issues, and trends.




The map and chart below summarise Canadian Ambient Air Quality Standard achievement status for ozone in B.C. air zones, as well as ozone levels at individual monitoring stations. Summaries are given for each monitoring station where sufficient data was available for the 2016-2018 reporting period.

Status of Ground-Level Ozone Levels in B.C. Air Zones (2016-2018)





Ozone Metrics for Air Monitoring Stations within B.C. Air Zones (2016-2018)





More about the Canadian Ambient Air Quality Standard ozone metric:

- The statistical form of the Canadian Ambient Air Quality Standard ozone metric is the 3-year average of the annual 4th-highest daily maximum 8-hour rolling average concentration.
- The ozone metric for an air zone is the highest ozone metric reported from monitoring stations within the air zone. Air zone metrics are only taken from stations reporting on two years of data when there are no available three year reporting stations in the air zone.
- Only air monitoring stations with sufficient data on ozone concentrations for the 2016-2018 reporting period were included in this indicator. Visit Current Air Quality Data for a complete list of air monitoring stations across B.C.
- Data completeness and sufficiency criteria for the ozone metric value are described in the Guidance Document on Achievement Determination: Canadian Ambient Air Quality Standards for Fine Particulate Matter and Ozone (2012).


Canada-wide Air Quality Management System

The Air Quality Management System is Canada's approach for protecting air quality. Under the Air Quality Management System, provinces and territories monitor, report and manage local air quality within air zones, with the goal of continuously improving air quality and keeping pollutants below the Canadian Ambient Air Quality Standards.


- There are seven air zones in British Columbia: Coastal, Georgia Strait, Lower Fraser Valley, Southern Interior, Central Interior, Northeast and Northwest.
- The Air Zone Management Framework defines management levels based on the highest ozone level reported from monitoring stations within the air zone. The four management levels are (1) green (actions for keeping clean areas clean); (2) yellow (actions for preventing air quality deterioration); (3) orange (actions for preventing Canadian Ambient Air Quality Standard exceedance); and (4) red (actions for achieving air zone Canadian Ambient Air Quality Standard). Actions for each management level are detailed in the Guidance Document on Air Zone Management (2019) (PDF). Air zone management levels are preferentially based on stations with 3 complete years of data.
- The Coastal and Northeast air zones were assigned to a green management level, the Central Interior, Southern Interior and Georgia Strait air zones were assigned to a yellow management level, and the Lower Fraser Valley was assigned to an orange management level. Currently, there are no air monitoring stations in the Northwest air zone.



(2016-2018)







More about the Air Quality Management System management levels:

- There can be cases when an air zone does not achieve a given Canadian Ambient Air Quality Standard because of sources over which jurisdictions have little or no control, such as those related to transboundary flows and exceptional events, like forest fires.
- Prior to determining management levels, jurisdictions have the option of adjusting their air zone metric values to remove such external influences. These arrangements aim to ensure that jurisdictions are responsible for managing only the emissions sources they can control.
- Wildfire influences were determined for two monitoring sites (Hope and Mission in B.C. on a total of thirteen days for the 2016-2018 reporting period. The daily concentrations for these days were removed from the calculations of management levels, resulting in a change from red to orange for the Lower Fraser Valley management level for ground-level ozone.

Methods

The methods used to develop this indicator—including procedures, data requirements, and calculation of the Canadian Ambient Air Quality Standard ozone metric—are detailed in the Guidance Document on Achievement Determination: Canadian Ambient Air Quality Standards for Fine Particulate Matter and Ozone (2012) published by the Canadian Council of Ministers of the Environment.

R package and code: We have developed an R package to facilitate the calculation of air quality metrics according to the Canadian Ambient Air Quality Standards. Download the 'rcaaqs'



package from GitHub. The source code for repeating the analysis presented on this page is also available on GitHub.

References and Other Useful Links

Read individual Air Zone reports on the achievement of the Canadian Ambient Air Quality Standards for ground-level ozone and fine particulate matter in B.C.

Learn more about the implementation of the Air Quality Management System in British Columbia

Access B.C.'s real-time data on air pollutants and find locations of all provincial air monitoring stations in B.C.

BC Lung Asssociation's BC State of the Air Reports

Canadian Environmental Sustainability Indicators: Air Indicators

¹United States Environmental Protection Agency. February 2013. Integrated Science Assessment of Ozone and Related Photochemical Oxidants (600/R-10/076F)

²Willey, J., N. Gilbert, and N. Lyrette. 2004. Human health effects of ozone: Update in support of the Canada-wide standards for particulate matter and ozone. Revised version. Working paper prepared for Canadian Council of Ministers of the Environment. Health Canada. Ottawa, Ontario: Health Canada

Data

*By accessing these datasets, you agree to the licence associated with each file, as indicated in parentheses below.

- Indicator Summary Data: BC Ground-Level Ozone Canadian Ambient Air Quality Standards 2016-2018 (Licence: Open Government Licence British Columbia)
- B.C. Ground-level Ozone Hourly Data & Air Monitoring Station Locations (Licence: Open Government Licence British Columbia)
- B.C. Air Zones (Licence: Open Government Licence British Columbia)

Published and Available On-Line at Environmental Reporting BC (April 2021): http://www.env.gov.bc.ca/soe/indicators/air/ozone.html

Email correspondence to: envreportbc@gov.bc.ca


Suggested Citation:

Environmental Reporting BC. 2021. Status of Ground-Level Ozone in B.C. (2016-2018). State of Environment Reporting, Ministry of Environment and Climate Change Strategy, British Columbia, Canada.




Appendix: Detailed Ground-Level Ozone Canadian Ambient Air Quality Standard Results for Monitoring Stations within Air Zones in B.C. (2016-2018)

Air Zone: Lower Fraser Valley Monitoring Station: Port Moody Ozone Air Quality Standard: Achieved Ozone Metric: 48 ppb (3 year average)






Monitoring Station: Vancouver-Dwtn Ozone Air Quality Standard: Achieved Ozone Metric: 36 ppb (3 year average)






Monitoring Station: Burnaby-Kensington Ozone Air Quality Standard: Achieved Ozone Metric: 48 ppb (3 year average)





Monitoring Station: N. Vancouver-2nd Narrows


Ozone Air Quality Standard: Achieved Ozone Metric: 41 ppb (3 year average)





Air Zone: Central Interior


Monitoring Station: Prince George Ozone Air Quality Standard: Achieved Ozone Metric: 51 ppb (3 year average)





Air Zone: Southern Interior **Monitoring Station:** Kelowna


Ozone Air Quality Standard: Achieved Ozone Metric: 55 ppb (3 year average)





Air Zone: Central Interior


Monitoring Station: Williams Lake Ozone Air Quality Standard: Achieved Ozone Metric: 50 ppb (3 year average)






Air Zone: Southern Interior

Monitoring Station: Kamloops-Fed. Bldg Ozone Air Quality Standard: Achieved Ozone Metric: 52 ppb (3 year average)






Air Zone: Lower Fraser Valley Monitoring Station: Burnaby Mtn Ozone Air Quality Standard: Achieved Ozone Metric: 58 ppb (3 year average)





Air Zone: Lower Fraser Valley **Monitoring Station:** Surrey


Ozone Air Quality Standard: Achieved Ozone Metric: 53 ppb (3 year average)






Air Zone: Central Interior **Monitoring Station:** Smithers

Ozone Air Quality Standard: Achieved Ozone Metric: 48 ppb (3 year average)






Air Zone: Lower Fraser Valley Monitoring Station: Richmond South Ozone Air Quality Standard: Achieved Ozone Metric: 47 ppb (3 year average)






Air Zone: Lower Fraser Valley Monitoring Station: Burnaby South Ozone Air Quality Standard: Achieved Ozone Metric: 44 ppb (3 year average)






Air Zone: Lower Fraser Valley Monitoring Station: North Delta Ozone Air Quality Standard: Achieved Ozone Metric: 45 ppb (3 year average)





Air Zone: Central Interior **Monitoring Station:** Quesnel


Ozone Air Quality Standard: Achieved Ozone Metric: 50 ppb (3 year average)





Monitoring Station: N. Vancouver-Mahon Park


Ozone Air Quality Standard: Achieved Ozone Metric: 47 ppb (3 year average)





Air Zone: Lower Fraser Valley **Monitoring Station:** Langley


Ozone Air Quality Standard: Achieved Ozone Metric: 59 ppb (3 year average)





Air Zone: Lower Fraser Valley **Monitoring Station:** Chilliwack


Ozone Air Quality Standard: Achieved Ozone Metric: 59 ppb (3 year average)





Air Zone: Lower Fraser Valley **Monitoring Station:** Hope


Ozone Air Quality Standard: Not Achieved Ozone Metric: 65 ppb (3 year average)





Air Zone: Georgia Strait **Monitoring Station:** Whistler


Ozone Air Quality Standard: Achieved Ozone Metric: 53 ppb (3 year average)





Air Zone: Georgia Strait **Monitoring Station:** Nanaimo


Ozone Air Quality Standard: Achieved Ozone Metric: 45 ppb (3 year average)






Air Zone: Georgia Strait

Monitoring Station: Victoria-Topaz Ozone Air Quality Standard: Achieved Ozone Metric: 46 ppb (3 year average)






Air Zone: Lower Fraser Valley Monitoring Station: Pitt Meadows Ozone Air Quality Standard: Achieved Ozone Metric: 54 ppb (3 year average)






Air Zone: Lower Fraser Valley Monitoring Station: Maple Ridge Ozone Air Quality Standard: Achieved Ozone Metric: 62 ppb (3 year average)






Monitoring Station: Richmond-Airport Ozone Air Quality Standard: Achieved Ozone Metric: 43 ppb (3 year average)






Monitoring Station: Abbotsford-Mill Lake Ozone Air Quality Standard: Achieved Ozone Metric: 60 ppb (3 year average)





Air Zone: Georgia Strait **Monitoring Station:** Colwood


Ozone Air Quality Standard: Achieved Ozone Metric: 50 ppb (3 year average)





Air Zone: Lower Fraser Valley **Monitoring Station:** Coquitlam


Ozone Air Quality Standard: Achieved Ozone Metric: 53 ppb (2 year average)





Air Zone: Southern Interior **Monitoring Station:** Vernon


Ozone Air Quality Standard: Achieved Ozone Metric: 51 ppb (3 year average)






Air Zone: Georgia Strait

Monitoring Station: Duncan-Cairnsmore Ozone Air Quality Standard: Achieved Ozone Metric: 51 ppb (2 year average)





Air Zone: Lower Fraser Valley Monitoring Station: Tsawwassen Ozone Air Quality Standard: Achieved Ozone Metric: 49 ppb (3 year average)






Air Zone: Georgia Strait

Monitoring Station: Courtenay


Ozone Air Quality Standard: Achieved Ozone Metric: 47 ppb (3 year average)





Air Zone: Southern Interior **Monitoring Station:** Castlegar


Ozone Air Quality Standard: Achieved Ozone Metric: 46 ppb (3 year average)





Air Zone: Lower Fraser Valley


Monitoring Station: Abbotsford-Airport Ozone Air Quality Standard: Achieved Ozone Metric: 58 ppb (3 year average)





Air Zone: Lower Fraser Valley **Monitoring Station:** Agassiz


Ozone Air Quality Standard: Achieved Ozone Metric: 60 ppb (3 year average)





Air Zone: Northeast


Monitoring Station: Fort St. John Ozone Air Quality Standard: Achieved Ozone Metric: 50 ppb (3 year average)





Air Zone: Coastal


Monitoring Station: Terrace-Skeena Ozone Air Quality Standard: Achieved Ozone Metric: 46 ppb (3 year average)





Air Zone: Lower Fraser Valley **Monitoring Station:** Mission


Ozone Air Quality Standard: Not Achieved Ozone Metric: 66 ppb (3 year average)





Air Zone: Northeast **Monitoring Station:** Taylor


Ozone Air Quality Standard: Achieved Ozone Metric: 51 ppb (2 year average)





Air Zone: Lower Fraser Valley

Monitoring Station: New Westminster Ozone Air Quality Standard: Achieved Ozone Metric: 48 ppb (3 year average)





Air Zone: Lower Fraser Valley

Monitoring Station: Vancouver-Clark Dr. Ozone Air Quality Standard: Achieved Ozone Metric: 43 ppb (3 year average)

