



B-R-101-1 Series
Page 1



B-R-101-2 Series
Page 1



B-R-101 Tabs
Page 1



B-R-102 Series
Page 2



B-R-102-Ta Series
Page 2



B-R-102-Tb Series
Page 3



B-R-104-1 Series
Page 4



B-R-104-2 Series
Page 4



B-R-106 Series
Page 5



B-R-108 Series
Page 5



B-R-112 Series
Page 6



B-R-116-L Series
Page 6



B-R-116-R Series
Page 7



B-R-118-L Series
Page 7



B-R-118-R Series
Page 8



B-R-120 Series
Page 8



B-R-124 Series
Page 9



B-W-310-1 Series
Page 9



B-W-310-1 Tabs
Page 10



B-W-310-2 Series
Pages 10



B-W-310-2 Tabs
Page 11



B-W-315 Series
Page 11



B-W-320 Series
Page 12



B-C-002 Series
Page 12



B-C-004-1A Series
Page 13



B-C-004-1L Series
Page 13



B-C-004-1R Series
Page 14



B-C-004-2 Series
Page 14



B-C-004 Tabs
Page 15



B-C-020 Series
Page 15



B-C-020 Tab
Page 16



B-G-001 Series
Page 16



B-G-001 Tabs
Pages 17, 18 & 19



B-G-002 Series
Page 19



B-G-002 Tab
Page 20



B-G-003-1L Series
Page 20



B-G-003-1R Series
Page 21



B-G-003-2L Series
Page 21



B-G-003-2R Series
Page 22



B-G-004 Series
Page 22



B-G-006-1 Series
Page 23



B-G-006-2 Series
Page 23



B-G-006-3 Series
Page 24



B-G-008-1
Page 24



B-G-008-2
Page 25



B-G-008-3T
Page 25




B-G-010-1 Series
Page 26



B-G-010-2 Series
Page 26



B-G-015
Page 27



B-G-015 Tabs
Page 27



B-G-017
Page 28

Graphic Sign Index

SECTION 1.3 | BICYCLE SIGNS



B-G-017 Tabs
Page 28



B-I-001
Page 29



B-I-001-2
Page 29



B-I-001-Tabs
Page 30



B-I-002
Page 30



B-I-001-3
Page 31

Sign Item Number	Description	Page
B-R-101-1	No Bike symbol	1
B-R-101-2	Walk Bicycle symbol	1
B-R-101-Ta	This Side of Barrier tab	1
B-R-101-Tb	Cyclists Stop & Dismount tab	1
B-R-101-Tc	On Sidewalk	1
B-R-101-Td	Down Ramp	1
B-R-101-Te	Cyclists Prohibited tab	1
B-R-102	Shared Pathway (Bike/Ped)	2
B-R-102x	Shared Pathway (Bike/Ped)	2
B-R-102-Ta	Shared Pathway (Bike/Ped)	2
B-R-102-Tax	Shared Pathway (Bike/Ped)	2
B-R-102-Tb	Shared Pathway (Bike/Ped) ENDS	3
B-R-102-Tbx	Shared Pathway (Bike/Ped) ENDS	3
B-R-104-1	Bike symbol, Narrow Roads & Shoulders, Ride Single File, No Stopping on Road symbol	4
B-R-104-2	Cyclists Single File, Keep Right	4
B-R-106	Bike Symbol, Yield to Opposing Cyclists	5
B-R-108	Cyclists Use Sidewalk Only, YIELD Right-of-way to Pedestrians	5
B-R-112	Ped/Bike symbols, Must Use Sidewalk at All Times, Freeway Crossing Prohibited	6
B-R-116-L	Ped/Bike symbols, with Signal Push Button symbol LEFT ARROW	6
B-R-116-R	Ped/Bike symbols, with Signal Push Button symbol RIGHT ARROW	7
B-R-118-L	Bike symbol, with Signal Push Button symbol LEFT ARROW	7
B-R-118-R	Bike symbol, with Signal Push Button symbol RIGHT ARROW	8
B-R-120	Bike symbol, with Signal Push Button symbol AHEAD ARROW	8
B-R-124	Cyclists Must Push Button to Warn of Presence in Tunnel	9
B-W-310-1	Bike Slippery Surface symbol	9
B-W-310-1Ta	Slippery When Wet tab	10
B-W-310-1Tb	Slippery When Frosty tab	10
B-W-310-1Tc	Cyclists Use Caution tab	10
B-W-310-2	Cyclist Crash symbol Broken/Grooved Pavement symbol	10
B-W-310-2Ta	Grooved Bridge Deck tab	11
B-W-310-2Tb	Uneven Road tab	11
B-W-310-2Tc	Uneven Pathway tab	11
B-W-310-2Td	Cattleguard tab	11
B-W-310-2Te	Railway Crossing tab	11
B-W-315	Oncoming Traffic	11
B-W 310	Bike Symbol Downhill Grade symbol (%)	12
B-C-002	Bike symbol, Lane Closed	12

Sign Item Number	Description	Page
B-C-004-1A	Bike symbol, Detour AHEAD ARROW	13
B-C-004-1L	Bike symbol, Detour AHEAD-LEFT ARROW	13
B-C-004-1R	Bike symbol, Detour AHEAD-RIGHT ARROW	14
B-C-004-2	Bike symbol, Detour Ends	14
B-C-004-Ta	Next () km tab	15
B-C-004-Tb	() . () km tab	15
B-C-004-Tc	() 00 km tab	15
B-C-020	Bike symbol, SLOW, Ped symbol	15
B-C-020T	Watch for Pedestrians Tab	16
B-G-001	Bike symbol, Bike Route	16
B-G-001-Ta	Single Destination () ARROW	17
B-G-001-Tb	Double Destination () ARROW	17
B-G-001-Tc	Triple Destination () ARROW	18
B-G-001-Td	Cross Here When Safe tab	18
B-G-001-TeA	AHEAD ARROW tab	19
B-G-001-TeLR	LEFT/RIGHT ARROW tab	19
B-G-001-TeBL	LEFT ANGLED ARROW tab	19
B-G-001-TeBR	RIGHT ANGLED ARROW tab	19
B-G-002	Ped/Cyclist symbol, Bike and Pedestrian Route	19
B-G-002-T	() ARROW () m tab	20
B-G-003-1L	Bike symbol Left, Ped symbol Right (Path/Lane order)	20
B-G-003-1R	Ped symbol Left, Bicycle symbol right (Path/Lane order)	21
B-G-003-2L	Bike symbol Left, AHEAD ARROW, One Way; Ped symbol Right (Path/Lane order)	21
B-G-003-2R	Ped symbol Left, Bike symbol Right, AHEAD ARROW, One Way (Path/Lane order)	22
B-G-004	Bike symbol, AHEAD ARROW, One Way	22
B-G-006-1	Bike symbol with () Route symbol, () Direction and () ARROW	23
B-G-006-2	Bike symbol with () Double Route symbols, () Directions and () Arrows	23
B-G-006-3	Bike symbol with () Route symbol, () Direction and () ARROW; and () Ferry Terminal with () ARROW	24
B-G-008-1	Cross-Border Pedestrian and Bicycle Signing - CANADA	24
B-G-008-2	Cross-Border Pedestrian and Bicycle Signing - U.S.A.	25
B-G-008-3T	Cross-Border Pedestrian and Bicycle Signing - CUSTOMS TAB	25
B-G-010-1	Bike Lane Begins	26
B-G-010-2	Bike Lane Ends	26
B-G-015	CYCLING ROUTE Parent Sign	
B-G-015-Ta	ROUTE NAME tab (single line)	27

Sign Item Number	Description	Page
B-G-015-Tb	ROUTE NAME tab (double line)	27
B-G-015-Tc	AHEAD ARROW tab	27
B-G-015-Td	DOUBLE ARROW tab	27
B-G-015-Te	LEFT/RIGHT ARROW tab	27
B-G-015-Tf	LEFT ANGLED ARROW tab	27
B-G-015-Tg	RIGHT ANGLED ARROW tab	27
B-G-017	For indicating Trans-Canada Trail Route	28
B-G-017-x	For indicating Trans-Canada Trail Route	28
B-G-017-Tabs	For indicating Trans-Canada Trail Route	28
B-G-017-Tabs-x	For indicating Trans-Canada Trail Route	28
B-I-001	E-Bike Charging Station Symbol	29
B-I-001-2	E-Scooter Charging Station Symbol	29
B-I-001-Ta	E-Bike Charging Station Tabs (distance in m)	30
B-I-001-Tb	E-Bike Charging Station Tabs (distance in km)	30
B-I-001-Tc	E-Bike Charging Station Tabs (arrow ahead)	30
B-I-001-Td	E-Bike Charging Station Tabs (arrow left or right)	30
B-I-001-Te	E-Bike Charging Station Tabs (arrow diagonal left)	30
B-I-001-Tf	E-Bike Charging Station Tabs (arrow diagonal right)	30
B-I-002	Charging Station - E-Bike and Scooter Symbols	31
B-I-003	Lockers - E-Bike and Scooter Symbols	31

0.081 Aluminum



B-R-101-1



B-R-101-2

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-101-1	600 x 600	1	-	Slow Speed / Bicycle
B-R-101-2	600 x 600	1	RTE	Slow Speed / Bicycle

0.081 Aluminum



B-R-101-Ta



B-R-101-Tb



B-R-101-Tc



B-R-101-Td



B-R-101-Te

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-101 Tabs	600 x 300	1	RTE	Slow Speed / Bicycle

NOTE: Provide individual tab number when placing order.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-102	300 x 300	1	-	Slow Speed / Bicycle
B-R-102x	450 x 450	1	STE	Slow Speed / Bicycle – High Level

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-102-Ta	300 x 200	1	-	Slow Speed / Bicycle
B-R-102-Tax	450 x 300	1	STE	Slow Speed / Bicycle – High Level

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-102-Tb	300 x 150	1	-	Slow Speed / Bicycle
B-R-102-Tbx	450 x 200	1	STE	Slow Speed / Bicycle – High Level

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-104-1	600 x 750	1	-	Slow Speed / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-104-2	450 x 300	1	-	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-106	450 x 600	1	-	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-108	450 x 600	1	-	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-112	450 x 600	1	-	Slow Speed / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-116-L	130 x 200	1	-	Static / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-116-R	130 x 200	1	-	Static / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-118-L	130 x 200	1	-	Static / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-118-R	130 x 200	1	-	Static / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-120	450 x 600	1	-	Static / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-124	750 x 600	1	-	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-310-1	450 x 450	9	RTE	Slow Speed / Bicycle

0.081 Aluminum



B-W-310-1Ta



B-W-310-1Tb



B-W-310-1Tc

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-310-1 Tabs	400 x 200	9	RTE	Slow Speed / Bicycle

NOTE: Provide individual tab number when placing order.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-310-2	450 x 450	9	RTE	Slow Speed / Bicycle

0.081 Aluminum



B-W-310-2Ta



B-W-310-2Tb



B-W-310-2Tc



B-W-310-2Td



B-W-310-2Te

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-310-2 Tabs	400 x 200	9	RTE	Slow Speed / Bicycle

NOTE: Provide individual tab number when placing order.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-315	450 x 450	9	RTE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-320	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-002	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-1A	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-1L	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-1R	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-2	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



B-C-004-Ta



B-C-004-Tb



B-C-004-Tc

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-Tabs	400 x 200	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-020	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-020-T	400 x 200	9	RTE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001	600 x 450	1	-	Cycling Route / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Ta	600 x 200	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Tb	600 x 300	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Tc	600 x 450	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Td	600 x 400	1	-	Cycling Route / Bicycle

0.081 Aluminum



B-G-001-TeA



B-G-001-TeLR



B-G-001-TeBL



B-G-001-TeBR

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Te Tabs	600 x 300	1	RTE	Cycling Route / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-002	600 x 750	1	RTE	Cycling Route / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-002-T	600 x 200	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-003-1L	600 x 300	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-003-1R	600 x 300	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-003-2L	600 x 450	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-003-2R	600 x 450	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-004	600 x 450	1	RTE	Cycling Route / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-006-1	600 x 900	1	-	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-006-2	600 x 900	1	-	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-006-3	600 x 900	1	-	Cycling Route / Bicycle

0.081 Aluminum



B-G-008-1

G-100-1

Or applicable tab
from G-100 Tab series.



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-008-1	600 x 600	1	STOE	Pedestrian / Bicycle

Note: For use with IMTC Cross-Border Pedestrian Signage Plan, at applicable border crossing locations. Designed to be a unified wayfinding system to assist pedestrian travellers northbound and southbound at the Cascade Gateway land ports-of-entry.

0.081 Aluminum



B-G-008-2



G-100-1
Or applicable tab
from G-100 Tab series.



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-008-2	600 x 600	1	STOE	Pedestrian / Bicycle

Note: For use with IMTC Cross-Border Pedestrian Signage Plan, at applicable border crossing locations. Designed to be a unified wayfinding system to assist pedestrian travellers northbound and southbound at the Cascade Gateway land ports-of-entry.

0.081 Aluminum



B-G-008-2



B-G-008-3T



G-100-1
Or applicable tab
from G-100 Tab series.



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-008-3T	600 x 200	1	STOE	Pedestrian / Bicycle

Note: For use with IMTC Cross-Border Pedestrian Signage Plan, at applicable border crossing locations. Designed to be a unified wayfinding system to assist pedestrian travellers northbound and southbound at the Cascade Gateway land ports-of-entry.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-010-1	450 x 450	1	-	Cycling Route / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-010-2	450 x 450	1	-	Cycling Route / Bicycle

0.081 Aluminum



EXAMPLE

B-G-015	400 x 516	1	RTE	Cycling Route / Bicycle

0.081 Aluminum



B-G-015-Ta
400 x 130 mm



B-G-015-Tb
400 x 190 mm



B-G-015-Tc
400 x 160 mm



B-G-015-Td
400 x 160 mm



B-G-015-Te
400 x 160 mm



B-G-015-Tf
400 x 160 mm



B-G-015-Tg
400 x 160 mm

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-015 Tabs	as above	1	RTE	Cycling Route / Bicycle

NOTE: Provide individual tab number when placing order.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-017	450 x 450	1	RTE	Local Road / Low Speed / Arterial
B-G-017-x	600 x 600	1	RTE	Expressway / Freeway

0.081 Aluminum



150m



EXAMPLE



B-G-017-Ta



B-G-017-Tb



B-G-017-Tc



B-G-017-Td



B-G-017-Te



B-G-017-Tf



B-G-017-Tg



B-G-017-Th



B-G-017-Ti




B-G-017-Tj

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-017-Tabs	450 x 200	1	RTE	Local Road / Low Speed / Arterial
B-G-017-Tabs-x	600 x 300	1	RTE	Expressway / Freeway

NOTE: Provide individual tab number when placing order.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-I-001	600 x 450	1	STOE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-I-001-2	600 x 450	1	STOE	Slow Speed / Bicycle

0.081 Aluminum



B-I-001



B-I-001-Ta



B-I-001-Td



B-I-001-Ta



B-I-001-Tb

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-I-001-Tabs	600 x 300	1	STOE	Slow Speed / Bicycle

NOTE: State distance when ordering. Variable message denoted by outlined text. Actual is solid white as shown above. Tab set to be used with B-I-001 Series, B-I-002 or B-I-003 parent signs.

0.081 Aluminum



B-I-001



B-I-001-Ta



B-I-001-Td



B-I-001-Tc



B-I-001-Td



B-I-001-Te



B-I-001-Tf

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-I-001-Tabs	600 x 300	1	STOE	Slow Speed / Bicycle

NOTE: Tab set to be used with B-I-001 Series, B-I-002 or B-I-003 parent signs.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-I-002	600 x 750	1	STOE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-I-001-3	600 x 750	1	STOE	Slow Speed / Bicycle