## B.C. LAKE STEWARDSHIP & MONITORING PROGRAM Field Sampling Quality Assurance Inspection Checklist

This form is provided for groups to self-audit field procedures to ensure reliable and accurate data collection. <u>Self-audits are recommended once per open-water season (or once per group if volunteers are rotating)</u>. ENV will endeavor to conduct an independent audit annually.

1.0 SITE VISIT INFORMATION					
Audit Date		Purpose			
April 14, 2021		Self-check ENV check-in			
Lake Name		Program Level			
e.g., Tabor Lake		□ Level 1 □ Level 2 □ Level 3 □ Level 4 □ Level 5			
Volunteer Group Name					
e.g., Beaufort Watershed Stewards (BWS)					
Nature of Volunteer Group					
· · · ·	□ Indigeno □ Industry	us Group   Academic Institution  Other:			

2.0 SAFETY CHECKLIST				
A) BOAT SAFETY 🗆 N/A	Check Yes/No COMMENTS:			
Vehicle/trailer parked in a safe location	□ N/A □ Yes □ No			
Second person always present	□ N/A □ Yes □ No			
Notes safety hazards (e.g. inclement weather) and adjust plans as needed	□ N/A □ Yes □ No			
Valid boat operation and safety certificates				
(see Transport Canada's Safe Boating Guide )	□ N/A □ Yes □ No			
Lifejacket or PFD for each person on board	□ N/A □ Yes □ No			
Minimum equipment requirements met (see Transport Canada's Safe Boating Guide, and WCB regulations) <sup>1,2</sup>	□ N/A □ Yes □ No			
First aid kit always on board	□ N/A □ Yes □ No			
Trip information, including names of all persons present, and intended return time are known by an individual on shore	□ N/A □ Yes □ No			

<sup>1</sup>. In Canada, the safety equipment required on board depends on the type and length of your boat.

<sup>2.</sup> A fire extinguisher is required if the vessel has an inboard motor or fixed fuel tank or heating / cooking appliance that uses a liquid or gaseous fuel.



3.0 FIELD SAMPLING CHECKLIST						
A) :	SECCHI DISK 🗆 N/A	Check Yes/No	COMMENTS:			
Secchi measurements taken between 10:00 am and 2:00 pm		□ N/A □ Yes □ No				
Secchi measurements taken on shaded side of boat with no sunglasses		□ N/A □ Yes □ No				
B) '	TEMPERATURE / D.O. PROFILE 🛛 N/A	Check Yes/No	COMMENTS:			
YSI calibrated while at the lake, right before each sampling event (same day)		□ N/A □ Yes □ No				
YSI s	tabilized before values recorded	□ N/A □ Yes □ No				
Reco	ords D.O. in mg/L (not %)	□ N/A □ Yes □ No				
C)	WATER SAMPLES (LEVEL 3 ONLY) 🗆 N/A	Check Yes/No	COMMENTS:			
Samp	ples early in week to avoid transit delays	🗆 N/A 🗆 Yes 🛛	] No			
Samples only at designated site; location deviations are always recorded		🗆 N/A 🗆 Yes 🛛	□ No			
Bottl	es clearly labeled before wetting	🗆 N/A 🗆 Yes 🛛	□ No			
Caps removed just prior to sampling and protected from contamination		🗆 N/A 🗆 Yes 🛛	□ No			
	NOT pre-rinse bottles before sampling	🗆 N/A 🗆 Yes 🛛	□ No			
Bottles filled to correct level and securely capped immediately after filling		🗆 N/A 🗆 Yes 🛛	□ No			
Care taken not to contaminate inside of bottles/caps with exhaust, fingers, etc.		🗆 N/A 🗆 Yes 🛛	□ No			
Reco	rds sample date and time (24-hr clock)	🗆 N/A 🗆 Yes 🛛	] No			
Records field data, observations, and possible contamination sources if present		□ N/A □ Yes □ No				
QC Samples	Uses the same grab sample to fill both the REG and REP samples (water within the water sampler/Van Dorn)	🗆 N/A 🗆 Yes 🛛	□ No			
/QC Sa	Ensures BLANK sample does not come into contact with lake water	🗆 N/A 🗆 Yes [	□ No			
QA	Records a unique time for the REP, BLF, and REG samples (none should match)	🗆 N/A 🗆 Yes 🛛	□ No			
D) POST WATER SAMPLING 🗆 N/A		Check Yes/No	COMMENTS:			
Lab requisition filled out correctly and completely		🗆 N/A 🗆 Yes 🛛	□ No			
Takes photos of lab requisition and field sheet (if completed on paper)		🗆 N/A 🗆 Yes [	□ No			
Water samples packed with enough ice/cold packs to maintain a temperature of 4°C		🗆 N/A 🗆 Yes 🛛	□ No			
Samples shipped within 24 hours of sampling		🗆 N/A 🗆 Yes 🛛	□ No			
Reusable sampling and safety equipment are kept CLEAN, dry, and securely stored for future use		🗆 N/A 🗆 Yes 🛛	□ No			



Comments or Concerns 🛛 N/A					
Inspection Completed By (Name of Auditor):					
Name(s)	Signature(s)				
Inspection Reviewed By (Names of Volunteers/Co	llectors):				
Name(s)	Signature(s)				

