

**PROVINCE OF BRITISH COLUMBIA**

**Ministry of Forests**

---

**IN THE MATTER OF TREE FARM LICENCE 30**

**INSTRUMENT NUMBER 13**

**Amendment**

---

THIS AGREEMENT is dated the 1st day of April 2000.

**BETWEEN:** THE MINISTER OF FORESTS, on behalf of HER MAJESTY THE  
QUEEN IN RIGHT OF THE PROVINCE OF BRITISH COLUMBIA,  
Parliament Buildings, Victoria, British Columbia, V8V 1X4.

(the "Licensor")

**AND:** CANADIAN FOREST PRODUCTS LTD.  
P.O. Box 49420  
Bentall Postal Station  
Vancouver, British Columbia  
V7X 1B5

(the "Licensee")

**WHEREAS:**

- A. Pursuant to the provisions of Section 36 of the *Forest Act*, the Licensor and the Licensee entered into a replacement agreement for Tree Farm Licence (TFL) 30, dated March 1, 2000.
- B. The Licensor has suggested an amendment to the utilization specifications within Parts 5.00 and 6.00 of Schedule "C" of TFL 30.
- C. The Licensor and the Licensee have mutually agreed to amend TFL 30.

**THEREFORE:**

Pursuant to Section 39(1)(e) of the *Forest Act*, the parties agree to amend TFL 30 as follows:

The Schedule C labelled with the footnote "TFL 30 Agreement Schedule C.doc" is deleted and replaced with the attached Schedule C labelled "TFL 30 Agreement Schedule C Inst.13.doc."

This instrument shall be binding upon the Licensor and its successors in office and the Licensee, its successors and assignees.

This Agreement has been executed by the Licensor and Licensee on the day and year first written above.

SIGNED, SEALED AND DELIVERED )  
by the Minister of Forests on behalf of )  
Her Majesty the Queen in Right of the )  
Province of British Columbia in the )  
presence of: )

Brian Giles )  
(BRIAN GILES - Staff) )  
\_\_\_\_\_ )

RE )  
Minister of Forests )  
B

THE COMMON SEAL C/S of the )  
Licensee was affixed in the presence of: )

\_\_\_\_\_ )  
Authorized Signatory )

C/S

\_\_\_\_\_ )  
Authorized Signatory )

(or)

SIGNED, SEALED AND DELIVERED )  
by the Licensee in the presence of: )

\_\_\_\_\_ )  
Vice-President & Secretary )  
\_\_\_\_\_ )

Keith D. Hogg )  
Authorized Signatory )

V.P. Forestry & Environment )  
Title )

## **SCHEDULE C**

### **SCHEDULE C - FELLING, BUCKING AND UTILIZATION SPECIFICATIONS**

#### **1.00 DEFINITIONS**

- 1.01** In this Schedule, as exemplified by the diagrams attached to this Schedule,
- (a) "butt end" means the log end that was previously attached to the stump;
  - (b) "butt log" means the log cut from the portion of the tree that was previously attached to the stump;
  - (c) "diameter at stump height" means
    - (i) in the case of standing timber, the diameter of the tree (outside bark) measured at the point of the maximum stump height shown in the table attached to this Schedule, and
    - (ii) in the case of a butt log, the diameter (outside bark) at the butt end of the log; and
  - (d) "slab" means one of 2 or more parts of a log produced as a result of the log fracturing along its length;
  - (e) "stump height" means the height of the stump measured on the side of the stump adjacent to the highest ground;
  - (f) "top diameter" means the diameter (inside bark) at the narrowest end of the log;
  - (g) "top log" means any log that is not a butt log.

#### **2.00 FELLING SPECIFICATIONS**

- 2.01** Subject to paragraph 4.06 of the Licence, standing timber of the species detailed in Table 1 of this Schedule must be felled in accordance with the following specifications:
- (a) all timber meeting the minimum diameter at stump height shown for species in Table 1 must be felled; and

## **SCHEDULE C**

- (b) unless otherwise authorized in writing by the District Manager, timber must be felled to a stump height that does not exceed the maximum stump height shown for that species in Table 1.

### **3.00 BUCKING SPECIFICATIONS**

- 3.01 Subject to paragraph 4.06 of this Licence, felled or dead-and-down timber of the species referred to in paragraph 2.01 must be bucked so as to maximize the volume of logs and slabs which
  - (a) meet the utilization specifications referred to in Part 4.00 of this Schedule, and
  - (b) are of the species and grades specified as obligatory utilization under Part 5.00 of this Schedule.

### **4.00 UTILIZATION SPECIFICATIONS**

- 4.01 Subject to paragraph 4.02 of this Schedule and paragraph 4.06 of the Licence, the following utilization specifications apply to timber authorized for harvest under the Licence:
  - (a) all butt logs meeting
    - (i) the minimum diameter at stump height,
    - (ii) the minimum log length,
    - (iii) the minimum top diameter, and
  - (b) all top logs meeting
    - (i) the minimum log length,
    - (ii) the minimum top diameter, and
  - (c) all slabs meeting
    - (i) the minimum slab length, and
    - (ii) the minimum slab thickness

shown for that species in Table 2 attached to this Schedule must be utilized.
- 4.02 The Licensee need not utilize timber of the species and grades specified in Part 6.00 of this Schedule as optional utilization.

## **SCHEDULE C**

### **5.00 OBLIGATORY UTILIZATION**

- 5.01 If a cutting permit or road permit specifies that the stand is endemic, then timber of the following species and grades are specified as obligatory utilization:
- (a) all coniferous and deciduous species except birch, that are Sawlog Grade (Grade Code Blank).
- 5.02 If a cutting permit or road permit specifies that the stand is catastrophic, then timber of the following species and grades are specified as obligatory utilization:
- (a) all coniferous and deciduous species except birch, that are
    - (i) Sawlog Grade (Grade Code Blank); and
    - (ii) Dead and Dry Sawlog (Grade Code 3)

### **6.00 OPTIONAL UTILIZATION**

- 6.01 If a cutting permit or road permit specifies that the stand is endemic, then timber of the following species and grades are specified as optional utilization:
- (a) firmwood rejects; and
  - (b) all coniferous and deciduous species of the following grades
    - (i) Dead and Dry Sawlog (Grade Code 3);
    - (ii) Lumber Reject (Grade Code 4);
    - (iii) Dead and Dry Lumber Reject (Grade Code 5); and
    - (iv) Undersized Log Grade (Grade Code 6).
- 6.02 If a cutting permit or road permit specifies that the stand is catastrophic, then timber of the following species and grades are specified as optional utilization:
- (a) firmwood rejects; and
  - (b) all coniferous and deciduous species of the following grades:
    - (i) Lumber Reject (Grade Code 4);
    - (ii) Dead and Dry Lumber Reject (Grade Code 5); and
    - (iii) Undersized Log Grade (Grade Code 6).

SCHEDULE C

Diagram 1. Felling Specifications




Table 1

Species	Maximum Stump Height	Minimum Diameter at Stump Height
Lodgepole pine	30.0 cm	15.0 cm
Cedar older than 141 years	30.0 cm	20.0 cm
All other species and ages	30.0 cm	20.0 cm

SCHEDULE C

Diagram 2. Utilization Specifications




Table 2

Species	Minimum Log or Slab Length	Minimum Diameter at Stump Height	Minimum Top Diameter or Slab Thickness
Lodgepole pine	3.0 m	15.0 cm	10.0 cm
Cedar older than 141 years	3.0 m	20.0 cm	15.0 cm
All other species and ages	3.0 m	20.0 cm	10.0 cm