B.C. Agricultural Drainage Manual

Appendix D - Conversion Tables

Authors

Vincent Lalonde, M.Sc., P.Ag., P.Eng. Editor

Resource Management Branch B.C. Ministry of Agriculture, Fisheries and Food

Geoff Hughes-Games, B.Sc., P.Ag.

Resource Management Branch B.C. Ministry of Agriculture, Fisheries and Food

Prepared and Published by:


B.C. Ministry of Agriculture, Fisheries and Food

Printing Funded by:

Canada-British Columbia Green Plan for Agriculture

1997 Issue





Limitation of Liability and User's Responsibility

The primary purpose of the B.C. Drainage Manual is to provide farmers as well as water management professionals and consultants with technical information on the design, installation and maintenance of agricultural drainage systems.

Individual chapters may rely on information that is presented in other chapters of the manual. There is a risk that downloading individual chapters may not present all of the required information in its entirety. A complete bound manual is available from the Irrigation Industry Association of BC.

While every effort has been made to ensure the accuracy and completeness of these materials, additional materials may be required to design and implement more advanced subsurface drainage systems. Advice of appropriate professionals and experts may provide additional local or site information that is not covered in this Manual.

All information in this publication and related materials are provided entirely "as is" and no representations, warranties or conditions, either expressed or implied, are made in connection with your use of, or reliance upon, this information. This information is provided to you as the user entirely at your risk.

The British Columbia Ministry of Agriculture, Fisheries and Food, and the Irrigation Industry Association of British Columbia, their Directors, agents, employees, or contractors will not be liable for any claims, damages or losses of any kind whatsoever arising out of the use of, reliance upon, this information.

Appendix D.

Conversion Tables Metric to Imperial Units Table

Metric	Imperial				
Length					
1 kilometer	(km)	=	0.621	miles	
1 meter	(m)	=	3.281	feet	(ft)
1 centimeter	(cm)	=	0.394	inches	(in)
1 millimeter	(mm)	=	0.039	inches	(in)
Area					
1 hectare	(ha)	_	2.47	acres	
1 square meter	(m^2)	=	10.76	square feet	(ft^2)
1 square centimeter	(cm^2)	=	0.155	square inches	(in ²)
-					
Volume					
1 hectare-meter	(ha-m)	=	8.108	acre-feet	(ac-ft)
1 cubic meter	(m^3)	=	264.2	U.S. Gallons	(gal)
1 cubic meter	(m^3)	=	35.31	cubic feet	(ft^3)
1 liter	(L)	=	0.0353	cubic feet	(ft^3)
1 liter	(L)	=	0.264	U.S. gallons	(gal)
1 liter	(L)	= '	0.220	Imp. gallons	(gal)
Flow					
	(31-)		15050	II Carallana manusin	(IIC com)
1 cubic meter per sec	(m^3/s)	=	15852	U.S. gallons per min	(U.S. gpm)
1 cubic meter per sec	(m^3/s)	_	35.31	cubic feet per sec	(cfs)
1 liter per sec	(L/s)	=	15.85	U.S. gallons per min	(U.S. gpm)
1 liter per min	(L/min)	=	0.265	U.S. gallons per min	(U.S. gpm)
1 liter per min	(L/min)	=	0.0006	cubic foot per sec	(cfs)
Drainage Coefficient					
1 millimeter per day	(mm/day)	=	0.039	inches per day	
Pressure					
1 kilopascal	(KPa)	=	0.145	pounds per square inch	(psi)
1 kilopascal	(KPa)	=	0.335	feet head of water	(60°F)
1 meter of water (at 15.55°C)	(m)	=	1.42	pounds per square inch	. `
Energy					•
1 kilowatt	(kW)	_	1.34	horsepower	(hp)
1 KIIOWati	(V AA.)	=	1.54	noischowei	(11p)

Conversion Tables Imperial to Metric Units Tables

Imperial			Metric					
Length								
1 mile		= 1	1.61	kilometers	(km)			
1 foot	(ft)	_	0.3048	meters	(m)			
1 inch	(in)	=	2.54	centimeters	(cm)			
1 inch	(in)	=	25.4	millimeters	(mm)			
Area								
1 acre		=	0.405	hectares	(ha)			
1 square foot	(ft^2)	=	0.0929	square meters	(m^2)			
1 square inch	(in^2)	=	6.452	square centimeters	(cm ²)			
Volume				•				
1 acre-foot	(ac-ft)	= (0.1233	hectare-meters	(ha-m)			
1 U.S. gallon	(gal)	_	0.0038	cubic meters	(m^3)			
1 cubic foot	(\mathbf{ft}^3)	=	0.0283	cubicsmeters	(m^3)			
1 cubic foot	(ft^3)	=	28.33	liters	(L)			
1 U.S. gallon	(gal)	_	3.79	liters	(L)			
1 Imp. gallon	(gal)	=	4.55	liters	(L)			
Flow								
1 U.S. gallon per mi	n (U.S. gpm)	=	0.000063	cubic meters per sec	(m^3/s)			
1 cubic foot per sec			0.028	cubic meters per sec	(m^3/s)			
1 U.S. gallon per mi		=	0.063	liters per sec	(L/s)			
1 U.S. gallon per mi		_ '	3.77	liters per min	(L/min)			
1 cubic foot per sec		=	1666.6	liters per min	(L/min)			
Drainage Coefficient								
1 inch per day		=	25.4	millimeters per day	(mm/day)			
Pressure								
	inch (psi)	_	6.90	kilopascals	(KPa)			
1 pound per square 1 foot head of water	-	_	2.98	kilopascals	(KPa)			
1 pound per square	` ′	_	0.70	meters of water (at 15.55°C)	(m)			
pound per square	men (psi)		0.70	motors of water (at 15.55 C)	(111)			
Energy								
1 horsepower	(hp)	=	0.75	kilowatts	(kW)			