








# Study area VI Cross sections





# Study area VI 1971





# Study area VI 1972





# Study area VI 1973




# Study area VI 1974



# Study area VI 1975



# Study area VI 1976



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction


0 5 10 20 Meters



# Study area VI 1977



Bed elevation (m)




Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1978



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg

Active channel area


Flow direction

0 5 10 20 Meters



FFIP  
Fish-Forestry  
Interaction  
Program

# Study area VI 1979



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95



20.4 - 20.45

Thalweg

Active channel area




Flow direction

0 5 10 20 Meters




# Study area VI

## 1980



# Study area VI 1981



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg

Active channel area

Flow direction



0 5 10 20 Meters




FFIP  
Fish-Forestry  
Interaction  
Program

# Study area VI

## 1982



# Study area VI 1983



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg

Active channel area


Flow direction

0 5 10 20 Meters



FFIP  
Fish-Forestry  
Interaction  
Program

# Study area VI 1984



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1985



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1986



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1987



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1988



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1989



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1990



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1991



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1992



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1993



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg

Active channel area


Flow direction

0 5 10 20 Meters



FFIP  
Fish-Forestry  
Interaction  
Program

# Study area VI 1994



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0    5    10    20 Meters



# Study area VI 1995



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95




20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 1996



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95




20.4 - 20.45

Thalweg


Active channel area

Flow direction


0 5 10 20 Meters



# Study area VI 1997



Bed elevation (m)




Thalweg

Active channel area


Flow direction

0    5    10    20 Meters



FFIP  
Fish-Forestry  
Interaction  
Program

# Study area VI 1998



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction


0 5 10 20 Meters



# Study area VI 1999



Bed elevation (m)




Thalweg

Active channel area


Flow direction

0 5 10 20 Meters



# Study area VI

## 2000



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95




20.4 - 20.45

Thalweg

Active channel area

Flow direction


0 5 10 20 Meters



FFIP  
Fish-Forestry  
Interaction  
Program

# Study area VI

## 2001



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95




20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 2002



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0    5    10    20 Meters



# Study area VI 2003



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg

Active channel area

Flow direction


0 5 10 20 Meters



FFIP  
Fish-Forestry  
Interaction  
Program

# Study area VI

## 2004



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg


Active channel area

Flow direction

0 5 10 20 Meters



# Study area VI 2005



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg

Active channel area


Flow direction

0 5 10 20 Meters



# Study area VI

## 2006



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg

Active channel area

Flow direction


0 5 10 20 Meters



FFIP  
Fish-Forestry  
Interaction  
Program

# Study area VI

## 2007



Bed elevation (m)

16.57 - 16.6

17.1 - 17.15

17.65 - 17.7

18.2 - 18.25

18.8 - 18.85

19.35 - 19.4

19.9 - 19.95


20.4 - 20.45

Thalweg

Active channel area

Flow direction

0    5    10    20 Meters



FFIP  
Fish-Forestry  
Interaction  
Program