## TIMBER PRICING BRANCH

# **Cruise Compilation Manual**

Effective: July 1, 2020

**Includes Amendments** 

**Effective Date** 

Amendment No. 1

July 1, 2021



This manual is intended for the use of individuals or companies when conducting business with the British Columbia Government. Permission is granted to reproduce it for such purposes. This manual and related documentation and publications, are protected under the *Federal Copyright Act*. They may not be reproduced for sale or for other purposes without the express written permission of the Province of British Columbia.

## Highlights

#### 2021 Cruise Compilation Manual Changes

This version of the Cruise Compilation Manual is effective July 1, 2021. The *Cruise Compilation Manual* is available on the Internet at: <u>https://www2.gov.bc.ca/gov/content/industry/forestry/competitive-forest-industry/timber-pricing/timber-cruising/cruise-compilation-manual</u>

Section	Description
5.3.4 Marked to Leave	A description has been added for Marked to Leave Percent
Percent Reduction	Reductions. Example calculations have been added for these.
5.6 Marked to Leave	A description has been added for Marked to Leave Selective
Selective Cutting	Cutting.
15.9.11 and 15.9.12 Grade Adjustments	The spruce and cedar historic grade percentages are updated for use in grade adjustments.

## **Table of Contents**

Highlig	htsi
1.	Introduction 1-1
2.	Data Inputs and Edits
2.1.	Input Data - Standard Compilation
2.2.	Card type A
	2.2.1Table of Data Types
	2.2.2Fatal Errors
	2.2.3Warning2-7
	2.2.4Messages
2.3.	Card Type B - Compilation Standard
	2.3.1Table of Data Types
	2.3.2Fatal Errors
	2.3.3Warnings
	2.3.4Messages
2.4.	Card type C - Type Identity
	2.4.1Table of Data Types
	2.4.2Fatal Errors
	2.4.3Warnings
	2.4.4Messages
2.5.	Card Type D - Block Description
	2.5.1Table of Data Types
	2.5.2Fatal Errors
	2.5.3Messages
2.6.	Card Type E - Height/Diameter Description
	2.6.1Table of Data Types
	2.6.2Messages
2.7.	Card Type F - Harvesting Method Description 2-15
	2.7.1Table of Data Types

	2.7.2Fatal Errors	
	2.7.3Warnings	
2.8.	Card Type G - Treatment Unit Description	
	2.8.1Table of Data Types	
	2.8.2Fatal Errors	
2.9.	Card Type H – Non Productive Areas	
	2.9.1Table of Data Types	
2.10.	Cruise Tally Sheet Image	
2.11.	Card Type 9 – Plot Identity Information	
	2.11.1Table of Data Types	
	2.11.2. Fatal Errors	
	2.11.3. Warnings	
	2.11.4. Messages	2-22
2.12.	Card Type 2 - Tree Details	
	2.12.1Table of Data Types	
	2.12.2. Fatal Errors	
	2.12.3. Warnings	
	2.12.4. Messages	
2.13.	Card Type 3 - Sample Tree Details	
	2.13.1Table of Data Types	
	2.13.2. Messages	
2.14.	Report 001A - Sample Listing (Partial)	2-27
3.	Compilation Sequence	
3.1.	Compilation Sequence	
	3.1.1Step-by-Step Compilation Instructions	
	3.1.2Compilation Dataflow Diagram	
3.2.	Log Volume Calculation - Overview	
	3.2.1Step-by-Step Log Volume Calculation Instructions	
	3.2.2Calculate Volumes and Grades	
3.3.	Sample Data Model	3-11
3.4.	Plot Types	
	3.4.1Prism Plots	
	3.4.1.1. Number of Trees per Hectare	3-12

	3.4.1.2. Basal Area per Hectare	3-13
	3.4.1.3. Volume per Hectare	
	3.4.2Fixed Area Plots	3-15
	3.4.2.1. Number of Trees per Hectare	
	3.4.2.2. Basal Area per Hectare	
	3.4.2.3. Volume per Hectare	3-17
3.5.	Double Sampling Ratio - Sample Listing	3-18
4.	Damage Reports	4-1
4.1.	List of Damage Reports	4-3
4.2.	Damage Report Calculation	4-5
4.3.	Sample Damage Report Listings	4-6
	4.3.1Extended Forest Type Stand and Stock Damage Report - Sample Listing	4-6
	4.3.2Block Stand Damage Table - Sample Listing	4-7
	4.3.3Block Volume Summary Damage Report - Sample Listing	4-8
5.	Reduction Compilations	5-1
5.1.	Reduction Compilations - Overview	5-2
5.2.	Percent Reduction Worksheet Image	5-4
5.3.	Reduction Examples	5-5
	5.3.1. Plots	5-5
	5.3.2. Timber Type and Cutting Permit Reductions - Average Line Method	5-6
	5.3.2.1. Average Line Method - Pre-reduction	5-6
	5.3.3. Single Tree Reduction	
	5.3.4. Marked to Leave Reduction	5-89
5.4.	Percent Reduction Card Edits	5-15
	5.4.1Table of Data Types	5-15
	5.4.2Fatal Errors	5-15
5.5.	Percent Reduction Input Values - Sample Listing	5-16
6.	Stump Cruise Compilations	6-1
6.1.	Stump Compilation - Overview	6-2
6.2.	Stump Cruise Tally Sheet Image	6-4
6.3.	Stump Cruise Tally Sheet Edits	6-6

	6.3.1Card Type 9 - Plot Identity Information	
	6.3.2Card Type 2 - Stump Details	6-6
	6.3.3Card Type 3 - Sample Tree Details	6-6
	6.3.3.1. Messages	6-7
7.	Height Diameter Equations	
7.1.	Regression Coefficients	
	7.1.1Parabola7-4	
	7.1.2Conditioned Parabola	
	7.1.3Hyperbola	
	7.1.4Conditioned Hyperbola	
	7.1.5Weibull and Conditioned Weibull	
7.2.	Minimum and Maximum DBH	
	7.2.1Parabola and Conditioned Parabola	
	7.2.1.1. Minimum DBH	7-9
	7.2.1.2. Maximum DBH	7-9
	7.2.2Hyperbola and Conditioned Hyperbola	
	7.2.2.1. Minimum DBH	7-10
	7.2.2.2. Maximum DBH	7-11
	7.2.3Weibull and Conditioned Weibull	
	7.2.3.1. Minimum DBH	7-12
	7.2.3.2. Maximum DBH	7-12
7.3.	Standard Error of Estimate (S.E.E.) and Bias	
	7.3.1Standard Error of Estimate - Height	
	7.3.1.1. Parabola	7-13
	7.3.1.2. Conditioned Hyperbola	
	7.3.1.3. Hyperbola	7-14
	7.3.1.4. Conditioned Hyperbola	7-14
	7.3.1.5. Weibull and Conditioned Weibull	7-14
	7.3.1.5.1. Weibull	7-14
	7.3.1.5.2. Conditioned Weibull	7-15
	7.3.2Bias - Height	
	7.3.3Bias - Volume	
	7.3.4Standard Error Estimate - Volume*	

7.4.	Sample Report Listings
	7.4.1Report 001b - Sample Listing
	7.4.2Report 004a - Sample Listing
	7.4.3Report 003 - Sample Listing
8.	Summary and Cruise Statistics
8.1.	Plot Summary Report Overview
	8.1.1Header Information
	8.1.2Plot Information
	8.1.3Species Information
	8.1.3.1. Number of Stems and Snags8-3
	8.1.3.2. Number of Stems and Snags Per Hectare
	8.1.3.3. Average Diameter of Stems and Snags
	8.1.3.4. Gross Merchantable Volume/hectare
	8.1.3.5. Less Decay
	8.1.3.6. Less Decay and Waste
	8.1.3.7. Less Decay, Waste and Breakage - Net Merchantable Volume per Hectare
	8.1.3.8. Loss Factor Table
	8.1.4Plot Frequency Report
8.2.	Plot Summary Listing
8.3.	Plot Summary by Maturity Overview and Listing
8.4.	Cruise Statistics Overview
	8.4.1Header information
	8.4.2Timber Type Information
	8.4.2.1. Type Information
	8.4.2.2. Type of Plots
	8.4.2.3. Number of Potential Trees
	8.4.2.4. Number of Measured and Count Plots
	8.4.2.5. Mean Net Volume per Hectare
	8.4.2.6. Mean Net Basal Area/hectare
	8.4.2.7. Standard Deviation for Volume - Measure Plots Only8-12
	8.4.2.8. Standard Deviation for Basal Area - All Plots
	8.4.2.9. Coefficient of Variation for Volume - Measure Plots Only8-14
	8.4.2.10.Coefficient of Variation for Basal Area8-15

	8.4.2.11. Standard Error of the Mean Percent for Volume	5
	8.4.2.12. Standard Error of the Mean Percent for Basal Area8-1	7
	8.4.2.13.% Confidence Interval for Volume8-1	8
	8.4.2.14.% Confidence Interval for Basal Area8-1	8
	8.4.3Cutting Permit Information	9
	8.4.3.1. Cutting Permit 95% Confidence Interval for Volume - All Plots	9
	8.4.3.2. Cutting Permit 95% Confidence Interval for Basal Area - All Plots	20
	8.4.3.3. Cutting Permit 95% Confidence Interval for Volume - Measure Plots Only	1
	8.4.3.4. Cutting Permit 95% Confidence Interval for Basal Area - Measure Plots Only	2
8.5.	Cruise Statistics Listing	.3
9.	Stand and Stock Reports	1
9.1.	Header Information - All Reports	4
9.2.	Stand Table	5
	9.2.1Stand Table - Detail Information9-	5
	9.2.1.1. Live Stems per Hectare9-	.5
	9.2.1.1.1. Timber Type9-	5
	9.2.1.1.2. Block - Average Line method9-	5
	9.2.1.1.3. Block - Treatment Unit "Leave Tree" Summary9-	-5
	9.2.1.1.4. Block "Leave Tree" Summary9-	6
	9.2.1.1.5. Cutting Permit9-	.7
	9.2.1.2. Useless Stems (snags) per Hectare	.9
	9.2.1.2.1. Timber Type	.9
	9.2.1.2.2. Block - Average Line Method	0
	9.2.1.2.3. Cutting Permit	0
	9.2.1.3 Dead Potential Stems per Hectare 9-1	0
	9.2.1.3.1. Timber Type	0
	9.2.1.4. Average DBH at Five Levels 9-1	1
	9.2.1.4.1. Timber Type:	1
	9.2.1.5. Example 9.4	2

	9.2.2Block Stand Table - Sample Listing - Block Method	9-13
9.3.	Stock Table	9-14
	9.3.1Stock Table - Detail Information	9-14
	9.3.1.1. Net Merchantable Volume per Hectare	9-14
	9.3.1.1.1. Timber Type	9-14
	9.3.1.1.2. Block - Average Line Method	9-14
	9.3.1.1.3. Block Treatment Unit "Leave Tree" Summary	9-15
	9.3.1.1.4. Block "Leave Tree" Summary	9-15
	9.3.1.1.5. Cutting Permit	9-17
	9.3.1.2. Example 9.7	9-17
	9.3.1.3. Useless Volume per Hectare	9-19
	9.3.1.3.1. Timber Type	9-19
	9.3.1.3.2. Block - Average Line Method	9-19
	9.3.1.3.3. Cutting Permit	9-20
	9.3.1.4. Dead Potential Volume per Hectare	9-20
	9.3.1.4.1. Timber Type	9-20
	9.3.1.5. Total Volume per Hectare at Seven Levels	9-20
	9.3.1.5.1. Timber Type	9-21
	9.3.2Stock Table - Sample Listing - Cutting Permit Level	9-22
9.4.	Basal Area Table	9-23
	9.4.1Basal Area Table - Detail Information	9-23
	9.4.1.1. Basal Area per Hectare	9-23
	9.4.1.1.1. Timber Type	9-23
	9.4.1.2. Example 9.8	9-23
	9.4.1.2.1. Block - Average Line Method	9-23
	9.4.1.2.2. Block - Treatment Unit "Leave Tree" Summary	9-24
	9.4.1.2.3. Block "Leave Tree" Summary	9-24
	9.4.1.2.4. Cutting Permit	9-26
	9.4.1.3. Useless Basal Area per Hectare	9-27
	9.4.1.3.1. Timber Type	9-28
	9.4.1.3.2. Block - Average Line Method	9-28
	9.4.1.3.3. Cutting Permit	9-28

	9.4.1.4. Dead Potential Stems per Hectare	
	9.4.1.4.1. Timber Type	9-29
	9.4.1.5. Total Basal Area per Hectare at Five Levels	9-29
	9.4.1.5.1. Timber Type	9-30
	9.4.2Basal Area Table - Sample Listing - Timber Type Level	
10.	Extended Forest Type Stand and Stock Reports	10-1
10.1.	Header Information	10-3
10.2.	Detail Information	10-4
	10.2.1. Average Height	10-4
	10.2.2Gross Merchantable Volume per Tree	10-4
	10.2.3Net Merchantable Volume per Tree	10-4
	10.2.4Stems per Hectare by Risk Group	10-5
	10.2.5Total Stems per Hectare	10-5
	10.2.6. Live Veterans per Hectare	10-5
	10.2.7Dead Useless Snags per Hectare	10-5
	10.2.8Live Useless Snags per Hectare	10-5
	10.2.9Total of Averages	10-6
	10.2.10. Percent by Risk Group	10-6
	10.2.11. Average DBH at Five Levels	10-7
10.3.	Extended Forest Type Stand and Stock - Sample Listing	10-9
11.	Volume and Lumber Recovery Reports	11-1
11.1.	Volume and Lumber Recovery Reports - Overview	11-2
11.2.	Header Information	11-3
11.3.	Detail Information	11-4
	11.3.1Base Lumber Recovery Factor	11-6
	11.3.2Gross Merchantable Volume by Top Diameter Class	11-6
	11.3.3Percent Decay by Top Diameter Class	11-6
	11.3.4Net Merchantable volume by Top Diameter Class	11-7
	11.3.5Foot Board Measure by Top Diameter Class	11-8
11.4.	Totals and Averages	
	11.4.1 Total Gross Merchantable Volume by Risk Group	11-9
	11.4.2Percent Decay by Risk Group	11-9
	11.4.3Total net merchantable Volume by Risk Group	11-9

	11.4.4 Total Foot Board Measure by Risk Group	11-10
	11.4.5LRF by Risk Group	11-10
11.5.	Risk Group Combinations	11-11
	11.5.1LRF by Risk Group Combination	11-11
	11.5.2PI Adjustment	11-13
	11.5.3Percent Decay by Risk Group Combination	11-13
	11.5.4. Percent Stud Log by Risk Group Combination	11-13
	11.5.5Percent Small Log by Risk Group Combination	11-14
	11.5.6. Percent Large Log by Risk Group Combination	11-14
11.6.	Volume and Lumber Recovery report - Sample Listing	11-15
12.	Volume Summaries	
12.1.	Volume Summary - Overview	
	12.1.1List of Reports	12-2
12.2.	Header Information - All Reports	
12.3.	Detail Information	
	12.3.1Summary Report Variables	
	12.3.2Gross Merchantable Volume	12-10
	12.3.3Net Merchantable Volume	12-12
	12.3.4Net Merchantable Volume per Hectare	12-12
	12.3.5. Percent Distribution per Hectare	12-12
	12.3.6. Percent Decay – Gross	12-13
	12.3.7Percent Waste - Gross	12-13
	12.3.8Percent Waste (Billing) - Net	12-13
	12.3.9Percent Total Cull - Gross	12-13
	12.3.10. Stems per Hectare	12-14
	12.3.11. Snags per Hectare	
	12.3.12. Average DBH - Stems	12-14
	12.3.13. Average DBH – Snags	12-15
	12.3.14. Merchantable Volume per Tree - Gross	12-15
	12.3.15. Merchantable Volume per Tree - Net	12-16
	12.3.16. Average Weighted Total Height	12-16
	12.3.17. Average Weighted Merchantable Height	12-18
	12.3.18. Net Merchantable Volume per Log	

	12.3.19. Average Number of Logs per Tree 12-21
	12.3.20. Percent Immature - Coast Only 12-21
	12.3.21. Grade Percent - Coast Only 12-23
	12.3.22. Block Slope – Coast Only 12-24
12.4.	Lumber Information – Interior Only 12-26
	12.4.1Percent Net Merch - Stud Logs 12-26
	12.4.2Percent Net Merch - Small Logs 12-26
	12.4.3Percent Net Merch - Large Logs 12-26
	12.4.4Average LRF - All Logs (bd ft/m3) 12-26
12.5.	Statistical Summary 12-28
	12.5.1Number of Measured Plots Used 12-28
	12.5.2. Type of Plots
	12.5.3Number of Measured Potential Trees
	12.5.4Number of Plots per Hectare - Cutting Permit Only 12-28
	12.5.5Number of Trees per Plot - Cutting Permit and Timber Type Only 12-28
	12.5.6Confidence Interval for Volume
	12.5.7Degrees of Freedom for t-value:
12.6.	Volume Summary - Sample Listings 12-30
13.	Harvesting Method Summary - Overview
13.1.	Header Information
13.2.	Detail Information Variable Definitions
	13.2.1Gross Merchantable Volume
	13.2.2Net Merchantable Volume
	13.2.3Net Merchantable Volume per Hectare
	13.2.4Net Merchantable Volume per Hectare - Live
	13.2.5Net Merchantable Volume per Hectare - Dead Potential
	13.2.6. Net Merchantable Volume per Tree 13-10
	13.2.7. Net Merchantable Volume per Log
	13.2.8. Percent Decay - Gross
	13.2.8Percent Decay - Gross       13-12         13.2.9Percent Waste (Billing) - Net       13-13
	13.2.8. Percent Decay - Gross       13-12         13.2.9. Percent Waste (Billing) - Net       13-13         13.2.10. Percent Total Cull - Gross       13-13
	13.2.8. Percent Decay - Gross       13-12         13.2.9. Percent Waste (Billing) - Net       13-13         13.2.10. Percent Total Cull - Gross       13-13         13.2.11. Percent Useless Trees       13-13

	13.2.13. Percent Fire Damage Volume - Net	
	13.2.14. Percent Heavy Fire Damage Volume – Net	
	13.2.15. Percent Insect Damage Volume – Net	
	13.2.16. Percent Second Growth Volume – Net	
	13.2.17. Average Slope Percent	
	13.2.18. Algorithm Grade Percent - Coast	
13.3.	Lumber Information - Interior Only	
	13.3.1Percent Stud Log Volume - Net	
	13.3.2Percent Net Merch – Small Logs	
	13.3.3Percent Net Merch – Large Logs	
	13.3.4. Average LRF – All Logs	
14.	Appraisal Summaries	
14.1.	Appraisal Summary – Coast	
	14.1.1. Header information	
	14.1.2. Detail Information	
	14.1.2.1.Species Grade Percent Table	14-3
	14.1.2.2. Harvesting Method Parameter Table	14-4
	14.1.2.3.Cutting Permit Parameters	14-5
	14.1.2.4. All Method Parameters	14-6
14.2.	Coast Appraisal Summary - Sample Listing	
14.3.	Appraisal Summary – Interior	
	14.3.1. Header Information	
	14.3.2. Detail Information	
	14.3.2.1. Species Parameter Table	14-9
	14.3.2.2. Harvesting Method Parameter Table	14-10
	14.3.2.3.All Method Parameter Table	14-11
	14.3.2.4. Insect Damage Table	14-12
	14.3.2.5. Lodgepole Pine Insect Damage by Block	14-12
	14.3.2.6. Statistics	14-12
14.4.	Interior Appraisal Summary – Sample Listing	
15.	Appendices	
15.1.	Appendix 1 Species Groupings	
15.2.	Appendix 2 Allowable Species By Forest Inventory Zone	

15.3.	Appendix 3 Allowable Pathological Remarks By Forest Inventory Zone	15-6
	15.3.1Coast Immature	15-6
	15.3.2Coast Mature	15-7
	15.3.3. Interior Immature	15-8
	15.3.4. Interior Mature	15-9
15.4.	Appendix 4 Maximum Height by Forest Inventory Zone	15-10
15.5.	Appendix 5 Maximum Age by Forest Inventory Zone	15-11
15.6.	Appendix 6 Regions and District Numbers	15-12
15.7.	Appendix 7 Cruise Lumber Recovery Factors	15-13
15.8.	Appendix 8 Removed	15-15
15.9.	Appendix 9 Coast Log Grade Algorithms	15-16
	15.9.1Douglas Fir, Pine and Larch	15-17
	15.9.2Douglas Fir, Pine and Larch	15-18
	15.9.3. Western Red Cedar	15-19
	15.9.4. Western Red Cedar	15-20
	15.9.5. Hemlock and Balsam	15-21
	15.9.6. Hemlock and Balsam	15-22
	15.9.7Spruce 15-23	
	15.9.8Spruce 15-24	
	15.9.9Cypress 15-25	
	15.9.10. Cypress	15-26
	15.9.11. Percentages within Spruce Grades	15-27
	15.9.12. Percentages within Cedar Grades	15-28
	15.9.13. Deciduous	15-29
15.10.	. Appendix 10 Interior LRF Algorithms	15-30
	15.10.1. Interior Hemlock	15-30
	15.10.2. Dead Potential White Pine	15-31
	15.10.3. Allocation of Path in Thirds	15-32
15.11.	. Appendix 11 Student's "T" Table	15-33
15.12.	. Appendix 12 Wet and Dry Belt Douglas Fir BEC Zones	15-34
15.13.	. Appendix 13 Volume Calculation	15-35
	15.13.1. Volume calculation	15-36
15.14.	. Appendix 14 Diameter Classes	15-54
15.15.	. Appendix 15 Volume Constants	15-55

15.16. Appendix 16 Rounding	
15.17. Appendix 17 Mathematical Notation	
15.18. Appendix 18 Interior Fir Quality Class Algorithm	
15.19. Appendix 19 Valid Compilation Versions	
15.20. Appendix 20 CGNF Compilation for the Coast For	est Region 15-60
16. Glossary	

## List of Figures

Figure 2-1 Input File (page 1)	2-3
Figure 2-2 Sample Map Area Statement - Front Side	2-4
Figure 2-3 Sample Map Area Statement - Reverse Side	2-5
Figure 2-4 Interior Cruise Tally Sheet - Front Side	2-18
Figure 2-5 Cruise Tally Sheet - Reverse Side	2-19
Figure 2-6 Report 001A	2-27
Figure 3-1 Cruise Compilation Sequence	3-4
Figure 3-2 Log Volume Calculation	
Figure 3-3 Input Data Relationships	3-11
Figure 3-4 Report 004b	
Figure 4-1 Extended Forest Type Stand and Stock Damage Report - Sample Listing	
(Partial)	4-6
Figure 4-2 Block Stand Damage Table - Sample Listing (Partial)	4-7
Figure 4-3 Block Volume Summary Damage Report - Sample Listing	4-8
Figure 5-1 Sample Percent Reduction Worksheet	5-4
Figure 5-2 Percent Reduction Input Values	5-16
Figure 6-1 Stump Cruise Tally Sheet - Front Side	6-4
Figure 6-2 Stump Cruise Tally Sheet - Reverse Side	6-5
Figure 7-1 Scattergram of Card Type 2 trees (Partial)	7-17
Figure 7-2 Height Curve Edits - Sample Listing (Partial)	7-18
Figure 7-3 Regression Coefficients and Calculated Heights – Sample Listing (Partial)	7-19
Figure 7-4 Regression Coefficients and Calculated Heights - Sample Listing -	
Continued (Partial)	
Figure 8-1 Plot Summary - Sample Listing	
Figure 8-2 Plot Frequency - Sample Listing	8-8
Figure 8-3 Cruise Statistics - Sample Listing	
Figure 9-1 Block Stand Table - Sample Listing (Partial)	9-13
Figure 9-2 Cutting Permit Stock Table - Sample Listing (Partial)	

Figure 9-3 Timber Type Basal Area	9-31
Figure 10-1 Extended Forest Type Stand and Stock Table - Sample Listing (Partial)	10-9
Figure 11-1 Volume and Lumber Recovery Report - Sample Listing (Partial)	11-15
Figure 12-1 Type Volume Summary - Sample Listing (Partial)	12-30
Figure 12-2 Block Volume Summary - Sample Listing (Partial)	12-31
Figure 12-3 Cutting Permit Volume Summary - Sample Listing (Partial)	12-32
Figure 14-1 Coast Appraisal Summary - Sample Listing	
Figure 14-2 Interior Appraisal Summary – Sample Listing.	14-14
Figure 15-1 Lumber Recovery Factors	15-13
Figure 15-2 Lumber Recovery Factors	15-14

## **1.** Introduction

This manual outlines the Ministry of Forests, Lands and Natural Resource Operations policy for compiling cruise data collected on British Columbia's Crown land. Any agency compiling cruise data for a licensee must adhere to these guidelines if the compilation is being submitted to the Ministry for stumpage appraisal.

The objective of this manual is to provide a comprehensive and organized set of instructions for system designers and programmers who are building or maintaining a Ministry-standard cruise compilation program.

The chapters are ordered logically as follows:

- 1. Standard Compilation Input Chapter 2.
- 2. Standard Compilation Procedures Chapter 3.
- 3. Special Compilation Input and Procedures Chapters 4 7.
- 4. Report Definitions with Sample Calculations Chapters 8 12.

References will be made to the Timber Pricing Branch's <u>Cruising Manual</u>, which outlines cruising field procedures and other pre-compilation requirements. This manual can be viewed on the Internet at <u>https://www2.gov.bc.ca/gov/content/industry/forestry/competitive-forest-industry/timber-pricing/timber-cruising</u>.

Because there are different appraisal concerns for the Coast and Interior, the compilation program must provide different parameters depending on the type of compilation. A Coast compilation is referred to as compilation type 32, while an Interior compilation is type 03. The report definition chapters of this manual (8-14) will clearly state where differences occur between the Coast and Interior reports.

Each compiling agency is responsible for implementing its own solution. Programming techniques, platforms, data models, functional decompositions and other non-policy material will be determined independently for each implementation.

## **2.** Data Inputs and Edits

### 2.1. Input Data - Standard Compilation

Standard compilations are based on two input forms, the Map Area Statement (FS 121) and the Cruise Tally Sheet (FS 205). These two types of input are discussed in this Chapter.

Two other input forms are used for non-standard compilations, the Stump Cruise Tally Sheet (FS 205S) and the Cruise Percent Reduction Worksheet (FS 221), which are described in chapters 5 and 6.

A standard data input file is made up of a Map Area Statement and one or more Cruise Tally Sheets.

The Map Area Statement consists of one card type A, 1 or 2 card type Bs, 1 or more card type Cs, 1 or more card type Ds, 0 or more card type Es, 1 or more card type Fs and 1 card type G.

The Cruise Tally Sheet is 63 characters wide and consists of 1 card type 9, 1 or more card type 2s and 0 or more card type 3s.

The Cruise Tally Sheet and Map Area Statement are described in chapters 6 and 7 of the *Cruising Manual*.

For each card type, a list or a range of the accepted values for each data input field will be given in tabular format. The following key defines acceptable data types:

- 1. "A" denotes an upper case letter.
- 2. "X" denotes an alphanumeric character {i.e., A-Z, 0-9}.
- 3. "9" denotes a digit.
- 4. "9(L, D)" denotes a number L digits long with D decimal places. The decimal places are implied and should not appear on the input file.
- 5. "YY" denotes a year.
- 6. "MM" denotes a month.
- 7. "{X, Y, Z}" means that only values 'X', 'Y', & 'Z' are permitted.
- 8. "{1-7}" means that only digits 1 through 7 are permitted.

Further, this Chapter defines the data input requirements by specifying data dependency between different fields. For each card type, the list of data dependencies will be broken down by the severity of the error. Field names are capitalized.

The error message column describes the behavior of the system when the edit fails.

- 1. "I" an informational message, the compilation will complete normally.
- 2. "W" a warning, the compilation will complete but is suspect.
- 3. "F" a fatal error, the compilation cannot be completed.

4. "N/A" - no error messages are generated for the field.

For a detailed explanation of the Cruise Tally Sheet and Map Area Statement fields refer to chapters 6 and 7 of the <u>Cruising Manual</u>. The <u>Cruising Manual</u> is located on the Internet at URL: <u>https://www2.gov.bc.ca/gov/content/industry/forestry/competitive-forest-industry/timber-pricing/timber-cruising</u>

The input data must be submitted in ASCII format. Here is an example of an input file:

V2013.02			
AA99999123001205B0570001000	00000020A	Road Fork DEF	2
BA999991231 000032175030150	10	А	
CA99999123 01 10			
CA99999123 02 10			
DA9999912300101M 10			
DA9999912300102M 10			
FA99999123 CC01 10			
FA99999123 CC02 10			
GA99999123A			
9A999991230010101C012545M	25000F175	CC 640314	
2A999991230010101C012500013	555 7552 2	3301 MLG 8 -	H13 -U99 -
2A999991230010101C012500025	50S 13503 4 3	4300 GMDF13	98G1398H 898U99 -
2A999991230010101C012500035	255 12401	5300 MLF139	8H1398H 898U99 -
9A999991230010102C012554M	25000F175	CC 660314	
2A999991230010102C012500015	205 14071	6400 MLF13 -H	13 -1 8 -U99 -
2A999991230010102C012500024	875 11502 1	5300 MLF 8 - H	13941 8 - U99 -
2A999991230010102C012500034	555 9508	4302 SLH13 -U	199 -
2A999991230010102C012500045	655 15982 1	6400 MLF1398	G13 -H11 -U 8 -X99 -
2A999991230010102C012500056	115 16331	5405 MLF13 - F	13 -H13 -I 8 -Y99 -
9A999991230010103C012557M	25000F175	CC 240314	
2A999991230010103C012500015	64S 145521	5300 MLF 8 - Y	650G13 -H11 -U 8 -X99
2A999991230010103C012500025	845 15221	6400 MLF13 - F	8 -H13 -I 8 -U99 -
9A999991230010198C012540C	25000F175	CC 590314	
2A999991230010198C01250001	S		
2A999991230010198C01250002	S		
2A999991230010198C01250003	S		
2A999991230010198C01250004	S		
2A999991230010198C01250005	S		

Figure 2-1 Input File (page 1)

A version number will be placed at the top of the file above card type A. It will start with a V followed by the year, followed by a period followed by 2 digits. For example, the first version in 2020 would be V2020.00 the next version in that year would be V2020.01. Refer to the 'Valid Compilation Versions' link in the *Cruise Compilation Manual* for the most recent version numbers and cruise compilation companies that are approved to compile cruises for appraisal purposes in British Columbia. The link is located at:

https://www2.gov.bc.ca/assets/gov/farming-natural-resources-and-industry/forestry/timber-pricing/timber-cruising/cruise\_comp\_valid\_compilation\_ver\_amend\_3.pdf.

A COMPLETED V 0 NASOR	LITY DESCRIPTION CRUSER OF AGENCY	21 лин склазе         21 лин склазе           иголастивка         иголастивка           иголастивка		Andrew Loter         Andrew Loter<
ENT ROBET REC ROBEN REC COMMAN OF COMMAN			8년 47년 8년 80 501 15 15 25 25 26 25 25 25 25 25 25 25 25 25 25 25 25 25	Tabuha Canada Ca
AREA STATEM CRUISE COMPILATION	ICTM. ICTM. MERCANALE MERCANALE MALA MILA (oddrws) REPART 20ME EXST	τω	2011年1月1日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日	Americanon         Constanto         Constanto <thconstanto< th=""> <thconstanto< th=""> <th< td=""></th<></thconstanto<></thconstanto<>
f Range		(wu)         (wu) <td< th=""><th>0 14 15 18 18 18 18 18 18 18 18 18 18 18 18 18</th><th></th></td<>	0 14 15 18 18 18 18 18 18 18 18 18 18 18 18 18	
BRUTSH BRUTSH COLUMBIA Its are Proceedian Forests and	ексора современта сов			automo - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

FLNRORD—Cruise Compilation Manual

July 1, 2021

							BLOCK	DESCRIPTION	I CARD						
39\1 09\		20°5	ON 34Y	A Bitecterree)	E (heccares)	C (rectares)	D (hectares)	E (hectaree)	F (TACENTER)	G (hectores)	r (hectares)	(hectares)	L (hecanes)	K (herctantis)	L to CU Provinsion
rc  -		£1 . 5. 11	14 1 20 10	17 18 18 20 2	22 23 24 25 26	27 28 29 30 31	32 33 34 35 35	27 38 39 45 41	12 43 44 45 48	47 48 49 50 51	52 53 54 55 56	57 58 59 80	1 62 63 64 65 56	87 - 68 59 70 71	72 73 74 75 76
D		-	-	-	-	-	-		•		•-	•	•  		•
٥		i -		-	•	•	•	•	•	•	•  	•	-	•	•
٥		-	-		•	•	-	•			•-	•	•	•	-
٥	FROMAGOVE	[-	-		•	•		•	-		•	• -	•		•
۵			-		-	•		•	•	•	•-	-	-		
۵		-	-		-		•	•	•	•	•-		•	-	
٩		-	_	-	•-	•		•		•	•-	-	•	-	
٩		-	_	-	-	•		•	•		•- - -	-	-		
۵								•	•	•		-		-	•
				SOD THESE	4	HEIGH	T/DIAMETER	DESCRIPTIC	N CARD						
344			0 021	SHECIES				-		FOR THESE IN					
CARD			SMC. NR BPEC	SF. SP. SP. M N2 N3	문보 문보 Salat	DE TYPE TYPE D. NO. NO.	NO. NO. NO.	NO. NO. N	PE TYPE TYPE	NOC TYPE TYPE NO. NO. NO.	ND. ND.	YPE TYPE TYP HO. NO NU	E TVPE TVPE TVP	E TYPE TYPE	VPE INPE INPE NO. NO. NO.
-	DUPLICATE	F	11 15 16	17 18 19 20 21 2	2 23 24 25 26 77	22 20 30 31 32	33 34 35 35 37 31	39 40 41 42 43	4 42 48 41 48	0 50 51 52 53 5	1 56 56 57 58 5	0 60 61 62 53	M 65 55 57 58 69	71 12 23 24 22	5 76 77 78 78 50
L.	LTOM POPULA	_	-			-	-	-	-	-		-	-	-	
ш		_	-	_				-	-		-	-	-	-	
ш		-	-	-		-									
							HARVESTIN	C DESC3IPT	ION CARD	STIM					
з		1	r v		ĺ										
GYT ORAC		nelan Siyaya	DN BOAL	Proctame)	6 (hectares)	C (Proctarias)	D (hetterns)	E (hectoreal	r (hecteres)	G (hectares)	H (Pactares)	(headinged)	) (heetlanne;	K (hectarus)	L to CU (fractanes)
-	DUPLICATE	11 12 13	14 '5 16	3 17 18 19 20 21	22 23 24 25 36	27 28 29 30 41	20 33 14 35 36	37 36 39 40 41	42 43 44 45 46	47 48 49 50 51	52 53 54 55 8	5* 56 59 00	55 az jes lee les lee	67 54 69 70 7.	72 73 74 75 78
L.	FROM ABOVE	-	_			•	•	•		•	•	-	-	• •	
u.				•	•	•	•	•-		•-	•	-	•-	-	• -
u.		_	-		•	•	•			•••	•	-	•		
						TREA	TMENT UNIT	DESCRIPTIO	N CARD					0	6 CU
5-	DUPLICATE	11 12 13	115 16	17 19 19 20 21	2 20 24 25 28 27	28 29 30 31 32	<u>33] 34] 35] 36</u> 37] 38	3 39 40 41 42 43	44 45 48 47 46	(a) 51 52 53 5	• 55 58 57 18 5	5 60 61 62 63	4 65 56 6/ 68 09	70 71 72 73 74 7	5 76 77 78 79 80
co	FROMABOVE		-												
							NUN PRODU		2						CTURD
C.F.		20 10 10	REMOVED	UNDER OT-LEF	THON PRODUCTIVE DESCRIPTION	OTHER NON PRODUCTS AREA	VF OTHER NON DESC	I PRODUCTIVE RIPTION	OTHER NON PRODUCT VE AREA	OTHER NON PF DESCRIP	NON TIME	OTHER ONPRODUCTIVE ABEA	OTHER NON PRO DESCRIPTI	DUCTIVE NON	PRODUCTIVE -CONTD ARFA
-		11 2 2	14 [ 15 ] · 6	17 18 19 20 21 3	2 23 24 25 26 27	28 29 33 31 32	30 34 35 38 37 3	3 39 40 41 42 43	44 45 46 4/ 48	10 20 21 25 29 2	4 05 05 07 58 5	9 60 61 62 63	M 65 30 67 66 69	7 12 22 22 14 02	5 75 77 73 79 80
т	DUPLICATE	_	_	-		-	-		•		-	•			-
I	FROMABOVE			•		-			-			•			-
I				•		-	-		•			•			- 
I			-	-	_	-					-	•-			•
-															

Figure 2-3 Sample Map Area Statement - Reverse Side

.

### 2.2. Card type A

#### 2.2.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"A" - hard coded	F
2-7	License	Refer to <u>Cruising Manual</u> , Chapter 5	F
8-10	Cutting Permit	XXX	F
11-13	No. of Blocks	999	I
14	Forest Region	1-8	F
15-16	Forest District	Refer to Appendix 6 - Regions and Districts	F
17	F.I.Z.	A-L	F
18	Unit Type	0,1,2,3,5,7, B, C, E, G, K, L, M, P, S, T, W, blank	F
19-20	Unit No.	99	W
21	Block	9	F
22-26	Elevation	99999	I
27	Tenure	A, B, C, S, T, U, V, W, X, Y, 1-9	I
28	Quota	D, H, N, Q, R, S, T, blank	I
29	Sale Type	A-K, M, N, R	I
30-37	Total Merchantable Area	9 (8, 1)	F
38	Report Type	Blank, A	I
39-40	Zone	08-11	I
41-46	East	280,000-720,000	I
47-53	North	5,351,000-6,653,000	
54-66	Locality Description	Any value is accepted	N/A
67-80	Cruiser or Agency	Any value is accepted	F

#### 2.2.2. Fatal Errors

For Unit Type 'T', the Unit Numbers must come from the list of valid Tree Farm Licences (TFL). All TFL's are listed in Appendix 5 (Table 7.5.1) of the *Cruising Manual*.

1. For Unit Type 'T', columns 6-7 must match columns 19-20.

- 2. If the Unit Type is blank and the Unit Number is 26 or 75 then the Unit Block must be coded.
- 3. If the Unit Type is 'A' and the Unit Number is 10, then the Unit Block must be coded 1 or 2.
- 4. If the Unit Number is one of {25, 39, 43, 45, 47 or 49}, then the Unit Block must be coded.
- 5. Unit identity does not agree with licence number.
- 6. Unit identity does not agree with allowable F.I.Z.
- 7. For Coast compilations, the Forest Inventory Zone must be A, B, C, or D.
- 8. Invalid District within Area. Refer to <u>Appendix 6</u>.

#### 2.2.3. Warning

1. Unity identity column cannot be blank.

#### 2.2.4. Messages

1. UTM co-ordinates and Zones must be valid for the specified Area. For a list of UTM coordinates refer to the following web site:

http://a100.gov.bc.ca/pub/mascotw/

June 1, 2009 Amendment - allow FIZ H and I for the Babine PSYU.

June 15, 2011 Amendment – allow FIZ E and F for the Cranbrook PSYU.

June 1, 2012 Amendment - allow FIZ D and G for the Spallumcheen PSYU.

July 22, 2013 Amendment – allow FIZ L, special cruise number 265 for the Dawson Creek Special Sale Area (SSA).

July 1, 2014 – allow FIZ D for the Shuswap PSYU.

## 2.3. Card Type B - Compilation Standard

#### 2.3.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"B" - hard coded	F
2-10	N/A	Same as card type A	F
11	Damage	Yes for appraisal purposes	W
12	Selective Cut Ind.	Blank, C, L	F
13	Double Sampling	0, 1	F
14	Special Comp.	Blank for Coast, 1 or 2 for Interior	Ι
15	Tree Class Comp.	0, 1	F
16	Species Comp.	0, 1	F
17-18	Type of Comp.	03, 32	F
19-21	DBH lower limit	9 (3, 1)	I
22-24	Stump height	999	I
25-27	Top diameter	9 (3, 1)	I
28-39	Log length	99	I
30-31, 45- 46, 60-61	Species Exceptions	Refer to Chapter 5 of the <u>Cruising</u> <u>Manual</u>	F
32-33, 47- 48, 62-63	Type of Comp.	03, 32	F
34-36, 49- 51, 64-66	DBH lower limit for species exceptions	Blank, 9 (3, 1)	I
37-39, 52- 54, 67-69	Stump height for species exceptions	Blank, 999	I
40-42, 55- 57, 70-72	Top diameter for species exceptions	Blank, 9 (3, 1)	I

Column Position	Column Name	Accepted Values	Error Type
43-44, 58- 59, 73-74	Log length for species exceptions	Blank, 99	Ι
76	Type of cruise	Blank for Loss Factors, C for CGNF compilation	N/A
77	100% cruise	Blank, A	N/A
78	Measurement type	C, R	N/A
79	Diameter measure	1	N/A
80	Stump cruise	Blank, S	N/A

#### 2.3.2. Fatal Errors

- 1. For Interior compilations, the Special Compilation cannot be 0.
- 2. The DBH Lower Limit is less than or equal to the Top Diameter.
- 3. Columns 2-10 must be the same as card type A.

#### 2.3.3. Warnings

1. Exception Log Lengths should be between 2 and 11 m.

#### 2.3.4. Messages

- 1. If Tree Class Combination is coded 1, then mark all reports "Not for Appraisals".
- 2. For Interior compilations, if the Special Compilation is coded 1, then mark all reports "Sale is in the Wet Belt".
- 3. For Interior compilations, if the Special Compilation is coded 2, then mark all reports "Sale is in the Dry Belt".
- 4. If the standard merchantability requirements are not coded as outlined below, then mark all reports "Not for Appraisals":

Coast Log length = 10.0 meters

Mature: Minimum DBH = 17.5, Minimum Top Diameter = 15.0 Immature: Minimum DBH = 12.0, Minimum Top Diameter = 10.0 Exception: the coastal portion of the Coast Mountain Natural Resource District, must allow for Interior Standard Utilization Specifications

InteriorLog length = 5.0 meters

Minimum DBH = 17.5, Minimum Top Diameter = 10.0 Exception 1: Lodgepole Pine, Minimum DBH = 12.5

Exception 2: Red Cedar Top Diameter = 15.0 if more than 50% of the Red Cedar net volume is over 140 years old

5. Coast and interior compilations for the Coast Mountain district using coast and interior Forest Inventory Zones & PSYUs are allowed.

Compilations using FIZ D are allowed in Chilliwack district.

## 2.4. Card type C - Type Identity

#### 2.4.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"C" - hard coded	F
2-10	N/A	Same as card type A	F
11-13	N/A	N/A	N/A
14-15	Type number	99 or blanks	F
16-17	Major Species 1	Refer to the <u><i>Cruising Manual</i></u> , Appendices (Timber Typing)	W
18-19	Major Species 2	Same as above	W
20-21	Major Species 3	Same as above	W
22-23	Minor Species 1	Same as above	W
24	Age Class	1-9	W
25	Height Class	1-8	W
26	Stocking Class	0-3	W
27	Site Class	G, M, P, L	W
28	Type Identity	1-3	F
29-33, 34- 38, Etc.	Treatment unit areas A-CU	9 (5, 1) or blanks	F

#### 2.4.2. Fatal Errors

- 1. At least one STU area must be greater than 0.
- 2. There must be at least one timber type.
- 3. Columns 2-10 must be the same as card type A.

#### 2.4.3. Warnings

1. The sum of the STU areas must equal the Total Area coded on card type A.

#### 2.4.4. Messages

- 1. Type Identities greater than 3 are invalid or incorrect.
- 2. If the Type Number is blank, all the subsequent card type C fields should be blank.
- 3. Timber type numbers should appear only once on the card type Cs.

## 2.5. Card Type D - Block Description

#### 2.5.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"D" - hard coded	F
2-10	N/A	Same as card type A	F
11-13	Block number	XXX	N/A
14-15	Type number	99 or blanks	F
16	Block Maturity	Blank, I, M	I
17-21, 22- 26, Etc.	Treatment unit areas A-CU	9 (5, 1) or blanks	F

#### 2.5.2. Fatal Errors

- 1. A block must contain at least one timber type.
- 2. Columns 2-10 must be the same as card type A.
- 3. There must be the same number of blocks coded on card type Ds as is specified on card type A.
- 4. The sum of the type areas within blocks must be equal to the total type area on card type C.

#### 2.5.3. Messages

- 1. Type Numbers must be coded on a preceding card type C.
- 2. If a Type Number is blank, then all of its Treatment Unit Areas should be blank.
- 3. For Coast compilations, if the Block Maturity is not coded, mark all reports "Not for Appraisals"
- 4. There should be at least one block.

## 2.6. Card Type E - Height/Diameter Description

#### 2.6.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"E" - hard coded	F
2-10	N/A	Same as card type A	F
11-13	N/A	Blanks	I
14	Calc. height only	Blank, 0, 1	F
15-16	Species used	Refer to Cruising Manual, Chapter 5	F
17-18, 19- 20, 21-22	Species to be replaced 1, 2 & 3	Same as above	F
23-24	Type used	99 or blanks	I
24-25, 26- 27 79- 80	Types to be replaced 1, 2, 28	99 or blanks	I

#### 2.6.2. Messages

- 1. There should be no blanks between the types coded in columns 25-80.
- 2. Type Numbers must be coded on a preceding card type C.

### 2.7. Card Type F - Harvesting Method Description

#### 2.7.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"F" - hard coded	F
2-10	N/A	Same as card type A	F
11	N/A	Blank	N/A
12-13	Harvesting method	Refer to <u>Chapter 13</u> for valid harvesting method codes	F
14-15	Type number	99 or blanks	F
16		Blank	N/A
17-21, 22- 26, Etc.	Treatment unit areas A-CU	9 (5, 1) or blanks	F

#### 2.7.2. Fatal Errors

- 1. There must be at least 1 Harvesting Method.
- 2. The sum of the type areas within Harvesting Methods must be equal to the total type area on card type C.

#### 2.7.3. Warnings

- 1. A Harvesting Method should appear only once on the card type Fs.
- 2. Type Numbers should be coded on a preceding card type C.

## 2.8. Card Type G - Treatment Unit Description

#### 2.8.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"G" - hard coded	F
2-10	N/A	Same as card type A	F
11-20, 21- 30, Etc.	Silviculture Treatment Units A-CU	XXXXXXXXX	N/A

#### 2.8.2. Fatal Errors

- 1. There must be 1 card type G.
- 2. There must be an equal number of Treatment Unit Names specified in card type G as there are Treatment Unit Areas on card type C.

## 2.9. Card Type H – Non Productive Areas

#### 2.9.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"H" - hard coded	F
2-10	N/A	Same as card type A	F
11–13	Block No.	XXX	N/A
14–18	R/W Removed Under Other Licence	9 (5, 1) or blanks	F
19-28 34-43 49-58 Etc.	Other Non Productive Description	AAAAAAAAA or blanks	N/A
29-33 44-48 59-63 Etc.	Other Non Productive Area	9 (5,1) or blanks	N/A
# 2.10. Cruise Tally Sheet Image



Figure 2-4 Interior Cruise Tally Sheet - Front Side

CHE	CKED BY (PRI	(TN			× DA1	_ س	CRUISED BY (F	PRINT)			Y DATE Y M D
					1		SIGNATURE	(I CERTIFY THAT THIS IS A TRI	JE STATEMENT OF SAMPLI	VG DONE BY ME	AT THE PLACE SHOWN.)
SIGNA	NURE					2 C C C	ECOSYSTEM		SNC	W DEPTH	
	414	QUALITY	CODES			X	NOT CODE OUAE	RTERS (O) WITH KNOTS	CDUNNICI VSV ICINVICIO	PATH CC	DE BY TREE THIRD
IIE	M CODE	LIMITS	ITEM	CODE	LIMITS				האטראוא טבאטט (טער)	1	3 4 5 6 7
	0	0-5%				0	NONE	ONE TO THREE BRANCHES	<sup>1</sup> DOMINANT	TOP	- 
	1	6-15%		5	U-4.90	·	ONE Q 2	OVER 10 cm	2 CO-DOMINANT	DIM	
SPR	IAL 2	16-25%	SWEEP	۲	5-9.90	2	TWO Q		3	TCa	
5	3.8	76.85%	LEAN			3	THREEQ , F	FOUR OR MORE BRANCHES			
	5 0	864%		2	10°+	V	FOLIR O	OVER 10 cm	4 SURPRESSED	UPR	OOTED CODES
		1 100	-			r	3				CONDITION
/impe	i Ree Coast and i	in 10s = 13 or	141		INSECT	CODES		FIRE CC	DE	001	THAN OD FOLLAL TO
			CODI	Ŭ U	NOITION	ALI	LOWED SPECIES	Scorched bark and foilac	e, no charring in merch	E ONF C	I FAN RRFAK
1	Older Immatur	e	-	GREEN	I ATTACK	3		A portion of trunk.	2		
) C	Ider Immatur	a . Clienart	2	RED AT	TACK	2.5	B, PL, Py, Pw	Charring of wood fibra >	100 cm hut < 1/3.of tree	MORE	Y OD ONE CLEAN
4		non-on-o	0	GREY A	ATTACK			B radius in merch portion o		G BREA	LERED REFAKS
3 0	Older Imm Dea	ad Potential	5	GREEN	I (ALIVE) ST	SIP				;	
	and Inclose		9	GREEN	I (DEAD) FUI	H	S, F	Charring of wood fibre in	3 or more areas >	For Age in 10	's/Tree classes refer to Tree
4	nedu Useless		7	GREY A	ATTACK			tree radius if dhh/ 20 cm	US OF > 1 CRECK > 1/3 OF	class Modified	tation of Loss Factor Tables Table 17 in Cruising Manual.
5	fature -		80	RED AT	TACK	5.4 - 52	F only				,
			×	DEFOL	IATORS (LIV	E)	All	REMARKS (OTHER DEF	ECTS AND QUALITY FAC	CTORS	DISEASE CODES
6 L	ive Useless		7	DEFOL	IATORS (DE	(DA	All	AFFECT	ING LOGGING)		4 BLISTER RUST
-	Theod contain	Intertor	COM	MENTS							ON PW
	וומוחו ב-חבמח ו										ROOT ROT
8	ounder Imma	ture									J LIGHT
	2										K MODERATE
6	'ounger Imm I	Dead Potentia	-								L HEAVY

Figure 2-5 Cruise Tally Sheet - Reverse Side

July 1, 2021

# 2.11. Card Type 9 – Plot Identity Information

## 2.11.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"9" – hard coded	N/A
2-10	Same as card type A	Same as card type A	W
11-13	Block	XXX	F
14-15	Strip	XX	F
16-17	Plot	XX	F
18	Original or Check	O, C	F
19-20	Type number	99	F
21-22	Age in 10s	99	F
23-24	Height in 3m	Blanks or 99	F
25	Plot type	Blank, C, M, S	F
26	Plot card sequence	Blank – not used <sup>1</sup>	N/A
27-30	Hectares	Blanks or 9 (4, 3)	F
31-35	Basal area factor	Blanks or 9 (5, 3)	F
36	Plot sweep	F, B	F
37-39	DBH limit	9 (3, 1)	F
40-43	Sub-plot hectares	Blanks or 9 (4, 3)	F
44-48	Sub-plot BAF	Blanks or 9 (5, 3)	F
49	Sub-plot prism sweep	Blank or F, H, B	I

<sup>&</sup>lt;sup>1</sup> This field is used on stump cruise tally cards to indicate ordering of tally sheets when more than one tally sheet is required for a plot. It is not used in a compilation.

Column Position	Column Name	Accepted Values	Error Type
50-52	Sub-plot DBH limit	Blanks or 9 ( 3, 1)	F
53-54	Harvesting method	Refer to card type F, positions 12-13. Blanks are not permitted	F
55-57	Slope percent	999	F
58-61	Cruise date	YYMM	F

#### 2.11.2. Fatal Errors

- 1. Timber Type must match a valid type from card type C.
- 2. Block must match a valid block from card type D.
- 3. Average height field is required for PSYUs Bowron, Longworth, Monkman, Purden and Robson, and for TFL 30.
- 4. Block/Strip/Plot combinations must be unique.
- 5. Both Hectares and BAF cannot be coded in a main/sub plot.
- 6. Count plots are not allowed for a fixed area compilation.
- 7. For count plots, the Prism Sweep must be full ('F').
- 8. For interior compilations the card type 9 Main/Sub Plot DBH must be the same as the lowest DBH limit for the cruise plot. Each tree in a count plot must have the DBH or DBH class recorded if the tree has a DBH smaller than the interior timber merchantability requirements.
- 9. For coast compilations, the card type 9 Main/Sub Plot DBH must be the same as the lowest DBH limit for the cruise plot. Each tree in a count plot must have the DBH or DBH class recorded if the tree has a DBH smaller than the Coast timber merchantability requirements.
- 10. Harvesting Method must occur on a card type F.
- 11. Harvesting Method/Timber Type combination must occur on a card type F.
- 12. Fixed plot areas must be the same for all plots in a type.
- 13. The date must be included on the tally card.

#### 2.11.3. Warnings

- 1. Variable plot BAFs should be the same for all plots in a type.
- 2. There must be at least 2 plots per type for average line method compilations.

### 2.11.4. Messages

- 1. The Sub Plot BAF/plot size are greater than the Main Plot BAF/plot size.
- 2. If the Sub Plot BAF/plot size are both blank, then the Sub Plot Sweep and DBH should also be blank.
- 3. Sweep in sub plot must be equal to Sweep in the main plot.
- 4. Main plot or sub plot DBH lower limit should not be less than the compilation standard or exception DBH lower limit, whichever is lower.

# 2.12. Card Type 2 - Tree Details

# 2.12.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1	Card type	"2" - hard coded	F
2-24	N/A	Identical to card type 9	F
25-26	Tree number	01-99	F
27-29	Total height	9 (3, 1)	F
30-31	Species	Refer to <u><i>Cruising Manual</i></u> , Section 4.3.2.4	F
32-35	DBH	9 (4, 1)	F
36	Tree class	1-9	F
37	Conk	1-7, Blank	F
38	Blind conk	1-7, Blank	F
39	Scar	1-7, Blank	F
40	Fork or crook	1-7, Blank	F
41	Frost crack	1-7, Blank	F
42	Mistletoe	1-7, Blank	F
43	Rotten branch	1-7, Blank	F
44	Dead top	1-7, Blank	F
45	Spiral grain	0-9	F
46	Sweep	0, 1, 2, Blank (Coast)	F
47	Lean	0, 1, 2, Blank (Coast)	F
48	Log no. of I <sup>st</sup> live limb	1-9	F
49	Log no. of 1 <sup>st</sup> stub	1-9	F
50	Knots in 1 <sup>st</sup> 5 m	0-6	F

Column Position	Column Name	Accepted Values	Error Type
51	Knots in 2 <sup>nd</sup> 5 m	0-6	F
52-58	N/A	Not used at this time	N/A
59	Selective	Blank, C, L	F
60	Root rot	Blank 1 – 7, J, K, L	F
61	Insect and disease damage	1, 2, 3, 4, 5, 6, 7, 8, X, Y	W
62	Fire damage	A, B, C	W
63	Blowdown damage	E, G	W

### 2.12.2. Fatal Errors

- 1. Cut and leave trees coded in the selective cut column must have a full measure tree recorded, by species for each timber type.
- 2. For tree class 2, pathological codes are required.

### 2.12.3. Warnings

- 1. Insect damage code must be valid for species (refer to the *Cruising Manual*, Section 7.6.1). Beetle codes 1, 2 and 3 are allowed in all species of the Pinus genus.
- 2. Damage codes must be valid for tree class.

Damage Code	1	2	3	4	Tree Class 5	6	7	8	9	Species
1	Х	Х			Х			Х		PI,Py,Pw,B
2	Х	Х			Х			Х		PI,Py,Pw,B
3			Х				Х		Х	PI,Py,Pw,B
4	Х	Х			Х			Х	Х	Pw
5	Х	Х			Х			Х		S,F

Damage Code	1	2	3	4	Tree Class 5	6	7	8	9	Species
6	Х	Х			Х			Х		S,F
7			Х				Х		Х	S,F
8	Х	Х			Х			Х		F
Х	Х	Х			Х			Х		All
Y	Х	Х	Х		Х		Х	Х	Х	All
A	Х	Х	Х		Х		Х	Х	Х	All
В	Х	Х	Х		Х		Х	Х	Х	All
С	Х	Х	Х		Х		Х	Х	Х	All
E	Х	Х	Х		Х		Х	Х	Х	All
G	Х	Х	Х		Х		Х	Х	Х	All

#### 2.12.4. Messages

- 1. For interior compilations, if the tree DBH is less than the compilation standard DBH lower limit, then the tree will not be used.
- 2. For coast compilations, if the tree DBH is less than the compilation standard DBH lower limit OR the block maturity DBH lower limit, then the tree will not be used.
- 3. If the tree class is 4 or 6 and the Tree Class combination is not coded 1, then the tree will only contribute to the snag percent.
- 4. If the selective cut indicator does not match the card type B selective cut indicator then the tree will not be compiled.
- 5. A tree with a height less than 3 m will not be used.
- 6. A tree with no height and the species does not exist on a card type E will not be used.
- 7. No pathological codes are allowed for tree classes 1, 4, and 6.
- 8. For tree classes 4 and 6, do not code quality remarks.

# 2.13. Card Type 3 - Sample Tree Details

### 2.13.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
2-24	N/A	Identical to card type 9	F
36	Crown class	1-4	I
37-39	Total age	999	F

### 2.13.2. Messages

- 1. The tree height is not in range for species in Forest Inventory Zone refer to <u>Appendix 4</u>.
- 2. The total age is not in range for species in Forest Inventory Zone refer to <u>Appendix 5</u>.

# 2.14. Report 001A - Sample Listing (Partial)

Edit Error Report - Required.

```
FOREST REVENUE BRANCH - 2001.0
                                  COMPUTED 2001-03-19 15:44:21
(001) PAGE
            1
123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890
         ATL7070001002106CE86000100BD 00000125A 000000000000 TEST 2000 CRUISER B
    1
                            REPORT DESIGNATOR - CC 38 - INFO MAYBE USED FOR APPRAISALS
                            UTM ZONE - CC 39-40 - IS INVALID
                             DISTRICT NAME = SOUTH ISLAND
                            PSYU VANCOUVER
                            UTM ZONE - CC 39-40 - IS INVALID CODE
                                                                               A
          BTL7070001 00 13217503015010
    2
N
                            THIS CRUISE WILL BE COMPILED USING AVERAGE LINE METHOD
                      01F H C Y 941M200050
          CTL7070001
    3
                               440M20005000025
          CTL7070001
                      02F B
    4
                                                                                 м
          DTL70700010010100025
                                                    0200025
    5
                                                                                 м
                                                    020002500025
          DTL70700010020100025
    6
                                                    0200050
          FTL7070001 SC0100050
    7
          FTL7070001 SS02000000025
    8
          GTL7070001CLEARCUT SELECTION
    9
          9TL707000100101010011342M
                                      12000B175
                                                          SC0602010
   10
                                                                     - SEE TABLE 17
                            PLOT AGE FOR CONIFEROUS - MATURE
PAGE 11
          2TL70700010010101001134201410¥ 11005 7
                                                     4300
                                                                   F
                                                3
   11
```

Figure 2-6 Report 001A

# **3.** Compilation Sequence

The compilation program is used to compute *quantitative* estimates for volume, basal area, average diameter and tree count statistics and other related data for a timber cruise. The estimates are reported for both stand total and 'per hectare' values. For example, the total volume and volume per hectare estimates are reported for the timber cruise. In the interior, estimates for lumber recovery and chip yield are also computed.

The estimates for these parameters are reported at the following levels:

1.	Timber Type	-	a stratification of the cutting permit. Trees that belong to a
			certain type have similar characteristics with respect to species composition, age, size, quality and site index.
2.	Cutting Permit	-	the whole cutting authority area that is compiled.
3.	Block	-	a contiguous area within a cutting authority, made up of 1 or more Timber Types.
4.	Harvesting Method	-	an area within a cutting authority area that is harvested by the same logging system.
5.	Treatment Unit	-	an area of common treatment based on a silvicultural prescription.
6.	Plot	-	an area where tree are sampled. These sampling points provide the estimates for the previous 5 levels.

For each report level, the data may be further broken down into *qualitative* categories such as species, risk group, maturity, damage type, and log grades. The reporting levels are specified in chapters 8 - 14

# 3.1. Compilation Sequence

## 3.1.1. Step-by-Step Compilation Instructions

Step 1	Perform Edits and Load Data - Inspect each input card from the input file and compare to the list of edits in <u>Chapter 2</u> . If a fatal error is found, stop the compilation and edit the input file. Remove un-compiled trees and load the data for use by subsequent processing. A sample data model relating the input data elements is given in <u>Section 3.4</u> .					
	Output					
	<ul> <li>Edit Error Report (001a)</li> <li>Scattergram of card type 2s and 3s (001b)</li> </ul>					
Step 2	If there are any trees with no height, then determine the Height-Diameter curves from the sample trees and apply heights as outlined in <u>Chapter7</u> .					
	Output					
	<ul> <li>Regression coefficients (003a)</li> <li>Scattergram of predicted heights (003b)</li> </ul>					
Step 3	Calculate Volume - refer to <u>Section 3.2.1</u> for step-by-step instructions on calculating volumes.					
Step 4	Produce Reports - for each of the selected reports, refer to the specific chapters 8 - 14, which defines the report.					

### 3.1.2. Compilation Dataflow Diagram



Figure 3-1 Cruise Compilation Sequence.

## 3.2. Log Volume Calculation - Overview

### 3.2.1. Step-by-Step Log Volume Calculation Instructions

Only compile the stem count for Western Yew.

- Step 1 Set the parameters for calculating the volume of a tree. These are:
  - 1. Forest Inventory Zone.
  - 2. DBH Diameter at breast height (1.3 m) outside bark in cm to the nearest tenth (e.g., 110.1).
  - 3. Height Total height in meters to the nearest tenth (e.g., 41.3).
  - 4. Stump ht. Stump height in meters to the nearest hundredth (e.g., 0.30).
  - 5. Top diam. Top diameter inside bark in cm to the nearest tenth (e.g., 12.5).
  - 6. Log length log length in meters to the nearest tenth (e.g., 5.0).
- Step 2 Calculate tree volumes taper equation and volume routine (see <u>Appendix</u> <u>13</u>).

Use the taper equation and volume routine with the above-defined parameters. This routine will determine:

- 1. Number of logs in the tree.
- 2. Volumes for each log.
- 3. Top diameters for each log.
- 4. Length of top log.
- 5. Butt diameter for  $1^{st} \log$ .
- 6. Gross merchantable volume from stump height to top diameter.
- 7. Biological volume from ground to top of tree.
- Step 3 Determine loss factor table.
  - 1. Use FIZ tables unless a local loss factor exists for the Unit. All local factors apply only to mature volumes (i.e., 121 years or greater). Refer to Appendix 5 of the *Cruising Manual*.

- 2. Determine maturity based on tree class and age. Refer to the Tree Class Modification of Loss Factors in Appendix 5 of the <u>*Cruising Manual*</u> at the above URL.
- 3. Determine Risk Group based on tree class, pathological remarks, and damage.

Tree Class - Tree classes 3, 4, 6, 7 & 9 automatically go to highest Risk Group. The exception being Tree Class 7 Lodgepole Pine in the Interior. These stems will be classed as Risk Group 2. Conk, Blind conk, fire code C and blowdown code G will move these stems into Risk Group 3.

Pathological Indicators - Tree class 1, 2, 5 & 8 trees start at the lowest risk group and are then placed into a higher risk group, depending on pathological indicators. Refer to Appendix 17 in the *Cruising Manual*.

Damage Codes - trees are further moved into higher risk groups depending on the damage codes associated with them.

Insect Damage

If the Risk Group is 1, then increase the Risk Group to 2 for insect damage codes 1, 2, 3, 4, 6 and 8.

Spruce trees in all maturity classes with insect damage code 7 will move to the highest mature risk group. This means that in FIZ A-C, all spruce insect damage code 7 will move to risk group 2. In FIZ D-L, spruce with insect damage 7 will move to mature risk group 3.

Fire Damage

There is no change in Risk Group for fire damage code A, B or C.

Blowdown Damage

There is no change in Risk Group for blowdown code E.

For blowdown damage code G, use the highest Risk Group.

For cedar loss factor table 296, the Risk Group is based on the average height from card type 9. If the average height  $\leq 40$ , then the risk group is 2.

Otherwise, the Risk Group is 1.

- 4. Determine diameter class, based on DBH. Refer to Appendix 14.
- Step 4 Apply loss factors refer to the "*Cruise Compilation Loss Factor Table Manual*", 1976, for the specific table. Reduce the tree volume by the specified percentages. Apply the loss factors individually and in the order {Decay  $\rightarrow$  Waste  $\rightarrow$  Breakage}.

For mature coast cottonwood, a flat rate of 15 percent is applied in lieu of the loss factors.

For interior Lodgepole Pine addition breakage factors are reduced from gross volume based on insect damage codes and/or tree classes.

Tree Classes	Damage Code	Breakage Factor Add On
1, 2, 5, 8	No insect code	0
1, 2, 5, 8	1	0
1, 2, 5, 8	2	7.5
3, 7, 9	3	28.0
3, 7, 9	No insect code	28.0

The additional breakage factor for all risk group 3 stems is zero (0).

For fire damage, additional breakage factors are reduced from gross volume based on code.

Fire Damage Code	% Breakage Add-On
A	0.0
В	5.0
С	40.0

Maximum DWB reductions for any tree is 100%.

Step 5 If count and measure plots have been tallied, calculate the double sampling ratios (DSR) for each tallied species. The DSR adjusts stem count, basal area, and volume estimates. When using the Average Line method, calculate a DSR for each Timber Type. When using the Block method, calculate a DSR for each Timber Type, each Timber Type within Block and each Timber Type within Harvesting Method.

For tree classes 4 & 6, use 1.0 (i.e., no adjustment in volume).

Use 1.0 for Western Yew (i.e., no adjustment in stem count). Output - Double Sampling Ratios (004b)

Example: Fir DSR for a Timber Type

$$DSR(fir) = \frac{\# of \ meas \ plots.}{Total \# of \ plots} \quad * \quad \frac{(\# \ firtrees) * (avg. BAF \ all \ firtrees)}{(\# \ meas. \ firtrees) * (avg. BAF \ meas. \ fir)}$$

To calculate the average BAF, sum the basal area factors of all the trees in the type and divide by the number of trees in the type. Refer to <u>Section</u> 3.5 for a detailed explanation of the calculation of number of trees and basal area factors.

Example 3.4 - Double Sampling Ratio

Refer to Figure 3.4 for a sample Double Sampling Ratio Report.

In Block 2, Type 2 there are 2 measure plots and 2 count plots. One measure plot is a border plot and has a BAF of 8. The other measure plot is a full plot with a BAF of 10. Both count plots are full plots with BAFs of 8 and 10.

There was 1 cedar tallied in each of the plots. The cedar tallied in the border plot would count as 2.

The average basal area for all cedars is (8 + 8 + 8 + 10 + 10) / 5 = 8.8 The average basal area for all measured cedar is (8 + 8 + 10) / 3 = 8.66

$$DSR_{(cedar)} = \frac{2}{4} * \frac{5*8.8}{3*8.66} = 0.84615373$$

- Step 6 If a percent reduction is being compiled, determine whether there is an eligible reduction for the tree. Refer to <u>Chapter 5</u> for Percent Reduction handling.
- Step 7 Double the volume, basal area and tree count for border plots.
- Step 8 Calculate grade percents (Appendices 9 and 10).

Each log is graded and the volume for that log is reported for that grade.

### 3.2.2. Calculate Volumes and Grades



Figure 3-2 Log Volume Calculation.

# 3.3. Sample Data Model



Figure 3-3 Input Data Relationships

This diagram is only a sample of the input data relationships. Many different views would be required to perform all the reporting calculations.

Read the cardinality rules as: "1 Cruise Compilation CONTAINS 1 or many Harvesting Methods", "1 Tree can be USED FOR 1 Height Sample Tree" etc.

# 3.4. Plot Types

There are two methods of plot sampling, which correspond to the *type* of plot being cruised. The types of plots are fixed area plots and variable plots, also known as prism plots. Both of these plot types have associated methods for estimating the following quantitative values (as well as any other 'per hectare' value required for a compilation):

- 1. Volume per hectare.
- 2. Basal area per hectare.
- 3. Number of trees per hectare.

Further, each of the plot types can identify a sub-plot, which will alter the calculations of the above parameters for certain trees in the plot, depending on the specified DBH of the tree.

Generally speaking, the two types of sampling cannot be mixed. However, in a stratified stand with more than one Timber Type, it is permissible to use fixed area plots for one Type and prism plots for another Type.

# 3.4.1. Prism Plots

Prism plots are identified by the presence of a BAF in columns 32 - 35 of card type 9. The BAF may change between plots in a Timber Type.

A prism plot may be a measure plot or a count plot, as indicated by an "M" or a "C" in column 25 of card type 9. The presence of count plots indicates "double sampling" which requires a method of adjusting the plot estimates despite recording only the species of each tree. Plot estimates are adjusted using a factor called the Double Sampling Ratio, described in <u>Section 3.5</u>.

If a species is tallied in a count plot, it must also occur in a measure plot.

Tree classes 4 and 6 are not permitted in count plots.

For count plots, the DBH lower limit specified in columns 37 - 39 of card type 9 must be the same as the DBH lower limit from card type B.

The plot sweep for prism plots must be "F" (full).

Use the following methods for calculating the plot estimates. The tree class 4 and 6 trees (snags) will be estimated independently from the other trees (stems).

### 3.4.1.1. Number of Trees per Hectare

Each tree contributes:

$$S_t = \frac{BAF_t * 12732.39545}{DBH^2} * DSR_t * R_t$$

To the number of stems (or snags) per hectare. So,

$$S_p = \sum_{t=1}^{np} S_t$$

#### Example 3.1

Plot 1, Type 1 has two (2) Spruce trees in it. Spruce is reduced by 30 percent in all diameter classes. BAF = 10. Tree one has a DBH of 56.0 and tree two has a DBH of 51.1. The Double Sampling Ratio is 1.

Tree 1 
$$S_{t,1} = \frac{10*12732.39545}{56.0^2} * 1 * (1 30 / 100) = 28.4$$
 stems per hectare

Tree 2 
$$S_{t,2} = \frac{10*12732.39545}{51.1^2} * 1 * (1 30 / 100) = 34.1$$
 stems per hectare  
 $S_p = 28.4 + 34.1 = 62.5$  stems per hectare

Where:

$S_t$ = Stems per hectare estimate for tree	t.
---	----

- $S_p$  = Stems per hectare estimate for plot p.
- $n_p$  = Number of trees in plot p.
- $BAF_t$  = Basal area factor for tree t in plot p.
- $DBH_t$  = Diameter at 1.3 m outside bark for tree t.
- $DSR_t$  = Double Sampling Ratio for tree t (see <u>Section 3.5</u>).
- $R_t$  = Post-reduction percent for tree t (1 reduction percent / 100).

#### 3.4.1.2. Basal Area per Hectare

$$BA_{p} = \sum_{t=1}^{n_{p}} BAF_{t} * DSR_{t} * R_{t}$$

Where:

$BA_p$	=	Basal area/hectare estimate for plot p.
$n_p$	=	Number of trees in plot p.
$BAF_t$	=	Basal area factor for tree t in plot p.
$DSR_t$	=	Double Sampling Ratio for tree t (see Step 5)
$R_t$	=	Post-reduction percent for tree t (see Example 5.5).

### 3.4.1.3. Volume per Hectare

Each tree contributes:

$$V_t * \frac{BAF_t * 12732.39545}{DBH_t^2} * DSR_t * R_t$$

To the volume per hectare.

$$V_p = \sum_{t=1}^{n_p} V_t$$

Where:

$V_p$	=	Gross merchantable volume per hectare estimate for plot p.
$n_p$	=	Number of merchantable trees in plot p.
$BAF_t$	=	Basal area factor for tree t in plot p from card type 9.
$DBH_t$	=	Diameter at 1.3 m outside bark for tree t.
$V_t$	=	Gross merchantable volume for tree t (see Appendix 13).
$DSR_t$	=	Double Sampling Ratio for tree t (see Section 3.5).
$R_t$	=	Post-reduction percent for tree t (see Example 5.5).

The procedure for calculating the merchantable volume of a tree is described in <u>Section 3.2</u>. Double this estimate if the plot is a border plot.

Sub-plots may be used for prism plots and are detected by the presence of a sub-plot basal area factor in columns 44-48 of card type 9, which differs from the main plot DBH. There will be a

corresponding DBH lower limit for the sub-plot in columns 50-52, which will also differ from the main plot DBH lower limit.

If the sub-plot DBH is smaller than the main plot DBH, then the smaller trees in the plot will use the sub-plot BAF and plot sweep in the above calculations. Conversely, if the sub-plot DBH is larger than the main plot DBH, then the larger trees in the plot will use the sub-plot BAF and plot sweep.

For example, if the main plot DBH lower limit is 17.5 and the sub-plot DBH lower limit is 27.5, then trees with DBH between 17.5 and 27.4 would be processed using the main plot BAF and plot sweep. Trees with DBH of 27.5 or more would be processed using the sub-plot BAF and plot sweep. Together, the main plot and sub-plot count as 1 plot.

### 3.4.2. Fixed Area Plots

Fixed area plots are identified by the presence of a plot size, in hectares, in columns 27-30 of card type 9. The plot size must be the same for all plots in a timber type. Unlike prism plots, fixed area plots cannot be count plots.

The plot sweep for fixed area plots must be full or border.

Use the following methods for calculating the plot estimates. The tree class 4 and 6 trees (snags) will be estimated independently from the other trees (stems).

### 3.4.2.1. Number of Trees per Hectare

Each tree contributes: 
$$S_t = \frac{Area \text{ one hectare}}{Plot \text{ Size}} * R_t$$
  
Each species contributes:  $S_p = \sum_{t=1}^{np} S_t$ 

### Example 3.2

Plot 1, Type 1 has two (2) Spruce trees in it. Spruce is reduced by 30 percent in all diameter classes. The area of the plot is  $400 \text{ m}^2$ . Tree one has a DBH of 56.0 and tree two has a DBH of 51.1. There is no Double Sampling Ratio because count plots are not used with fixed area sampling.

Tree 1 
$$S_{t,1} = \frac{10\ 000}{400} * (1\ 30\ /\ 100) = 17.5$$
 stems per hectare

Tree 2  

$$S_{t,2} = \frac{10\ 000}{400} * (1\ 30\ /\ 100)$$
 = 17.5 stems per hectare  
 $S_p = 17.5 + 17.5$  = 35.0 stems per hectare

Where:

$S_p$	=	Stems per hectare estimate for plot p.
$n_p$	=	Number of trees in plot p.
$R_t$	=	Post-reduction percent for tree t (1 - reduction percent / 100).
$S_t$	=	Number of trees per hectare tree t represents.
Area one hectare	=	10,000 m <sup>2</sup>
plotsize	=	Area of plot from card type 9.

Double this estimate if the plot is a border plot.

#### 3.4.2.2. Basal Area per Hectare

The basal area for each tree is calculated as pi  $(DBH/200)^2$ (i.e., the area of a circle whose diameter is the DBH for the tree).

$$BA_p = \frac{\sum_{t=1}^{n_p} pi \frac{DBH_t}{200}^2}{plot \ size} * R_t$$

Where:

 $BA_p$  = Basal area (m<sup>2</sup>) per hectare estimate for plot p.  $n_p$  = Number of trees in plot p.

$DBH_t$	=	Diameter (cm) at 1.3 m outside bark for tree t.
pi	=	3.14159
$R_t$	=	Post-reduction percent for tree t (1 - reduction percent / 100).

Double this estimate if the plot is a border plot.

#### 3.4.2.3. Volume per Hectare

$$V_p = \sum_{t=1}^{n_p} S_t V_t$$

Where:

 $V_p$  = Gross merchantable volume per hectare estimate for plot p.

 $n_p$  = Number of trees in plot p.

 $V_t$  = Gross merchantable volume for tree t.

 $S_t$  = Number of trees per hectare that tree t represents.

Double this estimate if the plot is a border plot.

The procedure for calculating the volume of a tree is described in <u>Section 3.2</u>.

Sub plots are also permitted for fixed area plots and are detected by the presence of a sub-plot size in columns 40-43 of card type 9. There will be a corresponding DBH lower limit in columns 50-52, which will also differ from the main plot DBH lower limit. Use the same logic as is used for prism plots to determine which trees use the sub-plot parameters and which trees use the main plot parameters.

# 3.5. Double Sampling Ratio - Sample Listing

Report 004b - Sample listing (partial).

Double Sampling Ratios - required.



# **4.** Damage Reports

Whenever the codes for Blowdown, Fire and/or Insect damage are detected on card type 2s, damage reports are produced in addition to the normal (non-damage related) output. These reports will segregate the reported volumes into separate damage types and/or codes, as indicated. Root rot damage is reported for block summaries only and is optional.

The damage reports will be the same as the normal output, only there will be a designation of species and damage type and damage codes on the report.

Damage Type	Code	Description	Species
Blowdown	E	Down trees	All Species
	G	Down and shattered trees	All Species
Fire	А	Light fire	All Species
	В	Medium fire	All Species
	С	Heavy fire	All Species
Insect/Disease	1	Green attack	Balsam, Pine
	2	Red attack	Balsam, Pine
	3	Grey attack	Balsam, Pine
	4	Blister rust	White Pine
	5	Green attack - alive	Spruce, Douglas Fir
	6	Green attack - dead	Spruce, Douglas Fir
	7	Grey attack - dead	Spruce, Douglas Fir
	8	Red attack	Douglas Fir
	Х	Defoliator G live cambium	All Species
	Y	Defoliator D dead cambium	All Species
Root Rot	J	Light	All Species
	K	Moderate	All Species
	L	Heavy	All Species

# 4.1. List of Damage Reports

The following damage reports are required for damage types Blowdown, Fire, and Insect:

- 1. 006 Extended Forest Type Stand and Stock Table, one page with all trees, one page with non-damaged trees, and one page for each Blowdown, Fire, or Insect damage code.
- 2. 007 Stand and Stock Tables, one page for each species and damage type containing each of the damage codes for that damage type.
  - i 007a Block Stand Table.
  - ii 007b Block Stock Table.
  - iii 007c Block Basal Area.
  - iv 007d Timber Type Stand Table.
  - v 007e Timber Type Stock Table.
  - vi 007f Timber Type Basal Area.
  - vii 007g Cutting Permit Stand Table.
  - viii 007h Cutting Permit Stock Table.
  - ix 007i Cutting Permit Basal Area.
- 3. 009 Volume Summaries, one page for each species and damage type reporting each of the damage codes for that damage type.
  - i 009a Timber Type Summary.
  - ii 009b Block Summary.
  - iii 009c Cutting Permit Summary.
  - iv 009d Treatment Unit within Block Summary Coast only.
- 4. 011 Plot Summary, damage code volumes segregated for each species.
- 5. 015 Harvesting Method Summary, percent net volumes will be segregated for each Harvesting Method under the headings Fire, Heavy Fire (Damage code C), Down trees, and Insect damage.

The following damage reports are optional:

1. 009b Root Rot Block Summary.

# 4.2. Damage Report Calculation

Trees with multiple damage codes will report each damage type in the *Damage Summary Reports*. The damage code or codes that will assign the highest risk group will be used in the calculation of the net volume for each of the damage types. If pathological indicator(s) move the risk group higher than the damage code(s) then use the risk group from the pathological indicator(s) to calculate the *Damage Summary Reports*.

Example 4.1:

Cruise = 1 ha, 1 plot, 1.0 m<sup>3</sup> mature Lodgepole Pine tree that represents 100 stems/ha with down tree code G, fire code C and insect 3:

<u>Risk groups (RG)</u> -Down Tree = RG3, Fire = RG2, Insect 3 = RG 2. Use RG 3 since it is the highest risk group.

<u>Volume</u> - Hypothetical loss factor DWB = 30% plus 28% for the grey attack breakage add-on plus 40% Fire C breakage add-on = 98%.

Tree =  $1.0 \text{ m}^3$  -  $0.98 \text{ m}^3$ . Cruise volume per hectare =  $0.02 * 100 \text{ stems} = 2 \text{ m}^3$ .

<u>Damage reports</u> -Type, Block and Cutting Permit Damage Report Net Volume =  $2 \text{ m}^3$  for Lodgepole pine Down Tree (G), Fire(C) and Insect (3).

Example 4.2:

Cruise = 1 ha, 1 plot, 1.0 m<sup>3</sup> mature Lodgepole Pine tree that represents 100 stems/ha with down tree code G, fire code B and insect 3:

<u>Risk groups</u> (RG) -Down Tree = RG3, Fire = RG2, Insect 3 = RG 2. Use RG 3 since it is the highest risk group.

<u>Volume</u> - Hypothetical loss factor DWB = 30% plus 28% for the grey attack breakage add- on plus 5% Fire B breakage add-on = 63%.

Tree =  $1.0 \text{ m}^3$  -  $0.63 \text{ m}^3$ . Cruise volume per hectare =  $0.37 * 100 \text{ stems} = 37 \text{ m}^3$ .

<u>Damage reports</u> -Type, Block and Cutting Permit Damage Report Net Volume =  $37 \text{ m}^3$  for Lodgepole pine Down Tree (G), Fire (B) and Insect (3)

# 4.3. Sample Damage Report Listings

Some of the DBH classes have been removed from these sample listing.

### 4.3.1. Extended Forest Type Stand and Stock Damage Report - Sample Listing

FOREST NOT F(	REVENUE R APPRA	E BRANCH -	2001.0 DSES DUE	PC TO NON-STANE	REST TYPE 3. ARD UTILIZAT	TION **** DOUT	BLE SAMPLING	MG/HA) ; CRUISE ****		(006) COMPUTED	PAGE 2001-03	4 -19 17	:42:54	
			LON	re - all trei	IS GREATER T	IAN 275 CM AR	E INCLUDED I	IN THE 275 CO	CLASS	<b>AVERAGE</b> USELESS	LINE	EXCLUE	)ED	
	LICENCE	NUMBER CF.	7080	TXPÉ	: 1 - PA H	C 941	SPECIE	IS CRUAR			NO. OF	L INE 1	REES	ų
-	ONITING	PERMIT	000	ROAD/LANDING	S AREA -	5.0 OTHER A	REA - 0.0	NO. OF PLO	OTS (M/C)	з. з.	NO. OF	T DEAD 1	REES	ò
					DOWN & SI	tATTERED - UPI	ROOTED DAMAG	36						
	4	AVERAC	ы (2	ч	DNINI	TREES								
DBH		GROSS	NET											
5	н	MERCH.	MERCH.	RISK	RISK	RISK GROUP 2	RISK	DEAD	TKUUM	VIJ VIJ	μ μ	וו חפסם	1.1 115	-
W	( M.)	FER INEE	W31		ONOL 1	2000E					2			>
40	11.11	1011												
20														
205														
55	37.5	2.807	1.346			10.33			10.33					
60														
65														
70														
608														
500														
5	TOTAL	L OF AVE	RAGES	•		10.33			10.33					
	PERCENT	T BY TREE (	CLASS			100.00			100.00					
						AVE	RAGE DBH (CM)	AT 5 LEVEL	60					
		TREES 1	2.5 +			55.50			55.50					
		TREES 1	7.5 +			55.50			55.50					
		TREES 2.	2.5 +			55,50			55.50					
		TREES 2	7.5 +			55.50			55.50					
		TREES 3	2.5 +			55.50			55,50					

Figure 4-1 Extended Forest Type Stand and Stock Damage Report - Sample Listing (Partial)

42 1 02 10 17.47.EE	CC:24:/T 6T-CO-T	UMES EXCLUDED			TOTAL										29.9	31.2	9.1											70.2				39.6	39.6	39.6	39.6	205
(007A) PAGE	INSECT DANA	USELESS VOL			зку																															
					DEFOL - (																															
(1		2.5		atre.	IL - GRN																										S					
H/800318)	SE ****	T S		NAU TONN	K DEFO																										T S LEVEL					
KD TABLE	PLING CRUJ	MERCH ARI	SNILL SE	Ļ	GRAY ATTAC																										BH (CM) A					
BLOCK STN	UTILIZATION	TOTAL	AVERAL	BALGAN	RED ATTACK										29.9	18.9	9.1											57.9			AVERAGE D	39.2	39.2	39.2	39.2	
	NON-STANDARD			TVD	REEN ATTACK																															
- 2001.0	CF7080 CF7080	000	100		NORMAL GI	12.5	30.0	10.0	5.0							12.3												12.3				41.5	41.5	41.5	41.5	
REVENUE BRANCH	APPRAISAL PURPC	CP NO.	BLOCK	CINEMACUT		NIN DBH	STUNP HT	TOP DIAT	LOG LENGTH	DBH CL	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	TOTAL	USELES	DEAD P		12.5 +	17.5 +	22.5 +	27.5 +	
FOREST REVI	NOT FOR API		ł	3		NIN	ST	101	ž	DBI	ä	ň	5	ĩ	ю.	4	4	ŝ	ŝ	9	9	ř	-	õ	8	6	6	10	SU	DB		12	17	22		27

### 4.3.2. Block Stand Damage Table - Sample Listing

Figure 4-2 Block Stand Damage Table - Sample Listing (Partial)

(009B) PAGE 51 (**** COMPUTED 2001-03-19 17:42:57 AVEDACE LINE	D AL MERCH AREA 12.5																																				
BLOCK SUMMARY ZATION **** DOUBLE SAMPLING CRUIS	USELESS VOLUMES EXCLUD NO. OF BLOCKS 2 TO NO. OF FLOTS USED(M/C) 6 6	BICAULIS PINE - UPROOTED DAMAGE HATTERED TOTAL						461. 1742.	590. 1484. 70 707	26, 100.	10. 9.	4. 3.	4. 4.	2. 2.	15. 15.	46.6 135.5	0.0 12.3	0.5 0.4	0.0 0.6	2.00 2.58	1.69 2.20	0.0 0.0	0.0 0.0		B-0.0		48 32	52 68	4 6	3 3	2 2	.27 .27		55. 62.	27. 14.	.0. 19.	18. 5.
.0 E TO NOM-STANDARD UTILI	P.S.Y.U. 34-0 F.I.Z. J	SELECTIVE DOWN S		30.0	10.0	5.0		1200. 81.	1026. 69.		.6	3. 4.	4. 4.	2. 2.	15. 15.	82.9 6.9	12.3 0.0	0.4 0.8	0.0 0.0	2.91 2.50	2.49 2.13	0.0	0.0 0.1	0.48 0.44	00.0 66.0		20 20	80 80	10 9	3	2	.26 .25		63. 94.	10. 0.	27, 6.	0. 0.
FOREST REVENUE BRANCH - 2001 NOT FOR APPRAISAL PURPOSES DU	LICENCE NUMBER CF7080 CUTTING PERMIT 000 BLOOK NUMBER 001	UTILIZATION 5.0	COMPILATION TYPE	MINIMUM DBH Stump Height	TOP DIAMETER	LOG LENGTH	VOLUME AND SIZE DATA	GROSS MERCH VOLUME M3	NET MERCH VOLUME M3	A DICTUTATION / UNCLARDE	DECAY & GROSS	WASTE & GROSS	WASTE (BILLING) & NET	BREAKAGE & GROSS	TOTAL CULL (DWB) & GROSS	STEMS/HA (GREEN & DP)	SNAGS/HA (DU)	AVG. DBH (GREEN&DP) CM	AVG. DBH (SNAGS) CM	GROSS MERCH VOL/TREE M3	NET MERCH VOL/TREE M3	AVG. WEIGHT TOTAL HT M	AVG. WEIGHT MERCH HT M	AVG. 5M LOG NET MER M3	AVG. # OF 5M LOGS/TREE	LUMBER AND CHIFS & NET MERCH - STUD LOG	& NET MERCH - SMALL LOG	* NET MERCH - LARGE LOG	LRF SMALL LOGS BD FT/M3	LRF LARGE LOGS BD FT/M3	AVG LRF BD FT/M3	CHIP YIELD UNITS/M3	ALCORITHM GRADE &	#1 SAWLOG	#3 SAWLOG	#4 CHIPPER	#5 CHIPPER

### 4.3.3. Block Volume Summary Damage Report - Sample Listing

Figure 4-3 Block Volume Summary Damage Report - Sample Listing
## **5.** Reduction Compilations

### 5.1. Reduction Compilations - Overview

Reduction compilations use the Percent Reduction Worksheet form (*FS 221 - Figure 5.1*). This data is contained in a separate input file that must be submitted in ASCII format showing reductions by Treatment Unit when requested. Since July 1, 2019, percent reduction data is no longer in a separate file. It is attached to the dat file.

A version number will be placed on the top row of the ASCII file. It will start with a V followed by the year, followed by a decimal point, followed by two digits. For example, the first version in 2005 would be V2005.00 and the next version in the same year would be 2005.01.

The FS 221 form allows for a reduction of the volumes and stem counts by 4 methods:

- 1. By species, timber type, tree class and treatment unit.
- 2. By species, timber type and treatment unit
- 3. By species, tree class and treatment unit.
- 4. By species and treatment unit.

When compiling a reduction, pre-reduction and post-reduction reports are required. Leave Tree summaries are also required with post-reduction reports (see <u>Chapter 9</u>).

The leave tree volume would not be cut. The remaining (post-reduction) reported volume is the cut volume. When coding the percentages on the FS 221 worksheet, the number coded is the net volume percent that will be left standing.

For each tree, determine whether there is an eligible reduction:

- 1. If a Timber Type is coded, then the reduction applies to trees in that Type.
- 2. If the Timber Type is blank, then the reduction applies to all types.
- 3. If Damage is coded B, F, I or R on the reduction card, then do not apply the reduction to trees that have been assigned a damage code of that type.
- 4. If Species is non-blank, then an exact species match has to apply for the tree to be eligible for reduction. Otherwise, if Species is blank, apply the reduction to all species.
- 5. If Tree Class is non-blank, then an exact Tree Class match has to apply for the tree to be eligible for reduction. Otherwise, if Tree Class is blank, apply the reduction to all tree classes. An "L" in column 13 indicates all live trees. A "D" in column 13 applies to all dead trees (except tree class 4 and 6).

When a tree is targeted for a reduction, then reduce the calculated volume by the percent value that is coded for the DBH class that the tree falls into. See <u>Section 5.3</u> for example.

If a species does not appear in any cruise plots, it may still be retained. However, in these cases the compilation will not be affected. Do not substitute any other species to account for the intended

volume or basal area retention. If a species is not cruised (and therefore not reduced), it is important for the retention to be documented in the cutting authority document.

If a DBH class to be retained does not appear in any cruise plots (or not enough to represent the intended volume or basal area retention), another DBH class from the same species may be substituted in the compilation.

### 5.2. Percent Reduction Worksheet Image



Figure 5-1 Sample Percent Reduction Worksheet

View Cruise Percent Reduction Form

### 5.3. Reduction Examples

These examples use a 12.5 ha Cutting Permit with 2 types, 2 blocks and 2 harvesting methods. Cutting Permit details and pre-reduction volumes are as follows:

Type 1 has 5 ha in Silviculture Treatment Unit (STU) A Type 2 has 5 ha in STU A & 2.5 ha in STU B

Block 1 has 2.5 ha of Type 1 (STU A) and 2.5 ha of Type 2 (STU A) Block 2 has 2.5 ha of Type 1 (STU A) and 5 ha of Type 2 (2.5 ha of STU A & 2.5 ha of STU B)

Harvesting Method SC has 5 ha of Type 1 (STU A) and 5 ha of Type 2 (STU A) Harvesting Method SS has 2.5 ha of Type 2 (STU B)

The Average Line Treatment Unit area factors for Block & Harvesting Method are defined as follows:

Numerator: The Treatment Unit area of the Type within Block or Harvesting Method.

Denominator: The total Treatment Unit Area for the Type.

### 5.3.1. Plots

The following plot information was used to determine the volume parameters:

Plot	Туре	Block	Harvesting Method	Volume/ha estimate
1	1	1	Skid Clear	150
2	1	2	Skid Clear	230
3	1	1	Skid Clear	170
4	1	2	Skid Clear	250
5	2	1	Skid Clear	230
6	2	2	Skid Sel.	260
7	2	1	Skid Clear	210
8	2	2	Skid Sel.	260

### 5.3.2. Timber Type and Cutting Permit Reductions - Average Line Method

#### 5.3.2.1. Average Line Method - Pre-reduction

All volume in Type 1 is in STU A because it is the only treatment unit in Type 1. Two- thirds of the volume in Type 2 is in STU A because two-thirds of the Type 2 area is in treatment unit A. One-third of the Type 2 volume in STU B because one-third of the Type 2 area is in treatment unit B.

Type 1 = ((150+230+170+250)/4) \* 5.0ha = 1000 m<sup>3</sup> (1000 STU A) Type 2 = ((230+260+210+260)/4) \* 7.5ha =1800 m<sup>3</sup> (1200 STU A + 600 STU B)

The Cutting Permit volume is the sum of the type volumes.

Cutting Permit =  $1000 + 1800 = 2800 \text{ m}^3 (2200 \text{ STU A} + 600 \text{ STU B})$ 

By the average line method, the Block volumes are determined based on the entire Type volumes being pro-rated based on the Type areas *within* the Block. For example, there are 5 ha of STU A in Block 1, 2.5 ha from Type 1 and 2.5 ha from Type 2. Therefore, the STU A volume for Block 1 is calculated by adding 50 percent of the Type 1 volume for STU A and 50 percent of the Type 2 volume for STU A.

The Harvesting Method volumes are calculated the same way as the Block.

The full set of calculations for the Block and Harvesting Method volumes are shown below.

		<u>Type 1</u>	<u>Type 2</u>	
Block 1 - ST	ГU A	= (2.5/5.0 * 1000)	+(2.5/5.0*1200)=500+60	$0 = 1100 \text{ m}^3$
Block 2 -ST -ST	ΓU A ΓU B	= (2.5/5.0 * 1000)	+ (2.5/5.0 * 1200) = 500 + 60 = (2.5/2.5 * 600)	$0 = 1100 \text{ m}^{3}$ $= \frac{600 \text{ m}^{3}}{1700 \text{ m}^{3}}$
Harvesting Me -ST	ethod – ΓU A	- SC = (5.0/5.0 * 1000) +	(5.0/5.0 * 1200) = 1000 + 120	$00 = 2200 \text{ m}^3$
Harvesting Me -S	ethod – TUB	-SS = 0	+ (2.5/2.5 * 600)	$= 600 \text{ m}^3$

In the following examples, the reduced volumes will appear bold.

#### Example 5.1

Reducing the Type 2 volume by 30 percent in STU B:

Type 1 = 1000 m<sup>3</sup> (1000 STU A) Type 2 = **1620 m<sup>3</sup>** (1200 STU A + **420** STU B)

Type 2 has STU B, so the STU B volume was reduced by 30 percent.

Cutting Permit =  $1000 + 1620 = 2620 \text{ m}^3 (2200 \text{ STU A} + 420 \text{ STU B})$ 

Block 1 - STU A = (2.5/5.0 \* 1000) +  $(2.5/5.0 * 1200) = 500 + 600 = 1100 \text{ m}^3$ 

Block 1 has no STU B, so its volume is not reduced.

Block 2			
-STU A	= (2.5/5.0 * 1000)	+(2.5/5.0*1200)=500-	$+600 = 1100 \text{ m}^3$
-STU B	=	= (2.5/2.5 * <b>420</b> )	= <b>420 m<sup>3</sup></b>
			1520 m <sup>3</sup>

Block 2 has STU B from Type 2, so its volume was reduced.

Harvesting Method – SC -STU A =  $(5.0/5.0 * 1000) + (5.0/5.0 * 1200) = 1000 + 1200 = 2200 \text{ m}^3$ 

Harvesting Method - SC has no STU B, so its volume was not reduced.

Harvesting Method – SS -STUB = 0 + (2.5/2.5 \* 420) = 420 m<sup>3</sup>

Harvesting Method - SS only has STU B, so its volume was reduced by 30 percent.

### Example 5.2

Reducing the Cutting Permit volume by 10 percent in STU A:

Type 1 = 900 m<sup>3</sup> (900 STU A: 1000 \* 0.9) Type 2 = 1680 m<sup>3</sup> (1080 STU A: 1200 \* 0.9 + 600 STU B)

STU A was reduced by 10 percent for each Timber Type.

Cutting Permit =  $900 + 1680 = 2580 \text{ m}^3 (1980 \text{ STU A} + 600 \text{ STU B})$ 

Block 1 - STU A = (2.5/5.0 \* 900) +  $(2.5/5.0 * 1080) = 450 + 540 = 990 \text{ m}^3$ 

Block 1 only has STU A, so its volume was reduced by 10 percent.

Block 2					
-STU	A	= (2.5/5.0 <b>* 900</b> )	+(2.5/5.0*1080)=450+54	40 =	990 m <sup>3</sup>
-STU	В	= 0	=(2.5/2.5*600)=0+600	=	<u>600 m<sup>3</sup></u>
					1590 m <sup>3</sup>

Harvesting Method – SC -STU A =  $(5.0/5.0 * 900) + (5.0/5.0 * 1080) = 900 + 1080 = 1980 \text{ m}^3$ 

Harvesting Method - SC only has STU A, so its volume was reduced by 10 percent.

Harvesting Method – SS -STUB = 0  $+ (2.5/2.5 * 600) = 0 + 600 = 600 \text{ m}^3$ 

### 5.3.3. Single Tree Reduction

The previous 2 examples in this chapter demonstrated how the total volume for a Treatment Unit would be reduced if all the trees from a particular cross-section were reduced. However, reductions can be dependent on individual tree parameters such as DBH, Tree Class and Damage Type. The reductions are performed on a tree- by-tree basis as follows.

Example 5.3

The sample reduction input in <u>Section 5.5</u> indicates a 20 percent reduction in Type 2 - Treatment Unit B for Yellow Cedar with a DBH up to 150 cm. All Tree Classes are included, and no Damage Types are excluded from the reduction.

A Yellow Cedar was tallied in a plot from Type 2 within Block 2. Recall that Type 2/Block 2 has 2 Treatment Units, each having an area of 2.5 ha. Because the Treatment Unit cannot be coded on the Cruise Tally Sheet, the plot determines volume per hectare for both Treatment Units in Type 2 within Block 2.

The Yellow Cedar was tallied using a BAF of 12 in a full plot and the measured DBH was 55.6 cm. The calculated gross merchantable volume was 3.583566 m<sup>3</sup>. Hence, the pre-reduction estimate for gross volume per hectare for both Treatment Units is:

(1)  $V = \frac{(12\ 12732.39545)*(3.583566)}{55.6^2}$  $= 177.12\ m^3 \text{ per hectare}$ 

The post-reduction estimate for Treatment Unit B is:

(2) V = 177.12 (1-0.2)= 141.69 m<sup>3</sup> per hectare

The post-reduction estimate for the two combined Treatment Units is:

(3) V = (2.5/5.0) \* 177.12 + (2.5/5.0) \* 141.69 $= 159.40 \text{ m}^3 \text{ per hectare}$ 

### 5.3.4. Marked to Leave Percent Reduction

A marked to leave percent reduction compilation is used when individual leave trees have been marked in the field and the necessary cruise information collected prior to harvesting so that a specific percent reduction can be calculated using the leave tree volume, basal area or stems per hectare. To determine the appropriate attributes of the leave trees, use a compilation of the leave trees and the corresponding stock table, basal area table or stand table to calculate the percent reduction for each species' DBH class. Below are some examples of different methods compilers

can use to attain the appropriate percent reductions for the cruise compilation.

Marked to Leave Percent Reduction – Basal Area Table Example:

				Timber	Treatment	
Tree #	Height	Species	DBH	Type #	Unit	Tree
1	42.2	Cw	102.0	1	А	13
2	36.9	Cw	88.1	1	А	14
3	33.3	Cw	68.9	1	А	15
4	39.1	Cw	78.2	1	A	16
5	30.1	Cw	66.3	1	А	1
6	45.2	Cw	155.0	1	A	18
7	43.4	Cw	124.7	1	A	19
8	39.5	Cw	92.2	1	А	20
9	36.5	Cw	100.6	1	A	2:
10	36.0	Cw	82.0	1	A	22
11	34.9	Cw	66.2	1	A	23
12	45.1	Cw	179.3	1	A	24

The following leave trees were marked and cruised in a cutblock near Kitimat:

				Timber	Treatment
Tree #	Height	Species	DBH	Type #	Unit
13	33.2	Cw	65.0	1	А
14	39.4	Cw	80.0	1	А
15	43.1	Cw	132.0	1	А
16	36.8	Cw	85.4	1	A
17	34.9	Cw	73.2	1	А
18	37.9	Cw	77.7	1	А
19	36.8	Cw	79.6	1	A
20	40.7	Cw	100.5	1	А
21	39.2	Cw	101.5	1	А
22	41.5	Cw	102.9	1	A
23	31.9	Cw	64.1	1	A
24	33.3	Cw	67.2	1	A

The leave trees were compiled below using the same compilation attributes as the associated cutting authority except that it is a 100% compilation and the net area used is the same as the timber type and treatment unit area that the leave trees are located in (5.5ha).

*** ROD M	DC DID	DOCEC +	**								11
POR P	IPS POR	PUSES					7	Type Basal Area	Table (m2/ha)	29-Mar-2021 09:07:57AM	11
Average L BASAL ARE	ine Me	thod E TEST			Grades	: Cruiser	Called Alp	pha	FIZ: A PSYU: Skeena (Terrace)	Filename: leavetree_compilation_ba.co Compiled by: Test	P
Licence N	lumber:	A12345	CP: 1	123	Cruise:	r Est Wast	ble		Region: 2 - West Coast District: 07 - Haida Gwaii	Cruised by: SMITH BROS CRUISING Version: 2020 00 JES build 6318	
riojece.	001				cuit D.	cultuge 1			protrict, of india sudi	Cibion, 2010.00 Inb baild obio	4
Type 1 (	(M):, P	lots in	Type :	1, TUS:	[A: 5.5	1					
			С	Total	DP	DU	LU				
Utilizati	on Lim	its									
Min DBH	cm (	M)	17.5	17.5	17.5	17.5	17.5				
Stump Ht	Cm (	M)	30.0	30.0	30.0	30.0	30.0				
Top Dia	Cm (	M)	15.0	15.0	15.0	15.0	15.0				
Log Len	m		13.0	13.0	13.0	13.0	13.0				
DBH											
Class											
5											
10											
20											
25											
30											
35											
40											
45											
50											
55											
60											
65			0.3	0.3							
70			0.1	0.1							
75			0.1	0.1							
80			0.5	0.5							
05			0.1	0.1							
95			0.2	0.2							-
100			0.6	0.6							
105			0.0	0.0							
110			0.4	0.2							_
115											
120											
125			0.2	0.2							
130			0.2	0.2							
135											
140											_
145											
150			0.3	0.3							
175			0.5	0.5							

The leave tree basal area table is then compared with the associated DBH class basal area table from the matching species, timber type and treatment unit in the full volume compilation below.

*** FOR MI	PS PURPOSES *	**							TBASL 1, pll
Average Li BASAL AREA Licence Nu Project: 1	ine Method A TABLE TEST Imber: A12345 1	CP: T	BA	Grades: Cruiser Cruiser CGNF Br	Cruiser Est Deca Est Wast Teakage Ta	Called Al y e ble	<b>Type Basal</b> pha	Area Table (m2/ha) FIZ: A PSVU: Skeena (Terrace) Region: 2 - West Coast District: 07 - Haida Gwaii	24-Mar-2021 00:51:15AM Filename: markedtoleave_percentreduction Compiled by: BA Test Cruised by: SMITH BROS CRUISING Version: 2020.00 IFS build 6318
Type 1 (M	M):, Plots in	Type:	7, TUS:	[A:5.5	1				
		С	Н	Total	DP	DU	LU		
Utilizatio	on Limits	100000000	ALE 1000	2.24N 53					
Min DBH	Cm (M)	17.5	17.5	17.5	17.5	17.5	17.5		
Stump Ht	Cm (M)	30.0	30.0	30.0	30.0	30.0	30.0		
Top Dia	Cill (M)	15.0	15.0	15.0	15.0	15.0	13.0		
DBH		10.0	10.0	10.0	12.0	10.0	15.0		
Class									
5									
10									
15									
20		11.4	5.7	17.1					
25		8.6	2.9	11.4					
30		2.0	2.0	F 7					
40		2.J	2.2	5.7					
45		2.7		5.7					
50		5.7	2.9	8.6					
55		11.4	5.7	17.1					
60									
65		5.7		5.7					
70		F 7	F 7	77.4					
20		9 6	5.7	9.6					
85		2.9	2.9	5.7					
90		2.9	5.7	8.6					
95									
100		2.9		2.9					
105		5.7		5.7					
110									
115									
125									
130									
135									
140			2.9	2.9					
145									
150									
175		8.6		8.6					
200									

# To determine the percent reductions from the full volume compilation, the leave tree basal areas are removed from the corresponding species' DBH class in the full volume compilation.

		Timber	Treatment	Leave Tree	Full Volume	Percent	
Species	DBH Class	Туре	Unit	m²/ha	m²/ha	Reduction	Comments
Cw	65	1	Α	0.3	5.7	7%	
Cw	70	1	Α	0.1	0.0	*	No 70cm DBH class in full volume compilation therefore added to 65cm DBH class
Cw	75	1	Α	0.1	5.7	2%	
Cw	80	1	Α	0.5	8.6	6%	
Cw	85	1	Α	0.1	2.9	3%	
Cw	90	1	Α	0.2	2.9	7%	
Cw	100	1	Α	0.6	2.9	21%	
Cw	105	1	Α	0.2	5.7	11%	
Cw	125	1	Α	0.2	0.0	*	No 125cm DBH class in full volume compilation therefore added to 105cm DBH class
Cw	130	1	Α	0.2	0.0	*	No 130cm DBH class in full volume compilation therefore added to 105cm DBH class
Cw	150	1	A	0.3	0.0	*	No 150cm DBH class in full volume compilation therefore added to 175cm DBH class
Cw	175	2	A	0.5	8.6	9%	

#### The final percent reduction values applied in the reduced compilation are:

*** FOR MPS PURPOSES ***	PERCENT RE Percent	29-Mar-2021 09:41:47AM REDUC 1, p4			
Average Line Method BASAL AREA TABLE TEST Licence Number: A12345 CP: TBA Project: 1	Grades: Cruiser Called Alpha Cruiser Est Decay Cruiser Est Waste CGNF Breakage Table	FIZ: A PSYU: Skeena (Terrace) Region: 2 - West Coast District: 07 - Haida Gwaii	Filename: markedtoleave_percentreduction Compiled by: Test Cruised by: SMITH BROS CRUISING Version: 2020.00 IFS build 6318		
Criteria	DBH Class	80 90 100 110 120 130 140	150 200 250		
Spcs Type TU Class Block Damage	15 25 35 45 55 65	75 85 95 105 115 125 135 1	145 175 225 275		
CW 1 A	0 0 0 0 0 0 0 0 0 7 0	2 6 3 7 0 21 11 0 0 0 0 0 0 0	0 0 9 0 0 0		

#### Marked to Leave Percent Reduction - Stock Table Example:

### The following leave trees were marked and cruised in a cutblock near 100 Mile House:

				Timber	Treatment
Tree #	Height	Species	DBH	Type #	Unit
1	36.1	Fd	102.0	1	А
2	29.2	Fd	55.5	1	А
3	18.5	Fd	25.4	1	А
4	30.2	Fd	68.9	1	А
5	31.1	Fd	60.2	1	А
6	28.7	Fd	52.3	1	А
7	25.9	Fd	47.0	1	А
8	33.3	Fd	80.2	1	А
9	23.9	Fd	30.2	1	А
10	22.9	Fd	35.1	1	А
11	36.5	Fd	40.2	1	А
12	23.0	Fd	34.2	1	А
13	27.2	Fd	50.0	1	А
14	30.2	Fd	82.0	1	A

				Timber	Treatment
Tree #	Height	Species	DBH	Type #	Unit
15	26.5	Fd	60.2	1	А
16	24.4	Fd	35.6	1	А
17	26.5	Fd	55.0	1	А
18	19.4	Fd	24.2	1	А
19	32.1	Fd	80.0	1	Α
20	24.0	Fd	32.0	1	Α
21	25.3	Fd	48.3	1	Α
22	23.1	Fd	33.2	1	Α
23	20.5	Fd	25.1	1	А
24	25.0	Fd	39.0	1	А
25	24.2	Fd	45.5	1	А
26	25.8	Fd	44.2	1	A
27	22.1	Fd	33.7	1	A
28	26.9	Fd	52.1	1	A

The leave trees were compiled below using the same compilation attributes as the associated cutting authority except that it is a 100% compilation. In this example, 1.0ha was used for the initial compilation of the leave trees to ensure that the small individual leave tree volumes were still visible due to the limitation of single decimal places in the stock table. From the compilation the appropriate stock table must be used depending on the timber type, treatment unit, etc. in which the leave trees are located.

*** FOR AP	PRAISAL PUR	POSES **	**				and the second	TSTCK 1, p9
Average Line Method JOE'S LOGGING Licence Number: A12345 CP: TBD Project: 001			Grades: MOF Computerized Computerized Decay Computerized Waste Computerized Breakage			Type Stock Table (m3/ha) FIZ: D PSYU: Lac La Hache Region: 3 - Cariboo District: 03 - 100 Mile House	15-Mar-2021 03:11:25PM Filename: LeaveTree_Compilation_Volume. Compiled by: Test Cruised by: SMITH BROS CRUISING Version: 2020.00 IFS build 6318	
Type 1 (M	I):, Plots in	n Type:	1, TUS:	[A:1.0	1			
Accession (1997)		F	Total	DP	DU	LU		
Utilizatio	n Limits							
Min DBH	cm (M)	17.5	17.5	17.5	17.5	17.5		
Stump Ht	cm (M)	30.0	30.0	30.0	30.0	30.0		
Top Dia	Cm (M)	10.0	10.0	10.0	10.0	10.0		
Log Len DBH	m	5.0	5.0	5.0	5.0	5.0		
Class								
5								
10								
15								
20								
25		0.9	0.9					
30		1.2	1.2					
35		3.4	3.4					
40		2.4	2.4					
45		3.8	3.8					
50		6.6	6.6					
55		4.0	4.0					
60		4.8	4.8					
65								
70		3.2	3.2					
75								
80		13.6	13.6					
85								
90								
95								
100		7.9	7.9					
105								
110								
115								
120								

The leave tree volumes are then compared with the associated DBH class stock table volumes from the species, timber type and treatment unit in the full volume compilation below.

*** FOR	APPRAIS	AL PURPO	DSES ***							TSTCK 1, pl0
Average Line Method JOE'S LOGGING Licence Number: A12345 CP: TBA Project: 1			Grades: MOF Computerized Computerized Decay Computerized Waste Computerized Breakage			Type Stock	: Table (m3/ha) FIZ: D PSYU: LaC La Hache Region: 3 - Cariboo District: 03 - 100 Mile House	23-Mar-2021 03:29:17PM Filename: markedtoleave_percentreduction Compiled by; Test Cruised by: SMITH BROS CRUISING Version: 2020.00 IFS build 6318		
Type 1	(M):, P	lots in	Type: 7	, TUS:	[A:8.3	1				
			F	PL	Total	DP	DU	LU		
Utiliza	tion Lim	its								
Min DB	H Cm (	M)	17.5	12.5	17.5	17.5	17.5	17.5		
Stump	Ht cm (	M)	30.0	30.0	30.0	30.0	30.0	30.0		
Top Di	a cm (	M)	10.0	10.0	10.0	10.0	10.0	10.0		
Log Le DBH	n m		5.0	5.0	5.0	5.0	5.0	5.0		
Class										
5										
10										
15										
20			21.3	7.0	28.4					
25			11.3	16.4	27.7					
30			5.9		5.9					
35			13.7		13.7					
40			13.7	15.2	28.9					
45					1					
50			27.5	8.1	35.7					
55			36.6		36.6					
60			7.8	16.7	24.5					
65			7.8	8.7	16.5					
70			15.9		15.9					
75			25.6		25.6					
80			16.1	8.5	24.7					
85				8.4	8.4					
90			7.9		7.9					
95										
100			8.5		8.5					
105			8.5		8.5					
110										
115										

To determine the percent reductions from the full volume compilation, the leave tree volumes must be converted from total  $m^3$  to  $m^3$ /ha then applied to the corresponding species' DBH class. For this example, the leave tree volumes were initially compiled using 1.0ha which provided a total  $m^3$ , but the timber type / treatment unit net area where all the leave trees are located is 8.3ha. The leave tree volumes must be divided by 8.3ha to get the correct  $m^3$ /ha for comparing with the full volume stock table  $m^3$ /ha to calculate the percent reduction.

				Total	Leave	Full		
		Timber	Treatment	Leave	Tree	Volume	Percent	
Species	DBH Class	Туре	Unit	Tree m <sup>3</sup>	m³/ha	m³/ha	Reduction	Comments
Fd	25	1	А	0.9	0.11	11.3	1%	
Fd	30	1	Α	1.2	0.14	5.9	2%	
Fd	35	1	А	3.4	0.41	13.7	3%	
Fd	40	1	Α	2.4	0.29	13.7	5%	
Fd	45	1	А	3.8	0.46	0	*	No 45cm DBH class in full volume compilation therefore added to 40cm DBH class
Fd	50	1	А	6.6	0.80	27.5	3%	
Fd	55	1	А	4.0	0.48	36.6	1%	
Fd	60	1	Α	4.8	0.58	7.8	7%	
Fd	70	1	A	3.2	0.39	15.9	2%	
Fd	80	1	А	13.6	1.64	16.1	10%	
Fd	100	1	A	7.9	0.95	8.5	11%	

The final percent reduction values applied in the reduced compilation are reduced from timber type 1, treatment unit A:

*** FOR APPRAISAL PURPOSES ***	PERCENT RE Percent	DUCTION APPLIED Reductions Applied	REDUC 1, p4
Average Line Method JOE'S LOGGING Licence Number: A12345 CP: TBA Project: 1	Grades: MOF Computerized Computerized Decay Computerized Waste Computerized Breakage	FIZ: D *** PSYU: Lac La Hache Region: 3 - Cariboo District: 03 - 100 Mile House	Filename: markedtoleave_percentreduction Compiled by: Test Cruised by: SMITH BROS CRUISING Version: 2020.00 IFS build 6318
Criteria	DBH Class 10 20 30 40 50 60 70	80 90 100 110 120 130 14	40 150 200 250
Spcs Type TU Class Block Damage	15 25 35 45 55 65	75 85 95 105 115 125 135	145 175 225 275
FD 1 A	0 0 0 1 2 3 5 0 3 1 7 0 2	0 10 0 0 0 11 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0

#### Marked to Leave Percent Reduction – Stand Table Example:

		# of Leave	Timber	Treatment
Species	DBH Class	Trees	Type #	Unit
Pw	45	5	1	А
Pw	50	3	1	А
Pw	55	7	1	А
Pw	60	5	1	А
Pw	65	4	1	А

The following leave trees were marked and cruised in a cutblock near Sayward:

The leave tree stems/ha are then compared with the associated DBH class stand table values from the corresponding species, timber type and treatment unit in the full volume compilation below.

*** FOR APPRA Average Line SPH TABLE TES Licence Numbe	Grades: MOF Computerized Computerized Decay Computerized Waste			Type Star	nd Table (ster FIZ: B PSYU: Q Region:	<b>ns/ha)</b> 1adra 2 - West Coa	st	TSTND 1, p7 29-Mar-2021 11:17:54AM Filename: markedtoleave_percentreduction Compiled by: Test Cruised by: SWITH BROS CRUISING				
Project: 1		en decheste		Computerized Breakage				Distric	: 05 - Campb	ell River	Version: 2020.00 IFS	build 6318
Type 1 (M):,	Plots i	n Type: 1	5, TUS:	[ A : 15.8	3 ]							
		F	Н	PW	Total	DP	DU	LU				
Utilization L	imits											
Min DBH Cm	(M)	17.5	17.5	17.5	17.5	17.5	17.5	17.5				
Stump Ht cm	(M)	30.0	30.0	30.0	30.0	30.0	30.0	30.0				
Top Dia cm	(M)	15.0	15.0	15.0	15.0	15.0	15.0	15.0				
Log Len m		10.0	10.0	10.0	10.0	10.0	10.0	10.0				
Class												
5 10 15												
20			264.0		264.0							
25 30		46.2			46.2							
35		74 8	63.5		138 3							
40			44.1		44.1							
45												
50			20.3	11.2	31.5							
55		9.2	56.7	9.6	75.5							
60		7.5			7.5							
65			11.5		11.5							
70			25.0		25.0							
75		5.3	4.5		9.8							
80		2.2	2.9		3.8							
85			2.0		2.0							

For this example, the timber type / treatment unit net area where all the leave trees are located is 15.8ha. The number of leave trees by diameter class must be divided by 15.8ha to get the correct stems/ha for comparing with the full volume stand table stems/ha to calculate the percent reduction for the corresponding species' DBH class.

				# of		Full		
		Timber	Treatment	Leave	Leave Tree	Volume	Percent	
Species	DBH Class	Туре	Unit	Trees	Stems/ha	Stems/ha	Reduction	Comments
Pw	45	1	А	5	0.316	0	*	No 45cm DBH class in full volume compilation therefore added to 50cm DBH class
Pw	50	1	А	3	0.190	11.2	5%	
Pw	55	1	А	7	0.443	9.6	11%	
Pw	60	1	А	5	0.316	0	*	No 60cm DBH class in full volume compilation therefore added to 55cm DBH class
Pw	65	1	Α	4	0.253	0	*	No 65cm DBH class in full volume compilation therefore added to 55cm DBH class

#### The final percent reduction values applied in the reduced compilation are:

*** FOR APPRAISAL PURPOSES ***	PERCENT REDUCTION APPLIED REDUCI, Percent Reductions Applied 16-Apr-2021 11:46:57AM
Average Line Method SPH TABLE TEST Licence Number: A12345 CP: TBA Project: 1	Grades: MOF Computerized     FIZ: B     Filename: markedtoleave_percentreduc       Computerized Decay     PSYU: Quadra     Compiled by: Test       Computerized Maste     Region: 2 - West Coast     Cruised by: SNITH BROS CRUISING       Computerized Breakage     District: 05 - Campbell River     Version: 2020.00
Criteria	DBH Class 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 200 250
Spcs Type TU Class Block Damage	15 25 35 45 55 65 75 85 95 105 115 125 135 145 175 225 275
PW 1 A 1	0 0 0 0 0 0 0 5 11 0 0 0 0 0 0 0 0 0 0 0

### 5.4. Percent Reduction Card Edits

### 5.4.1. Table of Data Types

Column Position	Column Name	Accepted Values	Error Type
1-2	Species	Blank or valid species code (Refer to <u>Appendix 3</u> for valid species codes)	F
3-4	Timber Type	Blank, 99	F
5	Tree Class	Blank, 1 - 9	F
6-7	Treatment Unit	A - CU, 1-99	F
8-10	Block	Blank	F
11	Damage type	Blank, B, F, I, R	F
12	Maturity	Blank, M or S for CGNF Cruises only	F
13	Live or Dead	Blank, L or D	F
14-15, 16-17,, 80-81	Reduction percent for DBH class	Blank, 001 – 100	F

### 5.4.2. Fatal Errors

- 1. A tree can only qualify for one reduction.
- 2. Timber Type must be a valid Type from a card type C.
- 3. Block must be a valid Block from a card type D.

### 5.5. Percent Reduction Input Values - Sample Listing

Report 005a. This report is required for reduction compilations.



Figure 5-2 Percent Reduction Input Values

### 5.6. Marked to Leave Selective Cutting

Another established method to calculate leave tree reductions uses the Selective Cut Indicator. In this method, the percent reduction worksheet is not used. Instead, individual retention trees are marked prior to cruising, and noted with an "L" in Position 59 of the cruise card when they occur within cruise plots. The compilation removes those trees when the selective cut indicator is specified in the Compilation Standards and calculates the partial cut percent accordingly. This method is different from Marked to Leave Percent Reductions, because the leave trees are statistically sampled rather than essentially 100% cruised and removed. If this method is used with only a small number of leave trees, the sampling error of the leave trees is prohibitively high. Therefore, this method is rarely a practical method and its future use is subject to review.

## 6. Stump Cruise Compilations

### 6.1. Stump Compilation - Overview

An "S" in column 80 of card type B identifies a stump cruise. Card type 2 Stump Diameters Inside Bark are converted to Diameter at 1.3 m (DBH) Outside Bark, and the resulting input file is compiled using the same merchantability requirements as normal compilations.

Stump cruises only use fixed area plots. Usually, the entire area is cruised, which eliminates the need for the statistical reports described in <u>Chapter 8</u>.

Stump cruise plots are recorded using the Stump Cruise Tally Sheet (Figure 6.1 and 6.2).

The species, stump height, stump diameter, tree class, and pathological remarks are entered for each stump in the plot.

No quality remarks or damage codes will be added.

The stump conversion is based on a measurement at stump height and can be recorded either in centimeters or rads, as specified in column 78 of card type B. If the measurement is made in rads, then double the measurement to obtain the stump diameter in centimeters (i.e., 1 rad = 2 cm).

For Coast compilations (F.I.Z A, B, or C), the age in 10s and tree class determine whether mature or immature conversion constants are used for Fir, Cedar, Hemlock, and Spruce:

Ture and a farmers	Tree class 8 and 9 are always immature.
Ininiature:	Tree classes 1, 2 and 3, are immature if Age in $10s < 13$ .
Mature:	Tree class 5 and 7 are always mature.
	Tree classes 1, 2, and 3 are mature if age in $10s > 12$ .

Tree class 4 and 6 are only included if the tree class combination from card type B is 1. In this case, set maturity using the above rules for tree classes 1, 2, and 3.

The stump diameter measurement is taken inside bark, and is recorded in centimeters to the nearest tenth. The conversion equation estimates the diameter at breast height outside bark.

 $DBH_0 = DSH_i + b_0 DSH_i (2.3 - SH) + b_1 DSH_i ln[(SH + 1) / 2.3]$ 

Where:

$DBH_0$ = Diameter at 1.3 m outside bark, in centimeters to the nearest	tenth.
---	--------

 $DSH_i$  = Diameter at stump height inside bark, in centimeters to the nearest tenth.

SH = Stump height in centimeters.

b₀, b₁	=	Diameter conversion constants, to 6 decimal places. Refer to <u>Cruising</u> <u>Manual</u> for the list of constants by Species, Forest Inventory Zone, and Maturity.
ln	=	Natural logarithm function.

#### Example 6.1

Unit of Measuremen	nt:	Centimeters
F.I.Z.:		J
Stump height:		25 cm
Species:		Spruce
Diameter:		53 cm
DBH	=	53.0 + 0.065728 * 53.0 * (2.3 - 0.25) + 0.575037 * 53.0 * ln [1.25/2.3]
	=	53.0 + 7.14 - 18.58
	=	41.6 cm

Once the DBHs have been assigned to the stumps, tree heights must be calculated using a height-diameter equation. Please see <u>Chapter 7</u> for an explanation of the derivation and application of height-diameter equations.

## 6.2. Stump Cruise Tally Sheet Image



Figure 6-1 Stump Cruise Tally Sheet - Front Side

	-																۶I	r	· · ·				<b></b>	
3048015083	9	$\neg$			-				_								ĕ	-	_	-				
NNO3	5						_									ONS	I D	$\rightarrow$	_	_				
	6	_					_									Ī	I	-+		_				
53413 3341	3															3	-	+						
	ĕ			-	•	-	-				•	-	•			ဦ	5	$\rightarrow$						
л. <b>5 1 2</b>	34					_		_	_				_	_		HOI	101							
o 🗆 🖻	R															Ψ	BOT							
Ę	32												_				2						1	
	31								_			_	_	_		I	Ì							
53(J305	30															م د		+						
<u>α⊢</u> Σ	29															ŝ								
N S S S	38															TED	ы						Ê	
2월 9	27				-									_		NNO	Ş						PR	
	8															о 1	-	-					ž	ш
<b>₽</b>	5	-	-	-	-	-	-			-		_				- <del>2</del>		*		-		• • • •	e	LT I
j≦£	*	-		-	-	-	-		-	-	-	-	-	-		ĮΣ	ы	8	-		_	-	č	ANO
5	3 2	_	-	_		-		- 1	-	- 1	_	_	_	1		5	₹	-		-	-	- 1	£	5
	ій —	~														Q	-1	36						() u
	-				iiili		696				111.963					Ű	-	2						works
FROSTCRACK	Ŧ			$\square$												Ŧ	-	34	-	-	•	- 1	1	lace
SCAR	39															0.8	5	8		٦	-		1	å.
CONK	37			Ц				Ļ	ļ									32					ł	ta eu
TREE CLASS	36			Ц												SEC	3-6	5		_				DV D
×	35				_								_	_				8					Į	qop
1. E <b>1</b> 5	3									-				_		물물	2	53		•		-		5 ing
	33				-			-							Ĩ	۲.	5	2	-		_		ł	Sam,
SN SN	32		-		- 1	- 1		-	-		_	_	-		ΕŢ	 W		2					1010	n of
	31														Ü	TRE	ş	33	$\dashv$	-	_		i i	atem
SPECIES	R			1 7	1 -		-								RE			-	Э					ti ser
<u> </u>	29														ω		SOR						1	e a d
3 E	28							-							MPL	ŝ	÷							this i
5 H 5	52				1 -										SAI	NOL	₽	-†					~	t) L
	38															LAI	-	-					Σ.	entry
<u> </u>	ន	-	-	1 -	- 1		-	- 1	-	-	_	_	-	-		ALC	2	_					ě,	i)
<u>₹</u> £	4	-		-		-	-	-	-	- 1	-	-	-			υн	÷,	+	-				í á	R.
io i	2 2				-	-	-	-	-	- 1	_	-	-			£IG	5	-+					ES .	MT
	2	_					679770					82.W				-	B B	-					8	5
	-	2	all là													I	Ĕ	-+			-		ř-	
FROSTCRACK	4		-										<u> </u>			- <u>R</u>		+					<b>^</b>	
SCAR	13			$\vdash$		-		-	$\vdash$							000	_	-			<u> </u>		۳ъ	
	9		$\mid$	$\vdash$	· · ·			·								JNTE	ş						۵Ē.	
33413 3341	e	-								$\vdash$						Ő	`						7	<b>×</b>
· ·	5			1	1		•	-	•	-	-	•	•	-		ŝ		\$						
	1 35	-	•	1 7	-											_	1	33					1	
C.S.H. Crims Facts Facts	34 35	-	-		-		-	-		-		-				<ul> <li></li> </ul>	ψi	ωı			1	1 —		
SIDE BAR)	33 34 35	1 1	-	1 1	-		+	-						_		TOTA	¥,	57 38	_	_				
INSIDE BAR	32 33 34 35	1	-		-		1 + 1	_				_	-			IC TOTA	¥,	36 37 38	_	_	_			
	31 32 33 34 35						+ + +					-				C/C TOTA	¥	35 36 37 38	_					
	30 31 32 33 34 35															B.H. C/C TOTA	τ Έ	34 35 36 37 36			-			
	1 29 30 31 32 33 34 35															D.B.H. C/C TOTA	(cm)	2 33 34 35 36 37 38				-		
STUMP STUMP FEIGHT SPECIES SPECIES SPECIES (INSIDE EAR)	26 29 30 31 32 33 34 35															D.B.H. C/C TOTA	(cm)	81 32 33 34 35 36 37 38						
S.H. STUMP STUMP HEIGHT RectE (monty)	27 28 29 30 31 32 33 34 35															C DIBH. C/C TOTA	γ (ε ε α-β	30 31 32 33 34 35 36 37 38						
REIGHT BESH.	26 27 26 29 30 31 32 33 34 35															AL 8 DEH. C/C TOTA	900 (cu) 800	29 30 31 32 33 34 35 36 37 38						
MP STUMP C.S.H. STUMP BECK HEIGHT SPECK (mmmh) SPECKENE	25 28 27 28 29 30 31 32 33 34 35															TOTAL 0 D.B.H. C/C TOTA	(L) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	7 28 29 30 31 32 33 34 35 35 37 38						тн
STUMP STUMP C.S.H. STUMP STUMP ECT Crist HEIGHT SPECC Crist Committy Study C.S.H.	24 25 28 27 28 29 30 31 32 33 34 35															E HEIGHT 0 D.B.H. C/C TOTA	(u) 35 (cu) <b>VCE</b>	26 27 28 29 30 31 32 33 34 35 35 37 38					STEM	DEPTH
STUMP STUMP D.S.H. STUMP STUMP C. Ons NO. HEIGHT C. Cons (cm.orb) 39 HEIGHT	23 24 25 28 27 28 29 30 31 32 33 34 35															TREE HEIGHT 0 D.B.H. C/C TOTA	NO. (m) 95 (cm) AGE	25 26 27 28 29 30 31 32 33 34 35 36 37 38					OSYSTEM	OW DEPTH

Figure 6-2 Stump Cruise Tally Sheet - Reverse Side

### 6.3. Stump Cruise Tally Sheet Edits

### 6.3.1. Card Type 9 - Plot Identity Information

Same as Section 2.11.1

### 6.3.2. Card Type 2 - Stump Details

Column Position	Column Name	Accepted Values	Error Type
27-29	Stump height (cm)	9 (3, 1)	F
30-31	Species	Refer to Cruising Manual, Section 6.3.2	F
32-35	Diameter at stump height (cm)	9 (4, 1)	F
36	Tree Class	Same as Section 2.12.1	F
37	Conk	Same as Section 2.12.1	N/A
39	Scar	Same as Section 2.12.1	N/A
41	Frost Crack	Same as <u>Section 2.12.1</u>	N/A

### 6.3.3. Card Type 3 - Sample Tree Details

Column Position	Column Name	Accepted Values	Error Type
25-29	Tree Number	0 - 99	F
27-29	Total Height	999	F
30-31	Species	Refer to Appendix 2	F
32-35	DBH	9 (4, 1)	F
36	Crown Class	1 - 4	I
37-39	Total Age	999	F
40	Selective Cut	Blank	N/A

### 6.3.3.1. Messages

- 1. The tree height is not in range for species in Forest Inventory Zone refer to <u>Appendix 4</u>.
- 2. The total age is not in range for species in Forest Inventory Zone refer to <u>Appendix 5</u>.
- 3. Tree numbers should be unique or the preceding tree with the duplicate number will be ignored for the card type 3 cross-reference edit.

See Table 4 of the <u>Cruising Manual</u> (Appendix 5) for the FIZ A/QCI PSYU stump to DBH taper equations.

## 7. Height Diameter Equations

Tree heights are required for the calculation of volume, as explained in <u>Chapter 3</u>. When tree heights are not measured for each tree (e.g. - stump cruises) height-diameter equations, or curves, are derived from the sample trees.

Heights are assigned by substituting the DBH into the chosen equation. Each equation has a minimum value  $DBH_{min}$ , below which the equation predicts negative values. Each function also has an associated  $DBH_{max}$ . Heights cannot be calculated for DBHs greater than  $DBH_{max}$  or lower than  $DBH_{min}$ . Where a DBH does not fall into the acceptable range for the equation, the minimum or maximum DBH would be substituted, and a message would be indicated for that tree in report 004a (*see Figure 7.2*).

There are 6 possible equations available:

Parabola	Н	=	$a + b\mathbf{D} + c\mathbf{D}^2$
Conditioned Parabola	Н	=	$1.3 + b\mathbf{D} + c\mathbf{D}^2$
Hyperbola	Η	=	a + b/D + cD
Conditioned Hyperbola	Н	=	1.3 - bD/(D+1) + cD
Weibull	Н	=	$a[1 - EXP(-bD^c)]$
Conditioned Weibull	Н	=	$1.3 + a[1 - EXP(-bD^{c})]$

Where:

Н	=	Tree height in metres, to the nearest tenth.
D	=	Diameter at 1.3 m outside bark in centimeters, to the nearest tenth.
a, b, c	=	Regression coefficients.
EXP(x)	=	$e^{x}$ , where <i>e</i> is the base of the natural logarithm function.

Use the following method to choose the suggested curve for assigning heights:

- 1. Reject any curves that compute a negative height for a DBH of 10 cm or lower.
- 2. If the *b* and *c* coefficients are positive for the Parabola, the Weibull function must not be used.
- 3. Of the remaining curves, choose the curve with the lowest standard error estimate (S.E.E.) based on volume. If the curve with the lowest SEE volume exceeds 3% over the range of DBHs, then another curve may be used in the compilation.

Regression equations are calculated for each species within a Timber Type. In order to produce regression coefficients, a minimum of 20 sample trees must be used. For minor species (less than twenty percent of the unauthorized timber harvest area gross volume) ten trees per curve is acceptable. If there are not enough sample trees for a species in a Timber Type, then samples may be grouped together for different species and types using card type E. Where more than one species contributes to a height curve, appropriate, to each species volume constants, as per <u>Appendix 15</u> are to be applied when calculating the S.E.E. volume. Refer to Chapter 6 of the <u>Cruising Manual</u> for a description of the methods of grouping sample trees.

A height curve equation applies heights for all of the Species and Types listed in columns 15-80 of card type E.

If the column 14 of card type E is coded '1', then the sample trees used to derive the height curve are restricted to the Species and Type coded in the Species Used and the Type Used fields.

If column 14 is blank or 0, then the sample trees used to derive the height curve would be all of the Species and Types in columns 15-80 of card type E. Refer to Chapter 6 of the <u>Cruising Manual</u> for example card type E codes.

A good practice is to first plot the sample trees diameter vs. height. This provides a useful picture of the height-diameter relationship for the species and types that the equation generates heights for. It will also indicate outliers if they exist.

Next, find the regression coefficients for all six curves. To determine the S.E.E. volume, use the method described in <u>Section 7.3</u>. Choose the curve that yields the lowest S.E.E. for volume as the suggested curve that does not generate negative heights at 10 cm DBH or has a maximum/minimum DBH range insufficient for the card Type 2 requirements.

### 7.1. Regression Coefficients

In order to determine the regression coefficients, there are many statistical packages available which support the above equations. For the parabola and hyperbola equations, fit a linear least-squares regression with an intercept. For the Weibull functions, fit a non-linear least squares regression. For the conditioned forms of each equation type, change the dependent variable to H - 1.3, rather than H and fit the equation without an intercept.

A method for determining coefficients for the parabola and hyperbola is included for each equation listed below.

In the following examples, N = the number of sample trees used.

The  $\Sigma$  without upper and lower bound parameters in the regression coefficient formulas is a summation over all N of the sample trees.

### 7.1.1. Parabola

$$A = \sum HD^2 - \frac{\sum H \sum D^2}{N}$$

$$\mathbf{B} = \sum \mathbf{D}^2 - \frac{(\sum \mathbf{D})^2}{\mathbf{N}}$$

$$C = \sum D^3 - \frac{\sum D^2 \sum D}{N}$$

$$D = \sum HD - \frac{\sum H \sum D}{N}$$

$$\mathbf{E} = \sum \mathbf{D}^4 - \frac{\left(\sum \mathbf{D}^2\right)^2}{\mathbf{N}}$$

$$F = \sum D$$

$$G = \sum H$$

$$H = \sum D^2$$

The parabola regression coefficients are calculated as follows:

$$c = \frac{AB - CD}{BE - CC}$$
$$b = \frac{D - cC}{B}$$

$$a = \frac{\left(G - bF - cH\right)}{N}$$

- Conditioned Parabola 7.1.2.
- $A = \sum (H 1.3)D^2$  $B = \sum D^2$  $C = \sum D^3$  $D = \sum (H - 1.3)D$  $E = \sum D^4$

The conditioned parabola regression coefficients are calculated as follows:

$$c = \frac{AB - CD}{BE - CC}$$
$$b = \frac{D - cC}{B}$$

a = 1.3

#### 7.1.3. Hyperbola

$$A = \sum HD - \frac{\sum H \sum D}{N}$$

$$B = \sum \frac{1}{D^2} - \frac{\left(\sum \frac{1}{D}\right)^2}{N}$$
$$C = N - \frac{\sum \frac{1}{D} \sum D}{N}$$
$$D = \sum \frac{H}{D} - \frac{\sum H \sum \frac{1}{D}}{N}$$
$$E = \sum D^2 - \frac{(\sum D)^2}{N}$$
$$F = \sum \frac{1}{D}$$
$$G = \sum H$$
$$H = \sum D$$

The hyperbola regression coefficients are calculated as follows:

$$A = \sum HD - \frac{\sum H \sum D}{N}$$
$$B = \sum \frac{1}{D^2} - \frac{\left(\frac{\sum 1}{D}\right)^2}{N}$$
$$C = N - \frac{\sum \frac{1}{D} \sum D}{N}$$
$$D = \sum \frac{H}{D} - \frac{\sum H \sum \frac{1}{D}}{N}$$

$$E = \sum D^{2} - \frac{(\sum D)^{2}}{N}$$
$$F = \sum \frac{1}{D}$$
$$G = \sum H$$

 $H = \sum D$ 

### 7.1.4. Conditioned Hyperbola

$$A = \sum (H - 1.3)D$$

$$B = \sum \frac{(-D)^2}{(D+1)^2}$$
$$C = \sum \frac{-(D^2)}{(D+1)}$$
$$D = \sum \frac{-D(H-1.3)}{(D+1)}$$

$$E = \sum D^2$$

The conditioned hyperbola regression coefficients are calculated as follows:

$$c = \frac{AB - CD}{BE - CC}$$
$$b = \frac{D - cC}{B}$$
$$a = 1.3$$

### 7.1.5. Weibull and Conditioned Weibull

The Weibull coefficients are not determined by matrix manipulation as the other two curves are. The calculations will not be provided here. Instead, use T. Kozak's subroutine - April, 1993. For the unconditioned Weibull, the dependent variable would be the set of sample tree heights (H) and the independent variable would be the set of sample tree diameters (D). For the conditioned Weibull, the dependent variable tree heights less 1.3 m (i.e., H-1.3).

When coefficients are determined through iteration the maximum number of iterations is 1 000.

### 7.2. Minimum and Maximum DBH

Heights can only be calculated for trees when their DBH is in the specified range for the heightdiameter curve. When a tree falls outside of the DBH range, use either the height calculated for  $DBH_{max}$  or  $DBH_{min}$  for the selected curve.

### 7.2.1. Parabola and Conditioned Parabola

### 7.2.1.1. Minimum DBH

For the conditioned and un-conditioned parabola:

 $DBH_{min}$  = the root that is closest to 0:

$$DBH_{min} = \frac{-b \pm \sqrt{b^2 - 4ac}}{2c}$$

The root closest to zero of the two roots is selected.

When  $b^2 - 4ac < 0$ , then set  $DBH_{min} = 0$ .

Example 7.1

a = 1.3 b = 0.62079155 c = -0.00307971Root<sub>1</sub> = -2.0728  $\leftarrow$  DBH<sub>min</sub>

 $Root_2 = 203.647$ 

### 7.2.1.2. Maximum DBH

This method can solve either the minimum or maximum DBH depending on the values of the coefficients. If *b* is positive and *c* is negative there is a maximum height at a given DBH. If both *b* and *c* are positive there is a minimum height at a given DBH. A maximum DBH<sub>max</sub> of 250 cm has been assigned.

 $DBH_{max}$  = Root of the derivative of the parabola

 $\mathbf{H} = a + b\mathbf{D} + c\mathbf{D}^2$ 

$$\mathbf{H'} = b + 2c\mathbf{D}$$

Setting derivative equal to zero, gives

$$\mathsf{DBH}_{\max} = \frac{-b}{2c}$$

Example 7.2

 $DBH_{max} = 100.7873$ 

### 7.2.2. Hyperbola and Conditioned Hyperbola

#### 7.2.2.1. Minimum DBH

For the hyperbola,  $DBH_{min}$  = the root that is closest to 0 of the following quadratic equation.

$$cD^2 + aD + b = 0$$

$$DBH_{min} = \frac{-a \pm \sqrt{a^2 - 4cb}}{2c}$$

When  $a^2 - 4cb < 0$ , then set DBH<sub>min</sub> = 0.

Example 7.3

a = 10.81912465

Root<sub>1</sub> = 0.8833  $\leftarrow$  DBH<sub>min</sub>

Root<sub>2</sub> = -46.1462

For the conditioned hyperbola,  $\text{DBH}_{min}$  = The root that is closest to 0 of the following quadratic equation

$$cD^2 + (c-b+a)D + a = 0$$

$$DBH_{min} = \frac{(b-a-c)\pm\sqrt{(c-b+a)^2-4ac}}{2c}$$

When  $(c-b+a)^2 - 4cb < 0$ , then set  $DBH_{min} = 0$ .

Example 7.4

a = 1.3 b = -9.48876491 c = 0.23935168Root<sub>1</sub> = -0.1182  $\leftarrow$  DBH<sub>min</sub>

Root<sub>2</sub> = -45.9567

### 7.2.2.2. Maximum DBH

If *b* is negative and *c* is positive there is no maximum or minimum DBH. If both *b* and *c* are negative then  $DBH_{max} = (b/c)^{1/2}$ 

To estimate  $DBH_{max}$ , calculate the height at increasing 0.5 cm intervals for DBH. Pick the diameter that yields the greatest height. The calculated heights will increase with increasing DBH, until the vertex ( $DBH_{max}$ ) is passed. At that point, the heights will decrease with increasing DBH. Set  $D_{max}$  to the 0.5 cm interval before the calculated heights started to decrease. If the vertex is not passed

before 250 cm, set  $DBH_{max}$  equal to 250 cm. In this case, the reported  $DBH_{max}$  is not a true maximum, but rather an arbitrarily assigned maximum.

ple 7.5		Example	e 7.6	
ЗH	Height	DBH	Height	
70	51.4	122	49.0	
0.5	51.5	122.5	49.1	$\leftarrow$ DBH <sub>max</sub>
71	51.6 $\leftarrow$ DBH <sub>max</sub>	123	49.0	

#### 7.2.3. Weibull and Conditioned Weibull

#### 7.2.3.1. Minimum DBH

 $DBH_{min}$  for the Weibull function is 0.

#### 7.2.3.2. Maximum DBH

 $DBH_{max}$  for the Weibull function is infinity, since *a* is the maximum height at infinity DBH. A maximum  $DBH_{max}$  of 250 cm has been assigned.
# 7.3. Standard Error of Estimate (S.E.E.) and Bias

Bias is a systematic distortion between the observed and calculated values. Because of the way the formula was created in statistics, if the calculated height were generally higher than the observed heights, the height bias would be negative. Likewise, if the calculated heights were systematically lower than the observed heights, the height bias would be positive.

Standard Error of Estimate is the measure of spread of the observed values around the regression line (estimated values).

# 7.3.1. Standard Error of Estimate - Height

### 7.3.1.1. Parabola

$$A = \sum HD^{2} - \frac{\sum H \sum D^{2}}{N}$$
$$D = \sum HD - \frac{\sum H \sum D}{N}$$
$$I = \sum H^{2} - \frac{(\sum H)^{2}}{N}$$

K = 3

# 7.3.1.2. Conditioned Hyperbola

$$A = \sum (H - 1.3)D^{2}$$
$$D = \sum (H - 1.3)D$$
$$I = \sum (H - 1.3)^{2}$$
$$K = 2$$

The hyperbola and conditioned hyperbola standard error estimate for height is calculated as follows:

$$SEE_{h} = \sqrt{\frac{I - bD - cA}{N - K}}$$

#### 7.3.1.3. Hyperbola

$$A = \sum HD - \frac{\sum H \sum D}{N}$$
$$D = \sum \frac{H}{D} - \frac{\sum H \sum \frac{1}{D}}{N}$$
$$I = \sum H^{2} - \frac{(\sum H)^{2}}{N}$$
$$K = 3$$

### 7.3.1.4. Conditioned Hyperbola

$$A = \sum (H - 1.3)D$$
$$D = \sum \frac{-D(H - 1.3)}{(D + 1)}$$
$$I = \sum (H - 1.3)^2$$
$$K = 2$$

The hyperbola and conditioned hyperbola standard error estimate for height is calculated as follows:

$$SEE_{h} = \sqrt{\frac{I - bD - cA}{N - K}}$$

#### 7.3.1.5. Weibull and Conditioned Weibull

7.3.1.5.1. Weibull

H' = calculated height from regression equation

#### 7.3.1.5.2. Conditioned Weibull

- H = height of tree
- H' = calculated height

$$SEE_{h} = \sqrt{\frac{\Sigma(H - H')^{2}}{N - 3}}$$

#### 7.3.2. Bias - Height

Use the following calculation for all 6 height-diameter equations. The height bias should be zero for the Parabola and Hyperbola.

$$BIAS_h = \frac{\sum(H - H')}{N}$$

Where:

- H = Height of sample tree in metres, to the nearest tenth
- H' = Calculated height in metres, to the nearest tenth
- N = Number of sample trees used

# 7.3.3. Bias - Volume

Use the following calculation for all 6 height-diameter equations.

$$Bias_v = \frac{\sum(v_1 - v_2)}{N}$$

# 7.3.4. Standard Error Estimate - Volume\*

Use the following calculation for all 6 height-diameter equations.

\* The equation with the lowest  $SEE_v$  will be labeled as the suggested curve.

SEE <sub>v</sub> = 
$$\sqrt{\frac{\sum (v_1 - v_2)^2}{N - K}}$$

Where:

- $v_1 \qquad = 10^a D_i{}^b H_i{}^c$
- $v_2 \qquad = 10^a D_i{}^b (H'_i)^c$
- $D_i \qquad = DBH \ of \ sample \ tree \ i$
- $H_i$  = Height of sample tree i
- $H_i^{'}$  = Calculated height of sample tree i
- a = Volume constant A, from <u>Appendix 15</u>
- b = Volume constant B, from <u>Appendix 15</u>
- c = Volume constant C, from <u>Appendix 15</u>
- N = Number of sample trees used
- K = 2, for the conditioned parabola and conditioned hyperbola or
- K = 3, for all other functions

# 7.4. Sample Report Listings

# 7.4.1. Report 001b - Sample Listing

Scattergram of card type 2 trees - required for stump cruises.



Figure 7-1 Scattergram of Card Type 2 trees (Partial)

# 7.4.2. Report 004a - Sample Listing

Height curve edits - required for stump cruises.

	5:17		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.5	1.1	70.5
	17:4		2	3	2	10	10	20	2	20	3	10	5	10	3	10	5		я	5
_	6		'	'	'	'	'	ľ	'	'	'	'	'	'	'	'	'	'	'	Ì
32	1-03-1		DBH	HEC 2	HBU 3	HBC 3	HEDE	S DBH	E DBH	BHBC 2	E DBH	BHH 3	8 DBH	E DBH	E DBH	E DBH	E DBH	X	E DBH	X
DWd	D 200		TRE	TREE	TRE	TREE	TREE	TRE	TRE	TRE	TRE	TRE	TRE	TRE	TRE	TRE	TRE	M NO	TRE	M NO
( <b>e</b> fo)	IOM PUTEI	LASON	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	SAMPLE	EQUATI	SAMPLE	EOUATI
Ë	Ű	â	5	ß	5	5	5	5	5	Ъ	5	5	51	5	5	GT	5	5	E G	5
			DBH	DBH	HBC	DBH	DBH	DBH	DBH	DBH	DBH	DBH	DBH	DBH	ЦBU	HBU	HEC	DBH	DBH	DBH
IN ERROR		, HEIGHT	35.2	35.5	35.6	36.3	36.5	37.4	38.5	40.5	41.5	43.7	45.5	48.6	48.8	50.5	51.5		51.5	
MAYBE	000	CAL																		
SEES	-	55/	-	-1	-1	-	7	-	7	-	-	-	-	ۍ ۱	7	-	ŝ		۰ ۲	
LL D	SCOO	н.	ñ	ċ	è	ė	5	4	ņ	ģ	'n	ý	'n		÷	r.	ŝ		80	
FOLLOWING	CENCE: D	D.B.)	102	103	104	106	107	TTT	116	124	128	137	145	158	159	166	217		276	
THE	Ť	IES	H-	٣	8-	Ба. 	Ħ,	64 	H-	Eq.	ę.	<b>F</b> 4	D.	<b>64</b>	<b>P</b> .	4	Ľ,		1 1	
OF		SPEC	ъ	<b>P4</b>	Ē.	£.	<b>6</b> 4	2	ß,	<b>24</b>	D4	<b>6</b> 4	<b>64</b>	64	E.,	( <b>1</b> 4	Dr.		4	
STHUIS		ю.																		
TED H		REE N	63	99	41	64	68	95	59	70	68	12	76	97	5	11	95		13	
LCULL		F																		
5		PLOT V	10/	10,	10/	10/	10/	/01	10/	10/	TO/	10/	10/	10/	10/	10/	10/		/01	
0		TRIF	100/1	/10/	10/1	/10/	/01/	10/	10/	10/1	101	101	1011	/01/	10/1	1/01	1/01		1/01/1	
- 2001.	(POSES	BLOCK/S	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		000	
BRANCH	SAL PUR	TYPE	1	-1	-1	~		-1	-1	ч	-	-	-	1	-			1	1	I
EVENUE	APPRAI	TIMBER	Ļ	4	4	÷	÷	÷	Ļ	4	÷	÷	÷	÷	4	4	4	1	4	I
EST R	T FOR																			
FOR	NOV																			

Figure 7-2 Height Curve Edits - Sample Listing (Partial)

# 7.4.3. Report 003 - Sample Listing

This report graphs the calculated height vs DBH.



Figure 7-3 Regression Coefficients and Calculated Heights – Sample Listing (Partial)

ALTAL PURPOSES P.T. ZONE: B P.T. ZONE: B PARADELA HYPERSOLA HYPER ANABOLA HYPERSOLA HYPER ANABOLA HYPERSOLA HYPER ANABOLA HYPERSOLA HYPER ANABOLA HYPER PARADELA HYPER	LL 1778 NO: 1 1300 1312 1316 117.7 117.7 117.7 117.7 117.7 117.7 117.7 117.7 117.7 117.7 117.7 117.7 12.2 22.6 22.6 22.6 22.6 22.6 22.6 22.6	CENCE : DSCOOO NOT TBULL CONDITIO 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-000 HITTY: I HIT -0.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.	ία.	о . ок и	F OBSERVAT	46 iSN01	
F.I. ZONE: B         TIMBER T           SPECTES         F         M           SPECTES         F         MYPER           AMABOLA         HYPERBOLA         MYPER           ANABOLA         HYPERBOLA         MYPER           ANABOLA         HYPER         A           ANABOLA         15.1         12.5           ANA         216.4         21.2           ANABOLA         21.4         23.0           ANABOLA         22.6         24.6           ANABOLA         22.5         23.0           ANA         23.4         30.5           ANA         33.4         32.5           ANA         37.0         32.6           ANA         37.0         32.6	TZPE NO1 1 10.0NED WE 115.1 115.1 115.1 115.4 115.4 115.4 115.4 115.4 115.4 115.4 115.4 22.5 22.6 22.6 22.6 22.6 22.6 22.6 22.6	NAT IBULL CONDITIO CO	T :YTIRU 111 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	ίο	х • са са			
SPECIES         F         X         TTPES         I           ANADOLA         HYPERBOLA         HYPERBOLA         HYPER         1           ANADOLA         HYPERBOLA         HYPER         9.9         9.9           7         113.6         9.9         9.9         1           7         113.6         112.5         1         2.5           7         15.4         14.9         1         2           7         18.7         17.2         1         2           7         20.1         21.6         2         2         2           7         20.1         21.4         2 <th>WED 115:18 115:19 115:4 115:7 117 11</th> <th>CONDITION TBULL CONDITION COND</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	WED 115:18 115:19 115:4 115:7 117 11	CONDITION TBULL CONDITION COND						
CRNDITIONED CONDITIONED CONDITICO CONDITICO CONDITICO CONDITICO CONDICICO COND	0.0000 115.1 115.1 117.7 117.7 21.4 22.5.6 22.5.7.6 22.5.6 22.5.7.6 22.5.7.6 22.5.7.6 22.5.7.6 22.5.7.6 22.5.7.6 22.5.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7	CONDITIO CONDITION 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						
NUMBOLA HYPERBOLA PARABOLA HYPER -7 113.18 9.9.9.9 -7 115.1 112.5 -7 115.4 114.9 -7 116.9 114.9 -7 220.1 21.2 -7 220.5 224.6 -7 220.6 224.6 -7 220.6 224.6 -7 220.8 227.5 -7 220.8 227.5 -7 220.8 31.8 -7 33.4 32.5 -7 33.4 32.5 -7 33.6 -7 4 -7 33.6 -7 5.6 -7 5.6	WE 1117,4 11							
.7 13.6 9.9 .7 13.6 9.9 .7 15.4 14.9 .7 15.4 14.9 .7 22.6 22.1.2 .7 22.6 22.1.2 .7 22.6 22.1.2 .7 22.6 22.1.2 .7 22.6 32.6 .7 33.6 .7	1153.8 115.4 118.7 118.7 118.7 118.7 118.7 118.6 118.7 11.0 118.6 118.7 119.6 118.7 119.6 118.7 119.6 119.7	• • • • • • • • • • • • • • • • • •	, , , , , , , , , , , , , , , , , , ,					
.7 15.1 12.5 .7 15.1 12.5 .7 15.4 14.9 .7 20.1 20.1 21.2 .7 22.5 6 23.0 .7 22.5 6 23.1 2 .7 22.5 6 23.1 2 .7 22.5 6 23.1 2 .7 22.5 6 33.1 2 .7 33.4 33.5 .7 33.4 33.5 .7 33.4 33.5 .7 33.6 33.5 .7 33.5 .5 33.5 33	115.1 116.1 208.9 208.9 222.6 223.6 223.6 223.6 223.6 223.6 223.5 231.9 321.0 331.0 331.0	• • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • •					
.7 16.4 14.9 .7 16.4 14.9 .7 20.1 17.2 .7 20.1 19.7 .7 22.6 .7 22.6 24.6 .7 22.6 .7 22.6 .7 22.6 .7 33.4 .7 33.4 .7 33.6 .7 33.6 .7 33.5 .7 33.6 .7 5 .7 5 .7 5 .7 5 .7 5 .7 5 .7 5 .7 5	116.4 117.7 20.1 222.4 222.6 222.6 225.0 225.0 225.2 225.0 225.2 231.0 321.0 321.0	• • • • • • • • • • • • • • • •	• • • • • • • • • • • • •					
.7 17.7 17.2 .7 20.1 17.7 17.2 .7 20.1 21.4 21.9 .7 20.1 62.1 62.5 .7 20.1 62.5 .7 20.5 62.6 .7 20.5 66.5 .7 31.6 20.5 .7 31.6 31.3 .7 31.6 31.3 .7 33.4 6 31.3 .7 33.4 6 32.5 .7 33.6 .7 4 .7 33.6 .7 4 .7 4 .7 4 .7 4 .7 4 .7 4 .7 4 .7 4	117.7 117.7 221.14 221.44 223.6 225.0 225.0 225.0 225.2 231.0 321.0 321.0 321.0	• • • • • • • • • • • • • •						
.7 18.9 19.3 .7 20.1 18.9 19.3 .7 20.1 23.6 .7 22.6 23.6 .7 22.6 23.6 .7 22.6 30.5 .7 32.6 30.5 .7 33.6 32.5 .7 33.6 5 .7 35.6 5 .7 5 .7 5 .7 5 .7 5 .7 5 .7 5 .7 5 .7	18.9 220.1 222.6 225.0 225.0 23.9 33.9 32.2 2.7 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						
.7 20.1 21.2 .7 22.6 21.6 .7 22.6 24.6 .7 22.8 24.6 .7 22.6 24.6 .7 22.6 28.5 .7 22.6 .7 22.6 .7 31.8 31.8 31.8 31.8 31.8 31.8 31.8 31.6 31.6 32.6 .7 31.8 32.5 32.6 .7 37.0 37.0 37.6 .7 37.0 37.6 .7 37.0 37.5 37.6 .7 .7 37.6 .7 .7 37.6 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7	20.1 22.22.4 23.22.2.8 26.2 26.2 29.6 29.6 29.6 20.2 20.2 20.2 20.2 20.2 20.2 20.2 20	• ¢ • • • • • • • • •	•••••••					
.7 21.4 23.0 .7 22.5 23.6 .7 22.5 24.6 .7 22.5 22.5 5 .7 22.5 22.7 5 .7 22.5 22.7 5 .7 22.6 5 .7 22.6 5 .7 22.6 6 .7 33.4 5 .3 2.5 .7 33.4 6 .3 2.5 .7 33.4 6 .3 2.5 .7 33.6 7 .7 33.7 7 .7 33.6 7 .7 33.7 7 .7 33.6 7 .7 33.7 7 .7 33.6 7 .7 33.7 7 .7 33.6 7 .7 33.6 7 .7 33.7 7 .7 4 .7 4 .7 4 .7 7 7 .7 7 7 7 .7 7 7 7 .7 7 7 7	21.4 225.6 255.25.8 26.2 26.2 29.6 31.0 31.2 20.8 32.2 20.8 32.2 20.8 32.2 20.8 32.2 20.8 32.2 20.8 32.2 20.8 32.2 20.8 32.2 20.8 32.2 20.8 32.2 20.8 20.8 20.8 20.8 20.8 20.8 20.8 2	¢ • • • • • • • • • •	0000000					
.7 22.6 24.6 .7 22.6 24.6 .7 22.3 27.5 .7 22.6 27.5 .7 22.6 30.5 .7 32.6 30.5 .7 33.4 31.3 31.3 31.3 31.3 32.6 .7 33.4 32.5 .7 33.6 .7 33.6 .7 33.6 .7 33.6	22.22.22.22.22.22.22.22.22.22.22.22.22.	000000000						
.7 22.8 26.1 .7 225.8 26.1 .7 225.0 28.6 .7 227.4 28.6 .7 32.6 .7 32.6 .7 33.4 .7 33.4 .7 33.4 .7 33.6 .7 33.5 .7 33.6 .7 5 .7 5 .7 5 .7 5 .7 5 .7 5 .7 5 .7 5	23,8 255,0 26,2 21,4 21,0 31,0 32,2 32,2		0.00000					
.7 25.0 27.5 .7 226.2 29.6 .7 226.2 29.6 .7 226.6 30.5 .7 229.8 30.5 .7 32.9 8 31.3 .7 33.4 32.5 .7 33.4 32.5 .7 35.8 32.5 .7 35.8 32.5 .7 37.0	25.0 26.2 27.4 28.6 31.0 31.0 32.2	000000	•••••					
.7 26.2 28.6 .7 28.6 39.7 .7 28.6 30.5 .7 29.8 31.3 31.8 31.8 31.8 32.6 .7 33.4 33.6 .7 35.8 32.5 .7 35.8 32.5 .7 35.6 .7 37.0	26.2 27.4 28.6 31.0 32.2	<u>ە و و و و</u>	0,0,0,0					
.7 27.4 29.7 .7 29.8 50.5 .7 29.8 31.3 .7 31.0 31.8 .7 33.4 32.2 .7 33.4 5 .7 33.4 6 .7 33.6 .7 33.6 .7 33.6 .7 33.6 .7 33.6 .7 33.6 .7 37.0	27.4 28.6 31.0 32.2	••••	و و و					
.7 28.6 30.5 .7 29.8 31.3 .7 32.0 31.8 .7 32.2 32.5 .7 33.4 32.5 .7 35.6 32.6 .7 35.8 32.6 .7 37.0	28.6 29.8 31.0 32.2	0, 0, 0,	٥٥					
.7 29.8 31.3 .7 32.0 31.8 .7 32.2 33.2 .7 33.4 5 32.5 .7 34.6 32.5 .7 34.6 32.6 .7 37.0 32.6 .7 37.0	29.8 31.0 32.2	<u>, o</u>	0.					
.7 31.0 31.8 .7 33.4 32.2 .7 34.6 32.5 .7 34.6 32.6 .7 37.0 32.6 .7 37.0	31.0 32.2	0.						
.7 32.2 32.5 .7 33.4 32.5 .7 35.8 32.6 .7 35.8 32.6 .7 37.0	32.2		0.					
.7 33.4 32.5 .7 34.6 32.6 .7 37.8 32.6 .7 37.0 32.6		0.	0.					
.7 34.6 32.6 .7 35.8 32.6 .7 37.0 32.6	33.4	0.	0.					
.7 35.8 32.6	34.6	0.	0.					
.7 37.0 32.6	35.8	0.	0.					
	37.0	0.	0.					
.7 38.2 32.6	38.2	0.	0.					
.7 39.4 32.6	39.4	0.	a,					
.7 40.6 32.6	40.6	0.	٥.					
.7 41.8 32.6	41.8	0.	٥.					
.7 43.0 32.6	43.0	٥.	٥.					
.7 44.2 32.6	44.2	٥.	٥.					
.7 45.4 32.6	45.4	0.	0.					
REGRESSION COEFP.	ICIENTS		S.E.E.	BIAS	S.E.E.	BIAS	MININIM	MAXIMUM
NO A	đ	υ	HEIGHT	HEIGHT	VOLUME	VOLUME	D.B.H.	D.B.H.
1 11.98017895	16955955	.00063660	4.1229	20.1692	3.0140	1.6502	.0000	-133.1756
2 10.81912465 -9.	74355472	.23902870	4.1328	0000.	.5398	1100	.8833	170.5000
D PARABOLIC 3 1.3000000 .t	62079155	00307971	4.4243	.2738	.5813	.0000	-2.0728	100.7873
D HYPERBOLIC 4 * 1.3000000 -9.4	48876491	.23935168	4.0678	.0000	.5313	.0040	1182	170.5000
. 00000000 .	00000000	.00000000	.0000	.0000	0000	.0000	.0000	. 0000
ID WEIBULL 6 .00000000 .	00000000	.00000000	.0000	.0000	0000.	.0000	.0000	.0000
N.H. OF SAMPLE DATA 101.1								
NATION DID NOT CONVERGE								
ID WEIBULL EQUATION DID NOT CONVERGE								
NO         A           NO         A           1         1.98017895           1         1.98017895           1         1.98017895           1         1.98017895           1         1.98017895           1         1.30000000           1         1.30000000           1         1.30000000           1         1.30000000           1         1.30000000           1         1.30000000           1         1.30000000           1         1.30000000           1         1.300000000           1.4.0         0.00000000           1.4.0         0.00000000           1.4.0         0.00000000           1.4.0         0.00000000           1.4.0         0.00000000           1.4.0         0.00000000           1.4.0         0.00000000	CCLENTS B 74355955 62079155 62079155 00000000 00000000	C C C00053660 .23902870 00307971 00307971 00307971 .0000000 .00000000	он <del>4</del> 444	E.E. IIGHT 1229 1328 4243 4243 0678 0000 0000	E.E. BIAS IGHT HEIGHT 12129 20.1692 1229 20.1692 1228 .0000 6578 .0000 6578 .0000 6578 .0000 0000 .0000 0000 .0000	E.E. BIAS S.R.F. IGHT HEIGHT VOLVE 1229 20.1092 3.0140 1228 0.0000 5.5398 443 .2738 5513 0000 .0000 .5313 0000 .0000 0000	E.E.         BIAS         S.E.E.         BIAS           TichT         HEIGHT         VOLUME         VOLUME           11217         VOLO         S.E.E.         BIAS           11228         20.1692         3.0140         1.6502           12228         20.000         5.5398         0.0541           243         .2738         .5813         0.0040           0000         .5313         0.0040         00040           0000         .53013         .0040         00040           0000         .53013         .0040         00000           0000         .0000         .53013         .0040           0000         .0000         .53013         .0040           0000         .0000         .0000         .0000	E.E.         BIAS         S.E.E.         BIAS         MINIMUM           TGHT         HEIGHT         VOLUME         VOLUME         D.B.H.           1229         20.1692         3.0140         1.6502         0000           1229         20.1692         3.0140         1.6502         0000           1322         20.1692         5.0140         .6833           243         .2738         .5943         .0041         .8833           678         .0000         .5513         .0040         -2.0728           0678         .0000         .0000         .0000         -1182           0000         .0000         .0000         .0000         .1182           0000         .0000         .0000         .0000         .0000           0000         .0000         .0000         .0000         .0000

This report shows the regression analysis and calculated heights for DBH levels.

Figure 7-4 Regression Coefficients and Calculated Heights - Sample Listing - Continued (Partial)

•

# 8. Summary and Cruise Statistics

# 8.1. Plot Summary Report Overview

The Plot Summary reports number of stems, diameter, and merchantable volume information for the measured plots. The parameters are segregated by species within the plot. Each species is segregated by damage code for damage compilations. Refer to <u>Appendix 1</u> for the list of species used.

Count plots are included in the plot summary.

Only include trees in a plot that meet the merchantability requirements from card type B. Plots are sorted within Type, Block, and Strip.

Stems are trees with Tree Class coded 1, 2, 3, 5, 7, 8, or 9. Snags are trees with Tree

Class coded either 4 or 6.

# 8.1.1. Header Information

- 1. License from card type A.
- 2. Cutting Permit from card type A.
- 3. Forest Inventory Zone from card type A.
- 4. Unit # and Block from card type A.

- Report the actual name of the Unit/Block from tables in Appendix 5 of the *Cruising Manual*.

- 5. Message indicating whether compilation is for appraisals or not.
- 6. Method of calculation (Average Line).
- 7. Merchantability requirements from card type B.
- 8. Special compilation messages for:
  - a. Reduction compilation.
  - b. Stump cruise compilation.
  - c. Tree class combination useless volumes are included or excluded, depending on column 15 of card type B (0 or blank snags excluded, 1 snags included).
  - d. Selective cut indicator which trees to compile depends on column 12 of card type B (blank include all trees, 'C' include cut-indicated and non-indicated trees, 'L' include leave-indicated trees).

- e. Wet/Dry belt indicator (Interior only) sale is in the wet belt or dry belt, depending on column 14 of card type B (0 no message, 1 wet belt, 2 dry belt).
- 9. Compiler program name and version.
- 10. Compile date and time.
- 11. Page number.

# 8.1.2. Plot Information

For each plot, report the following card type 9 information:

- 1. Type.
- 2. Block.
- 3. Strip.
- 4. Plot.
- 5. Plot size.
  - a. Report the plot area for fixed plots, or the basal area factor for prism plots.
  - b. If a sub-plot is being used, include the letter 'S' next to the plot size.
- 6. Plot sweep.
- 7. Slope percent.
- 8. Date.

# 8.1.3. Species Information

All summations in the following calculations are for the merchantable trees in a plot.

#### 8.1.3.1. Number of Stems and Snags

Count the number of trees in the plot for the species. When compiling a reduction, apply the reduction.

If the plot is a border plot, double the number of stems and snags. Round to the nearest whole number.

#### 8.1.3.2. Number of Stems and Snags Per Hectare

Use the method outlined in Section 3.4 for calculating  $S_p$  for a specific species.

#### 8.1.3.3. Average Diameter of Stems and Snags

The average diameter is derived from the basal area and stems per hectare estimates from the plot using the relationship  $Area = pi^*radius^2$ . The multiplication by 100 is to convert from meters to centimeters.

$$\overline{D_p} = 100 * 2* \sqrt{\frac{BA_p}{pi*S_p}}$$

Where:

$$\overline{D_{p}} = Average diameter (cm) of stems (or snags) for plot p.$$

$$BA_{p} = Average basal area per hectare (m2) for plot p (refer to Section 3.4.1.2).$$

$$S_{p} = Stems (or snags) per hectare for plot p (refer to Section 9.2.1.1).$$

$$pi = 3.14159265$$

Report to 2 decimal places.

#### Example 8.1

2 Fir stems were tallied in a full plot using a BAF of 12.000. PRF = 0.1443. Tree one has a DBH of 89.9 and tree two has a DBH of 78.8.

The basal area per hectare is:

BA = 2 \* 12 = 24

The stems per hectare are:

$$S_{p} = \frac{12(12732.39545)}{89.9^{2}} + \frac{12(12732.39545)}{78.8^{2}} = 43.51$$

The average diameter is:

$$= 100 * 2 * \sqrt{\frac{24}{\text{pi} * 43.51}} = 83.80 \text{ cm}$$

#### 8.1.3.4. Gross Merchantable Volume/hectare

Use the method outlined in Section 3.4.2.3 for calculating  $V_p$  for a specific species. Report to 2 decimal places.

#### 8.1.3.5. Less Decay

Less Decay 
$$= \sum_{t=1}^{n_p} S_t (1 - d_t) V_t$$

Where:

 $V_t$  = Gross merchantable volume of tree t.

 $d_t$  = Decay percent from Loss Factor Table.

Report to 2 decimal places.

#### 8.1.3.6. Less Decay and Waste

Less Decay/Waste =  $\sum_{t=1}^{n_p} S_t (1 - d_t - w_t) V_t$ 

Where:

 $S_t$  = Number of trees per hectare that tree t represents.

$$V_t$$
 = Gross merchantable volume of tree t.

- $d_t$  = Decay percent from Loss factor table.
- $w_t = Waste percent from Loss factor table.$
- $b_t = Breakage percent from Loss factor table.$
- $n_p$  = Number of trees in plot P.

Report to 2 decimal places.

### 8.1.3.7. Less Decay, Waste and Breakage - Net Merchantable Volume per Hectare

Less DWB = 
$$\sum_{t=1}^{n_p} S_t (1 - d_t - w_t - b_t) V_t$$

Where:

 $S_t$  = Number of trees per hectare that tree t represents.

- $V_t$  = Gross merchantable volume of tree t.
- $d_t$  = Decay percent from Loss factor table.
- $w_t = Waste percent from Loss factor table.$
- $b_t$  = Breakage percent from Loss factor table.
- $n_p$  = Number of trees in plot P.

Report to 2 decimal places.

# 8.1.3.8. Loss Factor Table

Refer to <u>Section 3.2.1</u> Step #3 for instructions on determining the appropriate loss factor table.

# 8.1.4. Plot Frequency Report

At the end of the Plot summary report, list the number of measure plots and hectares per plot for each Type within Block and Type within cutting permit.

# 8.2. Plot Summary Listing

Report 011 - required.

FOREST REVENU	IE BRANC	- H	0.1005				PLOIT	SUMMARY				110)	PAGE 1	T	
MINISTRY OF	PORESTS	: - AE	PRAISAL	INFORMATI	ION		ŝ	IELESS VOI	JUMES E.	XCLUDED		COMI	PUTED 2001	1-03-19	15:50:21
												AVE	VAGE LINE		
LICENC	E NUMBE	R TL'	7070	P.S. 1	Y.U. 81	6-0		STANDARD:		DBH	LIMIT	STU	4P HT. 30	O. TOP	DIAM.
CUTTIN	IG PERMI	T 001		L.	T.Z. C			XCEPTION							
												VOLUME	M3 / HECT	TARE	
FOREST			PLOT	*	NO OF	-STEMS	STEMS	PER-HA	AVG.	-DIAM.	GROSS	LESS	SSau	LESS	LOSS
TYPE BLOCK	STRIP P	LOI	SIZE	SLOPE	L&DP	DUGLU	LEDP	DU&LU	LEDP	DU&LU	MERCH	DECAY	DB	DWB	REF NO
2 002	02 0	1	12.000F	050	11/0Z										
		~	FIR - (OU	ALITY 1)	2	0	43.51	0.00	83.80	0.00	306.63	301.57	286.23	286.23	111
			CEDAR		7	0	20.51	00.00	86.30	00.00	132.49	115.80	106.52	98.71	212
			HEMLOCK		1	0	26.80	00.00	75.50	00.00	184.51	174.73	163.66	160.53	399
			BALSAM		I	0	50.14	0.00	55.20	0.00	213.16	145.16	132.37	95.71	499
			VELLOW C	EDAR	1	0	49.42	0.00	55.60	00.00	177.12	151.97	139.57	135.49	610

Figure 8-1 Plot Summary - Sample Listing

FOREST REVENUE BR	- HONA	2001.0		PLOT FREQUENCY		(011) PAGE 4
MINISTRY OF FORM	- STS3	APPRAISAL	INFORMATION	I SEWIOTON SSETESO	XCLUDED	COMPUTED 2001-03-19 15:50:2 AVERAGE LINE
LICENCE N	MBER 1	CL7070	P.S.Y.U. 86-0	STANDARD:	DBH LIMIT	STUMP HT. 30. TOP DIAM.
CULTING PI	SRMIT (	101	F.I.Z. C	EXCEPTION:		
	TIME	BER TYPES				
MEASURED PLOT	-	17 17				
BLOCK 001						
NO. OF PLOTS		5				
HA/PLOT	1.25	5 1.25				
BLOCK 002						
NO. OF PLOTS	.,	5				
HA/ PLOT	1.2	5 2.50				
CUTTING PERMIT						
NO. OF PLOTS	•	4				
HA/PLOT	1.2	5 1.88				

Figure 8-2 Plot Frequency - Sample Listing

# 8.3. Plot Summary by Maturity Overview and Listing

This report is obsolete.

# 8.4. Cruise Statistics Overview

The Cruise Statistics summary reports volume and basal area statistics for each Timber Type in the compilation and for the entire Cutting Permit.

### 8.4.1. Header information

- 1. License from card type A.
- 2. Cutting Permit from card type A.
- 3. Forest Inventory Zone from card type A.
- 4. Unit # and Block from card type A.
- 5. Forest Region and District from card type A.
- 6. Merchantability requirements levels and exceptions from card type B.
- 7. Message indicating whether compilation is for appraisals or not.
- 8. Method of calculation (Average Line)
- 9. Special compilation messages for:
  - a. Reduction compilation.
  - b. Stump cruise compilation.
  - c. Tree class combination useless volumes are included or excluded determined by column 15 of card type B (0 or blank snags excluded, 1 snags included).
  - d. Selective cut indicator which trees to compile depends on column 12 of card type B (blank include all trees, 'C' include cut-indicated and non- indicated trees, 'L' include leave-indicated trees).
  - e. Wet/Dry belt indicator sale is in the wet belt or dry belt, depending on column 14 of card type B (0 no message, 1 wet belt, 2 dry belt).
- 10. Compiler program name and version.
- 11. Compile date and time.
- 12. Page number.

# 8.4.2. Timber Type Information

For each Timber Type report.

#### 8.4.2.1. Type Information

Report the Type number, Species composition, Age class, Height class, and Stocking Class from card type C.

# 8.4.2.2. Type of Plots

Either 'Fixed' or 'Prism' depending on the type of plots being compiled. If both fixed area and prism plots are used then report 'Mixed'.

# 8.4.2.3. Number of Potential Trees

Report the number of stems listed in plots from the Timber Type. If a percent reduction is being compiled, report the pre-reduction amount. If border plots are in the type, double the number of stems from those plots.

Report to the nearest whole number.

# 8.4.2.4. Number of Measured and Count Plots

Report the number of measured plots and count plots in the Timber Type.

# 8.4.2.5. Mean Net Volume per Hectare

Take the average of the estimates from the plots within the Timber Type.

$$\frac{1}{V_i} = \frac{\sum_{p=1}^m V_p}{m}$$

Where:

 $\overline{V_i}$  = Timber Type i volume/hectare.

 $V_p$  = Volume/hectare estimate from plot p (refer to <u>Section 3.4.2.3</u>).

m = Number of measure plots in the Timber Type i.

Report to 1 decimal place.

# Example 8.2

The subscripts in the above summation refer to the plots within the Type. 'P=1' means 'starting with the first plot in the Type' and 'm' means 'ending with the last plot in the Type'.

In this example, there are 3 measure plots in Type 1. There are no count plots and no reductions being compiled. The average volume per hectare for the Type is:

 $\overline{V_1} = (1048.47 + 828.07 + 726.08) / 3 = 867.54 \text{ m}^3 \text{ per hectare}$ 

#### 8.4.2.6. Mean Net Basal Area/hectare

For the basal area per hectare, include count plots in the summation instead of accommodating for count plots with the double sampling ratio.

$$\overline{b_i} = \frac{\sum_{p=1}^{m+c} BA_p}{m+c}$$

Where:

 $\overline{b_i}$  = Timber Type basal area/hectare, corrected for double sampling.

 $BA_p$  = Basal area/hectare estimate from plot p (see <u>Section 3.4.1.2</u> or <u>3.4.2.2</u>).

m = Number of measure plots in the Timber Type.

c = Number of count plots in the Timber Type.

Report to 1 decimal place.

# 8.4.2.7. Standard Deviation for Volume - Measure Plots Only

$$SD_{vm} = \sqrt{\frac{\sum_{p=1}^{m} V_p^2 - \left(\sum_{p=1}^{m} V_p\right)^2 / m}{m-1}}$$

Where:

 $SD_{vm}$  = Standard Deviation for volume from measure plots only.

Volume/hectare estimate from measure plot p, not corrected for

- $V_p$  = double sampling (i.e., do not apply DSR, see <u>Section 3.4.1.3</u> or <u>3.4.2.3</u>).
- m = Number of measure plots in the Timber Type.

Report to 4 decimal places.

#### Example 8.3

Using the same plots as were used in Example 8.2:

$$\sum_{p=1}^{m} V_p^2 = 1048.47^2 + 828.07^2 + 726.08^2 = 2312181.432$$
$$\left(\sum_{p=1}^{m} V_p\right)^2 = (1048.47 + 828.07 + 726.08)^2 = 6773630.864$$
$$SD_{vm} = \sqrt{\frac{2312181.432 - 6773630.864/3}{3-1}} = 164.7794$$

#### 8.4.2.8. Standard Deviation for Basal Area - All Plots

Calculate the basal area standard deviation the same as the volume standard deviation, but include the count plots.

$$SD_{b} = \sqrt{\frac{\sum_{p=1}^{m+c} BA_{p}^{2} - \left(\sum_{p=1}^{m+c} BA_{p}\right)^{2} / m + c}{m+c-1}}$$

Where:

 $SD_b$  = Standard Deviation for basal area from measure and count plots.

$$BA_p = Basal area/hectare estimate from plot p (see Section 3.4.1.2 or 3.4.2.2).$$

c = Number of count plots in the Timber Type.

Report to 4 decimal places.

#### 8.4.2.9. Coefficient of Variation for Volume - Measure Plots Only

The coefficient of variation is the standard deviation divided by the mean, expressed as a percent.

$$CV_v = \frac{SD_{vm}}{V_m} *100$$

Where:

۲D	_	Standard Deviation for volume from measure plots only (defined
<b>SD</b> <sub>vm</sub>	_	above e).

 $\overline{V_m}$  = The average volume per hectare from measure plots in the Timber  $\overline{V_m}$  = Type, not corrected for double sampling (i.e., do not apply DSR, see Section 3.4.1.3 or 3.4.2.3)

$$= \frac{\sum_{p=1}^{m} V_p}{m}$$

Report to 1 decimal place.

#### Example 8.4

Using the volume per hectare and standard deviation from Examples 8.2 and 8.3, the coefficient of variation is calculated as:

$$CV_v = (164.7794 / 867.54) * 100 = 19.0$$

### 8.4.2.10. Coefficient of Variation for Basal Area

Calculate the basal area coefficient of variation the same as the volume coefficient of variation.

$$CV_b = \frac{\underline{SD}_b}{\overline{b}} * 100\%$$

Where:

$SD_b$	=	Standard Deviation for basal area from measure and count plots (defined above).
b		The average basal area/hectare from measure and count plots in the Type (defined above).

Report to 1 decimal place.

### 8.4.2.11. Standard Error of the Mean Percent for Volume

$$\text{SEM}_{\text{v}}\% = \frac{\text{SEM}_{\text{v}}}{\overline{\text{V}}} * 100$$

Where:

SEM %	_	Standard error of the mean for volume expressed as a percent of
SEIVI <sub>V</sub> 70	_	the average volume.

$$\begin{split} & \text{SEM}_{v} &= \sqrt{S_{v}^{2}} * \text{FPC} \\ & \text{S}_{v}^{2} &= \left[ \text{SD}_{vm}^{2} - 2 \left( \frac{\overline{V}_{m}}{\overline{b}_{m}} \right) \text{S}_{vb} + \left( \frac{\overline{V}_{m}}{\overline{b}_{m}} \right)^{2} \text{SD}_{bm}^{2} \right] \left( \frac{1}{m} - \frac{1}{c+m} \right) + \frac{\text{SD}_{vm}^{2}}{c+m} \end{split}$$

 $S_{vb} = {Covariance between volume and basal area for measured plots only.}$ 

$$S_{vb} = \frac{\sum_{p=1}^{m} V_p B A_p - \left(\sum_{p=1}^{m} B A_p\right) \left(\sum_{p=1}^{m} V_p\right) / m}{m-1}$$

 $SD_{bm}^2$  = Variance of basal area a for measure plots only.

$$SD^{2}_{bm} = \frac{\sum_{p=1}^{m} BA_{p}^{2} - \left(\sum_{p=1}^{m} BA_{p}\right)^{2}}{m-1}$$

$$SD_{vm} = \frac{Standard deviation for volume from measured plots only (see Section 8.5.2.7).$$

$$\overline{\mathbf{b}}_{m} = \frac{\sum_{i=1}^{m} \mathbf{B} \mathbf{A}_{i}}{m}$$
 = type average basal area/hectare from measure plots only.

$$\overline{V_m}$$
 = Average volume/hectare from measured plots only (see Section  
8.5.2.9).

FPC = 1.0 for Types sampled using variable plots, or

= 
$$\sqrt{\frac{N-m}{N-1}}$$
 for Types sampled using fixed area plots.

- N = Total number of possible plots in the type if 100% cruised.
- m = Number of measure plots in the Timber Type.
- c = Number of count plots in the Timber Type.

Report to 1 decimal place.

#### Example 8.5

Using the Type from Examples 8.2 and 8.3, assume that there are 3 count plots. The basal area per hectare estimates from the 3 measure plots are; 120, 80 and 90 respectively. The revised mean volume per hectare based on double sampling is 733.4.

$$S_{vb} = \frac{257409.2 - 290 * 2602.62/3}{3 - 1} = 2911.3$$

$$SD_{bm}^{2} = \frac{28900-84100/3}{3-1} = 433.33$$

$$S_{v}^{2} = \left[27152.251 - 2\left(\frac{867.54}{96.67}\right) 2911.3 + \left(\frac{867.54}{96.67}\right)^{2} 433.33\right] \left(\frac{1}{3} - \frac{1}{3+3}\right) + \frac{27152.251}{3+3}$$

$$= \left[27152.25 - 52255.23 + 34901.78\right] (1/6) + 4525.38 = 6158.51$$

$$FPC = 1.0$$

$$SEMv = \sqrt{6158.51} * 1.0 = 78.48$$

$$SEM_{v}\% = 100 * (78.48 / 733.4) = 10.7$$

#### 8.4.2.12. Standard Error of the Mean Percent for Basal Area

20000 04100/2

$$SEM_b\% = \frac{SEM_b}{\overline{b_i}} * 100\%$$

Where:

 $SEM_b\% = \begin{cases} Standard error of the mean for volume expressed as a percent of the average basal area. \end{cases}$ 

$$SEM_b = \sqrt{\frac{SD_b^2}{m+c}} * FPC$$

= Variance of Basal Area for all plots

$$S_b^2 = \frac{\sum_{i=1}^{m+c} BA_p^2 - \left(\sum_{i=1}^{m+c} BA_p\right)^2 / (m+c)}{m+c-1}$$

- = Finite population correction
- *FPC* = 1.0 when sampling using variable plots =  $\sqrt{\frac{N-n}{N-1}}$  when sampling using fixed area plots
  - N = Total number of possible plots in the type if 100% cruised.

- n = Actual number of plots sampled
- m = Number of measure plots in the Timber Type.
- c = Number of count plots in the Timber Type.

Report to 1 decimal place.

#### 8.4.2.13. % Confidence Interval for Volume

95% 
$$CI_v = \overline{V}_m \pm SEM_v \% * t_{m-1}$$

Where:

 $t_{m-1}$  = t-value from <u>Appendix 11</u> with m-1 degrees of freedom.

Report to 1 decimal place.

Example 8.6

Using the standard error of the mean for volume from Example 8.5, and the t-value from <u>Appendix 11</u> for 3-1=2 degrees of freedom, half of the 95 percent confidence interval for Type 1 is:

Half of the 95%CI<sub>v</sub> = 10.7 \* 4.303 = 46.0

#### 8.4.2.14. % Confidence Interval for Basal Area

$$95\%$$
 CI<sub>b</sub> =  $\overline{b_i} \pm SEM_b * t_{m+C-1}$ 

Where:

 $t_{m+c-1}$  = t-value from <u>Appendix 11</u> with m+c-1 degrees of freedom.

Report to 1 decimal place.

# 8.4.3. Cutting Permit Information

### 8.4.3.1. Cutting Permit 95% Confidence Interval for Volume - All Plots

95%CI<sub>vcp</sub> = 
$$\pm 100 * \frac{\sqrt{\sum_{i=1}^{k} r_i^2 \text{SEM}_{vi}^2}}{\overline{V_{cp}}} * t_{(m+c)-k}$$

Where:

$$SEM_{vi} = SEM_v$$
 for Type i.

 $r_i$  = Proportional area of Type i.

$$r_i \qquad = \ \frac{A_i}{\sum\limits_{i=1}^k A_k}$$

C = Number of count plots in the Cutting Permit.

 $t_{(m+c)-k} = t$  value from <u>Appendix 11</u> with (m+c) - k degrees of freedom.

$$\overline{V_{cp}}$$
 = Average volume/hectare for the Cutting Permit.

$$= \frac{\sum_{i=1}^{k} A_i \ \overline{V}_i}{\sum_{i=1}^{k} A_i}$$

Report to 1 decimal place.

# Example 8.7

Say the Standard Error of the Mean is 78.5 for Type 1 and 45.0 for Type 2. Type 1 has 5 ha

and Type 2 has 7.5 ha. The revised mean is 733.4 for Type 1 and 632.3 for Type 2. There are 3 measure plots in each Type.

95% CI<sub>vep</sub> = 
$$\pm 100 * \frac{\sqrt{0.16 \times 6162.25 + 0.36 \times 2025}}{5 \times 733.4 + 7.5 * 632.3/12.5} \times 2.776 = \pm 17.1$$

### 8.4.3.2. Cutting Permit 95% Confidence Interval for Basal Area - All Plots

95% CI<sub>cpb</sub> = 
$$\pm 100 * \frac{\sqrt{\sum_{i=1}^{k} r_i^2 \text{SEM}_{bi}^2}}{\overline{b_{cp}}} * t_{(m+c)-k}$$

Where:

$$\overline{b_{cp}}$$
 = Average basal area/hectare for the Cutting Permit.

$$= \quad \frac{\sum\limits_{i=1}^k A_i \overline{b_i}}{\sum\limits_{i=1}^k A_i}$$

Report to 1 decimal place.

# 8.4.3.3. Cutting Permit 95% Confidence Interval for Volume - Measure Plots Only

95% CI<sub>vmcp</sub> = 
$$\pm 100 * \frac{\sqrt{\sum_{i=1}^{k} r_i^2 \text{SEM}_{vmi}^2}}{\overline{V_{cpm}}} * t_{m-k}$$

Where:

$$SEM_{vmi}$$
 =  $SEM_{vm}$  for Type i - measure plots only.

$$SEM_{vm} \quad = \quad \sqrt{\frac{SD_{vm}^2}{m}}$$

= Proportional area of Type i.  $\mathbf{r}_{i}$ 

$$\mathbf{r}_{i} = \frac{\mathbf{A}_{i}}{\sum_{i=1}^{k} \mathbf{A}_{k}}$$

Average volume/hectare for the Cutting Permit - measure plots  $V_{mcp}$ = only.

$$= \frac{\sum_{i=1}^{m} A_i \overline{V_i}}{\sum_{i=1}^{k} A_i}$$

= Number of timber types. k

Number of measure plots in the cutting permit. m =

Report to 1 decimal place.

# 8.4.3.4. Cutting Permit 95% Confidence Interval for Basal Area - Measure Plots Only

95% CI<sub>bcp</sub> = 
$$\pm 100 * \frac{\sqrt{\sum_{i=1}^{k} r_i^2 SEM_{bmi}^2}}{\overline{b_{cpm}}} * t_{m-k}$$

Where:

 $SEM_{bmi}$  =  $SEM_{bm}$  for Type i, measured plots only.

$$\mathbf{SEM}_{\mathrm{bm}} = \sqrt{\frac{\mathrm{SD}_{\mathrm{bm}}^2}{\mathrm{m}}}$$

$$\mathbf{r}_{i} = \frac{\mathbf{A}_{i}}{\sum\limits_{i=1}^{k} \mathbf{A}_{k}}$$

k = Number of timber types.

m = Number of measure plots in the cutting permit.

 $\overline{b_{cpm}} = \frac{Average basal area/hectare for the Cutting Permit, measure plots only.$ 

$$= \frac{\sum_{i=1}^{k} A_i \overline{b}_i}{\sum_{i=1}^{k} A_i}$$

Report to 1 decimal place.

# 8.5. Cruise Statistics Listing

Report 005b - required.

1 10	:01-03-19 17:42:51	: TINE	: VOLUMES EXCLUDED	LOG LENGTH 5.	BASAL AREA	81.7	23.1661	28.4 %	21.6%	29.8 %	70.7	16.4762	23.3 \$	9.5 %	24.5 %		18.1 %	7.4 %	16.4 %	3 5 07
(005D) FA	COMPUTED 20	AVERAGE	OSELESS	. 10.0	NOLUME	733.4 M3	164.7785	\$ 0.67	20.7 %	45.0 %	632.3 M3	38.6896	13.3 %	7.1 %	30.6%		1:.2 %	6.2 %	17.1 \$	17.9 *
CRUISE STATISTICS	ION **** DCUBLE SAMPLING CRUISE ****	<pre>54-0 FOREST REGION 2</pre>	J PORES' DISTRICT 8	CMIT 12.5 STUMP ET. 30. TOP DIAM.		MEAN NET VOL/HA BA/HA	STANDARD DEVIATION	COEFFICIENT OF VARIATION	STANDARD ERROR OF THE MEAN &	95% CONFIDENCE INTERVAL	MEAN NET VOL/HA BA/HA	STANDARD DEVIATION	CORFFICIENT OF VARIATION	STANDARD ERROR OF THE MEAN &	95% CONFIDENCE INTERVAL		COEFFICIENT OF VARIATION	STANDARD ERROR OF THE MEAN &	95% CONFIDENCE INTERVAL	MEASUDED 94% CONFIDENCE INFERVAL
	RD UTILIZAT	P.S.Y.U.	F.I.Z.	DBH I				29	e	m			27	m	٣			56	6	2
POREST REVENUE SPANCH 2001.0	NOT FOR APPRAISAL PURPOSES DUE TO NON-STANDA	LICENCE NUMBER CF7080	CUTTING PERMIT 000	UTILIZATION LEVEL STANDARD:		TIMBER TYPE 1 - PA F C 9 4 1	PRISM PLOTS	NO. OF POTENTIAL TREES	NO. OF MEASURED PLOTS	NO. OF COUNT PLOTS	TIMBER TYPE 2 PA S B 9 4 1	PRISM PLOTS	NO. OF POTENTIAL TREES	NO. OF MEASURED PLOTS	NO. CF COUNT PLOTS	ALL TIMBER TYPES	PRISM PLOTS	NO. OF POTENTIAL TREES	NG. OF MEASURED PLOTS	NO AD COINT D' ATC

Figure 8-3 Cruise Statistics - Sample Listing

·

# 9. Stand and Stock Reports

The stand and stock tables report stems per hectare, merchantable volume per hectare, and basal area per hectare by DBH class. The DBH classes are defined in <u>Appendix 14.</u>

Leave Tree tables will report the stems per hectare, merchantable volume per hectare, and basal area per hectare by DBH class of the stems not harvested in a reduction compilation. Please see <u>Chapter</u> 5 for instructions on reduction compilations.

All species are to be included in columnar format, as depicted in the sample listings in sections 9.3.2, 9.4.2, and 9.5.2.

Report the net merchantable volume based on merchantability. Some of the diameter classes have been removed from the sample listing (*Figures 9.1, 9.2, and 9.3*).

Each table except for a Leave Tree table is reported at the Block, Timber Type, and Cutting Permit levels. Leave Tree tables are reported at the Block and Treatment Unit within Block levels only.

*Live stems* are trees with tree class coded 1, 2, 5 or 8. *Snags* are trees with tree class coded either 4 or 6. *Dead potential stems* are trees with tree class coded 3, 7 or 9.

# **List of Reports**

(007A)	-	Block Stand Table (stems/hectare).
(007B)	-	Block Stock Table (merchantable volume/hectare).
(007C)	-	Block Basal Area (basal area/hectare).
(007D)	-	Timber Type Stand Table (stems/hectare).
(007E)	-	Timber Type Stock Table (merchantable volume/hectare).
(007F)	-	Timber Type Basal Area (basal area/hectare).
(007G)	-	Cutting Permit Stand Table (stems/hectare).
(007H)	-	Cutting Permit Stock Table (merchantable volume/hectare).
(007I)	-	Cutting Permit Basal Area (basal area/hectare).
(007J)		Block Leave Tree Stand Table (stems/hectare).
(007K)		Block Leave Tree Stock Table (merchantable volume/hectare).
(007L)		Block Leave Tree Basal Area (basal area/hectare).

For each of the reports listed above, there are six additional damage reports. For each of Blowdown, Fire, and Insect damage produce a Stand Table and a Stock Table at each of the three reporting levels. Basal area per hectare is not a required damage report. The damage reports are one species per table per damage type. Refer to Section 4.3 for a sample report format. Where multiple damage codes exist for a tree, its volume and basal area would only contribute to one damage type, as explained in Chapter 4.

No damage reports are required for the Leave Tree summaries.

Leave Tree summaries will have the words LEAVE TREE in upper case letters printed at the top.

# 9.1. Header Information - All Reports

Include the following header information on the stand, stock and basal area reports, including the damage reports. For damage reports, add the species and damage type, as shown in <u>Chapter 4</u>.

- 1. License from card type A.
- 2. Cutting Permit from card type A.
- 3. Block or Timber Type number, if the table is for a Block or Timber Type.
- 4. Silviculture Treatment Unit areas for the Block, Timber Type or Cutting Permit.
- 5. Message indicating whether compilation is for appraisals or not.
- 6. Method of calculation (Average Line or Block).
- 7. Merchantability requirements from card type B for each species on the report.
- 8. Special compilation messages for:
  - a. reduction compilation,
  - b. stump cruise compilation,
  - c. tree class combination useless volumes are included or excluded,
  - d. from column 15 of card type B (0 or blank snags excluded, 1 snags included),
  - e. selective cut indicator which trees to compile depends on column 12 of card type B (blank include all trees, 'C' include cut-indicated and non-indicated trees, 'L' include leave-indicated trees), and
  - f. double sampling, if count plots are used
- 9. Compiler program name and version.
- 10. Compile date and time.
- 11. Page number.
- 12. Damage code for damage reports only.

# 9.2. Stand Table

# 9.2.1. Stand Table - Detail Information

All of the stand table parameters described below are reported to 1 decimal place.

### 9.2.1.1. Live Stems per Hectare

The live stems per hectare calculations are based on trees for each species and for each diameter class. Use only tree classes 1, 2, 5, and 8.

# 9.2.1.1.1. Timber Type

The Type estimate is the average of the plot estimates from the Type.

S<sub>s,d,i</sub> = 
$$\frac{\sum_{p=1}^{m_i} S_p}{\sum_{p=1}^{m_i}}$$
, using tree classes 1, 2, 5 and 8 only

# 9.2.1.1.2. Block - Average Line method

The Type estimates are weighted based on area of the Type within the Block.

$$S_{s,d,j} = \frac{\prod_{i=1}^{J} \sum_{j=1}^{S} S_{s,d,i} * A_{i,j}}{A_{j}}$$

# 9.2.1.1.3. Block - Treatment Unit "Leave Tree" Summary

Only report those species within the Treatment Unit within the Block that have a percent reduction applied to them.

$$SLT_{u,s,d,i,j} = S_{u,s,d,i,j} * (PR_{u,s,d,i,j} \div 100)$$

Where:

 $SLT_{u,s,d,i,j}$  = Stems per hectare estimate for Treatment Unit u, Species s, Diameter class d, Type i and Block j for stems not to be harvested (Leave Trees).
- $S_{u,s,d,i,j}$  = Pre reduction stems per hectare estimate for Treatment Unit u, Species s, Diameter class d, Type i and Block j.
- $PR_{u,s,d,i,j}$  = Percent reduction value for Treatment Unit u, Species s, Diameter class d, Type I and Block j used in the Percent Reduction Worksheet (FS 221).

#### Example 9.1

The reduction value for Pine in the 20 cm class in Treatment Unit A is 45.

The Treatment Unit has 399.9 stems per hectare for Pine in the 20 cm class before reduction.

$$SLT_{u,s,d,i,j} = 399.9 * (45 \div 100)$$

= 179.9 stems per hectare

#### 9.2.1.1.4. Block "Leave Tree" Summary

Weight the Treatment Unit Leave Tree stems per hectare by the area of the Treatment Unit within the Type within the Block, sum, divide by the area of the Block. For Treatment Units without a percent reduction the reduction value equals zero.

$$SLT_{s,d,j} = \frac{\sum_{u=1}^{U_j} SLT_{u,s,d,i,j} * A_{u,i,j}}{A_j}$$

Where:

 $SLT_{s,d,j}$  = Stems per hectare estimate for Species s, Diameter class d and Block j for stems not harvested (Leave Trees).

 $A_i$  = Area of Block j.

- $A_{u,i,j}$  = Area of Treatment Unit u within Type i within Block j.
- $U_i$  = Number of Treatment Units in Block j.

#### Example 9.2

There are 2 Treatment Units in Block X. The area of Block X is 10 hectares. There are 2 types in the Block.

Treatment Unit A is 8 hectares, 7.5 hectares of Type 1 and .5 hectares of Type 2. Treatment Unit B is 2.0 hectares, all in Type 2.

The reduction value for Pine in the 20 cm class in Type 1, Treatment Unit A is 45. The reduction value for Pine in the 20 cm class in Type 2, Treatment Unit A is 35. There is not a percent reduction for Pine in Treatment Unit B.

The Type 1 pre-reduction stand table for Pine shows 399.9 stems per hectare in the 20 cm class.

The Type 2 pre-reduction stand table for Pine shows 361.4 stems per hectare in the 20 cm class.

$SLT_{A,P,20,1,X} * A_{A,1,X}$	=	399.9 * .45 * 7.5 = 1349.66
$SLT_{A,P,20,2,X} * A_{A,2,X}$	=	361.4 * .35 * 0.5 = 63.25
$SLT_{B,P,20,2,X} * A_{B,2,X}$	=	361.4 * .00 * 2.0 = 0.00
$SLT_{P,20,X}$	=	$(1349.66 + 63.25 + 0) \div 10$
	=	141.3 stems per hectare

#### 9.2.1.1.5. Cutting Permit

The cutting permit estimate is the weighted average of the Type estimates based on the area of the Type within the Cutting Permit.

$$S_{s,d,cp} = \frac{\prod_{i=1}^{I} S_{s,d,i} * A_i}{A_{cp}}$$

Sum the Type, Block and Cutting Permit estimates by species and by diameter class (the examples below show the summations for the Timber Type only).

$$\mathbf{S}_{\mathrm{s,i}} = \sum_{d=1}^{34} S_{s,d,i}$$

$$\mathbf{S}_{d,i} = \sum_{s=1}^{31} S_{s,d,i}$$

Sum either of the above estimates for the total stems per hectare for the Type, Block, and Cutting Permit (i.e., all Species and all Diameter Classes).

$$\mathbf{S}_{\mathbf{i}} = \sum_{d=1}^{34} S_{s,i}$$

#### Where:

S <sub>s,d,i</sub>	=	Stems per hectare estimate for species s, diameter class d and Timber Type i.
$\mathbf{S}_{s,d,j}$	=	Stems per hectare estimate for species s, diameter class d and Block j.
S <sub>s,d,cp</sub>	=	Stems per hectare estimate for species s and diameter class d for the Cutting Permit.
$\mathbf{S}_{s,i}$	=	Total stems per hectare for a species, all 34 diameter classes.
S <sub>d,i</sub>	=	Total stems per hectare for a diameter class, all species.
$\mathbf{S}_{i}$	=	Total stems per hectare for the Timber Type.
$\mathbf{S}_{\mathbf{p}}$	=	Stems per hectare estimate for plot p (refer to <u>Section 8.1.3</u> ).
$A_{i,j}$	=	Area of Type i within Block j to 1 decimal place.
Ai	=	Area of Type i to 1 decimal place.
$A_j$	=	Area of Block j to 1 decimal place.
$A_{cp}$	=	Area of Cutting Permit to 1 decimal place.
Ι	=	Number of Types in the Cutting Permit.

#### 9.2.1.2. Useless Stems (snags) per Hectare

The Useless stems per hectare estimate are by Species (all Diameter Classes) and by Diameter Class (all Species). Only use tree classes 4 and 6.

Leave Tree tables use the same methodology as outlined for Live Stems per Hectare (Section 9.2.1.1).

#### 9.2.1.2.1. Timber Type

$$SU_{s,i} = \frac{\overset{34}{\sum} (\sum_{i=1}^{m_i} S_p)}{\overset{d=1}{m_i}}, \text{ tree classes 4 and 6 only}$$

$$SU_{s,i} = \frac{\overset{34}{\sum} (\sum_{i=1}^{m_i} S_p)}{\overset{d=1}{m_i}}, \text{ tree classes 4 and 6 only}$$

$$SU_{d,i} = \frac{\overset{31}{\sum} (\sum_{i=1}^{m_i} S_p)}{\overset{m_i}{m_i}}$$

Where:

$$m_i$$
 = Number of measure plots in timber type i.

## 9.2.1.2.2. Block - Average Line Method

The Type estimates are weighted based on area of the Type within the Block. Use the same weighting method as for the live stems per hectare estimate.

The Type within Block estimates must be calculated and weighted based on area of the Type within the Block. The Type within Block estimates use the Block Double Sampling Ratio and the plots from the Type within the Block. Use the same weighting method as for the live stems per hectare estimate.

## 9.2.1.2.3. Cutting Permit

The cutting permit estimate is the weighted average of the Type estimates based on the area of the Type within the Cutting Permit. Use the same weighting method as for the live stems per hectare estimate.

### 9.2.1.3. Dead Potential Stems per Hectare

The Dead Potential Stems per hectare estimate are by Species (all Diameter Classes) and by Diameter Class (all Species). Only use tree classes 3, 7 and 9.

For Leave Tree tables use the same methodology as outlined for Live Stems per Hectare (Section 9.2.1.1).

### 9.2.1.3.1. Timber Type

$$SDP_{s,i} = \frac{\sum_{i=1}^{34} (\sum_{p=1}^{m_i} S_p)}{\frac{d=1}{m_i}} = \text{, tree classes 3, 7 and 9 only}$$

$$SDP_{d,i} = \frac{\sum_{s=1}^{31} (\sum_{p=1}^{m_i} S_p)}{\sum_{s=1}^{m_i} (\sum_{p=1}^{m_i} S_p)} =$$
, tree classes 3, 7 and 9 only

Where:

 $SDP_{s,i} = \begin{array}{l} Dead \text{ potential stems per hectare estimate for species s, Timber} \\ Type i. \\ S_p = Stems per hectare estimate for plot p (refer to Section 8.1.3). \\ m_i = Number of measure plots in timber type i. \end{array}$ 

### 9.2.1.4. Average DBH at Five Levels

The average DBH is also reported for five diameter levels: Leave Tree summaries do not need to report these parameters.

- 1. DBH greater than 12.4 cm.
- 2. DBH greater than 17.4 cm.
- 3. DBH greater than 22.4 cm.
- 4. DBH greater than 27.4 cm.
- 5. DBH greater than 32.4 cm.

Separate trees by Tree Class (i.e., live trees, dead potential and useless) as above. Weight the parameters for Block and Cutting Permit as above.

### 9.2.1.4.1. Timber Type:

$$\overline{\mathsf{D}}_{\mathrm{s,l,i}} = 100 * 2 * \sqrt{\frac{BA_{\mathrm{s,l,i}}}{pi * S_{\mathrm{s,l,i}}}}$$

Where:

- $\overline{D}_{s,l,i} =$  Avg. diam. (cm) of trees with DBH lower limit l for Species s and type i.
- $BA_{s,l,i} = Average basal area per hectare estimate of trees with DBH lower limit l for Species s and Type i.$
- $S_{s,l,i}$  = Stems (or snags) per hectare estimate of trees with DBH lower limit 1 for Species s and Type i.

pi = 3.14159265.

## 9.2.1.5. Example 9.4

There are 2 plots in Type 1 each having 2 Hemlock stems. The BAF in each plot is 10.

DI	3H
Plot 1	Plot 2
58.8	42.6
42.5	51.1

Plot 1

BA = 2 \* 10 = 20

$$SPH = \frac{10(12732.39545)}{58.8^2} + \frac{10(12732.39545)}{42.5^2} = 107.32$$

Plot 2

$$BA = 2 * 10 = 20$$
$$SPH = \frac{10 (12732.39545)}{42.6^2} + \frac{10 (12732.39545)}{51.1^2} = 118.92$$

Sum of SPH 
$$107.32 + 118.92 = 226.24$$

Average Diameter Type 1 
$$100 * 2 * \sqrt{\frac{40}{PI * 226.24}} = 47.4$$

# 9.2.2. Block Stand Table - Sample Listing - Block Method

Report 007A - required.

FOREST R.	APPRAISAL	PURPOSES	DUR TO NO	N-97ANDARI	NTTLTZI	LOCK STN NTION	ALEAT ON	(STECS/EA)		(007A) PAGE 1 COMPUTED 2001-03-19 17:43:32
	FICENCE	NO. 000	06			TOTAL	ORCH AREA	12.5		USELESS VOLUMES EXCLUDED
	DIG	CK 001				BLOCK	CORTED			
	OCLEARCUT	5.0	BELECTIVE							
	11	U	H	8	8	PL	TOTAL	USELESS DI	4 QN	
NIN DBH	12.5	12.5	12.5	12.5	12.5	12.5				
STONG BT	30.0	30.0	30.0	30.0	30.0	30.0				
TOP DIA	10.0	10.0	10.0	10.01	10.01	10.0				
DART DOT	5.0	5.0	5.0	5.0	5.0	5.0				
DB3 CI										
5										
10										
15										
20		10.0					10.0			
25										
30										
35	5.0			10.0			15.0			
•		10.0		6.2		6.2	22.5			
4		6.3	16.2				22.5		12.5	
20	20.0		3.1		12.5		35.6			
52	12.5	6.2	)				18.7		12.5	
60	5						6.2			
65	12.5						12.5		6.2	
70	6.2						6.2			
75										
							4.041			
Terror.	C-70			- 01						
DEAD P	6.2				12.5	12.5			31.2	
					×	VERAGE D	BE (CK) M	C 5 LEVELS		
12.5 4	56.5	39.9	45.4	38.6	51.1	41.0	49.0		54.0	
17.5 +	56.5	39.9	45.4	38.6	51.1	41.0	49.0		54.0	
22.5 +	56.5	45.9	45.4	38.6	51.1	41.0	50.4		54.0	
27.5 4	56.5	45.9	45.4	38.6	51.1	41.0	50.4		54.0	

Figure 9-1 Block Stand Table - Sample Listing (Partial)

# 9.3. Stock Table

## 9.3.1. Stock Table - Detail Information

All of the stock table parameters described below are reported to 1 decimal place.

Report net merchantable volumes (i.e., gross less decay, waste, breakage). Refer to Section 9.3.1.1.

### 9.3.1.1. Net Merchantable Volume per Hectare

The volume per hectare calculation segregates trees for each species and for each diameter class. Use only tree classes 1, 2, 5 and 8.

## 9.3.1.1.1. Timber Type

The Type estimate is the average of the plot estimates from the Type.

$$V_{s,d,i} = \frac{\sum_{p=1}^{m_i} V_{p,s,d,i}}{\sum_{p=1}^{m_i} m_i}, \text{ tree classes 1, 2, 5 and 8 only}$$

Refer to Example 9.4 for a sample Timber Type calculation.

## 9.3.1.1.2. Block - Average Line Method

The Type estimates are weighted based on area of the Type within the Block.

$$V_{s,d,j} = \frac{I_j}{\sum_{i=l}^{\sum V_{s,d,i} * A_{i,j}}}{A_j}$$

#### 9.3.1.1.3. Block Treatment Unit "Leave Tree" Summary

Only report those species within the Treatment Unit within the Block that have a percent reduction applied to them.

$$VLT_{u,s,d,i,j} = V_{u,s,d,i,j} * (PR_{u,s,d,i,j} \div 100)$$

Where:

$VLT_{u,s,d,i,j}$	=	Net volume per hectare estimate for Treatment Unit u, Species s, Diameter class d, Type i and Block j for stems not to be harvested (Leave Trees).
$V_{u,s,d,i,j}$	=	Pre reduction net volume per hectare estimate for Treatment Unit u, Species s, Diameter class d, Type i and Block j.
$PR_{u,s,d,i,j}$	=	Percent reduction value for Treatment Unit u, Species s, Diameter class d, Type i and Block j used in the Percent Reduction Worksheet (FS 221).

### Example 9.5

The reduction value for Pine in the 20 cm class in the Treatment Unit is 45.

The Treatment Unit net volume is 109.9 m<sup>3</sup> per hectare for Pine in the 20 cm class before reduction.

$$VLT_{u,s,d,i,j} = 109.9 * (45 \div 100)$$
  
= 49.5 m<sup>3</sup> per hectare

### 9.3.1.1.4. Block "Leave Tree" Summary

Weight the Treatment Unit Leave Tree net volume per hectare by the area of the Treatment Unit within the Type within the Block, sum, divide by the area of the Block. For Treatment Units without a percent reduction the reduction value equals zero.

$$VLT_{s,d,j} = \frac{\sum_{u=1}^{U_j} VLT_{u,s,d,i,j} * A_{u,i,j}}{A_j}$$

#### Where:

$VLT_{s,d,j}$	=	Net volume per hectare estimate for Species s, Diameter class d and Block j for stems not harvested (Leave Trees).
$A_{j}$	=	Area of Block j.
$A_{u,i,j}$	=	Area of Treatment Unit u within Type i within Block j.

#### Example 9.6

There are 2 Treatment Units in Block X. The area of Block X is 10 hectares. There are 2 types in the Block.

Treatment Unit A is 8 hectares, 7.5 hectares of Type 1 and .5 hectares of Type 2. Treatment Unit B is 2.0 hectares, all in Type 2.

The reduction value for Pine in the 20 cm class in Type 1, Treatment Unit A is 45. The reduction value for Pine in the 20 cm class in Type 2, Treatment Unit A is 35. There is not a percent reduction for Pine in Treatment Unit B.

The Type 1 pre reduction stock table for Pine shows 109.9 m<sup>3</sup> per hectare in the 20 cm class.

The Type 2 pre reduction stock table for Pine shows 84.0 m<sup>3</sup>per hectare in the 20 cm class.

$VLT_{A,P,20,1,X} * A_{A,1,X}$	=	109.9 * .45 * 7.5 = 370.91
$VLT_{A,P,20,2,X} * A_{A,2,X}$	=	84.0 * .35 * 0.5 = 14.70
$VLT_{B,P,20,2,X} * A_{B,2,X}$	=	84.0 * .00 * 2.0 = 0.00
<i>VLT</i> <sub><i>P</i>,20, <i>X</i></sub>	=	(370.91 + 14.70 + 0) ÷ 10
	=	38.6 m <sup>3</sup> per hectare

#### 9.3.1.1.5. Cutting Permit

The cutting permit estimate is the weighted average of the Type estimates based on the area of the Type within the Cutting Permit.

$$V_{s,d,cp} = \frac{I}{\frac{\sum V_{s,d,i} * A_i}{A_{cp}}}$$

Report to two decimal places.

#### 9.3.1.2. Example 9.7

There are two Types in the Cutting Permit. Type 1 has 5 ha and Type 2 has 7.5 ha. The Fir volume per hectare estimate in Type 1 is 238.18. The Fir volume per hectare estimate in Type 2 is 107.28.

$$V_{f,d,cp} = \frac{238.18*5 + 107.28*7.5}{12.5} = 159.64$$

Sum the Type, Block and Cutting Permit estimates by species and by diameter class (the examples below show the summations for the Timber Type only).

$$V_{s,i} = \sum_{d=1}^{34} V_{s,d,i}$$
$$V_{d,I} = \sum_{s=1}^{31} V_{s,d,i}$$

Sum either of the above estimates for the total volume per hectare for the Type, Block and Cutting Permit (i.e., all Species and all Diameter Classes).

$$\mathbf{V}_{\mathbf{i}} = \sum_{d=1}^{34} V_{s,i}$$

## Where:

$\mathbf{V}_{s,d,i}$	=	Volume per hectare estimate for species s, diameter class d and Timber Type i.
$V_{s,d,j}$	=	Volume per hectare estimate for species s, diameter class d and Block j.
$V_{s,d,cp}$	=	Volume per hectare estimate for species s and diameter class d for the Cutting Permit.
V <sub>s,i</sub>	=	Total volume per hectare for a species, all 34 diameter classes.
$V_{d,i}$	=	Total volume per hectare for a diameter class, all species.
$V_i$	=	Total volume per hectare for the Type i.
$\mathbf{V}_{\mathbf{p}}$	=	Volume per hectare estimate for plot p (refer to Section 3.4.2.3).
$A_{i,j} \\$	=	Area of Type i within Block j to 1 decimal place.
$A_i$	=	Area of Type i to 1 decimal place.
$A_j$	=	Area of Block j to 1 decimal place.
A <sub>cp</sub>	=	Area of Cutting Permit to 1 decimal place.
Ι	=	Number of Types in the Cutting Permit.
$\mathbf{I}_{j}$	=	Number of Types in Block j.
$m_i$	=	Number of measure plots in Timber Type i.
m <sub>i,j</sub>	=	Number of measure plots in Timber Type i within Block j.
D	=	Diameter Class (refer to Appendix 14).

#### 9.3.1.3. Useless Volume per Hectare

Only report useless volume per hectare if the Tree Class Combination coded on card type B is set to 1. The Useless Stems per hectare estimate are by Species (all Diameter Classes) and by Diameter Class (all Species). Only use tree classes 4 and 6.

For Leave Tree tables use the same methodology as outlined for Live Net Merchantable Volume per Hectare (Section 9.3.1.1).

#### 9.3.1.3.1. Timber Type

$$VU_{s,i} = \frac{\sum_{d=1}^{34} (\sum_{p=1}^{m_i} S_p)}{\frac{d=1}{m_i}}, \text{ tree classes 4 and 6 only}$$
$$VU_{d,i} = \frac{\sum_{s=1}^{31} (\sum_{p=1}^{m_i} S_p)}{\sum_{s=1}^{s=1} p=1}, \text{ tree classes 4 and 6 only}$$

Where:

VU <sub>s,i</sub>	=	Useless volume per hectare estimate for species s, Timber Type i.
VU <sub>d,i</sub>	=	Useless volume per hectare estimate for diameter class d, Timber Type i.
$\mathbf{V}_{\mathrm{p}}$	=	Volume per hectare estimate for plot p (refer to <u>Section 3.4.2.3</u> ).
mi	=	Number of measure plots in timber type i.
D	=	Diameter Class (refer to Appendix 14).

### 9.3.1.3.2. Block - Average Line Method

The Type estimates are weighted based on area of the Type within the Block. Use the same weighting method as for the volume per hectare estimate.

### 9.3.1.3.3. Cutting Permit

The cutting permit estimate is the weighted average of the Type estimates based on the area of the Type within the Cutting Permit. Use the same weighting method as for the volume per hectare estimate.

#### 9.3.1.4. Dead Potential Volume per Hectare

The Dead Potential volume per hectare estimates are segregated by Species (all Diameter Classes) and by Diameter Class (all Species). Only use tree classes 3, 7 and 9.

For Leave Tree tables use the same methodology as outlined for Live Net Merchantable Volume per Hectare (Section 9.3.1.1).

#### 9.3.1.4.1. Timber Type

$$VDP_{s,i} = \frac{\begin{array}{c} 34 & m_i \\ \sum & (\sum V_{p,s,i}) \\ \frac{d=1 & p=1}{m_i} \end{array}, \text{ tree classes 3, 7 and 9 only}$$

VDPd,i = 
$$\frac{\sum_{i=1}^{31} (\sum_{p=1}^{m_i} V_p)}{\sum_{i=1}^{m_i} m_i}$$
, tree classes 3, 7 and 9 only

Where:

### 9.3.1.5. Total Volume per Hectare at Seven Levels

The total volume per hectare is also reported for seven diameter levels: Leave Tree summaries do

not need to report these parameters.

- 1. DBH greater than 17.4 cm.
- 2. DBH greater than 22.4 cm.
- 3. DBH greater than 27.4 cm.
- 4. DBH greater than 32.4 cm.
- 5. DBH greater than 37.4 cm.
- 6. DBH greater than 42.4 cm.
- 7. DBH greater than 47.4 cm.

Separate trees by Tree Class (i.e., live trees, dead potential and useless) as above. Only report Useless volume if the Tree Class Combination from card type B is coded 1.

Weight the parameters for Block and Cutting Permit as above.

## 9.3.1.5.1. Timber Type

$$VT_{s,l,i} = \sum_{d=l+2}^{34} V_{s,d,i} y$$

Where:

# 9.3.2. Stock Table - Sample Listing - Cutting Permit Level

Report 007h - required.

FOREST R	EVENUE BR	PURPOSES	DUE TO N	DN - STANDAR	D UTILIZI	ATION				COMPUTED 2001-03-19 17:43:32
	TICENCE	NO. CF705	90							
	СЪ	NO. 000				TOTAL M	ERCH AREA	12.5		USELESS VOLUMES EXCLUDED
	11	U	н	ø	S	PL NOTE	Ш	TOTAL USEL	SS DEAD P	
MEN DBH	12.5	12.5	12.5	12.5	12.5	12.5	12.5			
TH AMUTS	30.0	30.0	30.0	30.0E	30.0	30.0	30.0			
TOP DIA	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
TOG FENG	TH 5.0	5.0	5.0	5.0	5.0	5.0	5.0			
DBH CL										
0										
15										
20		1.43						1.43		
25										
30										
35	2.67	2.05	2.44	9.19			7.08	23.45		
40		5.13		2.51		4.62		12.26	3.69	
45		3.97	23.20	17.23				44.40	6.15	
50	43.49		4.69		20.09			68.27		
55	49.56	5.69						55.25	12.90	
60	22.98	6.70	4.60					34.29		
65	25.55							25.55	14.47	
10	15.38							15.38		
75										
80										
TOTAL	.59.64	24.97	34.94	28.93	20.09	4.62	7,08	280.27		
DEAD P	14.47				12.90	9.85			37.21	
					TOTAL	VOLUME (L	(DNINI)			
17.5 +	159.64	24.97	34.94	28.93	20.09	4.62	7.08	280.27	37.21	
22.5 4	159.64	23.55	34.94	28.93	20.09	4.62	7.08	278.84	37.21	
27.5 +	159.64	23.55	34.94	28.93	20.09	4.62	7.08	278.84	37.21	
32.5 +	159.64	23.55	34.94	28.93	20.09	4.62	7.08	278.84	37.21	
37.5 +	156.97	21.49	32.49	19.74	20.09	4.62		255.39	37.21	
42.5 +	156.97	16.36	32.49	17.23	20.09			243.14	33.52	
47.5 4	156.97	12.39	9.29		20.09			198.74	27.37	

\_\_\_\_\_

Figure 9-2 Cutting Permit Stock Table - Sample Listing (Partial)

## 9.4. Basal Area Table

### 9.4.1. Basal Area Table - Detail Information

All of the basal area table parameters described below are reported to one decimal place.

#### 9.4.1.1. Basal Area per Hectare

The basal area per hectare calculations are segregated by species and diameter class. Use only tree classes 1, 2, 5 and 8.

#### 9.4.1.1.1. Timber Type

The Type estimate is the average of the plot estimates from the Type.

$$BA_{s,d,i} = \frac{\sum_{p=1}^{m_i} BA_p}{m_i}, \text{ tree classes 1, 2, 5 and 8 only}$$

#### 9.4.1.2. Example 9.8

There are 4 plots in Type 1. The basal area per hectare estimates from these plots are 20, 30, 30 and 50 respectively. Assume that the estimates are based on a particular diameter class, d.

 $BA_{s,d,i} = (20 + 30 + 30 + 50) / 4 = 32.5$ 

### 9.4.1.2.1. Block - Average Line Method

The Type estimates are weighted based on area of the Type within the Block.

$$BA_{s,d,j} = \frac{\sum_{i=1}^{I} BA_{s,d,i} * A_{i,j}}{A_{j}}$$

#### 9.4.1.2.2. Block - Treatment Unit "Leave Tree" Summary

Only report those species within the Treatment Unit within the Block that have a percent reduction applied to them.

$$BALT_{u,s,d,i,j} = BA_{u,s,d,i,j} * (PR_{u,s,d,i,j} \div 100)$$

Where:

$BALT_{u,s,d,i,j}$	=	Basal Area per hectare estimate for Treatment Unit u, Species s, Diameter class d, Type i and Block j for stems not to be harvested (Leave Trees).
$BA_{u,s,d,i,j}$	=	Pre reduction basal area per hectare estimate for Treatment Unit u, Species s, Diameter class d, Type i and Block j.
$PR_{u,s,d,i,j}$	=	Percent reduction value for Treatment Unit u, Species s, Diameter class d, Type i and Block j used in the Percent Reduction Worksheet (FS 221).

### Example 9.9

The reduction value for Pine in the 20 cm class in the Treatment Unit is 45.

The Treatment Unit has a basal area of  $14.0 \text{ m}^2$  per hectare for Pine in the 20 cm class before reduction.

$$BALT_{u,s,d,i,j} = 14.0 * (45 \div 100)$$
  
= 6.3 m<sup>2</sup> per hectare

### 9.4.1.2.3. Block "Leave Tree" Summary

Weight the Treatment Unit "Leave Tree" basal area per hectare by the area of the Treatment Unit within the Type within the Block, sum, divide by the area of the Block. For Treatment Units without a percent reduction the reduction value equals zero.

$$BALT_{s,d,j} = \frac{\bigcup_{u=1}^{U_j} BALT_{u,s,d,i,j} * A_{u,i,j}}{A_j}$$

Where:

RALT	_	Basal area per hectare estimate for Species s, Diameter class
<b>DI ILI</b> s,d,j	_	d and Block j for stems not harvested (Leave Trees).

 $A_i =$ Area of Block j.

 $A_{u,i,j}$  = Area of Treatment Unit u within Type i within Block j.

#### Example 9.10

There are 2 Treatment Units in Block X. The area of Block X is 10 hectares. There are 2 types in the Block.

Treatment Unit A is 8 hectares, 7.5 hectares of Type 1 and .5 hectares of Type 2. Treatment Unit B is 2.0 hectares, all in Type 2.

The reduction value for Pine in the 20 cm class in Type 1, Treatment Unit A is 45. The reduction value for Pine in the 20 cm class in Type 2, Treatment Unit A is 35. There is not a percent reduction for Pine in Treatment Unit B.

The Type 1 pre reduction basal area table for Pine shows  $14.0 \text{ m}^2$  per hectare in the 20 cm class.

The Type 2 pre reduction basal area table for Pine shows  $10.5 \text{ m}^2$  per hectare in the 20 cm class.

$BALT_{A,P,20,1,X} * A_{A,1,X}$	=	14.0 * .45 * 7.5 = 47.25
$BALT_{A,P,20,2,X} * A_{A,2,X}$	=	10.5 * .35 * 0.5 = 1.84
$BALT_{B,P,20,2,X} * A_{B,2,X}$	=	10.5 * .00 * 2.0 = 0.00
$BALT_{P,20,X}$	=	$(47.25 + 1.84 + 0) \div 10$

## = $4.9 \text{ m}^2$ per hectare

#### 9.4.1.2.4. Cutting Permit

The cutting permit estimate is the weighted average of the Timber Type estimates in the cutting authority.

$$BA_{s,d,cp} = \frac{I}{\sum_{i=1}^{\sum} BA_{s,d,i} * A_i}{A_{cp}}$$

Sum the Type, Block and Cutting Permit estimates by species and by diameter class (the examples below show the summations for the Timber Type only).

$$BA_{s,i} = \sum_{d=1}^{34} BA_{s,d,i}$$

$$BA_{d,i} = \sum_{s=1}^{31} BA_{s,d,i}$$

## Refer to Example 9.7 for Cutting Permit level calculations.

Sum either of the above estimates for the total basal area per hectare for the Type, Block and Cutting Permit.

$$BA_i = \sum_{d=1}^{34} BA_{s,i}$$

Where:

=	Basal area per hectare estimate for species s, diameter class d and Timber Type i.
=	Basal area per hectare estimate for species s, diameter class d & Block j.
=	Basal area per hectare estimate for species s and diameter class d for the Cutting Permit.
=	Total basal area per hectare for a species, all 34 diameter classes.
=	Total basal area per hectare for a diameter class, all species.
=	Total basal area per hectare for the Timber Type.
=	Basal area per hectare estimate for plot p (refer to <u>Section</u> $3.4$ ).
=	Area of Type i within Block j to 1 decimal place.
=	Area of Type i to 1 decimal place.
=	Area of Block j to 1 decimal place.
=	Area of Cutting Permit to 1 decimal place.
=	Number of Types in the Cutting Permit.
=	Number of Types in Block j.
=	Number of measure plots in Timber Type i.
=	Number or measure plots in Timber Type i within Block j.
=	Diameter Class (refer to Appendix 14).

### 9.4.1.3. Useless Basal Area per Hectare

The Useless basal area per hectare estimates are by Species (all Diameter Classes) and by Diameter Class (all Species). Only use tree classes 4 and 6.

For Leave Tree tables use the same methodology as outlined for Live Net Merchantable Volume per Hectare (<u>Section 9.3.1.1</u>).

## 9.4.1.3.1. Timber Type

$$BAU_{s,i} = \frac{\begin{array}{c}34 & m_i\\ \sum (\sum BA_{p,s,i})\\ \frac{d=1 & p=1}{m_i}\end{array}}{m_i}$$
$$BAU_{d,i} = \begin{array}{c}31 & m_i\\ \sum (\sum BA_{p,d,i})\\ s=1 & p=1\end{array}$$

$$\frac{m_i}{m_i}$$

#### Where:

BAU <sub>s,i</sub>	=	Useless basal area per hectare estimate for species s, Timber Type i.
BAU <sub>d,i</sub>	=	Useless basal area per hectare estimate for diameter class d, Timber Type i.
BAp	=	Basal area per hectare estimate for plot p (refer to <u>Section</u> $3.4$ ).
$m_{i}$	=	Number of measure plots in timber type i.
d	=	Diameter class (refer to Appendix 14).

### 9.4.1.3.2. Block - Average Line Method

The Type estimates are weighted based on area of the Type within the Block. Use the same weighting method as for the basal area per hectare estimate.

## 9.4.1.3.3. Cutting Permit

The cutting permit estimate is the weighted average of the Type estimates based on the area of the Type within the Cutting Permit. Use the same weighting method as for the basal area per hectare estimate.

## 9.4.1.4. Dead Potential Stems per Hectare

The Dead Potential Stems per hectare estimate are by Species (all Diameter Classes) and by

Diameter Class (all Species). Only use tree classes 3, 7 and 9.

For Leave Tree tables use the same methodology as outlined for Live Net Merchantable Volume per Hectare (Section 9.3.1.1).

#### 9.4.1.4.1. Timber Type

$$BADP_{s,i} = \frac{\sum_{d=1}^{34} (\sum_{p=1}^{m_i} BA_p)}{m_i}$$

$$BADP_{d,i} = \frac{\sum_{s=1}^{31} (\sum_{p=1}^{m_i} BA_p)}{\sum_{s=1}^{m_i} (\sum_{p=1}^{m_i} BA_p)}$$

Where:

BADP <sub>s,i</sub>	=	Dead potential basal area per hectare estimate for species s, Timber Type i.
$BA_p$	=	Basal area per hectare estimate for plot p (refer to <u>Section</u> $3.4.1.2$ ).
$m_i$	=	Number of measure plots in Timber Type i.
d	=	Diameter class (refer to Appendix 14)

#### 9.4.1.5. Total Basal Area per Hectare at Five Levels

The total basal area per hectare is also reported for 5 diameter levels: Leave Tree reports do not need to report these parameters.

- 1. DBH greater than 12.4 cm.
- 2. DBH greater than 17.4 cm.
- 3. DBH greater than 22.4 cm.
- 4. DBH greater than 27.4 cm.

5. DBH greater than 32.4 cm.

Separate trees by Tree Class (i.e., Live trees, Dead potential and Useless) as above. Weight the parameters for Block and Cutting Permit as above.

## 9.4.1.5.1. Timber Type

$$BAT_{s,l,i} = \sum_{d=l+2}^{34} BA_{s,d,i}$$

Where:

$$BAT_{s,l,i} = {Total basal area per hectare for Species s at level l in Timber Type i.}$$

 $BA_{s,d,i}$  = Basal area per hectare estimate for species s, diameter class d and Timber Type i.

1 = DBH lower limit level 
$$(1-7)$$
.

# 9.4.2. Basal Area Table - Sample Listing - Timber Type Level

Report 007F - required.

Tricking for original         Tricking for original         Tricking for original         Under the match is a subsective is	FOREST REV	ENUE BRA	NCH - 20	DITE TO NON	L STANDADI	ATTITZE O	TTON				
CF NG. 000         TTARGET ALES         TOTAL MERCH ALEA         12.5         UGELEBERTY         USELESS DEAD P           T1908.07         5.0         2.5         1.5         1.2         1.5         1.00CK METHOD         12.5         UGELEBERTY         UGELEBERTY         12.5         UGELEBERTY         UGELEBERTY         UGELEBERTY         UGELEBERTY         UGELEBERTY         13.5         UGELEBERTY         13.5         UGELEBERTY         UGELEBERTY </th <th></th> <th>LICENCE 1</th> <th>NO. CF70</th> <th>90 90</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>		LICENCE 1	NO. CF70	90 90							
TIMBER TYPE         2         BUCK MATHOL           PL         C         X         3         PL         E         TOTNL USELSSS         DBAD           PL         C         X         3         PL         E         TOTNL USELSSS         DBAD           STURP HT         30.5         30.6         30.6         30.6         30.6         30.6         30.6           STURP HT         30.1         30.0         5.0         5.0         5.0         5.0         5.0         5.0           DBH CL         10.0         10.0         10.0         10.0         10.0         10.0           DBH CL         13         10.0         10.0         10.0         10.0         10.0           DBH CL         1         1.5         1.0         10.0         10.0         10.0           DBH CL         1.4         1.5         1.1         1.5         3.5         3.5           20         5.0         5.0         5.0         5.0         5.0         5.0         5.0           21         1.6         1.1         1.5         3.5         1.4         1.4         1.4           25         1.4         1.1         1.5		ືຍ	NO. 000				TOTAL M	RCH AREA	12.	5	DISTESS NOTIMES EXCLUDED
NIX         DBK         L         K         T         K         T         K         T         K         T         K         T         K         T         K         T         K         T         K         T         K         T         K         T         K         T <tht< th="">         T         T         <tht< th=""></tht<></tht<>	E O	LEARCHT	PE 2	antubarias	2.5		BLOCK M	STHOD			
MIN DEH: 12.5 12.5 12.5 12.5 12.5 12.5 12.5 55 55 50 5.0 5.0 5.0 5.0 10.0 10.0 10	2	L	20	X	ß	ΡĽ	ы	TOTAL	USELESS	DEAD P	
STURP HT 30.0 30.0 30.0 30.0 30.0 30.0 30.0 10.0 1	MIN DBH	12.5	12.5	12.5	12.5	12.5	12.5				
TOP DTA, 10:0 10:0 10:0 10:0 10:0 10:0 10:0 10:	STUMP HT	30.0	30.0	30.0	30.0	30.0	30.0				
Log Laworth         5.0         5.0         5.0         5.0         5.0         5.0           10         11         12         1.2         1.3         .3         .3           20         .3         .5         1.1         1.5         3.5         .3           21         .5         1.1         1.5         3.5         .3         .3           20         .5         1.1         1.5         3.5         .3         .3           25         .5         1.1         1.5         3.5         .3         .3           26         .1.4         1.6         2.4         4.1         0.8         .3           26         .1.4         1.5         3.5         1.1         .3         .3         .3           27         .6         .1.4         1.5         1.5         0.8         .3         .3           275         .8.9         2.9         2.1         3.5         1.5         1.5         1.5         0.8           275         .8.9         2.1         3.5         1.5         1.5         0.8         0.8           27.5         .8.9         2.1         3.5         1.5         1.5	TOP DIA	10.0	10.0T	10.0	10.0	10.0	10.01				
DBH CL 10 12 25 26 35 35 35 35 35 35 35 35 35 35	HIDNET DOT	5.0	5.0	5.0	5.0	5.0	5.0				
10 25 25 25 25 25 30 40 41 40 50 50 51 50 51 51 51 51 51 52 52 53 53 54 51 53 54 53 55 53 53 53 53 53 53 53 53	DBH CL										
15       .3       .3       .3         20       .5       1.1       1.5       3.5         35       .5       1.2       1.6       3.4         45       1.2       1.6       2.4       4.1       0.8         50       6.1       1.6       2.4       4.1       0.8         50       6.1       1.4       1.4       1.4       0.8         50       6.1       3.5       1.4       1.4       0.8         51       5.1       1.6       2.4       4.1       0.8         56       2.3       1.4       1.4       1.4       0.8         50       6.1       3.5       1.5       1.4       0.8         51       5.3       1.4       1.4       0.8       0.8         90       90       90       90       90       90         91       12.5       8.9       2.9       2.1       3.5       1.5       1.8       0.9         12.5       8.9       2.9       2.1       3.5       1.5       1.5       1.5       1.5       1.5       1.5       1.5       1.5       1.5       1.5       1.5       1.5       1.5	10										
20       .3       .3       .3         25       .5       1.1       1.5       3.5         35       .5       1.2       .5       1.1       1.2         35       6.1       1.2       3.5       1.1       0.8         40       1.1       1.5       3.5       1.1       0.8         50       6.1       1.6       2.4       4.1       0.8         55       2.3       1.4       5.1       5.3       5.3         56       2.3       1.4       1.4       1.4       1.4         70       70       70       7.3       1.4       0.8         70       70       7.6       7.7       1.4       1.4         70       7.6       7.7       1.5       18.9       0.8         80       2.9       2.1       3.5       1.5       1.5       18.9         70       7.5       8.9       2.1       3.5       1.5       1.5       18.9       0.8         17.5       1.5       1.5       1.5       18.9       0.6       0.8         17.5       8.9       2.1       3.5       1.5       1.5       1.5 <t< td=""><td>15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	15										
25 30 30 45 40 50 61 52 53 54 54 54 54 54 54 54 54 54 54	20		E.					ų.			
30     5     1.1     1.5     3.5       35     5.1     1.2     1.5     3.5       45     1.2     1.6     2.4     4.1     0.8       50     6.1     2.4     4.1     0.8       50     6.1     2.4     4.1     0.8       50     5.1     1.4     2.1     2.3       50     5.1     1.4     2.3     1.4       51     2.3     1.4     2.3     0.8       60     1.4     1.4     2.3     0.8       75     8.9     2.9     2.1     3.5     1.5       75     12.5     8.9     2.9     2.1     3.5       12.5     8.9     2.9     2.1     3.5     1.5       12.5     8.9     2.9     2.1     3.5     1.5       12.5     8.9     2.6     2.1     3.5     1.5       22.5     8.9     2.6     2.1     3.5     1.5       22.5     8.9     2.6     2.1     3.5     1.5       22.5     1.5     1.5     1.5     1.6     0.8       22.5     2.1     3.5     1.5     1.5     0.8       22.5     2.1     3.5     1.5	25										
35       .5       1.1       1.5       3.5         40       1.2       1.6       2.4       4.1       1.2         50       6.1       1.6       2.4       4.1       0.8         55       2.3       1.4       5.1       1.4       0.8         56       5.3       1.4       5.1       0.8       0.8         55       2.3       1.4       5.1       0.8       0.8         60       70       70       7.3       1.4       0.8         70       70       7.0       1.4       1.4       0.8         80       2.9       2.1       3.5       1.5       18.9       0.8         70       70       70       7.5       18.9       0.8       1.5       18.9       0.8         12.5       8.9       2.9       2.1       3.5       1.5       1.5       18.9       0.8         175.5       8.9       2.6       2.1       3.5       1.5       1.5       18.6       0.6         175.5       8.9       2.6       2.1       3.5       1.5       1.5       1.6       0.8         27.5       8.9       2.6       2.1 <td>30</td> <td></td>	30										
40     1.2     1.2       45     5.1     1.6     2.4     1.1       55     5.3     1.4     5.1     5.3       56     2.3     1.4     5.1     2.3       60     1.4     5.3     2.3       75     2.9     2.1     3.5     1.5       80     80     2.9     2.1     3.5     1.5       75     8.9     2.9     2.1     3.5     1.5       75     1.5     18.9     0.8       80     2.9     2.1     3.5     1.5       12.5     8.9     2.9     2.1     3.5       17.5     8.9     2.6     2.1     3.5       17.5     8.9     2.6     2.1     3.5       17.5     8.9     2.6     2.1     3.5       17.5     8.9     2.6     2.1     3.5       27.5     8.9     2.6     2.1     3.5       27.5     8.9     2.6     2.1     3.5       27.5     8.9     2.6     2.1     3.5       27.5     8.9     2.6     2.1     3.5       27.5     8.9     2.6     2.1     3.5       27.5     8.9     0.6	35	5		s.	1.1		1.5	3.5			
45       1.6       2.4       4.1       0.8         50       6.1       2.3       2.3       2.3         60       1.4       2.3       2.3         65       1.4       2.3       2.3         66       1.4       2.3       2.3         75       1.4       1.4       2.3         76       1.4       1.4       2.3         75       1.4       1.5       18.9         80       2.9       2.1       3.5         12.5       8.9       2.9       2.1       3.5         12.5       8.9       2.9       2.1       3.5         12.5       8.9       2.6       2.1       3.5         12.5       8.9       2.6       2.1       3.5         27.5       8.9       2.6       2.1       3.5         27.5       8.9       2.6       2.1       3.5         27.5       8.9       2.6       2.1       3.5         27.5       8.9       2.6       2.1       3.5         27.5       8.9       2.6       2.1       3.5         27.5       8.9       2.6       2.1       3.5	40		1.2					1.2			
50         6.1         5.1         5.1           55         2.3         1.4         1.4           66         7.0         7.0         2.3           70         70         7.0         1.4           70         70         1.4         1.4           70         70         1.5         18.9           80         80         2.9         2.1         3.5           12.5         8.9         2.9         2.1         3.5           12.5         8.9         2.9         2.1         3.5           12.5         8.9         2.9         2.1         3.5           12.5         8.9         2.6         2.1         3.5         1.5           27.5         8.9         2.6         2.1         3.5         1.5           27.5         8.9         2.6         2.1         3.5         1.5           27.5         8.9         2.6         2.1         3.5         1.5           27.5         8.9         2.6         2.1         3.5         1.5           27.5         8.9         2.6         2.1         3.5         1.5      1.5         1.5         1.5	45			1.6	2.4			4.1		0.8	
55     2.3     2.3       60     1.4     1.4       75     75       76     75       76     75       76     1.5       80     80       80     0.8       75     1.5       81     2.9       75     1.5       82     2.9       75     1.5       12.5     1.5       12.5     1.5       12.5     1.5       12.5     1.5       12.5     1.5       12.5     1.5       12.5     1.5       12.5     1.5       12.5     1.5       12.5     1.5       13.5     1.5       15.5     1.5       16.6     0.8       27.5     8.9       2.6     2.1       3.5     1.5       15.5     1.5       16.6     0.8	50	6.1						6.1			
60 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 6.8 1.4 1.5 1.6 1.6 1.5 1.8 .9 2.9 2.1 3.5 1.5 1.8 .9 0.8 1.5 1.8 .9 0.8 1.5 1.8 .9 0.8 1.5 1.8 .9 0.8 1.5 1.8 .9 0.8 1.5 1.8 .9 0.8 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.8 .9 0.8 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	55	2.3						2.3			
65 70 76 80 80 UUSELGSS DERD P 12:5 + 8:9 2:9 2:1 3:5 18.9 12:5 + 8:9 2:9 2:1 3:5 1.5 18.9 12:5 + 8:9 2:9 2:1 3.5 1.5 18.9 0.8 17:5 + 8.9 2.6 2:1 3.5 1.5 18.9 0.8 22:5 + 8.9 2.6 2:1 3.5 1.5 18.6 0.8 22:5 + 8.9 2.6 2:1 3.5 1.5 18.6 0.8	60		1.4					1.4			
70 75 80 80 TOTAL 8.5 2.9 2.1 3.5 1.5 18.9 70TAL 8.9 2.9 2.1 3.5 1.5 18.9 13.5 + 8.9 2.9 2.1 3.5 1.5 18.9 17.5 + 8.9 2.6 2.1 3.5 1.5 18.9 0.8 17.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 27.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 27.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8	65										
75 80 80 TCUTAL 8.9 2.9 2.1 3.5 1.5 18.9 USEAD P DEAD P 12.5 + 8.9 2.9 2.1 3.5 1.5 18.9 0.8 17.5 + 8.9 2.9 2.1 3.5 1.5 18.9 0.8 17.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 22.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 22.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8	70										
80 TOTAL 8.9 2.9 2.1 3.5 1.5 18.9 USELESS DEAD P DEAD P 12.5 + 8.9 2.9 2.1 3.5 1.5 18.9 0.8 17.5 + 8.9 2.9 2.1 3.5 1.5 18.9 0.8 17.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 22.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.6 22.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.6	75										
85 TOTAL 8.9 2.9 2.1 3.5 1.5 18.9 USELESS DEAD P 12.5 + 8.9 2.9 2.1 3.5 1.5 18.9 0.8 17.5 + 8.9 2.9 2.1 3.5 1.5 18.9 0.8 17.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 22.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 22.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8	80										
TOTAL 8.9 2.9 2.1 3.5 1.5 18.9 USELESS DEAD P 12.5 + 8.9 2.9 2.1 3.5 0.8 17.5 + 8.9 2.9 2.1 3.5 1.5 18.9 0.8 17.5 + 8.9 2.6 2.1 3.5 1.5 18.9 0.8 22.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 22.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8	95										
TURAL     B.9     Z.9     Z.1     J.5     L.3     L8.9       DEAD F     0.8     0.8     0.8     0.8       DEAD F     12.5     1.5     18.9     0.8       17.5     4     8.9     2.9     2.1     3.5     1.5       17.5     4     8.9     2.9     2.1     3.5     1.5     18.9       22.5     4     8.9     2.6     2.1     3.5     1.5     18.6     0.8       22.5     4     8.9     2.6     2.1     3.5     1.5     18.6     0.8       22.5     4     8.9     2.6     2.1     3.5     1.5     18.6     0.8       22.5     4     8.9     2.6     2.1     3.5     1.5     18.6     0.8			•					0 0 1			
Dispute         0.8         0.8           DEAD F         0.8         AVERAGE BASAL AREA AT 5 LEVELS           12.5 +         8.9         2.9         2.1         3.5           17.5 +         8.9         2.9         2.1         3.5           22.5 +         8.9         2.6         2.1         3.5           22.5 +         8.9         2.6         2.1         3.5           22.5 +         8.9         2.6         2.1         3.5           22.5 +         8.9         2.6         2.1         3.5           22.5 +         8.9         2.6         2.1         3.5           22.5 +         8.9         2.6         2.1         3.5           22.5 +         8.9         2.6         2.1         3.5	TOTAL	л. 9	4.7	1.2	0.5		c. 1	6'DT			
AVERAGE BASAL AREA AR 5 LEVELS         12.5 +       8.9       2.9       2.1       3.5       1.5       18.9       0.8         17.5 +       8.9       2.9       2.1       3.5       1.5       18.9       0.8         17.5 +       8.9       2.9       2.1       3.5       1.5       18.9       0.8         27.5 +       8.9       2.6       2.1       3.5       1.5       18.6       0.8         27.5 +       8.9       2.6       2.1       3.5       1.5       18.6       0.8         32.5 +       8.9       2.6       2.1       3.5       1.5       18.6       0.8         32.5 +       8.9       2.6       2.1       3.5       1.5       1.6       0.8						0.8				0.8	
12.5 +       8.9       2.9       2.1       3.5       1.5       18.9       0.8         17.5 +       8.9       2.9       2.1       3.5       1.5       18.9       0.8         22.5 +       8.9       2.6       2.1       3.5       1.5       18.6       0.8         22.5 +       8.9       2.6       2.1       3.5       1.5       18.6       0.8         22.5 +       8.9       2.6       2.1       3.5       1.5       18.6       0.8         32.5 +       8.9       2.6       2.1       3.5       1.5       18.6       0.8						AVE	RAGE BAS	AL AREA /	AT 5 LEVBI	S.	
17.5 +         8.9         2.9         2.1         3.5         1.5         18.9         0.8           22.5 +         8.9         2.6         2.1         3.5         1.5         18.6         0.8           22.5 +         8.9         2.6         2.1         3.5         1.5         18.6         0.8           32.5 +         8.9         2.6         2.1         3.5         1.5         18.6         0.8           32.5 +         8.9         2.6         2.1         3.5         1.5         18.6         0.8	12.5 +	8.9	2.9	2.1	3.5		1.5	18.9		0.8	
22:5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 327:5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 1.5 18.6 0.8 0.8	17.5 +	8.9	2.9	2.1	3.5		1.5	18.9		0.8	
27.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8 32.5 + 8.9 2.6 2.1 3.5 1.5 18.6 0.8	22.5 +	8.9	2.6	2.1	3.5		1.5	18.6		0.8	
32.5 + 8.9 2.6 2.1 3.5 1.5 1.6.6 0.8	27.5 +	8.9	2.6	2.1	3.5		1.5	18.6		0.8	
	32.5 +	8.9	2.6	2.1	3.5		1.5	18.6		0.8	

Figure 9-3 Timber Type Basal Area

# **10.** Extended Forest Type Stand and Stock Reports

The Extended Forest Type Stand and Stock Tables report average height, gross volume, and net volume by DBH class.

Each table is reported at the Timber Type level and contains a single Species. Hence, if there were 5 species in a Type, then 5 separate tables would be produced.

If a percent reduction is being compiled, report each table at the Treatment Unit level. Refer to <u>Chapter 5 for an explanation of reductions based on Treatment Units</u>.

Where damaged species exist in a Type, produce reports for that Species for each damage code. Include a page that reports all non-damaged trees for the Species, as well as a page for each damage code. Do not produce a report for a damage code that does not occur for the Species in the Type. Refer to <u>Chapter 4</u> for a sample damage report listing.

## **10.1. Header Information**

Include the following header information on the extended stand and stock reports, including the damage reports. For damage reports, add the species and damage type, as shown in <u>Chapter 4.</u>

- 1. License from card type A.
- 2. Cutting Permit from card type A.
- 3. Timber Type number, species composition, age class, height class, and stocking class from card type C.
- 4. Species.
- 5. Number of live and dead trees (reduction applied if compiling a reduction):
  - a. Live Trees include tree classes 1, 2, 5, 6 and 8.
  - b. Dead Trees include tree classes 3, 4, 7 and 9.
- 6. Number of measured and count plots.
- 7. Silviculture Treatment Unit areas for the Timber Type.
- 8. Message indicating whether compilation is for appraisals or not.
- 9. Method of calculation (Average Line).
- 10. Special compilation messages for:
  - a. Reduction compilation,
  - b. Stump cruise compilation,
  - c. Tree class combination useless volumes are included or excluded, from column 15 of card type B (0 or blank snags excluded, 1 snags included),
  - d. Selective cut indicator which trees to compile depends on column 12 of card type B (blank include all trees, 'C' include cut-indicated and non-indicated trees, 'L' include leave-indicated trees),
  - e. Double sampling, if count plots are used.
- 11. Compiler program name and version.
- 12. Compile date and time.
- 13. Page number.
- 14. Damage code for damage reports only.

# 10.2. Detail Information

## 10.2.1. Average Height

The average tree height is based on coded tree heights from measured plots.  $t_{\text{s,d,i}}$ 

$$\overline{H}_{s,d,i} = \frac{\sum_{t=1}^{t_{s,d,i}} H_t}{t_{s,d,i}}$$

Report to 1 decimal place.

Example 10.1

3 Lodgepole pine were tallied in measured plots in Type 1. The measured heights are 36.6 m, 26.5 m, and 32.2 m.

$$\overline{H}_{s,d,i} = \frac{(36.6 + 26.5 + 32.2)}{3} = 31.8$$

## 10.2.2. Gross Merchantable Volume per Tree

Report gross merchantable volume per tree. Divide the gross volume by the number of stems in the Type.

$$VG_{s,d,I} = \frac{\sum_{t=1}^{t_{s,d,i}} VG_t}{t_{s,d,i}}$$

Report to 3 decimal places.

## 10.2.3. Net Merchantable Volume per Tree

Report net merchantable volume per tree (i.e., gross less decay, waste, breakage). Refer to <u>Section</u> <u>8.1.3.6</u> for an explanation of applying loss factors.

$$\mathbf{V}_{s,d,i} = \frac{\sum_{t=1}^{t_{s,d,i}} \mathbf{V}_t}{\frac{t=1}{t_{s,d,i}}}$$

Report to 3 decimal places.

## 10.2.4. Stems per Hectare by Risk Group

Include only tree class 1, 2, 5 and 8 trees. Refer to <u>Section 3.2.1</u> Step #3 for the method of determining the Risk Group for a tree. Only use trees for species s, diameter class d, risk group r and type i.

$$S_{s,d,i,r} = \frac{\sum\limits_{p=1}^{m_i} S_{p,s,d,i,r}}{m_i}$$

Report to 2 decimal places.

## 10.2.5. Total Stems per Hectare

Sum the 4 Risk Group Stems per hectare. If the Tree Class Combination from card type B is 1, then include the live and dead useless stems per hectare.

$$S_{s,d,i} = \sum_{r=0}^{3} S_{s,d,i,r}$$

Report to 2 decimal places.

## 10.2.6. Live Veterans per Hectare

Use the same method as above for risk group stems per hectare. Include only tree class 5 trees for all risk groups.

Report to 2 decimal places.

## 10.2.7. Dead Useless Snags per Hectare

Use the same method as above for risk group stems per hectare. Include only tree class 4 trees for all risk groups.

Report to 2 decimal places.

## 10.2.8. Live Useless Snags per Hectare

Use the same method as above for risk group stems per hectare. Include only tree class 6 trees for all risk groups.

Report to 2 decimal places.

#### 10.2.9. Total of Averages

Report the stems per hectare estimate for the Species and Type. Sum the Stems/Snags per hectare for all DBH classes. Do not sum the average height or volume per hectare parameters.

$$\mathbf{S}_{\mathrm{s},\mathrm{i}} = \sum_{d=1}^{34} S_{s,i,r}$$

#### 10.2.10. Percent by Risk Group

Calculate the percent that each risk group contributes to the total stems per hectare estimate for the Species and Type.

$$RG_{s,i,r}\% = 100 * \frac{S_{s,i,r}}{S_{s,i}}$$

If the Tree class combination from card type B = 1, then add the Live and Dead Useless stems per hectare to the total stems per hectare in the above calculation.

Where:

t <sub>s,d,i</sub>	=	Number of measured trees for Species s and Diameter Class d in Type i.
S <sub>s,d,i,r</sub>	=	Number of stems/ha for Species s, Diam. Class d, Type i and Risk Group r.
S <sub>s,i,r</sub>	=	Number of stems/ha for Species s, Type i and Risk Group r.
$\mathbf{S}_{s,d,i}$	=	Number of stems/ha for Species s, Diameter Class d and Type i.
$\mathbf{S}_{s,i}$	=	Number of stems/ha for Species s and Type i.
$\mathbf{S}_{\mathbf{p}}$	=	Stems/ha estimate from Plot p.
VG <sub>s,d,i</sub>	=	Gross volume/tree for Species s, Diameter Class d and Type i.
VG <sub>t</sub>	=	Gross volume for tree t.
$V_t$	=	Net volume for tree t.

$V_{s,d,i} \\$	=	Net volume/tree for Species s, Diameter Class d and Type i.
$V_{s,d,i,r}$	=	Net volume/tree for Species s, Diam. Class d, Type i and Risk Group r.
$H_t$	=	Height of tree t.
$\overline{H}_{s,d,i}$	=	Average height for Species s, Diameter Class d and Type i.
R <sub>t</sub>	=	Post-reduction percent of tree t.
DSR <sub>s,i</sub>	=	Double sampling ratio for species s in Type i.
$m_{i}$	=	Number of measured plots in Type i.
RG <sub>s,i,r</sub> %	=	Percent of stems per hectare for Risk Group r for Species s in Type i.
r	=	Risk Group.

## 10.2.11. Average DBH at Five Levels

The average DBH is also reported for five diameter levels:

- 1. DBH greater than 12.4 cm
- 2. DBH greater than 17.4 cm
- 3. DBH greater than 22.4 cm
- 4. DBH greater than 27.4 cm
- 5. DBH greater than 32.4 cm

$$\overline{D}_{s,l,i} \ = \ 2 \, {}^{*} \sqrt{\frac{BA_{s,l,i}}{pi \, {}^{*}S_{s,l,i}}}$$

Where:

 $\overline{D}_{s,l,i}$  = Average diameter of trees with DBH lower limit l for Species s and type i.

BA <sub>s,l,i</sub>	=	Average basal area per hectare estimate of trees with DBH lower limit l for Species s and Type i.
S <sub>s,l,i</sub>	=	Stems (or snags) per hectare estimate of trees with DBH lower limit 1 for Species s and Type i.
pi	=	3.14159265.

Report to 2 decimal places.

# 10.3. Extended Forest Type Stand and Stock - Sample Listing

Report 006 - required.

REST REVENUE INTEGRIS         PORSET FILTER STAND AND STOCK TAILER (STURDE, AN)         (0001 PMSS         173:13           TORA APPRAISIL PREPORSE DYE TO NON-STRADBUTTER STAND AND STOCK TAILE SAVE STURDED IN THE 275 CM CLASS         VUINES STUDDED IN THE 275 CM CLASS         VUINES STUDED IN THE 275 CM CLASS         VUINES STUDED IN THE 275 CM CLASS         VUINES STUDED IN THE 275 CM CLASS         VUINES		e.	ö																										
REST REVENUE BANKEL - 20010         PORENT FTYR STAND AND STOCK TARK (STURGE WITH TYR STANDER GENER - 2004-STANDED UTLIZETON AND STOCK TARK (STURGE WITH NOTE - ALL TREES GREATER TAN 275 CM ARE INCLUDED IN THE 275 CM CLASS NUTRINGS EXCLUDE NOTE - ALL TREES GREATER TAN 275 CM ARE INCLUDED IN THE 275 CM CLASS NUTRINGS EXCUTOR INCREMENT - 000         COMPUTED 2010-10-19         17.14.15           LICKNCK NUTRER CRUSSE DUE TO 000- TTPR 1 - EA H C 9 4 1         SPECTER CLASS NUTRIES NUTRIES CONDUCTIONS EXCUTOR A V E R ALE         0.0	+							AE.																					
T FOR A FUNCTION FOR A MANUAL AND AND STOCK TALK STRAM (1006) PARA 11 14 T FOR APPALISAL PERFORMED TYLICATION WITH STS CHICARE ATTAIN NOTE - ALL TREES GRALTER TUAN 275 CHIARE TEALS (1178 1178 NOTE - ALL TREES GRALTER TUAN 275 CHIARE TEALS (1178 1178 NOTE - ALL TREES GRALTER TUAN 275 CHIARE TEALS (1178 1178 ULCENCEN NUMBER CTOOD NOTE - ALL TREES GRALTER TUAN 275 CHIARE TEALS (1178 1178 ULCENCEN NUMBER CTOOD NOTE - ALL TREES GRALTER TUAN 275 CHIARE TEALS ULCENCEN T 500 SELECTTVE 500 SELECTTVE 500 CLEARACT 500 SELECTTVE 500 NOT 00 NOT 00 N	2:5	5	SE					З																					
T FOR A RYEAUER BANGGI 2001.0 FORMET TERME TATA AND STOCK TALLE (2011) - 1 (000) FOUSE 1 (0000) FOUSE 1 (000) FOUSE 1 (000) FOUSE 1 (0000) FOUSE 1 (000)	7:4	2	TRE					_																					
REST REVENTION IN PARATY TYPE STATU AND SCACT TANKS TERMENAN (1001) PARAT REST REVENTION IN PREST TYPE STATU AND SCACT TANKS TERMENAN (1001) PARAT TORA REPAIRSAL PURPOSES DIE TO NON-ETARDARD TITLEATTON (1011) (1011) NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM CLASS NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM CLASS NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM CLASS NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM CLASS NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM CLASS NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM CLASS NOT DE CUTTANTS FRAIT - 000 NOT DE CUTANOT E.O 000 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	τ	55	R					9																					
TREST REVENTS FANDRING TO CONSTRUCTION THE 275 CM CLASS NUTLEXPONDENT THE STAND MAD THE 275 CM CLASS NUTLEXPONDENT THE 275 CM CLASS NUTLEXPONDENT THE 275 CM CLASS NUTLEXPONDENT THE STATE STRUME SAMPLIATE GAURES AND THE 275 CM CLASS NUTLEXPONDENT THE STATE STRUME SAMPLIATE GAURES NUTLEXPONDENT THE STATE STRUME SAMPLIATE GAURES AND THE 275 CM CLASS NUTLEXPONDENT THE STATE STRUME SAMPLIATE CONTREST NOT THE 275 CM CLASS NUTLEXPONDENT THE STATE STRUME SAMPLIATE GAURES NUTLEXPENDENT THE STATE STRUME SAMPLIATE CONTREST NOT THE STATE STRUME SAMPLIATE CONTREST NOT THE STATE STRUME SAMPLIATE CONTRACTION OF DUCTS (M/C) 3. 3. CONTREST NOT THE STATE STRUME SAMPLIATE TO 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	61- 19	13	80					DEA																					
TTOR APPRAIRS IN PROBLEMENT PROBLEMENT TYPE STAND AND STOCK TANKES STREAD(AN) (0006) PAGE TARK STREAD FOR CHARGES DUTILIZATION NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM CLASS AVERADOT DUTILIZATION NOT CONCUTED 201 LICENCE NUMBER CF7060 TYPE 1 - EA H C 9 1 BFPCTES CRUIRE NAVEAUE TO THE 275 CM CLASS AVERADOT DUTILIZATION NOT CONTINUE TRANS THAT 2 TO THE 275 CM CLASS AVERADOT DUTILIZATION NOT CONTINUE TRANS THAT 2 TO THE 275 CM CLASS AVERADOT DUTILIZATION NOT CONTINUE TRANS AVERADOT DUTILIZATION TANK TARK THAT 2 TO T	в -03 МВ <i>К</i>	9	90																										
TICENCE RUYENUE BRANCI: - 2001.0 FOREST TYPE STAND AND STOTE ALLE TREES SAVELING	TNE 100	ġġ	ġ.					s																					
TICK APPALISAL PURPOSES DER TONON- FORMENT TYNE TAYNAN DUTILIZATION NOTE - 2001.0000000000000000000000000000000000	2 E E 2						IVE	NAN!																					
TICENCE NUMBER CF7080 TFT ZOR APPRAISAL PURPOSES DUE TO NON-T PAGENT TTAR STAND AND THE TACK GUERS THAN TO CONTRACT CUTTER THAN 275 CM AND THE 275 CM CLASS AND THE 275 CM CLASS AND THE TO NOTE - ALL TREES GREATER THAN 275 CM AND THE 275 CM CLASS AND THE CHAN AND THE TOTAL AND THE CHAN AND THE TOTAL AND THE CHAN AND THE TOTAL AND TOTAL CTAS AND THE TOTAL AND THE TOTAL AND THE TOTAL AND THE TOTAL AND TOTAL CTAS AND TOTAL CTAS AND TOTAL TOTAL AND TOTAL TOTAL AND TOTAL TOTAL AND TOTAL CTAS AND TOTAL AND TO	6) UTB RAG						H	ETE																					
TITENERS REFARENCE FORMER THAN THE FORMER THAN AND STOCK THALE (FIRENCIADE) TO A DEFENSION FORMER THAN 275 CM ARE INCLUDED IN THE 275 CM CLASS ILICENCE NUMBER CF7080 LICENCE NUMBER CF7080 LICENCE 50 SELECTIVE 0.0 A V E R A C ELECTIVE 0.0 A V E R	(00) AMD: AVE			5																									
REST REVENUE BANCH - 2001.0 FOREST TYPE STAND AND STOCK TALE GENERAL T FOR APPRAISAL PURPOSES DUE TO NON-STANDAUD STITTER STAND AND STOCK TALE GENERA ILICENCE NUMBER CF7080 TYPE 1 - EA H C 9 4 1 SPECTES CEDAR CUTTING FERMIT - 000 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	°,							4							ŝ	N	,	e				•	•		38	80	80	8	æ
TICENCE NUMBER CF7080 TICENCE NUMBER CF7080 ILICENCE NUMBER CF7080 TTPE 1 - EALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM C LICENCE NUMBER CF7080 TTPE 1 - EALH TREES GREATER THAN 275 CM ARE INCLUDED IN THE 275 CM C LICENCE NUMBER CF7080 TTPE 1 - EALH C 9 4 1 SPECTES CEDAR CUTTING FERMIT - 000 TTPE 1 - EALH C 9 4 1 SPECTES CEDAR A V E R G E CUTTING FERMIT - 000 CLEARCTT 5:0 SELECTIVE 0:0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	LAS:							OTA							9.9	0.6		0				6.0	0.0		42	2.3	2.3	2.3	5
TY FOR APPRAISAL PURPOSED ON FORMET TEAPE TANDA STOCTA TABLE (FIRES/A) REST REVANUE REAVELOPED IN THE 275 CM ARE INCLUDED IN THE 275 C LICENCE NUMBER CF7080 TTPE 1 - EA H C 9 4 1 SPECTES CEDAR CUTTING FERVIT - 000 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	ن ۲ ۲							н							64	rn.	,						H	SLS S		Ŧ	4	a	
TTEREST REVENUE BEANCH: - 2001.0 REST REVENUE BEANCH: - 2001.0 NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE 27 LICENCE NUMBER CF7080 TTPT 1 - EA H C 9 4 1 SPECTES CEDAR CUTTING FERNIT - 000 CUTTING FERNIT - 000 A V E R A G R N E R S S 0 SELECTIVE 0.0 A V E R A G R N E R S S 0.0 CLARRET MERT REST REIST RISK DEAD A V E R A G R N E R S S 0.0 CLARRET MERT REST REST RISK DEAD A V E R A G R N E R S S 0.0 A V E R A G R N E R S S 0.0 A V E R A G R N E R S S 0.0 A V E R A G R N E R S S 0.0 A V E R A G R N E R S S 0.0 A V E R A G R N E R S S 0.0 A V E R A G A V E R A C A V E R A	4 C 4		m	_				-1																EVE					
TF FOR APPRAILSAL PURPOSES DUE TO NON-STRATTON WITH THE FOR APPLICATION WITH THE FOR APPLICAL UPED DIATES TATAGE STATES CARDING THE TOR APPRAILSAL PURPOSES DUE TO NON-STRATABLE STATES TATAGE STATES CARDING THE NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE NOTE - ALL TREES GREATER THAN 275 CM ARE INCLUDED IN THE CUTTING FERVIT - 000 TYPE 1 - EA H C 9 4 1 SPECTRES CARDING TO TABLE STATES TATA APPLICATION WITH COTTING FERVIT - 000 TYPE 1 - EA H C 9 4 1 SPECTRES CARDING TO TABLE STATES TATA APPLICATION WITH COTTING FERVIT - 000 TYPE 1 - EA H C 9 4 1 SPECTRES CARDING TO TABLE STATES TATA APPLICATION TO TABLE STATE APPLICATION TO TABLE STATES TATA APPLICATION TO TABLE STATE TABLE STATE APPLICATION TO TABLE STATE TABLE ST	SE SE	ã	m	0.0			9	LI LI																ເ ເ					
TFORM TAPEALING PERPORTANCE - 2001.0 FORENT TAPE STAND AND STOCTHER SAFILING TFOR APPALISAL PURPOSES DUE TO NON- FARME THAN 275 CH ARE INCLUDED IN ILICENCE NUMBER CF7080 TTPE 1 - EA H C 9 4 1 SPECTES CUTTING FERMIT - 000 0.0 0.0 0.0 0.0 A V E R G E NET 0.0 0.0 0.0 0.0 0.0 A V E R G E R R R R R R R R R R R R R R R R	E/B IUN: THE	G					20	Na Lo																AT					
TF FOR A PERAISAL PURPOSE DUE TO NON-STANDARD STTTATES TATAN AND STOCK TABLE ( TF FOR A PERAISAL PURPOSES DUE TO NON-STANDARD STATISATION **** DOTIES AND THE LICENCE NUMBER CF7080 TTPE 1 - EA H C 9 4 1 NO. OF PLOTS () CUTTING FERMIT - 000 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	UL C	88	Nc)					2																ŝ					
TF FOR APPRAISAL PURPOSES DUE TO NON-STREAT TABLE STAND AND STOCK TABLE ILICENCE NUMBER CF7080 TYPE 1 - EA H C 9 4 1 81 LICENCE NUMBER CF7080 TYPE 1 - EA H C 9 4 1 NG OF PLOI CUTTING FERMIT - 000 0.0 0.0 CUTTING FERMIT - 000 0.0 0.0 CULARCUT 5.0 SELECTIVE 0.0 0.0 0.0 CLEARCH MERCH RISK RISK RISK RISK RISK HT MERCH RISK RISK RISK RISK RISK RISK RISK MET MERCH RISK RISK RISK RISK RISK RISK RISK MET MERCH RISK RISK RISK RISK RISK RISK MET MERCH RISK RISK RISK RISK RISK RISK 1 (M) (M3) (M3) (M3) 29.95 3.05 30.62 34.5 1.836 .997 29.95 30.62 37.5 2.9C7 1.348 40.95 TOTAL OF AVERAGES 12.5 + 32.60 48.29 TOTAL OF AVERAGES 12.5 + 32.60 48.29 TREES 27.5 + 32.60 48.29 TREE 27.	ED (S	ECI	100					-																BH ((					
TTILIZENCE NUMBER CF7080 TTILIZENCE NUMBER CF7080 LICENCE NUMBER CF7080 TTILIZENCE TTILIZENCE T	SAME SAME	16	5	_			SK	ĝ																					
TFOR ARMANUE BRANCH - 2001.0 FFOR AREALSAL PURPOSES DUE TO NON-STANDARUE TTILIZATION **** DOUN LICENCE NUMBER CF7080 LICENCE NUMBER CF7080 TYPE 1 - EA H C 9 4 1 CUTTING FERMIT - 000 CUTTING FERMIT - 000 CUTTING FERMIT - 000 CULARCT 5.0 SELECTIVE 0.0 A V I N G T R E E S A V E A G A G A V E A G A V E A G A G A G A G A V E A G A V E A G A G A G A G A V E A VERACH A G A G A G A G A G A G A G A G			E.	5			2	ĕ																RAGI					
TICENCE NUMBER CF7060 TYPE 1 - EA.H C 9 4 1 NOTE - ALL TREES GREATER THAN 275 CM J NOTE - ALL TREES GREATER THAN 275 CM J LICENCE NUMBER CF7060 TYPE 1 - EA.H C 9 4 1 CUTTING FERMIT - 000 TYPE 1 - EA.H C 9 4 1 CUTTING FERMIT - 000 TYPE 1 - EA.H C 9 4 1 CUTTING FERMIT - 000 TYPE 1 - EA.H C 9 4 1 KISK MT WECCH 5.0 SELECTIVE 0.0 0 0 0 0 MET MER KISK MT WECCH RISK RISK RISK MT WECCH RISK RISK RISK RISK MT WECCH RISK RISK RISK RISK MT WECCH 25.0 503 25.8 .750 .603 25.8 .750 .603 25.8 .750 .003 25.8 .750 .603 25.8 .750 .003 25.9 1.836 00 25.8 .750 .003 25.9 1.836 10.33 10.33 10.33 10.33 10.33 10.33 10.423 10.33 10.423 10.33 10.423 10.33 10.423 10.423 10.423 10.423 10.423 10.33 10.423 10.423 10.423 10.423 10.423 10.423 10.423 10.423 10.423 10.423 10.423 10.52 10.52 10.52 10.53 10.52 10.53 10.52 10.53 10.55 10.53 10.55 1			č		20																			AVE					
TTTERST REVENUE DRANCH - 2001.0 TTTERST REVENT - 2001.0 ILICENCE NUMBER CF7080 TTTTTA THAN 275 0 LICENCE NUMBER CF7080 TTTTTA 1 - EA H C 9 4 0 CUTTTA FERVIT - 000 TTTT 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 TTTTT 0 0 0 0 0 0 0 0 0 0 0 0 0 0 TTTTTTA THAN 25 0 0 0 0 0 0 0 0 0 0 TTTTTTA TAR 25 0 0 0 0 0 0 0 0 0 0 0 TTTTTTA TAR 25 0 0 0 0 0 0 0 0 0 0 0 TTTTTTA 1 - 1 V I N G T R E TTTTTTA 1 - 1 V I N G T R E TTTTTTA 1 - 1 V I N G T R E TTTTTTA 1 - 1 V I N G T R E TTTTTTA 1 - 1 V I N G T R E TTTTTTA 1 - 1 V I N G T R E TTTTTTTA 1 - 1 V I N G T R E TTTTTTA 1 - 1 V I N G 0 0 0 0 0 0 0 TTTTTTA 1 - 1 V I N G 0 0 0 0 0 0 25.8 . 750 . 603 29.95 0 0 25.8 . 750 . 997 29.95 0 0 25.8 . 750 . 997 29.95 0 0 25.8 . 750 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 0 0 0 0 0 10 25.8 . 750 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		ч	ž		×		×	5 7								52		33				35	76		. 29	29	29	29	00
TTERST REVENUE BRANCH - 2001.004-STANDUNTLIZZATION T FOR APPRAISAL PURPOSES DUE TO NON-STANDUARD UTILIZATION LICENCE NUMBER CF7080 LICENCE NUMBER CF7080 CUTTING FERVIT - 000 CUTTING FERVIT - 000 CUTARATE RANT - 000 CUTARATE REVIT - 000 CULARACT 5.0 SELECTIVE 0.0 LI V I N G T A V E A G E A V E A G E A V E A G E CUTARATE REVIE RISK RISK MET RISK RISK RISK MAJ (M3) (M3) C (M) (M) (M3) C (M) (M) (M3) C (M) (M) (M) (M) C (M) (M) (M) (M)	75	4			24 24		RIS	ROU								90.		2				40	57.		48	48.	48.	48.	48.
TICENCE NUMBER CF7080 ILICENCE NUMBER CF7080 LICENCE NUMBER CF7080 TTP 1 - EA H C CUTTING FERMIT - 000 CULARNET - 000 TTP 1 - EA H C CUTTING FERMIT - 000 TTP 1 - EA H C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		6			H			6																					
TTERST REVENUE BRANG(I - 2001.0 0) - FOREST TYPE TYPE I - EA H TOR APPRISAL PURPOSES DUE TO NON-STANDARD TTILIES NOTE - ALL TREES GREATER NOTE - ALL TREES GREATER A TE RACH. 500 CUENKUT 5.0 SELECTIVE 0.0 L I V I N A V E RA G ROSS A NET RISK RISK RISK RISK RISK RISK RISK PER TREE RETTING ROUP 0 GROUP 0 GROUP (M) (M3) (M3) RECH. RISK RISK RISK 25.8 .750 .603 29.55 34.5 1.836 .997 34.5 1.836 .997 55.8 .750 .033 29.55 53.45 1.836 .997 55.8 .750 .033 29.55 55.8 .750 1.348 55.9 1.836 .97 55.9 2.807 1.348 55.9 2.807 1.348 55.9 2.807 1.348 55.9 2.807 1.348 55.9 1.835 2.5.5 4 22.3 707AL OF AVERAGES 700 707AL OF AVERAGES 700 707AL OF AVERAGES 700 707AL OF AVERAGES 700 700 700 700 700 700 700 700 700 70	ATI	0		0.0	v			٦																	0	_			
REST REVENUE BRANCH - 2001. TO NON-STARTARD UT T 70K APPRAISAL PURPOSES DUE TO NON-STARTABU UT LICENCE NUMBER CF7080 CUTTING FERUTE - 000 CUEARCT 5.0 SELECTIVE 0.0 HT MERCH. MERCH. RISK RI A CROSS A WET RISK RISK RISK RISK RISK (M) (M3) (M3) (GOUP 0 GROUP 0 GROUP (M) (M3) (M3) (GROUP 0 GROUP 0 GROUP (M) (M3) (M3) (GROUP 0 GROUP 0 GROUP 23 24 25.8 .750 .603 23 25.8 .750 .603 23 25.8 .750 .603 23 26 27 27 7 7 7 7 7 7 7 7 7 7 7 7 7	LIZ	AH			N		SK	ŝ							- 95							56.	2		2.6	.60	. 60	.60	29
PERST REVENUE BARAGI - 2001.0 T FOR APPALISAL PURPOSES ONTE - ALL TREES GR LILCENCE NUMBER CF7060 TYPE 1 CUTTING FERNIT - 000 CULARCUT 5.0 SELECTIVE 0.0 T M VE R G E LI M V REACH. MERCH. RISK M REACH. MERCH. RISK M (M) (M3) (M3) S 0.00 0 C (M) (M3) (M3) S 0.00 0 C 25.8 .750 .603 C 34.5 1.836 .997 C 34.5 1.836 .997 C 34.5 1.836 .997 C 37.5 2.8C7 1.348 C 37.5 2.8C7 1.348 C 25.8 TREE 25.5 + TTREE 21.5 + TREES 21.5 + TREES 21.5 + TTREE 22.5 +	T T UTI EAT	iع ا			۲ ۲		RI	GRO							29							29	42		e	e	5	32	5
PERST REVENUE BRANGI - 2001.0 T FOR APPRISAL PURPOSES DUE TO NON-STANNA NOTE - ALL TREES LICENCE NUMBER CF7080 CUTTING FERMIT - 000 CULANCT 5.0 SELECTIVE 0.0 A VE R A G RECTIVE 00 CLEANCT 5.0 SELECTIVE 0.0 A VE R A G RECTIVE 00 (M) (M3) (M3) CLEANCT 6 (M) (M3) (M3) CLEANCT 6 COLON 01 COLON	RES GR	-			н																								
REST REVENUE BRANCH - 2001.0 TY JOR APPRAISAL PURPOSES DUE TO NON-STR NOTE - ALL TR LICENCE NUMBER CF7080 CUTTING FERNIT - 000 A VE R A G A VE R A C A VE	PO	M		_	н			•																					
PERST REVENUE BAARCH - 2002.0 TICENCE NUMBER CF7080 CUTTING PERNIT - 000 CUTTING PERNIT - 000 CUTTING PERNIT - 000 CULARCUT E,0 SELECTIVE HT NERCH, MERCH, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	TR	ĉ		0			<b>SISP</b>	INO																					
PERST REVENUE REAMONE - 2002.00 TICENCE NUMBER CF7080 ACTING FERMIT - 000 CUTTING FERMIT - 000 CUTTING FERMIT - 000 CULARCT 5:0 SELECTIVE A VE RA G ELECTIVE A NERCH. MERCH. FER TREE FERTFREE FER TREE FERTFREE (M) (M3) (M3) (M3) C (10) (10) (10) (10) (10) C (25.8 .750 .603 C (25.8 .750 .1348 C (25.8 .750 .603 C (25.8 .750 .750 .603 C (25.8 .750 .750 .750 .750 .750 C (25.8 .750 .750 .750 .750 .750 .750 .750 .750	ALI						-	8																					
TTEREST REVENUE BRANCH - 2001.0 LICENCE NUMBER CF7080 CUTTING FERMIT - 000 CUTTING FERMIT - 000 CUTTING FERMIT - 000 CUTTING FERMIT - 000 CLEARCHT S: 0 SELECT A V E R G E RECH RECH RECH (M) (M3) (M3) (M3) 25.8 .750 .603 25.8 .750 .603 25.8 .750 .603 25.8 .750 .603 25.8 .750 .603 1.836 .997 1.345 1.836 .997 1.345 1.836 .997 1.345 1.836 .997 1.345 1.836 .977 1.348 1.826 .2.315 1.345 1.826 .2.5 + TERES 12.5 + TERES 12.5 + TERES 22.5 + TERES 22.5 +	ខ្ព			IVE				24																					
PERST REVENUE BANKICH - 200 TI TOR APPRAISAL PURPOSES DO LLICENCE NUMBER CF7080 CUTTING FERVIT - 000 CULARCUT 5:0 SEL HT VE R 4 G E R GROSS A G E R (M) PER TREE PERS (M) (M3) (M3) CLARCH, MERCH, MERCH R (M3) (M3) (M3) C (10) C	OE S			Ę		Ę	ž	TRE	_						603	997		348							+	+	+	÷	4
PERST REVANUE BAMMAL - 20 LICENCE NUMBER CF708 LICENCENT 5:0 HT 96855 4 G REACT 5:0 HT MERCH 40 REACH 90 CLEARCT 5:0 HT 1828 7 (M) (M3) 5 5.0 1.88 PERCENT 87 1.836	100		0	SEL	53	N	ERC	ä	EW)							••		H.							ŝ				
TTTERST REVENUE BEANTLE VIEP LLICENCE NUMBER CF CUTTING FERNIT - CLEARCUT 5:0 HT MERCHS 5:0 CLEARCH BT RECHS CLEARCH MIRCHS CLEARCH MIRCHS CLEARCH BT RECHS CLEARCH BT RECHARGE CLEARCH BT RECHARGE CLEARCH BT RECHARGE CLEARCH BT REES CLEARCENT BT R	- 2 OSE	708(	õ		U		X	4														ES.	ASS		12.	7.5	2.5	7.5	ľ
PT FOR APPAJUS BAJA PT FOR APPAJUSAL P LICENCE NUMBER CUTTING PERAT CLEARCUT V E HT MERCH V E RC (M) PERAT CLEARCAT V E S S S S S S S S S S S S S	H A	5	÷	5.0	RA	ۍ		88							50	36		C 7				RAG	đ		ES	51	20	S 2	v
PERST REVENUES IN TO REPRAILED	L P	BER	RMI		24	ROS	Ð	ЯĽ	M3)						1	1.8		2.8				AVE	REE		TRE	REE	REE	REE	240
PEST REVENDED LICENCE LICENCE CULICENCE CULARENCUT I. (M) CLEARCUT I. (M) CLEARCUT I. (M) I.	E B ISA	Ĩ	PE		A	U	MER	PER	~													5	E X			ы	н	н	e
рана с с с с с с с с с с с с с с с с с с	PRA	8	DN	5					÷						8	ŵ		ŝ				0							
2012년 월 - 국고리지영양성 프로프로운영양성 1212년 1月12년 - 11년 11년 11년 11년 11년 11년 11년 11년 11년	REV AP	CEN	ILL	EAR			붚		ŝ						25.	34.		37.				TAL	CEN						
2 C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	FOR	Ξ	g	딩																		Ę	DE	ĺ					
요즘 NH Y 네너너머머소 ADDA AC	ORI					H	н		Ŕ	S	3;	1	8	5 6	3 2	\$ 5	20	23	60	92	5								

Figure 10-1 Extended Forest Type Stand and Stock Table - Sample Listing (Partial)

# **11.** Volume and Lumber Recovery Reports
# 11.1. Volume and Lumber Recovery Reports - Overview

Volume and lumber recovery reports are produced for Interior compilations only. Most reports are 1 page per Species in the compilation (see "Exceptions" below). Segregate the logs from each Species by Risk Group and Top Diameter Class.

Risk Group determination is described in <u>Section 3.2.1</u> (step 3). Top Diameter Classes are found, by species, in <u>Appendix 7</u>.

The LRF reports are based on logs that meet the merchantability requirements specified in the Map Area Statement.

Exceptions:

Use <u>Appendix 10.1</u> to assign LRF to Hemlock.

Interior White Pine logs from trees recorded as tree class 3,7 and 9 will use <u>Appendix 10.2</u> to determine LRF.

The LRF compiled for Balsam is to be based on the sawlog component only. The compilation will assess each balsam tree and segregate those with decay, waste and breakage of less than 48% as all sawlogs. Those balsam trees with greater than or equal to 48% DWB will have zero LRF assigned to the complete volume of the tree. The average LRFs will be lowered due to the reduction of the sawlog net volume over the total net volume.

Lodgepole pine will be broken down into categories for reporting. One page each for categories: green, green attack, red attack, grey attack and dead potential.

# **11.2. Header Information**

Include the following header information on the LRF reports.

- 1. License from card type A.
- 2. Cutting Permit from card type A.
- 3. Species.
- 4. Message indicating whether compilation is for appraisals or not.
- 5. Total merchantable area from card type A.
- 6. Message indicating whether Interior Fir is in wet belt or dry belt. (see <u>Appendix 12</u>)
  - a. If column 14 of card type B is coded 1, Fir is in the wet belt.
  - b. If column 14 of card type B is coded 2, Fir is in the dry belt.
- 7. Special compilation messages for:
  - a. Reduction compilation.
  - b. Stump cruise compilation.
  - c. Tree class combination useless volumes are included or excluded, from column 15 of card type B (0 or blank snags excluded, 1 snags included).
  - d. Selective cut indicator which trees to compile depends on column 12 of card type B (blank include all trees, 'C' include cut-indicated and non-indicated trees, 'L' include leave-indicated trees).
  - e. Double sampling, if count plots are used.
- 8. Compiler program name and version.
- 9. Compile date and time.
- 10. Page number.

# 11.3. Detail Information

Variable Definitions used in this Chapter.

DMPc	=	Midpoint of Top Diameter Class c (see <u>Appendix 7</u> ):
	$DMP_1 - 5cm$	(Top diameter class 4.5 - 5.49)
	DMP <sub>2</sub> - 6cm	(Top diameter class 5.5 - 6.49)
	DMP <sub>3</sub> - 7cm	(Top diameter class 6.5 - 7.49)
	DMP <sub>4</sub> - 8cm	(Top diameter class 7.5 - 8.49)
	DMP <sub>5</sub> - 9.25cm	(Top diameter class 8.5 - 9.99)
	If $c > 5$ , then	$DMP_c = (c-5)*5 + 7.5 cm$
%D <sub>s,c,r,i</sub>	=	Percent Decay of Gross volume for Species s, Top Diam. Class c, Risk Group r and Type i.
$D_{s,r,i}$	=	Percent Decay for Species s, Risk Group r and Type i. The Risk Group r may be a combination of two risk groups
%DT <sub>s,r,i</sub>	=	Percent Decay for species s, Risk Group r and Type i.
%LA <sub>s,r,i</sub>	=	Percent Large Logs in Species s, by Risk Group r in Type i.
%SM <sub>s,r,i</sub>	=	Percent Small Logs in Species s, by Risk Group r in Type i.
%ST <sub>s,r,i</sub>	=	Percent Stud Logs in Species s, by Risk Group r in Type i.
$A_i$	=	Area of Type i.
D <sub>s,c,r,i</sub>	=	Decay volume for Species s, Top Diameter Class c, Risk Group r and Type i.
FBM <sub>G,i</sub>	=	Foot Board Measure of Lodgepole Pine in category G within Type i.
FBM <sub>s,c,r,i</sub>	=	Foot board measure for Species s, Top Diameter Class c, Risk Group r and Type i.
FBM <sub>s,r,i</sub>	=	Total Foot Board Measure for Species s, Risk Group r and Type i. The Risk Group r, may be a combination of two risk groups.

LRF <sub>s,c</sub>	=	LRF for Species s and Top Diameter Class c - see Appendix 7.
m <sub>i</sub>	=	Number of measure plots in Type i.
LRF <sub>PI,G,i</sub>	=	Lumber recovery factor for Lodgepole Pine in Category G within Type i.
LRF PI,i	=	Average LRF for Lodgepole Pine within Type i.
LRF <sub>s,r,i</sub>	=	LRF for Species s and Type i. The Risk Group r, may be a combination of several risk groups
VG <sub>p,s,c,r,i</sub>	=	Gross volume for plot p for Species s, Top Diameter Class c, Risk Group r and Type i.
VG <sub>s,c,r,i</sub>	=	Gross volume for Species s, Top Diameter Class c, Risk Group r and Type i.
VGT <sub>s,r,i</sub>	=	Total gross volume for Species s, Risk Group r and Type i. The Risk Group r, may be a combination of two risk groups.
$V_{G,i}$	=	Net merchantable volume of Lodgepole Pine in Category G within Type i.
V <sub>p,s,c,r,i</sub>	=	Net volume for plot p for Species s, Top Diameter Class c, Risk Group r and Type i.
V <sub>s,c,r,i</sub>	=	Net volume for Species s, Top Diameter Class c and Risk Group r and Type i.
VT <sub>s,r,i</sub>	=	Total net volume for Species s and Type i. The Risk Group r, may be a combination of two risk groups.
VT <sub>s,r,i,la</sub>	=	Total net volume (large logs only) for Species s and Type i. The Risk Group r, may be a combination of two risk groups.
VT <sub>s,r,i,sm</sub>	=	Total net volume (small logs only) for Species s and Type i. The Risk Group r, may be a combination of two risk groups.
VT <sub>s,r,i,st</sub>	=	Total net volume (stud logs only) for Species s and Type i The Risk Group r, may be a combination of two risk groups.

Report the following information by Risk Group and Top Diameter Class for the Species and Type.

## 11.3.1. Base Lumber Recovery Factor

The base lumber recovery factor (LRF) for the Species and Top Diameter Class is in <u>Appendix 7</u> and is applied for all Risk Groups.

For interior appraisal cruises, Douglas Fir is broken down into wet or dry variants with separate LRFs (see <u>Section 12.4.4</u> for details). Optionally, ("Not for Appraisal Purposes"), Douglas Fir may be broken down into quality class 1 or quality class 2 with separate LRF's (see Section <u>12.4.4</u> for details).

## 11.3.2. Gross Merchantable Volume by Top Diameter Class

Gross volume per log is calculated as per Appendix 13.

Sum the gross volumes for logs in the same Species, Type, Risk Group and Top Diameter Class.

$$VGs,c,r,i = \frac{\sum_{p=1}^{m_i} VG_{p,s,c,r,i}}{m_i} * A_i$$

Report to the nearest whole number.

# 11.3.3. Percent Decay by Top Diameter Class

Determine decay percent for individual trees as described in <u>Section 3.2.1</u> Step 3. All logs in a tree will have the same decay percent applied to them. Multiply the decay percent by the gross volume of the log to get the decay volume of the log. Sum the decay volumes of all the logs in the same Species, Type, Risk Group and Top Diameter Class. Divide by the gross volume of all the logs in the same Species, Type, Risk Group and Top Diameter Class. Multiply by 100.

$$^{\text{\%Ds,c,r,i}} = \frac{D_{s,c,r,i}}{VG_{s,c,r,i}} * 100$$

Report to one decimal place.

#### Example 11.1

Log top diameter class: 10.0 - 14.9.

Log top Diameter	Log Gross Volume by Type	Tree Decay %	Log Decay Volume by Type
10.00	27.41	0.02	0.55
14.77	55.32	0.02	1.11
10.00	3.12	0.36	1.13

= 2.79 m<sup>3</sup>

VGs,c,r,i = 27.41 + 55.32 + 3.12

= 85.85 m<sup>3</sup>

$$\text{\%Ds,c,r,i} = \frac{2.79}{85.85} *100$$

= 3.2

#### 11.3.4. Net Merchantable volume by Top Diameter Class

The net merchantable volume is calculated the same way as the gross merchantable volume, only the loss factors (decay, waste and breakage) have been applied.

$$V_{s,c,r,i} = \frac{\sum_{p=1}^{m_i} V_{p,s,c,r,i}}{m_i} * A_i$$

Report to the nearest whole number.

#### 11.3.5. Foot Board Measure by Top Diameter Class

The calculation for Cedar is different than for other species.

Cedar -

$$FBM_{s,c,r,i} = V_{s,c,r,i} * [LRF_{s,c} - (34.256(0.147 - 0.00122 * DMP_c)*(\%D_{s,c,r,i}/2))]$$

All other Species -

$$FBM_{s,c,r,i} = V_{s,c,r,i} * [LRF_{s,c} * (1 - (\%D_{s,c,r,i} * 0.01 / 2))]$$

Example 11.2

There is a Cedar log in Risk Group 1 within the diameter class (40 - 44.9 cm) in Type 2. The log represents 63.07 m<sup>3</sup> of net merchantable volume in Type 2. The decay for the log is 17.3 percent.

FBM = 
$$63.07 * [LRF_{s,c} - (34.256(0.147 - 0.00122 * 42.5)*(17.3 / 2))]$$
  
=  $63.07 * [235 - (34.256(0.147 - 0.05185)*(8.65)]$   
=  $63.07 * [235 - 28.191]$   
=  $13.043$ 

#### Example 11.3

There is a Hemlock log in Risk Group1 within the diameter class (40 - 44.9 cm) in Type 1. The log represents 93.8 m<sup>3</sup> of net merchantable volume in Type 1. The decay for the log is 7.3 percent.

FBM = 
$$93.8 * [LRF_{s,c} * (1 - (7.3 * 0.01 / 2))]$$
  
=  $93.8 * [222 * (1 - 0.0365)]$   
=  $93.8 * [213.89256]$   
=  $20.064$ 

# 11.4. Totals and Averages

#### 11.4.1. Total Gross Merchantable Volume by Risk Group

For each Risk Group, sum the gross volumes of each Top Diameter Class. The 24 Top Diameter Classes are listed in <u>Appendix 7.</u>

$$VGT_{s,r,i} = \sum_{c=1}^{24} VG_{s,c,r,i}$$

Report to nearest whole number.

## 11.4.2. Percent Decay by Risk Group

Calculate individual top diameter class decay volumes by multiplying the decay percent by the class gross volume then sum individual parameters in the risk group. Divide by the gross volume for the risk group.

$${}^{\%}DT_{s,r,i} = \frac{\sum_{c=1}^{24} {}^{\%}D_{s,c,r,i} * VG_{s,c,r,i}}{VGT_{s,r,i}} * 100$$

Report to one decimal place.

## 11.4.3. Total net merchantable Volume by Risk Group

For each Risk Group, sum the net volumes of each Top Diameter Class.

$$VT_{s,r,i} = \sum_{c=1}^{24} V_{s,c,r,i}$$

Report to nearest whole number.

#### 11.4.4. Total Foot Board Measure by Risk Group

For each Risk Group, sum the foot board measure of each Top Diameter Class.

$$FBM_{s,r,i} = \sum_{c=1}^{24} FBM_{s,c,r,i}$$

Report to nearest whole number.

## 11.4.5. LRF by Risk Group

The average LRF for a risk group is determined by dividing the total foot board measure by the total net volume.

$$LRF_{s,r,i} = \frac{FBM_{s,r,i}}{VT_{s,r,i}}$$

Report to nearest whole number.

# 11.5. Risk Group Combinations

The Risk groups are combined in the following groups: (Group 1), (Group 1 and 2), and (Group 2 and 3). LRF is also reported in a (Group 1, 2 and 3) combination.

## 11.5.1. LRF by Risk Group Combination

Sum the net volume and foot board measure of the Risk Groups that are included. Divide the summed foot board measure by the summed net volume.

$$LRF_{s,r,i} = \frac{\sum_{r=1}^{3} FBM_{s,r,i}}{\sum_{r=1}^{3} VT_{s,r,i}}$$

Report to nearest whole number. Lodgepole Pine (Pl):

LRF Adjustment factors for Lodgepole Pine will be applied to the Group 1, 2 and 3 LRF by Risk Group Combination.

Pl is divided into several categories; green stems, green beetle attack, red beetle attack, grey beetle attack and dead potential stems.

Green stems are described as living stems with no Mountain Pine Beetle (MPB) damage codes associated with them. Green attack stems are those that are marked with insect code 1, red attack stems are those marked with insect code 2 and grey attack stems are those marked with insect code 3. Dead potential stems are dead potential trees with no MPB insect damage codes. Each category will be reported on a separate page.

Category	Tree Classes	Damage code	PI Adjustment Factor
Green	1, 2, 5, 8	No Mountain Pine beetle code	0
Green attack	1, 2, 5, 8	1	3
Red attack	1, 2, 5, 8	2	33
Grey Attack	3, 7, 9	3	83

Category	Tree Classes	Damage code	PI Adjustment Factor
Dead potential	3, 7, 9	No Mountain Pine beetle code	0

Cruise LRFs will be calculated separately for each category of Pl. Reduction factors will then be applied separately to the Cruise LRFs calculated for the green beetle attack, red beetle attack, grey beetle attack and dead potential categories.

Total Lodgepole Pine average LRF will be reported as the weighted average, by net volume, of these categories after the adjustments have been applied. See <u>Section 12.3.6</u>.

Calculate the LRF of a category:

$$LRF_{Pl,G,i} = \frac{FBM_{G,i}}{V_{G,i}}$$

#### Example 11.4

There are 3 categories of Pl in a CP: green, red attack and grey attack.

Category	Net Volume	Foot Board Measure	LRF	MPB Reduction	MPB LRF
Green	361	70469	195	0	195
Red Attack	377	71716	190	33	157
Grey Attack	362	70677	195	83	112

Weight the LRFs in each category by net volume to get Pl species LRF.

$$\overline{LRF_{Pl,i}} = \frac{361 \times 195 + 377 \times 157 + 362 \times 112}{361 + 377 + 362}$$

= 155

Report to nearest whole number.

# 11.5.2. PI Adjustment

On Lodgepole Pine summaries a field headed "Pl ADJUSTMENT" will contain the adjustment factor used for the specific category being reported.

The adjustment factors are:

Green	0
Green attack	3
Red attack	33
Grey attack	83
Dead Potential	0

# 11.5.3. Percent Decay by Risk Group Combination

Calculate the decay volume of individual risk groups by multiplying the percent decay of the risk group by the gross volume of the risk group as in 11.4.2. Sum the decay volumes of the risk groups in the combination as well as the gross volumes of the same risk groups. Divide the resulting decay volume by the resulting gross volume.

$$\%DT_{s,r,i} = \frac{\sum\limits_{r=1}^{2} \%D_{s,r,i}}{\sum\limits_{r=1}^{2} VGT_{s,r,i}}$$

Report to 1 decimal place.

# 11.5.4. Percent Stud Log by Risk Group Combination

A stud log has a top diameter less than 20 cm. The combinations of Risk Groups are (Risk Group 1), (Risk Group 1 and 2) and (Risk Group 2 and 3). Report the percent stud log for Fir, Balsam, Spruce, Lodgepole Pine, and Larch only.

Sum the stud log net volumes of the risk groups in the combination. Divide by the summed net volumes of the risk groups in the combination. Multiply by 100.

$$\%ST_{s,r,i} = \frac{VT_{s,r,st,i}}{VT_{s,r,i}} *100$$

Report to nearest whole number.

#### 11.5.5. Percent Small Log by Risk Group Combination

A small log has a top diameter less than 30 cm. The combinations of Risk Groups are (Risk Group 1), (Risk Group 1 and 2) and (Risk Group 2 and 3). Calculate in the same manner as the stud log percent but include all species.

$${}^{\text{\%}SM_{s,r,i}} = \frac{VT_{s,r,i,sm}}{VT_{s,r,i}} * 100$$

Report to nearest whole number.

## 11.5.6. Percent Large Log by Risk Group Combination

A large log has a top diameter 30 cm or greater. Therefore, percent small log and percent large log should sum to 100 percent. The combinations of Risk Groups are (Risk Group 1), (Risk Group 1 and 2) and (Risk Group 2 and 3). Calculate in the same manner as the stud log percent but include all species.

 ${}^{\%}LA_{s,r,i} = \frac{VT_{s,r,i,la}}{VT_{s,r,i}} * 100$ 

Report to nearest whole number.

# 11.6. Volume and Lumber Recovery report - Sample Listing

Report 008 - Required for Interior compilations.

F.B.M. USELESS VOLUMES EXCLUDED TOTAL MERCH AREA 12.5 HA (008) PAGE 1 COMPUTED 2001-03-19 17:42:56 EW/STINU EL. NET MERCH. RISK GROUP 30. 9. 37. 149. \$ DECAY + 0 0 0 0 GROUP 2 GROSS MERCH. GROUP GROUP GROUP CROUP GROUP F.B.M.\* 553. 1140. 3026. 5038. 16296. 25555. 4412. 33020. 149. COREST REVENUE BRANCH - 2001.0 VOLUME AND LUMBER RECOVERY FACTOR INFORMATION ACT FOR AFPRAISAL PURPOSES DUE TO NON-STANDARD UTILIZATION \*\*\*\* DOUBLE SAMPLING CRUISE \*\*\*\* NOTE - NET VOLUME (G-DWB) IN M3 IN 5. M LOGS 12.5 CM+ DEH LICENCE NUMBER CF7080 INTERIOR FIR - WET BELT UNITS/M3 222. 9. 12. 36. 15. 24. NBT MERCH. N 5 RISK GROUP 37. 37. 25. 156. 30.0 28.8 29.4 29.5 29.1 29.1 31.2 31.2 29.6 ¢ DECAY + + + CEDAR 17. 22. 49. 69. 31. 426. GROUP 1 GROSS MERCH. GROUP GROUP GROUP GROUP GROUP 20013. 31654. 41643. 15779. 5519. 7577. 13043. 135227. 158. F.B.M. EM/STINU 163. 214. 256. 92. 30. 38. 63. 857. NET MERCH. 13 RISK GROUP 1 156 9 85 \* DECAY 8.7 4.4 4.1 7.5 7.5 13.6 17.3 17.3 1021. 180. 236. 238. 121. 43. 89. 000 GROSS MERCH. GROUP GROUP NUMBER CF7080 PERMIT 000 GROUP LRF 239. OTAL FOR ALL LOGS ЙЕН Н 215 235 ų 3 8 97 227 NET AVERAGE L.R.F. AVERAGE L.R.F. CHIP RECOVERY & DECAY & STUD LOG NET & SMALL LOG NET NET LICENCE L.R.F. 54.9 Ĵ 39. 29 34 LOG TOP DIA 5 I I ı. 1.1 10.0 25.0 35.0 45.0 50.0 6.5 8.S

Figure 11-1 Volume and Lumber Recovery Report - Sample Listing (Partial)

# **12.** Volume Summaries

# 12.1. Volume Summary - Overview

The volume summary reports summarize volume, grade and statistical data at the Type, Cutting Permit, Treatment Unit within Block and Block levels.

CSV All Treatment Unit Summaries (Pre and post–harvest) – The Cutting Permit Summary and each Block Summary will be exported from the cruise compilation program in comma-separated value (CSV) formats. See the required format for the summaries and the file descriptions at the following web link:

https://www2.gov.bc.ca/gov/content/industry/forestry/competitive-forest-industry/timberpricing/timber-cruising

## 12.1.1. List of Reports

(009A)	-	Timber Type Summary
(009B)	-	Block Summary
(009C)	-	Cutting Permit Summary

(009D) - Treatment Unit within Block Summary

For the (009A), (009B), and (009C) reports there are three additional damage reports for the damage types Blowdown, Fire, and Insect. For the (009B) report, there is also an optional Root Rot damage summary based on the letters J, K, and L in column 60 of card type 2. If three species in a type have insect damage, then there would be three additional insect damage reports for that type. The damage reports are by damage type and species and are depicted in <u>Chapter 4</u>.

# **12.2. Header Information - All Reports**

Include the following header information on Type, Block, Cutting Permit and Treatment Unit reports, including the damage reports. For damage reports, add the species and damage type, as shown in <u>Chapter 4</u>.

- 1. Compilers name and version number.
- 2. Title.
- a. Timber Type Summary,
- b. Block Summary,
- c. Cutting Permit Summary,
- d. Treatment Unit Summary.
- 3. Table Number.
  - a. 009A,
  - b. 009B,
  - c. 009C,
  - d. 009D.
- 4. Page Number.
- 5. Message indicating if compilation is for appraisal purposes or not.
- 6. Message if:
  - a. Double sampling cruise,
  - b. The statement PERCENT REDUCTION APPLIED will be reported in upper case letters and double spaced at the top of all pages when applicable,
  - c. Stump cruise,
  - d. Useless Excluded or Useless Included,
  - e. Selective Cut Leave,
  - f. Selective Cut Cut,
  - g. Damage-Type of Damage.
- 7. Licence number.
- 8. Unit identity number.
- 9. Unit identity Block.
- 10. Cutting Permit number.
- 11. Forest Inventory Zone (F.I.Z).
- 12. Number of blocks.
- 13. Total merchantable Area of:

- a. Cutting Permit,
- b. Type,
- c. Block,
- d. Treatment Unit.
- 14. R/W Area removed under other licence:
  - a. Block.
- 15. Timber Type, Treatment Unit or Block Summaries:
  - a. Block or Type number,
  - b. Number of measure plots in Type or Block,
  - c. Number of count plots in Type or Block,
  - d. Treatment Unit name.
- 16. Type of calculation (Average Line),
- 17. Compiled date and time.
- 18. Compilation type used for the standards of the species.
- 19. Species letter codes.
- 20. Conifer.
- 21. Total.
- 22. DBH lower limit of the species.
- 23. Stump height of the species.
- 24. Minimum top diameter of the species.
- 25. Log length of the species.

# 12.3. Detail Information

All of the detail information is shown at the Timber Type, Block and Cutting Permit levels for the Gross Volume parameter only. For all other parameters only Timber Type calculations using the Average Line method will be shown. The methodology used in the Gross Volume section can be extrapolated for use in the remaining sections.

Lumber recovery and chip yield parameters are only reported for interior compilations.

Average slope, Minimum slope %, Maximum slope %, Coefficient of Variation, Standard Error of the Mean and the Sampling Error at the 95% level of probability slope calculations are required for coastal compilations in the Block summaries. Although not required at this time, slope calculations may also be provided for interior compilations.

Calculate each parameter for a particular species, s, and then calculate the parameter grouping all coniferous species and all species combined. For example, if there were five species in a compilation, then there would be seven calculations of each parameter at each of the four reporting levels. Cottonwood, Alder, Maple, Birch and Aspen are deciduous species and would not be included in the coniferous total.

## 12.3.1. Summary Report Variables

The variables used throughout the Chapter are defined below:

%Dı	=	Decay percent for log l
%DGi	=	Decay percent – gross in Type i
%G <sub>i,g</sub>	=	Percent of grade g for Type i
%IMj	=	Percent immature for Block j
<b>%IM</b> j,u	=	Percent immature for Treatment Unit u in Block j
%S <sub>s,i</sub>	=	Percent of total volume from Species s in Type i
%STi	=	Percent stud log for Type i
%TCi	=	Total cull percent – net for Type i
%Wi	=	Waste percent – net for Type i
%WGi	=	Waste percent – gross for Type i
339	=	Chip recovery constant for large logs
Acp	=	Area of Cutting Permit

Ai	=	Area of Type i
Ai,j	=	Area of Type i within Block j
Ai,j,u	=	Area of Treatment Unit u within Type i within Block j
A <sub>i,u</sub>	=	Area of Treatment Unit u within Type i
Aj	=	Area of Block j
BAFt	=	Basal area factor used to tally tree t (prism plots only)
BAi	=	Basal area per hectare in Type i
BAp	=	Basal area per hectare estimate for plot p
Bt	=	Biological volume for tree t (see Appendix 13)
BTi	=	Total breakage volume in Type i
$BV_{i}$	=	Biological volume in Type i
$BV_p$	=	Biological volume in Plot p
CVi	=	Coefficient of Variation for Type i (measured plots only)
CV <sub>i,j</sub>	=	Coefficient of Variation for Type i within Block j (measured plots only)
$CV_{j}$	=	Coefficient of Variation for Block j.
$CV_{i}$	=	Coefficient of Variation for Type i (measured plots only).
CYFs	=	Chip yield factor for species s
$CY_i$	=	Chip yield for Type i
CY <sub>s,i</sub>	=	Chip yield for Species s in Type i
DBHt	=	DBH from card type 2
DMPc	=	Midpoint of Top Diameter Class c
D <sub>p,i</sub>	=	Total decay volume in Type i from Plot p
$\overline{D}$ i	=	Average DBH of Type i

DSRt	=	Double sampling ratio applied to tree t (prism plots only)
DTi	=	Total decay volume in Type i
FBM <sub>G,i</sub>	=	Foot Board Measure of Lodgepole Pine in category G within Type i
FBMi	=	Foot Board Measure in Type i
FBM	=	Foot Board Measure for log l
HBVi	=	Biological volume times total height in Type i
$HBV_p$	=	Biological volume times total height in Plot p
Ht	=	Total height of tree t from card type 2
I	=	Number of Types in Cutting Permit
lj	=	Number of Types in Block j
LPTi	=	Number of logs per tree for Type i
LRFi	=	Lumber recovery factor for Type i
LRF pi,g,i	=	Lumber recovery factor for Lodgepole Pine in Category G within Type i
LRF <sub>s,c</sub>	=	Lumber recovery factor for Species s and Top Diameter Class c
$\overline{LRF}$ PI,i	=	Average LRF for Lodgepole Pine within Type i
mi	=	Number of measure plots in Type i
<b>m</b> i,j	=	Number of measure plots in Type i within Block j
<b>m</b> i,j,u	=	Number of measure plots in Treatment Unit u within Type i within Block j
NLi	=	Number of logs in Type i
NLp	=	Number of logs per hectare estimate from Plot p
NLt	=	Number of logs in tree t including short log if >= 2.5 m

NVLi	=	Net merchantable volume per log for type i
n <sub>p</sub>	=	Number of trees in Plot p
рі	=	≅ ( 3.14159265 )
<b>p</b> i,j	=	proportional volume of Type i within Block j.
plotsize	=	Area of fixed area plots in hectares, to the nearest hundredth
<b>r</b> i,j	=	Proportional area of Type i within Block j
Rt	=	Reduction for tree t
SEMi	=	Standard error of the mean for Type i
SEM <sub>i,j</sub>	=	Standard error of the mean for Type i within Block j
Si	=	Stems per hectare for Type i
Sp	=	The stems per hectare estimate for Plot p
spi	=	Number of Species in type i
St	=	The stems per hectare estimate for tree t
t-value	=	Average line – total number of measured plots in all of the types occurring in the block minus the number of types in the block.
Ui	=	Number of Treatment Units in Type i
Uj	=	Number of Treatment Units in Block j
VGi,j,u	=	Gross volume/ha of Treatment Unit u within Type i within Block j
$VG_{i,u}$	=	Gross volume per hectare for Treatment Unit u within Type i
VG <sub>p,i</sub>	=	Gross volume per hectare estimate for Type i from plot p
VG <sub>p,i,j</sub>	=	Gross volume/ha of Plot p within Type i within Block j
VG <sub>p,i,j,u</sub>	=	Gross volume/ha of Plot p within Treatment Unit u within Type i within Block j

VG <sub>t,i</sub>	=	Gross volume per tree in Type i
VGT <sub>cp</sub>	=	Total gross volume in Cutting Permit
VGTi	=	Total gross volume in Type i
VGT <sub>i,j</sub>	=	Total gross volume in Type i within Block j
VGTj	=	Total gross volume in Block j
VGT <sub>j,u</sub>	=	Total gross volume in Treatment Unit u within Block j
VGT <sub>G,i</sub>	=	Net merchantable volume of Lodgepole Pine in Category G within Type i
Vi	=	Net merchantable volume per hectare in Type i
Vj	=	Volume per hectare of Block j
VI	=	Net merchantable volume of log l
V <sub>m,i</sub>	=	Volume per hectare of Type i from measure plots only, not corrected for double sampling.
VSTi	=	Total stud log volume for Type i
$VT_{i}$	=	Total net merchantable volume of Type i
VT <sub>i,g</sub>	=	Total grade g volume for Type i
$VTI_{j}$	=	Total immature net volume for Block j
VTI <sub>j,u</sub>	=	Total immature net volume for Treatment Unit u in Block j
$VT_{j}$	=	Total net volume for Block j
$VT_{j,u}$	=	Total net volume for Treatment Unit u in Block j
$VT_{s,i}$	=	Total net volume for Species s in Type i
$VT_{s,la,i}$	=	Total net volume of large logs for Species s in Type i
VTs,sm,i	=	Total net volume of small logs for Species s in Type i
VT <sub>t,i</sub>	=	Net merchantable volume per tree in Type i
WHi	=	Average weighted total height for Type i

W<sub>p,i</sub> = Total waste volume in Type i from Plot p

WT<sub>i</sub> = Total waste volume in Type i

#### 12.3.2. Gross Merchantable Volume

The gross merchantable volume is obtained by multiplying the gross merchantable volume per hectare by the number of hectares in the report level. The gross merchantable volume per hectare is calculated as in <u>Section 3.4</u> with the double sampling ratio applied and using post-reduction volumes, if applicable. When compiling a reduction, pre and post reduction reports are required.

#### **Timber Type**

Multiply the average gross volume per hectare from the plots within the Type by the area of the Type. Type parameters are always calculated using the Average Line method.

$$VGT_{i,} = \frac{\sum_{p=1}^{m_1} VG_{p,i}}{m_i} * A_i$$

Report to nearest whole number.

Example 12.1

Type 1 is 5 Ha.

Type 2 is 7.5 Ha.

Block 1 is 5.0 Ha of Type 1.

Block 2 is 7.5 Ha of Type 2.

Treatment Unit 1 is 10 Ha, 5 Ha in Type 1 and 5 Ha in Type 2.

Treatment Unit 2 is 2.5 Ha in Type 2.

Plot	Туре	Block	Volume/ha estimate	Treatment Unit
1	1	1	148.12	1
2	1	1	131.83	1
3	2	2	122.17	2

Plot	Туре	Block	Volume/ha estimate	Treatment Unit
4	2	2	152.16	1

$$VGT_1 = \frac{148.12m3/ha + 131.83m3/ha}{2} * 5.0ha = 700 \text{ m}^3$$

$$VGT_2 = \frac{122.17m3/ha + 152.16m3/ha}{2} * 7.5ha = 1029 \text{ m}^3$$

#### **Treatment Unit within Type**

Treatment Unit within Type volumes are needed when performing reductions. See <u>Section 5.3.1</u> for examples. The Average Line method is used only. Multiply the Gross volume of the Type by the proportional area of the Treatment Unit within the Type.

#### Example 12.2

Treatment Unit 2 within Type 2

$$VGT_{i,u} = VGT_2 * (A_{i,u} / A_i) = 958 \ 1029 \ \text{m}^3 * (2.5ha / 7.5ha) = 343 \ \text{m}^3$$

Report to nearest whole number.

#### **Cutting Permit**

Sum the Type volumes within the Cutting Permit.

$$VGT_{cp} = \sum_{i=1}^{I} VGT_i$$

Report to nearest whole number.

#### Block

Average line method:

Sum the portion of the Type volumes from the Types within the Block.

$$\operatorname{VGT}_{j} = \sum_{i=1}^{I_{j}} \operatorname{VGT}_{i,j} * \left(A_{i,j} / A_{i}\right)$$

Report to nearest whole number.

Example 12.3

Block 1

 $VGT_i = 700 \text{ m}^3*(5.0 \text{ ha}/5.0 \text{ ha}) = 700 \text{ m}^3$ 

#### **Treatment Unit within Block**

Average line method:

Sum the Type gross volumes within the Block and multiply by the area of the Treatment Unit within the Types within the Block divided by the area of the Type within the Block.

$$VGT_{j,u} = \sum_{i=1}^{I_j} VGT_{i,j} * \left(\frac{A_{i,j,u}}{A_{i,j}}\right)$$

Example 12.5

Treatment Unit 1, Blocks 1 & 2

 $VGT_{j,u} = (700 \text{ m}^3 * (5.0 \text{ ha}/5.0 \text{ ha})) + (1029 \text{ m}^3 * (5.0 \text{ ha}/7.5 \text{ ha})) = 1386 \text{ m}^3$ 

## 12.3.3. Net Merchantable Volume

The total net merchantable volume is calculated the same way as the gross volume only the loss factors have been applied (see <u>Section 3.2.1</u> Step 4). Each tree volume is reduced by the applicable loss factors, which convert the gross volume per hectare estimates into net volume per hectare estimates. Report the net merchantable volume for all summary reports.

Report to nearest whole number.

# 12.3.4. Net Merchantable Volume per Hectare

Divide the total merchantable volume by the applicable area. Report the net merchantable volume per hectare for all reporting levels. Only the Type calculation is shown.

## Timber Type

Divide the total net merchantable volume in the Type by the area of the Type.

$$V_{I} = \frac{VT_{i}}{A_{i}}$$

Report to nearest whole number.

# 12.3.5. Percent Distribution per Hectare

The percent distribution is the percentage of the net volume that a Species contributes to the total net

volume.

## Timber Type

$$V_i = \frac{VT_i}{A_i}$$

Use the same method for all reporting levels.

Report to nearest whole number.

# 12.3.6. Percent Decay – Gross

Each tree is reduced by a decay percent as explained in <u>Section 3.2.1</u> Step #4. The decay volume would be the gross merchantable volume for the tree multiplied by the decay percent.

## Timber Type

$$\% DG_{I} = \frac{DT_{i}}{VGT_{i}} *100$$

The method for determining the total decay volume is the same as for total gross volume.

Report to nearest whole number.

# 12.3.7. Percent Waste - Gross

This report is obsolete.

# 12.3.8. Percent Waste (Billing) - Net

This report is obsolete.

# 12.3.9. Percent Total Cull - Gross

The percent total cull – gross is the total of the three loss factors (decay, waste, and breakage) divided by the total gross merchantable volume. Report the percent total cull – gross for all reporting levels. Only the Type calculation is shown.

# **Timber Type**

 $\% TC_i \ = \frac{DT_i + WT_i + BT_i}{VGT_i} * 100$ 

The method for determining the total breakage volume at all four reporting levels is the same as for total gross merchantable volume.

Report to nearest whole number.

#### 12.3.10. Stems per Hectare

The stems per hectare parameter uses tree classes 1, 2, 3, 5, 7, 8 and 9. Apply the double sampling ratio and reduction, if applicable. (Refer to <u>Section 3.5</u>).

## Timber Type

Each tree contributes:

$$S_t = \frac{BAF_t * 12732.39545}{DBH^2} * DSR_t * R_t$$

To the number of stems per hectare in each plot. Therefore:

$$\mathbf{S}_{\mathbf{p}} = \sum_{t=1}^{n_{\mathbf{p}}} \mathbf{S}_{t}$$

And

$$S_{I} = \frac{\sum\limits_{p=1}^{m_{i}} s_{p}}{m_{i}}$$

Report to 1 decimal place.

#### 12.3.11. Snags per Hectare

The snags per hectare estimate is based on tree classes 4 and 6. Calculate the snags per hectare using the same method as the stems per hectare.

Report to 1 decimal place.

## 12.3.12. Average DBH - Stems

Include tree classes 1, 2, 3, 5, 7, 8 and 9 for this calculation.

The average DBH is calculated using the average Basal Area per Hectare estimates from the plots. See <u>Section 3.4.1.2</u> for the method of calculating Basal Area per Hectare.

The calculated average DBH is expressed in meters. Report in centimeters by multiplying by 100.

## **Timber Type**

The Basal Area per Hectare is:

$$BA_p = \sum_{t=1}^{n_p} BAF_t * DSR_t * R_t$$

$$BA_i = \frac{\sum_{p=1}^{m_i} BA_p}{m_i}$$

The Average DBH for Type i is:

$$\overline{D}_{\rm I} = 100 * 2 * \sqrt{\frac{{\rm BA}_{\rm i}}{{\rm pi} * {\rm S}_{\rm i}}}$$

Example 12.7

Live hemlock trees in 3 walkthrough plots, 2 timber types and one block:

<u>Type 1 - 1.0 hectare</u>

Plot 1 – DBH (cm) of 5 live hemlock trees: 64.7, 126.0, 145.0, 145.0, 38.2.

<u>Plot 1 Avg.  $DBH_p = 68.0 \text{ cm}$ </u>. Formula = 100 \* 2 \* SQRT(BA / (Pi \* SPH)).

Plot 2 – DBH (cm) of 7 live hemlock trees: 141.0, 141.0, 94.4, 94.4, 83.6, 151.5, 25.3.

<u>Plot 2 Avg.  $DBH_p = 58.1 \text{ cm}$ </u>. Formula = 100 \* 2 \* SQRT(BA / (Pi \* SPH)).

<u>Type 1 Avg. DBH<sub>t</sub> = 61.7 cm</u>. Formula = 100 \* 2 \* SQRT(Avg BA / (Pi \* Avg SPH))

#### <u>Type 2 - 1.0 hectare</u>

Plot 3 – DBH (cm) of 5 live hemlock trees: 62.5, 120.6, 134.7, 126.0, 41.3.

Avg.  $DBH_p$  for Plot #3 = 69.7 cm. Formula = 100 \* 2 \* SQRT(BA / (Pi \* SPH)).

<u>Type 2 Avg. DBH<sub>t</sub> = 69.7 cm</u>. Formula = 100 \* 2 \* SQRT(Avg BA / (Pi \* Avg SPH))

Average DBH in Block

<u>Avg.  $DBH_b$ </u> = (Avg  $DBH_{t1} * Area_{t1}$ ) + (Avg  $DBH_{t2} * Area_{t2}$ ) / (Area\_{t1} + Area\_{t2})

<u>Avg. DBH<sub>b</sub></u> = (61.7 cm \* 1.0 ha) + (69.7 cm \* 1.0 ha) / (1.0 ha + 1.0 ha) = 65.7 cm

## 12.3.13. Average DBH – Snags

The average DBH – snags estimate is based on tree classes 4 and 6. Calculate the average DBH – snags using the same method as the average DBH – stems.

Report to 1 decimal place.

## 12.3.14. Merchantable Volume per Tree - Gross

The gross merchantable volume is the volume between the compiled stump height (30cm) and the

compiled minimum top diameter inside bark. Divide the total gross merchantable volume by the total number of stems.

#### **Timber Type**

$$VG_{t,i} = \frac{VGT_i}{S_i * A_i}$$

Report to 2 decimal places.

#### 12.3.15. Merchantable Volume per Tree - Net

Divide the total net merchantable volume by the total number of stems. Report the net merchantable volume per tree for all reporting levels.

#### **Timber Type**

$$VT_{t,i} = \frac{VT_i}{S_i * A_i}$$

Report to 2 decimal places.

## 12.3.16. Average Weighted Total Height

The total height from card type 2 is weighted by the biological volume. See <u>Appendix 13</u> for the calculation of biological volume.

Prism Plots:

$$\begin{split} HBV_{p} &= \sum_{t=1}^{n_{p}} \frac{BAF_{t}*12732.39545}{DBH_{t}^{2}} * H_{t}*B_{t}*DSR \\ BV_{p} &= \sum_{t=1}^{n_{p}} \frac{BAF_{t}*12732.39545}{DBH_{t}^{2}} * B_{t} \\ HBV_{i} &= \frac{\sum_{t=1}^{m_{i}} HBV_{p}}{m_{i}} \\ BV_{i} &= \frac{\sum_{p=1}^{m_{i}} BV_{p}}{m_{i}} \\ BV_{i} &= \frac{HBV_{i}}{BV_{i}} \end{split}$$

Report to 1 decimal place.

Fixed Area Plots:

$$HBV_{p} = \sum_{t=1}^{n_{p}} \frac{B_{t} * H_{t}}{plotsize}$$
$$BV_{p} = \sum_{t=1}^{n_{p}} \frac{B_{t}}{plotsize}$$
$$HBV_{i} = \frac{\sum_{t=1}^{m_{i}} HBV_{p}}{m_{i}}$$
$$BV_{i} = \frac{\sum_{p=1}^{m_{i}} BV_{p}}{m_{i}}$$
$$WH_{i} = \frac{HBV_{i}}{BV_{i}}$$

Report to 1 decimal place.

#### Example 12.8

Calculate the average weighted total height for Lodgepole Pine in Type 1. The Type is double sampled, with 3 measure plots.

 $DSR_t = 0.875$  for all Lodgepole Pine in Type 1.

 $BAF_t = 10.000$  for all trees in the Type 1 measure plots.

The Lodgepole Pine samples are as follows:

Plot	Plot Type	DBH	Biological Volume	Total Height
1	Border	45.5	2.481693	36.6
2	Full measure	41.0	1.802682	32.2
3	Full measure	38.8	1.326466	26.5

1. HBV<sub>1</sub> = 
$$\frac{2*10.0*12732.39545}{45.5^2}*36.6*2.481693*0.875$$
  
= 9775.8497  
HBV<sub>2</sub> = 3847.0289  
HBV<sub>3</sub> = 2601.3376  
HBV<sub>i</sub> = (9775.8497 + 3847.0289 + 2601.3376) = 16224.22

2. 
$$BV_1 = \frac{2*10.0*12732.39545}{45.5^2} * 2.481693*0.875$$
  
= 267.0997  
 $BV_2 = 119.4729$   
 $BV_3 = 98.1637$   
 $BV_i = (267.0097 + 119.4729 + 98.1637) = 484.65$ 

The average total weighted height for Type 1 is:

 $WH_1 = 16224.22 / 484.65 = 33.5 m$ 

## 12.3.17. Average Weighted Merchantable Height

The merchantable height and volume are from stump height to merchantable top diameter.

Use the same method as for the average weighted total height.

Report to 1 decimal place.

## 12.3.18. Net Merchantable Volume per Log

The net merchantable volume for this parameter is the gross merchantable volume less decay and waste. Do <u>not</u> subtract the breakage percent.

The number of merchantable logs in a tree includes the short log at the end, if it is 2.5 m or greater. If the last log is less than 2.5 m, then do <u>not</u> include it as an extra log. The short last log would then be included as part of the second last log.

Prism plots

$$NL_{p} = \sum_{t=1}^{n_{p}} \frac{BAF_{t} * 12732.39545}{DBH_{t}^{2}} * NL_{t}$$

Fixed area plots

$$NL_p = \sum_{t=1}^{n_p} \frac{NL_t}{plotsize}$$

#### **Timber Type**

The number of logs estimate for the Timber Type must be calculated.

$$\mathbf{NL}_{i,} = \frac{\sum\limits_{p=1}^{m_{i}} \mathbf{NL}_{p}}{m_{i}}$$

Net merchantable volume per log for the type is:

$$NVL_{i,} = \frac{VGT_i - WT_i - DT_i}{NL_i}$$

Report to 2 decimal places.

Example 12.8

Calculate the net merchantable volume per log for Lodgepole Pine in Type i. The Type is double sampled, with 3 measure plots. No reduction is applied.

The Type gross merchantable volume is 781 m<sup>3</sup>. The Type is 5.0 hectares in area.

 $DSR_t = 0.875$  for all Lodgepole Pine in Type 1

 $BAF_t = 10.000$  or all trees in the Type 1 measure plots The Lodgepole Pine samples are as follows:

Plot	Plot type	DBH	Gross merch.	Decay volume	Waste volume	No. of logs
1	В	45.5	2.408381	1.387227	0.341989	6
2	F	41.0	1.740533	0.231490	0.088767	6
3	F	38.8	1.269496	0.134566	0.001269	4

$$NL_{1} = \frac{2*10.0*12732.39545}{45.5^{2}}*6*0.875 = 645.768$$
$$NL_{2} = 397.651$$
$$NL_{3} = 296.016$$

The Timber Type per hectare number of logs is the average of the plots.

$$NL_{I} = (645.768 + 397.651 + 296.016) / 3 = 446.478$$
$$VGT_{1} = \frac{2*10.0*12732.39545}{45.5^{2}} * 2.408381*0.875 = 259.209$$
$$VGT_{2} = 115.354$$
$$VGT_{3} = 93.948$$

The Timber Type per hectare gross volume is:

VGT<sub>I</sub> = 
$$(259.209 + 115.354 + 93.948) / 3 = 156.17$$
  
DT<sub>1</sub> =  $\frac{2*10.0*12732.39545}{45.5^2} * 1.387227*0.875 = 149.305$   
DT<sub>2</sub> = 15.342

 $DT_3 = 9.958$ 

The Timber Type per hectare decay is:

 $DT_{I} = (149.305 + 15.342 + 9.958) / 3 = 58.202$  $WT_{1} = \frac{2*10.0*12732.39545}{45.5^{2}} * 0.341989 * 0.875 = 36.808$  $WT_{2} = 5.883$ 

 $WT_3 = 0.0939$ 

The Timber Type per hectare waste is:

 $WT_1 = (36.808 + 5.883 + 0.0939) \ / \ 3 = 14.26$ 

Net merchantable volume per log for the type is:

 $\frac{156.17-14.26-58.202}{446.478}=0.19$ 

#### 12.3.19. Average Number of Logs per Tree

Divide the number of logs by the number of trees. If position 15 of card type B is coded 1 then include snags. In this case reports will be marked "Not for appraisal purposes".

#### **Timber Type**

 $LPT_{I}=\ \frac{NL_{i}}{S_{i} \ ^{\ast}A_{i}}$ 

Report to 2 decimal places.

#### 12.3.20. Percent Immature - Coast Only

This parameter is reported for the Treatment Unit within Block and Block levels in the Coniferous and Total columns only.

Determine the maturity by the tree species, plot age in 10s, and tree class. Divide the immature net volume by the total net volume to give a percent immature. Calculate the immature net volume the same way the total volume is calculated using the following rules:

Coniferous species

Immature: Tree class 8 and 9 are always immature

Tree classes 1, 2 and 3 are immature if the plot age in 10s < 13

Deciduous	species
Deciduous	species

Immature: Tree class 8 and 9 are always immature

Tree classes 1, 2 and 3 are immature if the plot age in 10s < 5 except for Aspen and Cottonwood in FIZ K and L which are immature if the age in 10s < 9

Refer to the Tree Class Modification of Loss Factor Tables in Appendix 5 of the Cruising Manual.

Tree class 4 and 6 are only included if the tree class combination from card type B is 1. In this case, summaries are "Not For Appraisal Purposes ".

#### Example 12.9

The specified maturity level would be assigned in the following cases:

Species	Plot age in 10s	Tree class	Maturity
Fir	11	1	Immature
Cedar	13	8	Immature
Hemlock	13	1	Mature
Maple	11	9	Immature
Alder	11	2	Mature

#### Block

Average line method:

Begin by calculating the % immature for the Types within the Block by dividing the % immature merchantable net volume of the Type by the total net volume of the Type. Then multiply the net merchantable volume the Type adds to the Block (see Section 12.2.1) by the % immature of that Type. Next sum for all Types in the Block. Divide by the total net merchantable volume of the Block and multiply by 100.

$$\% IM_j = \frac{VTI_j}{VT_j} * 100$$

#### **Treatment Unit within Block**

Average line method:

Calculate the Type % immature as above. Then multiply the net merchantable volume the Treatment Unit within Type adds to the Block by the % immature of that Type. Multiply by the area of the Treatment Unit within the Type within the Block divided by the area of the Block. Sum for all Treatment units within Types within Blocks. Divide by the total net merchantable volume of the Treatment Unit within Block. Multiply by 100.

$$% IM_{j,u} = \frac{VTI_{j,u}}{VT_{j,u}} * 100$$

Report to nearest whole number.

Example 12.11

Type 1 (Block 1) net volume =  $423 \text{ m}^3$ 

Type 1 (Block 1) area = 5.0 ha
Type 2 (Block 2) net volume =  $909 \text{ m}^3$ 

Type 2 (Block 2) area = 7.5 ha

Type 1 & 2 net volume =  $1332 \text{ m}^3$ 

Type 1 & 2 area = 12.5 ha

Plot	Туре	Block	Vol / Ha	Treatment Unit	Maturity
1	1	1	49.13	1	М
2	1	1	120.23	1	I
3	2	2	110.57	2	I
4	2	2	131.92	1	I

#### Block % immature

Block 1 % immature = Type 1 % immature = 120.23 m<sup>3</sup>/ha / (49.13 m<sup>3</sup>/ha +120.23 m<sup>3</sup>/ha) = 0.71 \* 100 = 71%

Block 2 % immature = Type 2 % immature = (110.57 m<sup>3</sup>/ha +131.92 m<sup>3</sup>/ha) / (110.57 m<sup>3</sup>/ha +131.92 m<sup>3</sup>/ha) = 1.00 \* 100 = 100 %

Volume of immature in Type 1 in Block 1 = 423-m<sup>3</sup> \* 0.71 = 300 m<sup>3</sup>

Volume of immature in Type 2 in Block  $2 = 909 \text{ m}^3 * 1.00 = 909 \text{ m}^3$ 

#### Treatment Unit 1 within Block 2:

Volume of Treatment Unit 1 within Type 1 in Block  $1 = 423 \text{ m}^3 * (5.0 \text{ha}/5.0 \text{ ha}) = 423 \text{ m}^3$ 

Volume of Treatment Unit 1 within Type 2 in Block  $2 = 909 \text{ m}^3 * (2.5 \text{ ha}/7.5 \text{ ha}) = 227 \text{ m}^3$ 

Volume of immature in Treatment Unit 1 within Type 1 in Block  $1 = 300 \text{ m}^3$ 

Volume of immature in Treatment Unit 1 within Type 2 in Block  $2 = 227 \text{ m}^3$ 

% immature in Treatment Unit 1 within blocks 1&2 =  $(300 \text{ m}^3 + 227 \text{ m}^3)/(423 \text{ m}^3 + 227 \text{ m}^3) = 0.86 * 100 = 86\%$ 

#### 12.3.21. Grade Percent - Coast Only

Grade each log by using the coast log grade algorithms (see <u>Appendix 9</u>). Divide the total net

volume for each grade by the total net volume to give a percent for that grade.

If the sum of the reported grade percents is not exactly 100% (due to rounding), then add or subtract from the grade with the highest percent to make the total 100%. If there is a tie for the largest grade percent, then adjust the grade letter that is first alphabetically from B to Y.

### Timber Type

$$\%G_{i,g} = \frac{VT_{i,g}}{VT_i} * 100$$

Report to nearest whole number.

Example 12.12

If D=33%, E=33% and F=33% - Adjust grade D to 34%

## 12.3.22. Block Slope – Coast Only

Using the Block Method (as per <u>Section 13.2.17</u>) report the following statistics: Minimum slope %, Maximum slope %, Coefficient of Variation, Standard Error of the Mean and the Sampling Error at the 95% level of probability for coast compilations, by block, in the Block Summaries. Use both measure and count plot slopes in the calculations.

No slope statistics need to be generated for a block if there are less than 2 cruise plots in the block.

Minimum slope %, Maximum slope %:

Example 12.13

Block X has 4 plots. Slope%:

Plot 1 = 10%Plot 2 = 20%Plot 3 = 30%

Plot 4 = 40%

Minimum slope % = 10% Maximum slope % = 40%

Coefficient of Variation:

$$SD_{sp} = \sqrt{\frac{\sum_{p=1}^{m+c} SP_{p,j}^2 - \left(\sum_{p=1}^{m+c} SP_{p,j}\right)^2 / m+c}{m+c-1}}$$

$$CV_{sp} = \frac{SD_{SP}}{\overline{SP}} * 100\%$$

Where:

 $SD_{sp}$  = Standard Deviation for slope from measure and count plots.

 $CV_{sp}$  = Coefficient of Variation of slope for all plots.

Standard Error of the Mean for Slope:

$$SEM_{sp} = \frac{SD_{sp}}{\sqrt{n}}$$

Where:

$$SEM_{sp} = Standard Error of the Mean for Slope.$$

$$n = Number of plots sampled.$$

Sampling Error at the 95% level of probability for Slope:

95% 
$$CIsp = \overline{SP} \pm SEM_{sp}\% * t_{m+c-1}$$

Where:

$$SEM_{sp}\% = \frac{SEM_{sp}}{\overline{SP}} * 100$$

95% CIsp = Error at the 95% level of probability for Slope.

 $t_{m+c-1}$  = Value from <u>Appendix 11</u> with m + c - 1 degrees of freedom.

## 12.4. Lumber Information – Interior Only

The lumber information is also contained in <u>Chapter 11</u> – Volume and Lumber Recovery Reports.

#### 12.4.1. Percent Net Merch - Stud Logs

A <u>stud log</u> has a top diameter less than 20.0 cm. Calculate the total net merchantable stud log volume for the reporting levels the same way as for the total net merchantable volume. Divide the Stud log volume by the total net merchantable volume. Report the percent stud log for Fir, Balsam, Spruce, Lodgepole Pine and Larch only.

#### **Timber Type**

 $\% ST_{I} = \frac{VST_{i}}{VT_{i}} * 100$ 

Report to nearest whole number.

### 12.4.2. Percent Net Merch - Small Logs

A small log has a top diameter less than 30.0 cm. Calculate the percent net merchantable small logs using the same method as for the stud logs but include all species.

Report to nearest whole number.

### 12.4.3. Percent Net Merch - Large Logs

A large log has a top diameter greater than 29.9 cm. Calculate the percent net merchantable large logs using the same method as for the stud logs but include all species.

Report to nearest whole number.

### 12.4.4. Average LRF - All Logs (bd ft/m3)

See <u>Chapter 11</u> for more information on LRF and FBM.

 $\begin{array}{l} \textbf{Timber Type} \\ FBM_{I} = & \sum\limits_{l=1}^{NL_{i}} FBM_{1} \end{array}$ 

$$LRF_{I} = \frac{FBM_{i}}{VT_{i}}$$

Lodgepole Pine (Pl):

Pl is divided into several categories; green stems, green beetle attack, red beetle attack, grey beetle attack and dead potential stems. Green stems are described as living stems with no Mountain Pine Beetle (MPB) damage codes associated with them. Green attack stems are those that are marked with insect code 1, red attack stems are those marked with insect code 2 and grey attack stems are those marked with insect code 3. Dead potential stems are dead potential trees with no MPB insect damage codes.

Cruise LRFs will be calculated separately for each category. Pl reduction factors will be then applied to Cruise LRFs calculated for the green beetle attack, red beetle attack, grey beetle attack and dead potential categories. See <u>Section 11.5.1</u>.

Lodgepole Pine average LRF will be reported as the weighted average, by net volume, of these categories.

Calculate the average Lodgeploe Pine LRF by weighting the individual category LRFs by net volume.

$$\overline{LRF_{Pl,i}} = \sum_{G=1}^{G_{Pl,i}} \frac{LRF_{Pl,G,i} * V_{G,i}}{V_{G,i}}$$

Example 12.14

There are 3 categories of Pl in a CP: green, red attack and grey attack.

Category	Net Volume	Foot Board Measure	LRF	MPB Reduction	MPB LRF
Green	361	70469	195	0	195
Red Attack	377	71716	190	33	157
Grey Attack	362	70677	195	83	112

Weight the LRFs in each category by net volume to get Pl species LRF.

$$\overline{LRF_{Pl,i}} = \frac{361 \times 195 + 377 \times 157 + 362 \times 112}{361 + 377 + 362}$$

= 155

Report to nearest whole number.

# 12.5. Statistical Summary

The statistical summary is reported at the Type, Block and Cutting Permit levels.

For the Type and Block levels, only the all-Species statistics need to be reported. For the Cutting Permit summary, the individual Species as well as the all-Species statistics are reported.

The Type and Cutting Permit calculations are shown in <u>Section 8.4</u> except for the Cutting Permit number of plots per hectare (See 12.4.4) and Cutting Permit number of trees per plot (See 12.4.5). The rest of this section deals only with Block level reporting.

## 12.5.1. Number of Measured Plots Used

Average line method:

# measure plots =  $\sum\limits_{i=1}^{Ij} m_i$ 

## 12.5.2. Type of Plots

Report either 'Fixed' or 'Prism'. If both fixed area and prism plots are used in the Block, report 'Mixed'.

## 12.5.3. Number of Measured Potential Trees

A tree tallied in a border plot will count as two trees. Do not apply a reduction or a double sampling ratio.

Average Line Method:

Report the total number of potential trees (exclude tree class 4 and 6) tallied in the Types that occur in the Block.

Report to nearest whole number.

## 12.5.4. Number of Plots per Hectare - Cutting Permit Only

Divide the total number of plots, including count plots, by the area of the Cutting Permit.

Report to 1 decimal place.

## 12.5.5. Number of Trees per Plot - Cutting Permit and Timber Type Only

Divide the total number of trees tallied (all commercial Species combined), excluding tree class 4 and 6 by the number of plots in the Cutting Permit. Include count plots in the average.

When a cruised tree meets the minimum DBH utilization level but does not produce a 3 m log according to the taper equation then that tree will be used in the trees per plot equation. These trees will be converted to Tree Class 6 for other purposes.

Report to 1 decimal place.

#### *Example 12.15*

There were 84 trees tallied in 12 count and measure plots. One of the trees in a measure plot was a tree class 4. Six of the tallied trees were in a border plot. Six of the tallied trees were in a half plot. Therefore the number of trees per plot is:

(84 + (6 + 6) - 1) / 12 = 7.9

## 12.5.6. Confidence Interval for Volume

The Block 95 Percent Confidence interval expresses the Standard Error of the Mean (SEM) as a percentage of the volume per hectare. Calculate the Block SEM by weighting the Type SEMs based on the proportional area of the Type within the Block. Refer to <u>Section 8.4.2</u> for an explanation of the Type SEM.

$$r_{i,j} = \frac{A_i}{\sum\limits_{i=1}^{I_j} A_i}$$

Average Line method:

Weight the Type SEMs based on plots from the Type.

## 12.5.7. Degrees of Freedom for t-value:

The number of degrees of freedom associated with the t-value is calculated as: Average Line method:

Total number of measured plots in all of the types occurring in the block minus the number of types in the block.

# 12.6. Volume Summary - Sample Listings

Report 009A - Timber Type summary - required.

*** FOR APPRAISAL PURPON Average Line Method	. Sec	Grades: Commite	MOF Compu	terized	H	PIZ: PIZ: DSVII	A A Sheena	(Terrace)			04-Mar-2014 01:26:037M Filename: CoastMnDist_InteriorTest_Mar20 Compiled but 7FS
Licence Number: A88888 Project:	CP: 123	Compute	rized Wast	e kage		Regi	on: 8 - 5) rict: 09	ceena Coast M	ountain		Cruised by: DEF Version: 2013.02 IFS build 5858
Net Area: Type 1 (M):,	Plots in Type	1: 2, TUS:	[ A : 1.0	1							
	Total	Conifer	Decid	Da	υ	21	ជា	74	DO	PA	
Utilization Limits					-						
Stine Us (M)				1 1	A. 14	1 1 1	10	1.00		5.00	
TOP Dia CH (M)				10.01	10.01	10.01	0.01	10.01	10.0	10.01	
Log Len m				5.0	5.0	5.0	5.0	5.0	5.0	5.0	
Volume and Size Data											
Gross Merchantable	R3 874	821	54	168	188	243	75	69	5	22	
Net Merchantable	11 m	683	e i	154	611		63	61	e c	91	
Distriction Date III	1001	100	4	5 C C C	211	100	2		2 4	0	
Decav	10	0	THE ST	17	22	1	4	• •	15	4 00	
Waste		m	4	-	0	-		ſ	5	m	
Wante (billing)	4	e	12	T	12	64	1		12	4	
Breakage	8	IN	LA.	un	7	in	9	54	u	S	
Total Cull (DWB)	1 18	17	64	6	37	13	11	E	64	16	
Stems/Ha (Live & DP)	511.1	1'56%	16.0	119.9	82.9	84.5	47.7	62.4	76.0	37.7	
Avg DBH (Live & DP)	CIII 42.4	43.9	1.15	35.7	52.6	52.1	40.0	35.0	31.7	45.0	
Ave Share DRH	5										
Gross Merch Vol/Tree	17.1 5	1.89	0.70	1.40	2.27	2.88	1.57	01.1	0.70	2.05	
Net Merch Vol/Tree	m3 1.40	1.57	0.40	1.28	1.43	2.51	1.40	1.07	0.40	1.72	
Avg Weight Total Ht	m 34.6	35.2	14.15	44.4	32.9	35.9	20.9	27.5	25.5	31.1	
Avg Weight Merch Ht	E 29.4	29.9	18.9	36.9	28.1	30.5	20.2	23.0	10.1	26.9	
Avg 5.0 m Log Net	m3 0.21	0.29	0.11	0.19	0.28	0.47	0.30	0.22	0.11	0.36	
Avg 5.0 m Log Gross	EE 0.31	EE.0	0.18	0.20	0.40	15.0	15.0	0.17	0.18	14.0	
Net Immature	10'n 31	n.	00.4		P0.0	ca.o	0.00	00°C	0016	0.0	
LRP and Log Summary											
Net Merch - Stud	8.6	0		24.6			19.8	15.5			
Net Merch - Small Log	1 26.0	1.04	100.0	D. 001	54.1	0.04	1.05	0.001	100.0	1 0 0 0	
Avg LRF All bdft	/m3	4.00		198.1	172.8	207.9	209.6	204.4	167.1	209.6	
Statistical Summary											
Coeff. of Variation	15.3	22.3	141.4	141.4	80.3	56.0	141.4	141.4	141.4	141.4	
Two standard krior	1.121 B	200.6	1470.6	17.70.P	6.127	9-115	1270.6	1270.6	12/0.0	1270.6	
Number of Potential Tre	- us - 12	N.									
Plots/Ha	2.0										
Cruised Trees/Plot	6.0										
FLAGS: Pull Volumes, Not	mal Cruise, A	11 Trees C	ompiled, M	easure Plo	ots Only.	Damage,	, Wet Bel	It Fir			
CruiseCuep Copyright® 2996-2013	Industrial Porma	try service 1.	.P.								

Figure 12-1 Type Volume Summary - Sample Listing (Partial)

## Report 009B - Block summary - required.

Average Line Method			Grades:	MOF Compu	terized	81(	FIZ:	<u>ک</u>				04-Mar-2014 01:26:03PM Filename: CoastMtnDist	M InteriorTest_Mar2
Licence Number: A88888 Project:	CP: L	23	Computer	1zed Mast	te tkage		Regi	rict: 09	Keena Keena - Coast Mo	untain		Compilied by: 1F5 Cruised by: DEF Version: 2013.02 IF5	build 5858
Net Area: Block : (M)	- 703:,	Plots in	Block: 2,	TUS: [ ]	A : 1.0 ]								
		Total	Confer	Decid	D4	J	н	8	DL	50	PA		
Utilization Limits Min DBH cm (N) Stimp BF cm (N)					17.5	17.5	17.5	17.5	12.5	17.5	17.5		
Top Dia cm (M) Log Len m					10.0	10.0	10.0	10.0	10.0	10.0	10.0		
Volume and Size Data	5.4	074	100	22	160	1 00	676	75	50	E.A.	64		
Net Merchantable	17	E E	683	181	154	119	12	261	66	(8)	561		
Distribution	an/en	100	200	2.4	154	117	302	9	10	0.4	00		
Decay	49	10	6	31	m .	22	9	-47	e et	31	00		
Waste (billing)		n 42	יח רי	12		12	10			12	v) +4		
Breakage	-	ŝ	- 10	140	5	5	1.10	9	N	5	5		
Total Cull (DMB)	**	18	17	m 4	6.001	37 0	13	11	m e	43	16		
Avg DBH (Live & DP)	Đ	42.4	43.9	31.7	1.25	52.6	52.1	40.04	35.0	31.7	45.0		
Snags/Ha													
Avg Snag DBH	6												
Gross Merch Vol/Tree	5 E E	1.11	1.04	0.40	1 280	12.2	2.88	1 40	1.07	0.40	20.7		
Avg Weight Total Ht	1 6	34.6	35.2	25.5	44.4	32.9	35.9	29.9	27.5	25.5	31.1		
Avg Weight Merch Ht	E	29.4	29.9	18.3	36.9	28.1	30.5	25.5	23.0	18.3	26.9		
Avg 5.0 m Log Net	멑	0.27	0.29	0.11	0.19	0.28	0.47	0.30	0.22	0.11	0.36		
AVG 5.0 m LOG GIOSS	FIL COL	15.0	0.44	RT-0	0.20	0.40	10.0	0.31	0.42	81.0	14.0		
Net Immature	*		00.0	00.1		50.0	0.0	20.0	00.0	00.1			
Average Slope	**												
Nat March - Stud		u u	0 0		24 G			19.8	15.5				
Net Merch - Small Log	-	54.0	51.9	100.0	100.0	32.3	19.5	40.7	100.0	100.0	41.9		
Net Merch - Large Log	C-1/ +1	46.0	48.1		1 00 1	1.13	2.08	2.92	A AOC	1 1 2	1.85		
Statistical Summarv	CIE/O T				T-02T	0.974	6.104	0.204	P. P. 14	1-101	0-20%		
Coeff. of Variation		15.3	22.3	141.4	141.4	80.3	56.9	141.4	141.4	141.4	141.4		
Two Standard Error	4	137.8	200.6	1270.6	1270.6	721.4	511.6	1270.6	1270.6	1270.6	1270.6		
Number and Type of Pl Number of Potential T	ots rees	MP = 12	2										
Plots/Ha		2.0											
Cruised Trees/Plot		6.0											

Figure 12-2 Block Volume Summary - Sample Listing (Partial)

Monop (int) (Mono)         Contant, Mono (Mono)         Contant, Mo	Average Line Method Licence Number: A88888 CD: 12												
Control Marter:         Control Marter:         Description Marter:         Descripion Marter:         Description Marter:         <	Licence Number: A88888 CD: 12		Grades:	MOP Compu	terized		FIZI	A	1 and a second second			Filename: CoastMtnDist_I	nteriorTest_Mar
New Market [ Arti_0 ]       Total Control       Decide       P       C       H       B       BL       F       DM         Total Control       Total Control       Decide       P       C       H       B       BL       F       DM         Total Control       Total Control       Decide       P       C       H       B       BL       F       DM         Total Control       Total Control       Decide       P       C       H       B       BL       F       DM         Total Control       Docutor	Project:	m.	Computer Computer	ized Wast	e cage		Regio	n: 8 - Sk 1ct: 09 -	terrace) teena Coast Mo	ountain		Compilied by: 155 Cruised by: DEF Version: 2013.02 IFS by	u11d 5858
Handling Harting Hartin	Net Area: [ A : 1.0 ] Gross Area: [ Grand Total : 1.	0 1											
Min Distriction Multiate       Min Distriction Multiate       17.5		Total	Conifer	Decid	Di.	0	H	612	Td	E4	PA		
Type List of Mit         Type List of Mit <thtype list="" mit<="" of="" th=""> <thtype list="" mit<="" of="" t<="" td=""><td>Utilization Limits Min DBH cm (M)</td><td></td><td></td><td></td><td>17.5</td><td>17.5</td><td>17.5</td><td>17.5</td><td>12.5</td><td>17.5</td><td>17.5</td><td></td><td></td></thtype></thtype>	Utilization Limits Min DBH cm (M)				17.5	17.5	17.5	17.5	12.5	17.5	17.5		
Low Land         Table Lan	Stump Bt cm (M)				30.0	30.0	0.05	30.0	30.0	30.0	30.0		
Come Moreners is a construction         Come Moreners is a construction         Come Moreners is a construction         Construction <td>Log Len n Volume and Sire Data</td> <td></td> <td></td> <td></td> <td>2.0</td> <td>5.0</td> <td>2.0</td> <td>2.0</td> <td>0.2</td> <td>2.0</td> <td>2.0</td> <td></td> <td></td>	Log Len n Volume and Sire Data				2.0	5.0	2.0	2.0	0.2	2.0	2.0		
Note Matchenation         13         133         134         119         212         67         67         30         65           Destriction         #         10         96         4         22         17         30         65           Destriction         #         10         96         4         22         17         30         65           Destriction         #         10         96         4         22         17         30         65           Destriction         #         13         1         1         2         2         2         2         4         1         <	Gross Merchantable m3	874	821	54	168	188	243	75	63	54	LL		
Distribution         1         10         9         3         2         2         1         3         4         3         3         3         3         3         3         3         3         3         3         <	Net Merchantable m3 Net Werch - 211 m3/hs	714	683	30	154	119	212	67	63	0.0	65		
Decy Marker (Name (	Distribution **	1001	96	2 17	32	17	00	0	6	4	3.01		
Marten         Marten<	Decay &	10	01.1	31	m	22	6	-7	н	31	00		
Bereardant         *	Waste	m •	(m. (		rt r	œ ç	-1 0	-1 -			(*) *		
Trockai Ocil (1000)         i         17         45         37         15	Benakada b	r u	n u	4.4	- 4	15		- 4	c	44	• 14		
Storm       May Bill (Livo & DP)       S11.1       435.1       76.0       13.7       55.0       31.7       45.0         Avg Shag JBH       Construction       42.4       43.9       0.70       13.7       55.0       31.7       45.0         Singry JBH       Construction       41.4       43.9       0.70       1.40       1.72       31.7       45.0       31.7       45.0         Singry JBH       Construction       May Differentian       1.40       1.72       1.40       1.72       2.19       1.70       0.70       2.05         Not Weight Total       May Differentian       34.6       55.2       25.9       25.1       1.40       1.72       1.73       2.05       1.17       2.05       1.17       2.05       1.17       2.05       1.17       2.05       2.11       45.0       2.05       1.17       2.05       1.17       2.05       2.11       4.0       2.05       2.11       4.0       2.05       2.11       4.0       2.05       2.11       4.0       2.05       2.05       2.11       4.0       2.05       2.05       2.01       2.05       2.01       2.05       2.01       2.05       2.01       2.05       2.01       2.05       2.00<	Total Cull (DMB) 1	18	17	1 00	n 01	37	13	1	• m	19.0	16		
Avg         Bill (Live & DP)         Con         42.4         41.9         31.7         35.7         55.6         52.1         40.0         35.0         31.7         45.0           Avg         Bill (Live & DP)         Con         42.4         4.1.9         31.7         35.7         52.1         40.0         35.0         31.7         45.0           Avg         Bill (D)/Tree         min         1.40         1.57         0.40         1.28         2.27         2.88         1.40         1.79         2.05           Avg         Stant         Morth NL         min         24.6         3.2.3         2.81.3         3.4.6         3.2.9         2.8.7         2.9.8         2.9.5         2.9.3         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.9.5         2.0.5         2.0.6         2.0.6         2.0.5         2.0.6         2.0.5         2.0.6         2.0.6         2.0.5         2.0.5         2.0.5         2.0.5         2.0.5         2.0.5         2.0.5         2.0.5         2.0.5         2.0.5         2.0.6         2.0.5 <t< td=""><td>Stems/Ha (Live &amp; DP)</td><td>511.1</td><td>435.1</td><td>76.0</td><td>119.9</td><td>82.9</td><td>84.5</td><td>47.7</td><td>62.4</td><td>76.0</td><td>37.7</td><td></td><td></td></t<>	Stems/Ha (Live & DP)	511.1	435.1	76.0	119.9	82.9	84.5	47.7	62.4	76.0	37.7		
Nor Stand DIR Aver Stand DIR Screen Mach Vol/Tree mi Aver Schol Mach Vol/Tree mi Screen Mach Vol/Tree mi Aver Schol Mach Vol/Tree mi Aver Schol Mach Vol/Tree mi Aver Schol Mach Vol/Tree mi Aver Schol Mach Vol/Tree Aver Scho	AVG DEH (LIVG & DP) CT	42.4	5.24	31.7	35.7	52.6	52.1	40.0	35.0	31.7	45.0		
Grown March Wol/Tree         mj         1.71         1.89         0.70         1.205         1.70         1.70         1.70         2.05         2.05         1.70         2.05 </td <td>Avg Snag DBH cm</td> <td></td>	Avg Snag DBH cm												
Way waysh: Totalist         Tail         Tail <thtail< th="">         Tail         <thtail< th="">         Tail         Tail<td>Gross Merch Vol/Tree m3</td><td>11.11</td><td>1.89</td><td>0.70</td><td>1.40</td><td>2.27</td><td>2.88</td><td>1.57</td><td>1.10</td><td>0.70</td><td>2.05</td><td></td><td></td></thtail<></thtail<>	Gross Merch Vol/Tree m3	11.11	1.89	0.70	1.40	2.27	2.88	1.57	1.10	0.70	2.05		
NUM         Number Name         Numbe         Numbe         Number Nam <td>Ave Weight Total Ht m</td> <td>24.40</td> <td>25.25</td> <td>25.50</td> <td>44.40</td> <td>0.00</td> <td>10.11</td> <td>0.00</td> <td>27.5</td> <td>24.50</td> <td>21.12</td> <td></td> <td></td>	Ave Weight Total Ht m	24.40	25.25	25.50	44.40	0.00	10.11	0.00	27.5	24.50	21.12		
Noig         5.0 m log Net         m1         0.27         0.29         0.11         0.12         0.12         0.11         0.12         0.11         0.12         0.11         0.12         0.11         0.12         0.11         0.12         0.12         0.11         0.12         0.11         0.12         0.11         0.12         0.11         0.12         0.11         0.12         0.11         0.12         0.11         0.12         0.11	Avg Weight Merch Ht m	29.4	29.92	100	36.9	1.02	30.5	25.5	23.0	101	26.9		
Avg         5 0 m log Groue         m3         0.31         0.33         0.18         0.20         0.510         5.01         6.41           Not         Tened         5.53         5.80         4.00         7.00         5.64         5.65         5.00         5.00         5.00         5.00           Not         Teneduce         5.53         5.80         4.00         7.00         5.64         5.65         5.00         5.00         5.00           Average slope         t         t         24.6         7.00         5.64         5.65         5.00         5.00         5.00           Average slope         t         t         51.7         80.5         5.00         5.00         5.00         5.00           Average slope         t         t         24.6         7.00         5.64         5.65         5.00         5.00         5.00           Net Match - Studit         t         t         57.7         80.5         59.3         100.0         41.9           Net Match - Studit         t         172.8         207.9         209.6         204.4         14.1           Nor Ligt Mill         t         t         137.6         1270.6         1270.6	Avg 5.0 m Log Net m3	0.27	0.29	11.0	0.19	0.28	0.47	0.30	0.22	11.0	0.36		
Nor Immetries         5.53         5.80         4.00         7.00         5.65         5.00	Avg 5.0 m Log Gross m3	15.0	0.33	0.18	0.20	0.40	0.51	0.31	0.22	0.18	0.41		
Average Stope         *           Average Stope         * <td>Avg # of 5.0 m Logs/Tree Not Immature</td> <td>2.53</td> <td>5.80</td> <td>4.00</td> <td>7.00</td> <td>5.64</td> <td>59.65</td> <td>5,00</td> <td>5.00</td> <td>4,00</td> <td>5,00</td> <td></td> <td></td>	Avg # of 5.0 m Logs/Tree Not Immature	2.53	5.80	4.00	7.00	5.64	59.65	5,00	5.00	4,00	5,00		
Aff And Log Numery         B:6         9.0         24.6         32.3         19.8         15.5         100.0         41.9           Net Warch - Studi         Studi         K 54.0         51.9         100.0         100.0         24.6         32.3         19.8         15.5         40.7         100.0         41.9           Net Warch - Studi         Log         k 54.0         51.9         100.0         100.0         57.7         80.5         59.3         100.0         41.9           Net Warch - Iarge Log         k 45.1         198.1         172.6         80.5         59.3         100.0         41.9           Avg LRF All         Datt/All         Datt/All         198.1         172.6         207.9         209.6         204.4         167.1         209.6           Coeff of Nariation         k         15.3         22.3         141.4         80.3         56.9         141.4         441.4           Two Standard Error         k         1570.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6         1270.6	Average Slope *												
Net March - Small Log t 54.0 51.9 100.0 100.0 32.3 19.5 40.7 100.0 100.0 41.9 Nor March - Large Log t 46.0 48.1 197.7 80.5 59.3 50.4 167.1 209.6 Avg LRF All Ammary 51.1 172.8 207.9 209.6 204.4 167.1 209.6 Statistical Narmary 51.3 22.3 141.4 141.4 80.3 56.9 141.4 141.4 141.4 141.4 Two Standard Error t 137.8 200.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 Number and Treas 11 Treas 12 Christed Treas/Plot 2.0	LRF and Log Summary Net Merch - Stud	8.6	9.0		24.6			19.8	15.5				
Net March - Large log         4 6.0         48.1         67.7         80.5         59.3         58.1           Avg LRF All         bdft/m3         198.1         172.8         207.9         509.6         58.1           Avg LRF All         bdft/m3         198.1         172.8         207.9         209.6         58.1           Avg LRF All         bumbyr         bdft/m3         198.1         172.8         207.9         209.6         167.1         209.6           Avg LRF All         bumbyr         15.3         22.3         141.4         141.4         80.3         56.9         141.4         1	Net March - Small Log 1	54.0	51.9	100.0	100.0	32.3	19.5	40.7	100.0	100.0	41.9		
AND MALF AND MALF DATC/MA AND MALF AND MALF DATC/MALF Conff. of Warlation % 15.3 22.3 141.4 141.4 80.3 56.9 141.4 141.4 141.4 141.4 Two Standard Error % 137.8 200.6 1270.6 1270.6 721.4 511.6 1270.6 1270.6 1270.6 1270.6 Number of Potential Trees 12 Number of Potential Trees 12 Chrised Trees/Plot 6 2.0 Chrised Trees/Plot 6 2.0	Net Merch - Large Log 1	46.0	48.1			1.12	80.5	59.3			58.1		
Coeff. of Variation \$ 15.3 22.3 141.4 141.4 80.3 56.9 141.4 141.4 141.4 141.4 Two Standard Error \$ 137.8 200.6 1270.6 1270.6 721.4 511.6 1270.6 1270.6 1270.6 1270.6 Number of Potential Traes M = 2 Number of Potential Traes M = 2 Diversitian Traes/Plot 5.0 Cruised Traes/Plot 5.0	Statistical Summary				TIRAT	114.8	6-107	4.60%	404.4	1.101	503.6		
Two Standard Error & 137.8 200.6 1270.6 1270.6 721.4 511.6 1270.6 1270.6 1270.6 1270.6 270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 1270.6 12.0 Number of Potential Trees No. 2.0 Children & 2.0 Children	Coeff. of Variation *	15.3	22.3	141.4	141.4	80.3	56.9	141.4	141.4	141.4	141.4		
Number and Type of Plots MP = 2 Number of Potential Trees 12 Plote Haa 2.0 Chrised Trees/Plot 6.0	Two Standard Error 1	137.8	200.6	1270.6	1270.6	721.4	511.6	1270.6	1270.6	1270.6	1270.6		
Plots/Ba 2.0 Cruised Trees/Plot 6.0	Number and Type of Plots Number of Potential Trees	MD =	~										
Cruised Trees/Plot 6.0	Plots/Ha	2.0											
	Cruised Trees/Plot	6.0											

FLNRORD—Cruise Compilation Manual

Figure 12-3 Cutting Permit Volume Summary - Sample Listing (Partial).

# **13.** Harvesting Method Summary - Overview

The Harvest Method summary reports summarize volume and grade data at the Harvest Method and All Method levels.

Approved Harvest Methods:

CC	- Cable Clear Cut	
CS	- Cable Selective Cut	
HC	- Helicopter Clear Cut	
HS	- Helicopter Selective Cut	(Interior)
HL	- Helicopter Land Drop	(Clear Cut)
SL	- Helicopter Selection Land Drop	(Does not include Single Standing Stem Selection)
FL	- Helicopter Single Standing Stem Selection Land Drop	
HW	- Helicopter Water Drop	(Clear Cut)
SW	- Helicopter Selection Water Drop	(Does not include Single Standing Stem Selection)
FW	- Helicopter Single Standing Stem Selection Water Drop	
LC	- Skyline Clear Cut	
LS	- Skyline Selective Cut	
НО	- Horse	
SC	- Ground System Clear Cut	
SS	- Ground System Selective Cut	
SP	- Specified Operation	

The All Method Summary always uses the Average Line method of calculation similar to the Cutting Permit.

The parameters are reported by species, coniferous and all species total, except LRF values which need to be reported at the species level only. Cottonwood, Alder, Maple, Birch and Aspen are

deciduous species and would not be included in the coniferous total.

There are no additional damage reports for the Harvest Method Summaries. Instead there are specific damage parameters included in the reports. Trees with multiple damage codes contribute to the net volume percent for all applicable damage parameters. See <u>Sections 13.2.12</u> through <u>13.2.15</u>. Net volume deducted from a tree because of damage, to be used in calculating species net volume, will be calculated using the most severe damage type, as outlined in <u>Section 4.2</u>.

CSV *All Treatment Unit Summaries* (Pre and post–harvest) – Each *Harvesting Method Summary* will be exported from the cruise compilation program in comma-separated value (CSV) formats. See the required format for the summaries and the file descriptions at the following web link:

#### https://www2.gov.bc.ca/gov/content/industry/forestry/competitive-forest-industry/timberpricing/timber-cruising

#### **List of Reports**

(015A) - Harvesting Method and All Method

## **13.1. Header Information**

Include the following header information on Harvesting Method reports.

- 1. License from card type A.
- 2. Cutting Permit from card type A.
- 3. Number of Harvesting Methods.
- 4. Harvesting Method name, for the Harvesting Method reports only.
- 5. Cruiser name or agency from card type A.
- 6. Forest Inventory Zone from card type A.
- 7. Unit number and block from card type A.
- 8. Total merchantable area from card type A.
- 9. Number of count and measure plots.
- 10. Message indicating whether compilation is for appraisals or not.
- 11. Method of calculation (Average Line or Block).
- 12. Merchantability requirements from card type B for each species on the report.
- 13. Special compilation messages for:
  - a. Reduction compilation.
  - b. Stump cruise compilation.
  - c. Tree class combination useless volumes are included or excluded, from column 15 of card type B (0 or blank snags excluded, 1 snags included).
  - d. Selective cut indicator which trees to compile depends on column 12 of card type B (blank include all trees, 'C' include cut-indicated and non-indicated trees, 'L' include leave-indicated trees).
  - e. Double sampling, if count plots are used.
- 14. Compiler program name and version.
- 15. Compile date and time.
- 16. Page number.

## **13.2. Detail Information Variable Definitions**

The variables used throughout the Chapter are defined below.

%B <sub>am</sub>	=	Percent Blowdown damage for Cutting Permit
%B <sub>h</sub>	=	Percent Blowdown damage for Harvest Method h
%DGh	=	Decay percent – gross for Harvest Method h
%Dı	=	Decay percent for log l
%F <sub>h</sub>	=	Percent Fire damage for Harvest Method h
$\% FH_h$	=	Percent Heavy Fire damage for Harvest Method h
%G <sub>am,g</sub>	=	Percent of grade g for Cutting Permit
%G <sub>h,g</sub>	=	Percent of grade g for Harvest Method h
%SG <sub>am</sub>	=	Percent second growth for the Cutting Permit
%SL <sub>am</sub>	=	Slope percent in Cutting Permit
%SLh	=	Slope percent in Harvest method h
%SLi	=	Slope percent in Type i
%SL <sub>i,h</sub>	=	Slope percent in Type i within Harvest Method h
%SL <sub>p,i</sub>	=	Slope percent in Plot p within Type i
%ST <sub>am</sub>	=	Percent stud log – net for Cutting Permit
%ST <sub>h</sub>	=	Percent stud log – net for Harvest Method h
%TC <sub>h</sub>	=	Total cull percent – gross in Harvest Method h
%Uh	=	Percent useless trees in Harvest Method h
%Wh	=	Waste percent – net for Harvest Method h
$A_{am}$	=	Area of Cutting Permit
Ah	=	Area of Harvesting Method h

Ai	=	Area of Type i
Ai,h	=	Area of Harvest Method h within Type i
Bh	=	Total net volume of blowdown damage in Harvest Method h
Bi		Total net volume of blowdown damage in Timber Type i
BAFt	=	Basal area factor for tree t (prism plots only)
$BT_{h}$	=	Total breakage volume for Harvest Method h
DBHt	=	Diameter 1.3 m above ground for tree t
DMPc	=	Midpoint of Top Diameter Class c
$DT_h$	=	Total decay volume in Harvest Method h
$FBM_{am}$	=	Lumber recovery in Cutting Permit
FBM	=	Lumber recovery for log I, in Foot Board measures
$FBM_{s,h}$	=	Total lumber recovery for small logs in Harvest Method h
Fh	=	Total Fire net volume for Harvest Method h
• 11		
FHh	=	Total Heavy Fire net volume for Harvest Method h
FH <sub>h</sub>	=	Total Heavy Fire net volume for Harvest Method h Number of Types in Cutting Permit
FH <sub>h</sub> I I <sub>h</sub>	= =	Total Heavy Fire net volume for Harvest Method h Number of Types in Cutting Permit Number of Types in Harvesting Method h
FH <sub>h</sub> I I <sub>h</sub> LRF <sub>am</sub>	= = =	Total Heavy Fire net volume for Harvest Method h Number of Types in Cutting Permit Number of Types in Harvesting Method h Lumber recovery factor for Cutting Permit
FHh I Ih LRFam LRFsp,c	= = =	Total Heavy Fire net volume for Harvest Method h Number of Types in Cutting Permit Number of Types in Harvesting Method h Lumber recovery factor for Cutting Permit Lumber recover factor for Species s and Top Diameter Class c
FHh I Ih LRFam LRFsp,c LRFs,h	= = = =	Total Heavy Fire net volume for Harvest Method h Number of Types in Cutting Permit Number of Types in Harvesting Method h Lumber recovery factor for Cutting Permit Lumber recover factor for Species s and Top Diameter Class c Lumber recovery factor for small logs in Harvest Method h
FHh I Ih LRFam LRFsp,c LRFs,h mCi	= = = =	Total Heavy Fire net volume for Harvest Method h Number of Types in Cutting Permit Number of Types in Harvesting Method h Lumber recovery factor for Cutting Permit Lumber recover factor for Species s and Top Diameter Class c Lumber recovery factor for small logs in Harvest Method h
FHh I Ih LRFam LRFsp,c LRFs,h mCi mi		Total Heavy Fire net volume for Harvest Method h Number of Types in Cutting Permit Number of Types in Harvesting Method h Lumber recovery factor for Cutting Permit Lumber recover factor for Species s and Top Diameter Class c Lumber recovery factor for small logs in Harvest Method h Number of measure and count plots in Type i
FHh I Ih LRFam LRFsp,c LRFs,h MCi Mi Mi,h		Total Heavy Fire net volume for Harvest Method h Number of Types in Cutting Permit Number of Types in Harvesting Method h Lumber recovery factor for Cutting Permit Lumber recover factor for Species s and Top Diameter Class c Lumber recovery factor for small logs in Harvest Method h Number of measure and count plots in Type i Number of measure plots in Type i within Harvest Method h
FHh I Ih LRFam LRFsp,c LRFs,h MCi Mi Mi,h		<ul> <li>Total Heavy Fire net volume for Harvest Method h</li> <li>Number of Types in Cutting Permit</li> <li>Number of Types in Harvesting Method h</li> <li>Lumber recovery factor for Cutting Permit</li> <li>Lumber recover factor for Species s and Top Diameter Class c</li> <li>Lumber recovery factor for small logs in Harvest Method h</li> <li>Number of measure and count plots in Type i</li> <li>Number of measure plots in Type i within Harvest Method h</li> <li>Number of logs in Cutting Permit</li> </ul>

NL <sub>i,h</sub>	=	Number of logs in Harvest Method h within Type i
NLp	=	Number of logs per hectare for Plot p
$NL_{s,h}$	=	Number of small logs in Harvest Method h
NLt	=	Number of logs in tree t including small log if greater than 2.5 m
n <sub>p</sub>	=	Number of trees in plot p
NVLam	=	Net merchantable volume per log for the Cutting Permit
NVLi		Net merchantable volume per log for Timber Type i
$NVL_{h}$	=	Net merchantable volume per log for Harvest Method h
plotsize	=	Area of a fixed area plot in hectares, to the nearest hundredth
$SG_{am}$	=	Total second growth net volume for the Cutting Permit
$S_h$	=	Stems per hectare for Harvest Method h
$SN_{h}$	=	Number of snags in Harvest Method h
VB <sub>p,i,h</sub>	=	Net merch Blowdown volume per hectare from Plot p within Type i within Harvest Method h
VB <sub>p,i</sub>	=	Net merch Blowdown volume per hectare from Plot p within Type i
VG <sub>p,i</sub>	=	Gross volume per hectare estimate for Plot p in Type i
V <b>G</b> p,i,h	=	Gross volume per hectare estimate for Plot p in Type i within Harvest Method h
$VGT_{am}$	=	Total gross volume in Cutting Permit
VGTi	=	Total gross volume in Timber Type i
VGT,h	=	Total gross volume in Harvest Method h
$V_{h}$	=	Net merchantable volume per hectare in Harvest Method h
VI	=	Net merchantable volume of log l
V <sub>p,i</sub>	=	Net merchantable volume per hectare from Plot p within Type i

Vp,i,h	=	Net merchantable volume per hectare from Plot p within Type i within Harvest Method h
VSTam	=	Total stud log volume for Cutting Permit
$VST_h$	=	Total stud log volume for Harvest Method h
$VT_{am}$	=	Total net volume in the Cutting Permit
VT <sub>am,g</sub>	=	Total grade g volume for Cutting Permit
$VT_h$	=	Total net volume in Harvest Method h
$VT_{h,g}$	=	Total grade g volume for Harvest Method h
VT <sub>i,h</sub>	=	Total net volume in Type i within Harvest Method h
VT <sub>t,h</sub>	=	Net merchantable volume per tree for Harvest Method h
$WT_{h}$	=	Total waste volume in Harvest Method h

#### 13.2.1. Gross Merchantable Volume

The gross merchantable volume is calculated as the volume per hectare multiplied by the number of hectares for each reporting level.

#### Harvest Method

Average Line method:

Calculate the gross volume per hectare within the Types that contain the Harvest Method using all of the plots within these Types.

Sum the Plot per hectare estimates in a Type. Divide by the number of plots in the Type. Multiple by the area of the Type. Multiply by the ratio of the Type within the Harvest Method.

$$VGT_{h} = \frac{\sum_{p=1}^{m_{i}} VG_{p,i}}{m_{i}} * A_{i} * \left(\frac{A_{i,h}}{A_{i}}\right)$$

Report to nearest whole number.

Example 13.1

Type 1 is 5.0 Ha

#### Type 2 is 7.5 Ha

Plot	Туре	Volume/ha estimate	Harvest Method
1	1	148.12	SS
2	1	131.83	SC
3	1	107.37	SC
4	2	108.73	SC
5	2	122.17	SS
6	2	152.16	SC

Harvest Method SC is 7.5 Ha, 2.5 Ha of Type 1 and 5.0 Ha of Type 2.

Harvest Method SC:

Calculate the gross volumes within a Type that contains the Harvest Method using only the plots within the Harvest Method. Use the Harvest Method double sampling ratio for the plot estimates, if needed.

Sum the Plot per hectare estimates from the Plots in the Type containing the Harvest Method. Divide by the number of plots in the Type within the Harvest Method. Multiple by the area of the Type. Multiply by the ratio of the Type within the Harvest Method.

$$VGT_{h} = \frac{\left(\frac{148.12m3/ha + 131.83m3/ha + 107.37m3/ha}{3} * 5.0ha * \frac{2.5ha}{5.0ha}\right)}{+\left(\frac{108.73m3/ha + 122.17m3/ha + 152.16m3/ha}{3} * 7.5ha * \frac{5.0ha}{7.5ha}\right)}$$
$$= 961 \text{ m}^{3}$$

#### All Method

The All Method calculations always use the Average Line method.

Sum the Type gross volumes within the Cutting Permit. See Section 12.3.2.

$$VGT_{am} = \sum_{i=1}^{I} VGT_i$$

Report to nearest whole number.

#### **Old Growth and Second Growth Reports**

This report is obsolete.

#### 13.2.2. Net Merchantable Volume

The total net merchantable volume is calculated the same way as the gross volume only the loss factors have been applied (see <u>Section 3.2.1</u> Step # 3). See Appendix 5 of the <u>Cruising Manual</u> and the Metric Diameter Class Decay, Waste and Breakage Factors 1976 tables.

Each tree volume is reduced by the applicable loss factors, which convert the gross volume per hectare estimates into net volume per hectare estimates. Report the net merchantable volume for all reporting levels.

Report to nearest whole number.

### 13.2.3. Net Merchantable Volume per Hectare

Divide the net merchantable volume by the area of the reporting level. Only the Harvest Method is shown.

#### Harvest Method

$$V_h = \frac{VT_h}{A_h}$$

Report to 3 decimal places.

### 13.2.4. Net Merchantable Volume per Hectare - Live

Live trees include tree classes 1, 2, 5, and 8. Calculate the total net merchantable volume for live trees and divide by the area for each reporting level.

Report to 3 decimal places.

### 13.2.5. Net Merchantable Volume per Hectare - Dead Potential

Dead potential trees include tree classes 3, 7, and 9. Calculate the total net merchantable volume for dead potential trees and divide by the area for each reporting level.

Report to 3 decimal places.

### 13.2.6. Net Merchantable Volume per Tree

Divide the total net merchantable volume by the total number of stems. Refer to <u>Section 12.3.10</u> for an explanation of the number of stems per hectare calculation. Report the net merchantable volume per tree for all reporting levels. Only the Harvest Method calculation is shown.

Harvest Method

$$VT_{t,h}=\ \frac{VT_{h}}{{S_{h}}^{*}A_{h}}$$

Report to 2 decimal places.

## 13.2.7. Net Merchantable Volume per Log

The 'net merchantable volume' for this parameter is the gross merchantable volume less decay and waste. Do <u>not</u> subtract the breakage percent.

The number of merchantable logs in a tree includes the small log at the top of the tree if it is 2.5 m or greater. If the last log is less than 2.5 m, then do <u>not</u> include it as an extra log, rather add it to the second last log.

Plot estimates are calculated for the number of logs per hectare. Multiplying the number of logs per hectare by the area of the reporting level will report the total number of logs in the unit.

Refer to example 12.9 for sample calculations for the net merchantable volume per log.

Number of trees per plot:

Prism plots:

$$NL_{p} = \sum_{t=1}^{n_{p}} \frac{BAF_{t} * 12732.39545}{DBH_{t}^{2}} * NL_{t}$$

Fixed area plots:

$$NL_{p} = \sum_{t=1}^{n_{p}} \frac{NL_{t}}{plotsize}$$

### Harvest Method

Average Line method:

Calculate the number of logs per hectare estimate for the Timber Types that have plots within the Harvest Method using all of the plots in the Type. Divide by the number of full measure plots in the Type. Multiply by the area of the Type. Multiple by the ratio of the Harvest Method area within the Type to get the number of logs in the Type within the Harvest Method.

$$NL_{i,h} = \frac{\sum_{p=1}^{m_i} NL_p}{m_i} * A_i * \left(\frac{A_{i,h}}{A_i}\right)$$

Sum the number of logs in the Types within the Harvest Method:

$$NL_h = \sum_{i=1}^{I_h} NL_{i,h}$$

The net merchantable volume per log for the Harvest Method is:

$$NVL_{h} = \frac{VGT_{h} - WT_{h} - DT_{h}}{NL_{h}}$$

See <u>Chapter 12</u> for a discussion on calculating waste and decay volumes.

Report to 2 decimal places.

#### All Method

Multiply the Harvest Method net merchantable volume per log, calculated by the Average Line method, by the ratio of the Harvest Method area to the Cutting Permit area. Sum these values for all of the Harvest Methods within the Cutting Permit.

$$NVL_{am} = \sum_{i=1}^{I} \left( NVL_{i} * \left( \frac{A_{i}}{A_{am}} \right) \right)$$

Report to 2 decimal places.

#### Second Growth and old Growth

These reports are to be discontinued as of April 1, 2003 and so will not be illustrated here.

### 13.2.8. Percent Decay - Gross

Each tree is reduced by a decay percent as explained in <u>Section 3.2.1</u> Step 4. The decay amount would be the gross volume for the tree multiplied by the decay percent.

The percent decay – gross is calculated by dividing the total decay volume by the total gross merchantable volume for each reporting level.

#### **Harvest Method**

$$\%DG_{h} = \frac{DT_{h}}{VGT_{h}} *100$$

The method for determining the total decay volume is the same as for total gross volume.

Report to nearest whole number.

### 13.2.9. Percent Waste (Billing) - Net

Each tree is reduced by a waste percent as explained in <u>Section 3.2.1</u> Step 4. The waste volume would be the gross volume for the tree multiplied by the waste percent.

The percent waste (billing) – net is calculated by dividing the total waste volume by the total net merchantable volume for each reporting level.

#### **Harvest Method**

$$\%\,W_h=~\frac{WT_h}{VT_h}*100$$

The method for determining the total waste volume is the same as for total gross volume.

Report to nearest whole number.

#### 13.2.10. Percent Total Cull - Gross

The percent total cull – gross is the total of the 3 loss factors (decay, waste and breakage) divided by the total gross merchantable volume. Report the percent total cull – gross for all reporting levels

### **Harvest Method**

$$\% TC_h = \frac{DT_h + WT_h + BT_h}{VGT_h} *100$$

The method for determining the total breakage volume at all reporting levels is the same as for total gross merchantable volume.

Report to nearest whole number.

### 13.2.11. Percent Useless Trees

Useless trees include tree classes 4 and 6. Divide the number of snags by the total number of trees for each reporting level. Refer to <u>sections 12.3.10</u> and <u>12.3.11</u> for an explanation of the calculation of stems and snags.

$$\% U_{h} = \frac{SN_{h}}{SN_{h} + S_{h}} * 100$$

Report to the nearest whole number.

Timber Type	BAF	Area (ha)		Tree #1	Tree #2	Tree #3	Tree #4	Tree #5	SPH - All	Total Stems in Type	Useless %
			Tree Class	TC4	TC1	TC1	TC1	TC1			
	10.000	10	DBH(cm)	30.0	40.0	50.0	60.0	70.0			
	16.000	1.0								001 * 1 0	255/601
			Stems/ha	255	143	92	64	47	601	<b>601</b>	= 42%
			Tree Class	TC1	TC1	TC1	TC1	TC1			
2	18.000	3.0	DBH(cm)	80.0	90.0	100.0	110.0	120.0			
			Stems/ha	36	28	23	19	16	122	122 * 3.0 = <b>366</b>	0/122 = 0%
										601 + 366	255/966
						All Met	noa Sul	nmary		= 966	= 26%

Example 13.3

#### 13.2.12. Percent Blowdown Volume - Net

Trees with multiple damage codes contribute to the net volume percent for all applicable damage parameters. Net volume deducted from a tree because of damage, to be used in calculating species net volume, will be calculated using the most severe damage type, as outlined in <u>Section 4.2</u>.

Any tree with a blowdown code of E or G in column 63 of card type 2 will contribute to the percent net merchantable blowdown total. Report the percent blowdown – net for each reporting level. See Section 4.2.

#### Harvest Method

Average Line method:

Calculate the net volume of damage by: summing the net volume per hectare of stems having damage from all plots within the Type within the Harvest Method. Divide by the total volume per hectare from all plots within the Type within the Harvest Method. Multiply by the volume of the Type within Harvest Method. Sum the damage volumes from all Types within the Harvest Method.

$$\mathbf{B}_{h} = \sum_{i=1}^{I_{h}} \left( \frac{\mathbf{VB}_{p,i}}{\mathbf{V}_{p,i}} * \mathbf{VT}_{i,h} \right)$$

Divide the net volume of stems coded as having damage within the Harvest Method by the total net volume of the Harvest Method. Multiply by 100.

$$\% B_h = \frac{B_h}{VT_h} * 100$$

Report to the nearest whole number.

#### Example 13.4

Blowdown volumes include all stems in plots 1, 3 and 5.

Plot	Туре	Volume/ha estimate (m²/ha)	Blowdown	Harvest Method
1	1	38.81	Yes	SS
2	1	108.9	No	SC
3	1	88.69	Yes	SC
4	2	89.81	No	SC
5	2	16.98	Yes	SS
6	2	124.16	No	SC

Average Line: Harvest Method Summary volumes provided	
Total net volume in Type 1 within Harvest Method SC	$= 197 \text{ m}^3$
Total net volume in Type 2 within Harvest Method SC	$= 385 \text{ m}^3$
Total net volume in Harvest Method SC	$= 582 \text{ m}^3$

#### Type 1:

Volume per hectare of stems with damage:  $38.81 \text{ m}^3/\text{ha} + 88.69 \text{ m}^3/\text{ha} = 127.5 \text{ m}^3/\text{ha}$ Total volume per hectare for all plots:  $38.81 \text{ m}^3/\text{ha} + 108.9 \text{ m}^3/\text{ha} + 236.4 \text{ m}^3/\text{ha}$  $88.69 \text{ m}^3/\text{ha}$ Ratio of damage net volume to total net volume:  $127.5 \text{ m}^3/\text{ha} / 236.4 = 0.53934 \text{ m}^3/\text{ha}$  Multiply by the net volume of the Type within the Harvest Method:  $= 106.25 \text{ m}^3$ 

Type 2:

Volume per hectare of stems with damage: 16.98 m <sup>3</sup> /ha	$= 16.98 \text{ m}^3/\text{ha}$
Total volume per hectare for all plots: 89.91 m <sup>3</sup> /ha + 16.98 m <sup>3</sup> /ha + 124.16 m <sup>3</sup> /ha	$= 231.05 \text{ m}^3/\text{ha}$
Ratio of damage net volume to total net volume: 16.98 m <sup>3</sup> /ha /230.95 m <sup>3</sup> /ha	= 0.07349
Multiply by the net volume of the Type within the Harvest Method: $0.07349 * 385 \text{ m}^3$	$= 28.29 \text{ m}^3$
Sum the damage volume from all Types within the Harvest Method. $B_{h} = 106.25 \ m^{3} + 28.29 \ m^{3}$	$= 134.54 \text{ m}^3$
Divide the net volume of stems coded as having damage within the Harv	est Method by th

Divide the net volume of stems coded as having damage within the Harvest Method by the total net volume of the Harvest Method. Multiply by 100.

 $B_{h} = (134.54 \text{ m}^{3} / 582 \text{ m}^{3}) * 100 = 23 \%$ 

#### All Method

Sum the Blowdown net volume of all Types within the Cutting Permit and divide by the All Method net volume. Multiply by 100.

$$\%\mathbf{B}_{am} = \frac{\sum_{i=1}^{I} \mathbf{B}_{i}}{\mathbf{VT}_{am}} * 100$$

Report to the nearest whole number.

### 13.2.13. Percent Fire Damage Volume - Net

Trees with multiple damage codes contribute to the net volume percent for all applicable damage parameters. Net volume deducted from a tree because of damage, to be used in calculating species net volume, will be calculated using the most severe damage type, as outlined in <u>Section 4.2</u>.

Any tree with a fire code of A, B or C in column 62 of card type 2 will contribute to the Percent Fire Damage Volume – net (All Burn %). Report the percent Fire damage for each reporting level.

Divide the net volume of stems coded as having Fire damage within the Harvest Method by the total net volume of the Harvest Method. Multiply by 100.

The net volume of stems coded as having Fire damage within the Harvest Method is calculated in the same way as the net volume of stems coded as having Blowdown damage. See Example 13.4.

#### Harvest Method

$$\%F_{\rm h} = \frac{F_{\rm h}}{VT_{\rm h}} * 100$$

Report to the nearest whole number.

### All Method

Calculate in the same manner as Blowdown damage.

Report to the nearest whole number.

### 13.2.14. Percent Heavy Fire Damage Volume – Net

Trees with multiple damage codes contribute to the net volume percent for all applicable damage parameters. Net volume deducted from a tree because of damage, to be used in calculating species net volume, will be calculated using the most severe damage type, as outlined in <u>Section 4.2</u>.

Any tree with a fire code of C in column 62 of card type 2 will contribute to the percent Heavy Fire total. Report the parameter for each reporting level.

Divide the net volume of stems coded as having Heavy Fire damage within the Harvest Method by the total net volume of the Harvest Method. Multiply by 100.

The net volume of stems coded as having Heavy Fire damage within the Harvest Method is calculated in the same way as the net volume of stems coded as having Blowdown damage. See Example 13.4.

### **Harvesting Method**

$$\%F_{\rm h} = \frac{F_{\rm h}}{VT_{\rm h}} * 100$$

Report to the nearest whole number.

### All Method

Calculate in the same manner as Blowdown damage.

Report to the nearest whole number.

## 13.2.15. Percent Insect Damage Volume – Net

Trees with multiple damage codes contribute to the net volume percent for all applicable damage parameters. Net volume deducted from a tree because of damage, to be used in calculating species net volume, will be calculated using the most severe damage type, as outlined in <u>Section 4.2</u>.

Any tree with an insect code of 1-8, X or Y in column 61 of card type 2 will contribute to the Percent Insect Damage Volume – net total. Report the parameter at all reporting levels.

Divide the net volume of stems coded as having Insect damage within the Harvest Method by the total net volume of the Harvest Method. Multiply by 100.

The net volume of stems coded as having Insect damage within the Harvest Method is calculated in the same way as the net volume of stems coded as having Blowdown damage. See Example 13.4.

#### **Harvest Method**

$$\% I_h = \frac{I_h}{VT_h} * 100$$

Report to the nearest whole number.

### All Method

Calculate in the same manner as Blowdown damage.

Report to the nearest whole number.

### 13.2.16. Percent Second Growth Volume – Net

Report the percent second growth volume – net for the All Method report coniferous species only. Divide the second growth total net merchantable volume of the coniferous species by the total net merchantable volume of the coniferous species. Multiply by 100.

The net merchantable second growth volume is calculated in the same way as the net volume of stems coded as having Blowdown damage. See Example 13.3.

A tree will contribute to the second growth total net merchantable volume depending on the Age in 10s from card type 9 and the tree class:

If Age in 10s < 15, then tree classes 1, 2, 3, 4, 6, 8 and 9 are second growth. If Age in 10s >= 15, then tree classes 8 and 9 are second growth.

#### Example 13.5

The Fir and Cedar are second growth based on their age in 10s and tree classes. The Hemlock is Tree Class 5, which is not second growth.

Species	Plot age in 10s	Tree class	Second growth
Fir	11	1	Yes
Cedar	15	8	Yes
Hemlock	13	5	No

#### All Method

$$\% SG_{am} = \frac{SG_{am}}{VT_{am}} * \ 100$$

Report to the nearest whole number.

### 13.2.17. Average Slope Percent

Report the average slope percent once only at each reporting level; i.e., there is no segregation of species for this parameter.

The average slope must be calculated using the Block method unless there are no plots in the Harvest Method, in which case the Average Line method must be used.

Include both count and measure plot slopes.

A blank slope field on Card type 9 is compiled as 0 percent.

### Harvest Method

Calculate the Harvest Method percent slope by weighting the Type within Harvest Method value based on the area of the Type within the Harvest Method using only the plots in the Type within the Harvest Method.

When there are no plots in a Type within a Harvest Method assign the average slope for the Type to that Harvest Method.

$$\% SL_{h} = \ \frac{\sum\limits_{i=1}^{l_{h}} \% SL_{i,h} * A_{i,h}}{A_{h}}$$

Report to the nearest whole number.

#### Example 13.6

Harvest Method SC is 7.5 Ha, 2.5 Ha of Type 1 and 5 Ha of Type 2.

Туре	Slope	Harvest Method
1	50	SS
1	90	SC
1	80	SC
2	50	SC
2	70	SS
2	60	SC

Harvest Method SC slope:

Type 1:

 $\% SL_{i,h} = (90 + 80) / 2 = 85$ 

Type 2:

 $\% SL_{i,h} = (50 + 60) / 2 = 55$ 

Harvest Method SC:

%SL<sub>h</sub> = ((85 \* 2.5) + (55 \* 5)) / 7.5 = 65

#### Example 13.7

Harvest Method SS is 3.3 Ha, 0.3 Ha of Type 1 and 3.0 Ha of Type 2. Type 1 has no plots in the Harvest Method, Type 2 has 3 plots.

Туре	Slope	Harvest Method
1	29	SC

Туре	Slope	Harvest Method
1	27	SC
1	34	SC
1	21	SC
2	31	SS
2	63	SS
2	55	SS

Type 1 consists of 4 plots, none of which fall in the SS method. Area for this type in SS method is 0.3 ha, thus Average Line for this segment is to be used:

Average Slope for type 1 is (29 + 27 + 34 + 21)/4 = 27.75 (Average Line Method)

Average Slope for type 2 is (31 + 63 + 55) / 3 = 49.67 (Block Method)

Harvest Method slope:

(27.75 x 0.3 ha) + (49.67 x 3 ha) / 3.3ha

8.32 + 149.01 = 157.33 / 33 = 47.67

Report 48

### Example 13.8

Assume there will be 0.5 ha HO method, in type 2. Type 2 consists of 3 plots, none of which fall in the HO method. Average Line for this method is to be used.

Туре	Slope	Harvest Method
2	31	SS
2	63	SS
2	55	SS

Average Slope for type 2 is (31 + 63 + 55) / 3 = 49.67 (Average Line Method)

Report 50% for the 0.5 ha HO method.

#### All Method

Calculate the Type average slope.

$$\% SL_{I} = \frac{\sum\limits_{p=1}^{mc_{i}} \% SL_{p,i}}{mc_{i}}$$

Calculate the average slope percent for the All Method Summary by weighting the Type values based on area of the Type within the Cutting permit.

$$\% SL_{am} = \sum_{i=1}^{I} \frac{\% SL_i * A_i}{A_{am}}$$

Report to the nearest whole number.

### 13.2.18. Algorithm Grade Percent - Coast

Grade each log using the coast log grade algorithm (see <u>Appendix 9</u>). Divide the total net volume for each grade by species by the total net volume by species to give a percent for that grade.

If the sum of the reported grade percents is not exactly 100% (due to rounding), then add or subtract from the grade with the highest percent so that the total is 100%. Do this for the species as well as for the Total and Coniferous columns. If there is a tie for the largest grade percent, then adjust the grade letter that is first alphabetically from B to Y.

Example 13.9

If D=33%, E=33% and F=33% - Adjust grade D to 34%

#### **Harvest Method**

$$\%G_{h,g} = \frac{VT_{h,g}}{VT_h} * 100$$

Report to nearest whole number.

#### All Method

$$\%G_{am,g} = \frac{VT_{am,g}}{VT_{am}} * 100$$

Report to nearest whole number.

# 13.3. Lumber Information - Interior Only

## 13.3.1. Percent Stud Log Volume - Net

A stud log has a top diameter less than 20.0 cm. Calculate the total merchantable stud log volume for the reporting levels the same way as for the total merchantable volume. Divide the Stud log volume by the total net volume of the reporting level. Calculate the percent stud log for Fir, Balsam, Spruce, Lodgepole Pine and Larch species only.

### Harvest Method

$$\%ST_{h} = \frac{VST_{h}}{VT_{h}} * 100$$

Report to nearest whole number.

## All Method

Sum the stud log net volumes from the Types within the Cutting Permit. Divide by the total net volume of the Cutting Permit. Multiply by 100.

$$\% ST_{am} = \frac{VST_{am}}{VT_{am}} * 100$$

Report to nearest whole number.

## 13.3.2. Percent Net Merch – Small Logs

A small log has a top diameter less than 30.0 cm. Calculate the percent net merchantable small logs using the same method as for the stud logs but include all species.

Report to nearest whole number.

## 13.3.3. Percent Net Merch – Large Logs

A large log has a top diameter greater than 29.9 cm. Calculate the percent net merchantable large logs using the same method as for the stud logs, but include all species.

Report to nearest whole number.

## 13.3.4. Average LRF – All Logs

See <u>Chapter 11</u> for more information on LRF and FBM.

Report to nearest whole number.

# **14.** Appraisal Summaries

The Appraisal Summary Reports combine appraisal information from the Volume summaries (<u>Chapter 12</u>) and the Harvesting Method summaries (<u>Chapter 13</u>). There are separate reports for Coast and Interior compilations.

Produce the Appraisal Summary Report even if the compilation does not meet appraisal standards.

When appropriate, these messages will be reported on all Appraisal Summary Reports: For Appraisal Purposes, Not for Appraisal Purposes, Sale is in the wet belt, Sale is in the dry belt, 100% Cruise, Stump Cruise.
## 14.1. Appraisal Summary – Coast

## 14.1.1. Header information

Include the following header information for the Coast Appraisal Summary Report.

- 1. License from card type A.
- 2. Cutting Permit from card type A.
- 3. Locality description from card type A.
- 4. Cruiser or agency from card type A.
- 5. Forest Inventory Zone and Unit (long name) from card type A.
- 6. Number of Blocks from card type A.
- 7. Total merchantable area from card type A.
- 8. Second growth percent<sup>\*</sup> from the All Method report.
- 9. Second growth net volume  $(m^3)$  for the cutting authority.

\* The second growth percent and net volume reported is for coniferous species only.

## 14.1.2. Detail Information

Report the following detail information for the Coast Appraisal Summary Report.

#### 14.1.2.1. Species Grade Percent Table

Each row of the table would report the algorithm grade percent for a particular species from the All Method report (see <u>Chapter 13</u>). The reported species are:

- 1. Alder.
- 2. Balsam.
- 3. Cedar.
- 4. Cottonwood.
- 5. Cypress.
- 6. Fir.

- 7. Hemlock.
- 8. Lodgepole Pine.
- 9. Spruce.
- 10. White Pine (Albicaulis Pine).
- 11. Maple.
- 12. Birch.
- 13. Total.

The following information will be reported for each species:

- 1. Each grade percent.
- 2. The total net merchantable volume for each species and total from the All Method Report (see <u>Chapter 13</u>). Report the whole number.
- 3. Net Volume per Hectare and Net Volume All (tree classes 1, 2, 3, 5, 7, 8, 9): Report the net merchantable volume for each species and total from the All Method Summary. Report the number to 3 decimal places.
- 4. Net Volume per Hectare and Net Volume Live (tree classes 1, 2, 5, 8): Report the net merchantable volume for each species and total from the All Method Summary. Report the number to 3 decimal places.
- 5. Net Volume per Hectare and Net Volume Dead Potential (tree classes 3, 7, 9): Report the net merchantable volume for each species and total from the All Method Summary. Report the number to 3 decimal places.

## 14.1.2.2. Harvesting Method Parameter Table

Report each of these parameters for each Harvesting Method. The source of the data is the individual Harvesting Method report described in <u>Chapter 13</u>. Use the same number of significant digits that are used for the Harvesting Method Report parameters.

Net volume	Report the total net merchantable volume from the Harvesting Method Summary.
Net Volume per 10 m Log	Use a 10 m log for coast appraisal cruises.
Net Merchantable Volume per Hectare	Report the total net merchantable volume per hectare from the Harvesting Method summary.

Partial Cut PercentDivide the post-reduction net merchantable volume by the pre-<br/>reduction net merchantable volume and multiply by 100.Report this parameter for reduction compilations only.<br/>Report to nearest whole number.

## Example 14.1

For Harvesting Method 'SS', the pre-reduction net merchantable volume is 2367 m<sup>3</sup>. The post-reduction net merchantable volume is 1696 m<sup>3</sup>.

Average Slope Percent	Report the average slope percent from the Harvesting Method Report.
Down Tree Percent	Report the percent blowdown volume - net from the Harvesting Method Report.
Heavy Fire Percent	Report the percent heavy fire volume - net from the Harvesting Method Report.

## 14.1.2.3. Cutting Permit Parameters

Report each of the following parameters from the Cutting Permit volume summary report (see <u>Chapter 12</u>).

95 Percent Confidence Interval	Report the 95 percent confidence interval from the Cutting Permit statistical summary. Always report pre-reduction values.
Trees per Plot	Report the average number of trees per plot (excluding tree class 4 and 6) from the Cutting Permit Statistical Summary.
Percent Immature by Block	Report the percent immature parameter from the Block Volume Summaries.
Plots per Hectare	Report the plots per hectare (including count plots) from the Cutting Permit Statistical Summary.

## 14.1.2.4. All Method Parameters

Net volume per tree	Report net volume per tree from the All Method Summary.
Net volume per hectare	Report the Net volume per hectare from the All Method Summary.
NHSVPH	Report the coniferous, non-helicopter partial cut, net volume/hectare. Heli single standing stem is a partial cut harvest method.
Conventional Slope	Report total weighted non-helicopter Harvest Method Slope.

## Example 14.2

## NHSVPH:

Harvest Method	Total Net Coniferous Volume (m³)	Area (ha.)
CC	10,000	20
CS	5,000	20
HL	2,500	15
SL	500	10
FL	50	10
HW	2,500	15
SW	500	10
FW	50	10

Sum the cutting permit's non-helicopter partial cut Harvest Method's coniferous volumes.  $10,000 + 5,000 + 2,500 + 2,500 = 20,000 \text{ m}^3$ 

Sum the cutting permit's non-helicopter partial cut Harvest Method's areas.

20 + 20 + 15 + 15 = 70 ha.

Divide the sum of the volumes by the sum of the areas.

 $20,000 / 70 = 285.71 \text{ m}^3/\text{ha.}$ 

Report to 2 decimal places.

## Example 14.3

Conventional Slope:

Cable	Twenty-five hectares, average slope $= 40$ percent.
Ground Skidding	Twenty-five hectares, average slope = 20 percent.
Helicopter	Fifty hectares, average slope = 80 percent.
	=(25*40+25*20)/(25+25)=30%.

Monopolities (Method)         Conducting (Marcing) (Marcing (Marcing (	COCANNA NUCTURARY SAL	:									0	The Western	Danart				OALWS!	10 2102	07-61-	AD wo	SM- 1 .
Lighter Mart 1999     Chi 100     Commande Mart 1990     Chi 100     Commande Mart 1990     Comm	Average Line Method			Grad	les: N	OF C	omput	erize	41	TOTAA	100	FIZ: A	NAVAL	l			Filen	me : Coast	MtnD13	t_CoastT	st Mar2
Utilization lowelst         Mained ER         Top Diameter         Europhication         Top Diameter         Europhication         Top Diameter         Top Dia	Licence Number: A99999 CP: Project: Location : DSR TEST	123		No Comp	puteri puteri puteri Mf Blo	2ed zed cks	Maste Maste Break	eBp				Region Distri	skeena i 8 - 5 ct: 09	Reena - Const	cel Nountain		Cruis	ed by: IF d by: DEF n: 2013.0	1	build S	858
Ware Blocks (m)         375         100         30           Statute Light (m)         10.0         10.0         10.0         10.0           Statute Light (m)         10.0         10.0         10.0         10.0           Statute Light (m)         10.0         10.0         10.0         10.0           Statute Light (m)         0.0         10.0         10.0         10.0           Statute Light (m)         0.0         10.0         10.0         10.0           Statute Statute Light (m)         0.0         10.0         10.0         10.0         10.0           Statute Statute Light (m)         0.0         10.0 <t< th=""><th>Utilization Levels:</th><th>Minimum</th><th>DBH</th><th>10.</th><th>Top D</th><th>lamot</th><th>TOT</th><th>Stump</th><th>Heigh</th><th>ţ</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>	Utilization Levels:	Minimum	DBH	10.	Top D	lamot	TOT	Stump	Heigh	ţ											
Bernaled Log Langth: (m)     10.00       Net Area     Main Schwarz       Net Area     Main Schwarz       All Wohdd Sumary     Main Schwarz       Consolinger (Main Schwarz     Main Schwarz       Consolinger (Main Schwarz     Main Sch	Mature Blocks: (cm) Immature Blocks:(cm)		17.5	12420		22	00			00											
Net Area: [A1] Treatment Units : 2.0 ] A11 Nothod Summary Apprint Crobes A Apprint Crobes A Apprin	Standard Log Length: (m)	**	0.00	12																	
Nit Wethod Summery         Algorithm Grades is preserved in the formed of the formed is preserved in the formed in the	Net Area: [All Treatment Un	1ts : 2.0																			
Species         D         R         C         H         I         J         U         X         Mat         Note         Mat         Mat         Mat         Mat         Dist         Dist <thdist< th="">         Dist</thdist<>	All Method Summary Algorithm Grades %																				
Operation         4         6         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         3         12         13         410         13         411         31	Species	DB	0		1	5	Þ	×	24		Net	Volume	(#3)	5	av.	c Volume	/ ha	-			
Total         Z387         1979         408         1193.473         599.407         204.066           Barvesting Method Summaries         Net Vol.         Net Not Vol.         Net Vol.         <	SP Spruce	4 6 4	12	31	25	en	12	(53) (	-	238	P	6261		408	1193.473	989.407	20(	.066			
Barvesting Method SummariesMetNotNotNotNotNotNotHarvest MethodVolume/10m/10m/10m/10m/10m/10m/10mHarvest Method23873.121193.473043140CCConventional Methods23873.121193.473043140CCConventional Methods23873.121193.473043140All Methods23873.121193.473043140Conventional Methods23873.121193.473043140Conventional Methods23873.121193.473043140Stocationaria3.121193.473043140Stocationaria3.131193.47303.131193.473Stocationaria3.131193.4730110.105Control1100.4840.000.000.00Stocationaria04.140.00Contine (mail)0.000.000.00Stocationaria04.140.00Contine (mail)0.000.000.00Stocationaria04.14Stocationaria0.000.00Stocationaria0.000.00Stocationaria0.000.00Stocationaria0.000.00Stocationaria0.00Stocationaria0.00	Total									238	-	5261		408	1193.473	989.407	201	.066			
Harvest Method         Volume         Vion Log         Viectarie         Eait         Curve         Treev         Fire           CC         2387         3.12         1193.473         0         43         14         0           Conventional Methods         2387         3.12         1193.473         0         43         14         0           All Methods         2387         3.12         1193.473         0         43         14         0           Conventional Methods         2387         3.12         1193.473         0         43         14         0           Stand Tready         2389         3.12         1193.473         0         43         14         0           Stand Tready         133.473         0         0         43         14         0           Stand Tready         13.473         0         13.34         3.0         14         0           Cartisof Tready         13.43         0         13.34         3.0         1193.47         0         14         0           Cartisof Tready         1.00.54         3.1         1.03.54         0         0         14         0           Cartisof Tready         1.00.53	Earvesting Method Summaries	Not		Not	Vol	-	Var V	10		om +	Da	11111	ots	ted	Down	Maaw					
CC         2387         3.12         1193.473         0         43         14         0           All Mathods         2387         3.12         1193.473         0         43         14         0           All Mathods         2387         3.12         1193.473         0         43         14         0           All Mathods         2387         3.12         1193.473         0         43         14         0           All Mathods         2387         3.12         1193.473         0         14         0           Statistication interval         361         3.12         1193.473         0         14         0           Statistication interval         3.0         3.0         0         43         14         0           Statistication interval         3.1         3.1         133.4         43 <td< td=""><td>Harvest Method</td><td>Volume</td><td></td><td>/100</td><td>Eool I</td><td>1</td><td>lecta</td><td>01</td><td></td><td>alt</td><td></td><td>Cat:</td><td></td><td></td><td>Treet</td><td>Fire</td><td></td><td></td><td></td><td></td><td></td></td<>	Harvest Method	Volume		/100	Eool I	1	lecta	01		alt		Cat:			Treet	Fire					
Conventional Methods         2397         3.12         1133.473         0         43         14         0           All Methods         2387         3.12         1193.473         0         43         14         0           All Methods         2387         3.12         1193.473         0         43         14         0           Cutring Authority         39.1         3.0         3.0         3.0         3.0         0         14         0           State Number Valuence         3.0         3.0         3.0         3.0         0<	20	2387			3.12	H	1.93.4	73		0				43	14		0				
All Mathods         2387         3.12         1193.473         0         14         0           Cutting Authority 954 Contidence Interval plote/Ma Cutiand Trees/Plot Field Crowth-Contifer %         88.1         3.0         193.473         0         14         0           Cutting Authority plote/Ma Cutiand Trees/Plot Cutiand Trees/Plot Field Science Contifer %         89.1         3.0         1.0         0	Conventional Methods	2387			3.12	1	4.591	73		0				43	14		6				
Cutting Authority88.1554 Contidence Interval88.1954 Contidence Interval3.0954 Contidence Interval3.0916 Conth-Contier (ma)3.0916 Conth-Contier (ma)101.234001.2341193.471011 Select Total Gearmal)0.00916 Size - Contier (ma)/100 log)0.12910 Chi (max)0.13911 Select Total Gearmal)0.00910 Chi (max)0.13910 Chi (max)0.3910 Chi (max)0.4910 Chi (max)0.4	All Mathods	2387			3.12	1	193.4	13		0					14						
<pre>Mail Select Total (decimal) 0.00 Hail:Skyline Total (decimal) 0.00 Hail:Skyline Total (decimal) 0.00 Hail:Skyline Total (decimal) 0.00 Fielde Size - Conifer (m3/10m log) 3.12 Cruise Date (yy-mm): 0.3-14 # Plote: 6 # &lt;= 5yrs: 0 # &gt; 5yrs: 0 # &gt; 10yrs: 6 # no date: 0</pre>	Cutting Authority 95 Confidence interval Plots/Ha Cruised Trees/Plot Cruised Trees/Plot Ret 2nd Growth-Confier (m) Net immuture V Block 1 Mon Hell Select Confier (m)	) 3/ha)	00	88 101 101 101 101 101 101 101 101 101 101	1004045																
# Plots: 6 # <= Syrs: 0 # > Syrs: 0 # > Loyrs: 6 # no date: 0	Helt Select Total (decimal Helt+Skyline Total (decima Plece Size - Confer (m3/1 Cruise Date (yy-mm):	) 1) 0m log)		0000	11200				7			,									
「「「「「」」」「「」」」」」「「」」」」」」」「「」」」」」」」」」」」	# Plots: 5 # <= 5y1	0 . ;s	*	STR			× 107	:01		no da	ie i	0									

# 14.2. Coast Appraisal Summary - Sample Listing

Figure 14-1 Coast Appraisal Summary - Sample Listing.

## 14.3. Appraisal Summary – Interior

## 14.3.1. Header Information

Include the following header information for the Interior Appraisal Summary Report.

- 1. License from card type A.
- 2. Cutting Permit from card type A.
- 3. Locality description from card type A.
- 4. Cruiser or agency from card type A.
- 5. Forest Inventory Zone and Unit (long name) from card type A.
- 6. Number of Blocks from card type A.
- 7. Total merchantable area from card type A.
- 8. Horse Logging net volume<sup>\*</sup>.
- 9. Helicopter clear cut net volume<sup>\*</sup>.
- 10. Helicopter partial cut net volume\*.

\* The total net merchantable volume from the individual Harvesting Method Reports.

## 14.3.2. Detail Information

Report the following detail information for the Interior Appraisal Summary Report.

## 14.3.2.1. Species Parameter Table

Report each of the following parameters from the All Method summary for the following Species:

- 1. Balsam.
- 2. Cedar.
- 3. Fir.
- 4. Hemlock.
- 5. Larch.

- 6. Lodgepole Pine.
- 7. Spruce.
- 8. Yellow Pine (Ponderosa Pine).
- 9. White Pine.
- 10. Whitebark Pine.
- 11. Conifer combine all coniferous Species in the compilation.
- 12. Total.

Net Volume per Hectare and Net Volume - All (tree classes 1, 2, 3, 5, 7, 8, 9):	Report the net merchantable volume for each species, conifer and total from the All Method Summary. Report the number to 3 decimal places.
Net Volume per Hectare and Net Volume - Live (tree classes 1, 2, 5, 8):	Report the net merchantable volume for each species, conifer and total from the All Method Summary. Report the number to 3 decimal places.
Net Volume per Hectare and Net Volume - Dead Potential (tree classes 3, 7, 9):	Report the net merchantable volume for each species, conifer and total from the All Method Summary. Report the number to 3 decimal places.
Percent Decay	Report the percent decay - net from the All Method Summary.
Stud Log Percent	Report the percent stud log volume - net from the All Method Summary.
LRF	Report the Average LRF from the All Method Summary.
Burn Percent	Report the percent fire damage volume - net from the All Method Summary.

## 14.3.2.2. Harvesting Method Parameter Table

Report each of the following parameters from the Harvesting Method summaries as described in <u>Chapter 13</u>. Use the same number of significant digits for each parameter.

Net volume	Report the total net merchantable volume from the Harvesting
	Method Summary.

Average Slope Percent	Report the average slope percent from the Harvesting Method Summary.
Net Volume per Tree	Report the net merchantable volume per tree from the Harvesting Method Summary.
Net Volume per hectare	Report the net merchantable volume per hectare from the Harvesting Method Summary.
Stand Defect Percent	Report the percent total cull from the Harvesting Method Summary.
Partial Cut Percent	Divide the post-reduction net merchantable volume by the pre- reduction net merchantable volume and multiply by 100.
	Report this parameter for reduction compilations only.
	Report to nearest whole number.
All Fire Percent	Report the percent fire volume - net from the Harvesting Method Report.
Heavy Fire Percent	Report the percent heavy fire volume - net from the Harvesting Method Report.
Down Tree Percent	Report the percent blowdown volume - net from the Harvesting Method Report.
Dead Useless Percent	Report the percent dead useless trees from the Harvesting Method Report.
Lodgepole Pine volume for Highlead/Grapple Harvest Methods	Lodgepole Pine volume for Highlead/Grapple Harvest Methods. This attribute is obsolete.

## 14.3.2.3. All Method Parameter Table

Report each of the following parameters from the All Method summaries as described in Chapter 13.

Net volume per tree	Report net volume per tree from the All Method Summary.
Net volume per hectare	Report the Net volume per hectare from the All Method Summary.
Slope	Report the slope from the All Method Summary.

## 14.3.2.4. Insect Damage Table

Report the following attributes in a tabular format below the Lodgepole Pine Harvesting Method attributes on the Interior Appraisal Summary Page:

Cutting Permit PL green	This is the Pl insect code 1 (green attack) net merchantable
attack net merchantable	volume reported in the "Cutting Permit Damage Summary
volume (m <sup>3</sup> )	(Insect) - All Treatment Unit" report.
Cutting Permit PL red	This is the Pl insect code 2 (red attack) net merchantable
attack net merchantable	volume reported in the "Cutting Permit Damage Summary
volume (m <sup>3</sup> )	(Insect) - All Treatment Unit" report.
Cutting Permit PL grey	This is the Pl insect code 3 (grey attack) net merchantable
attack net merchantable	volume reported in the "Cutting Permit Damage Summary
volume (m <sup>3</sup> )	(Insect) - All Treatment Unit" report.
All other species insect attack net merchantable volumes	This is the sum of the non-Pl insect codes 1, 2, 3, 5, 6, 7, 8, X, Y beetle and defoliator net merchantable volume reported in the "Cutting Permit Damage Summary (Insect) - All Treatment Unit" reports.
	Do not include the "Normal" category in the sum of the net merchantable volume.

Refer to Figure 14.4 for the format of the new Interior Appraisal Summary page.

## 14.3.2.5. Lodgepole Pine Insect Damage by Block

Report the following attributes in a tabular format beside the Insect Damage Table on the Interior Appraisal Summary Page:

Report the lodgepole pine (Pl) net volume percent in each block that is red and grey attack. Divide the Pl red and grey attack net volume in each block by the total coniferous volume in each block and multiply by 100. The volume is expressed as percent (%) to one decimal place.

## 14.3.2.6. Statistics

Report each of the following parameters from the interior cutting permit summary report (see <u>Chapter 12</u>).

• 95 Percent Confidence Interval for net volume from the Cutting Permit statistical summary. If there is a percent reduction applied to the compilation, report "See pre-reduction

compilation for statistics".

- Average number of trees per plot (excluding tree class 4 and 6) from the Cutting Permit Statistical Summary. Tally trees that meet or exceed the minimum DBH appraisal standards, but do not contain a minimum length log are included in the average # trees/plot calculation.
- Plots per hectare (including count plots) from the Cutting Permit Statistical Summary.

Report the oldest cruise date (yy/mm) from the cruise tally cards.

# 14.4. Interior Appraisal Summary – Sample Listing

Average Line Method Average Line Method LINTERIOR TEST 2010 LINTERIOR TEST 2010 Computerized Decay project : project : Project : Project : Project : Project : Project : Project : Matter Blocks (em) Minimu DBH Top Diameter Stum Matter Blocks (em) Minimu DBH Top Diameter Stum Matter Blocks (em) Matter Student Log Lengthi (m) Standard Log Lengthi (m) Standard Log Lengthi (m) Method Summary Matter Matter Minimum DBH Top Diameter Stum Matter Standard Log Lengthi (m) Matter Matter Standard Log Lengthi (m) Matter Matter Matter Minimum DBH Top Diameter Standard Log Lengthi (m) Matter Matter Matter Minimum DBH Top Diameter Standard Log Lengthi (m) Matter Matter Matter Minimum DBH Top Matter Standard Log Lengthi (m) Matter Matter Matter Minimum DBH Top Matter Standard Log Lengthi (m) Matter Matter Matter Minimum DBH Top Matter Matter Standard Log Lengthi (m) Standard Log Lengthi (m) Matter Matter M	MOF Computerized ized Decay ized Maste ized Breakage ocks : 1	Appraisal Sun				120+81	10110 VE- 111	
Utilization Levels: Minhum DBH Top Diameter Stum Mature Blocks: (em) 17.5 10.0 Immature Blocks: (em) 12.6 10.0 Standard Log Length: (n) 5.00 Standard Log Length: (n) 5.00 Met Area: [All Treatment Units : 22.0 ] All Method Summary Colume (n) DP Colume Departition All Live DP		n sa pa ja	IIZ: E SYU: Cresto egion: 2 - 1 istrict: 9	n Southern Inter - Arrow Bounda	ior ry	Filenar Compil Cruise Versio	ability TECO ad by: TECO 1 by: DON CR 1: 2010.00	.42PM -2010.ccp NNG Ltd. UISER UISER build 5745
Mature Blocks: (cm) 17.5 10.0 Immature Blocks: (cm) 12.6 10.0 Exemption[Pi]: (cm) 12.6 10.0 Standard Log Length: (m) 5.00 Net Area: [All Treatment Units : 22.0 ] All Method Summary Mat Volume (m) DP Code Description All Live DP	Diameter Stump Heig	jht						
Standard Log Length: (m) 5.00 Net Area: [All Treatment Units: 22.0 ] All Method Summary Specificion All Utye DP Code Description All	10.0 10.0 10.0	30 30 30						
Net Area: [All Treatment Units : 22.0 ] All Method Summary Species (main the Volume (main) Code Description All Live DP								
All Method Summary Species Code Description All Live DP								
Species Net Volume (m3) Code Description All Live DP								
code nescription will hive by	( )	tet Volume / h	о 	ecay% Stud	LRF	IIN		
DD Daleam AEU AEU O	TIA TU PLA	90 808	0.000	7 Loga	105	surus		
FI Doug-Fir 353 261 92 10	92 16.032	11.869	4.163	0 53	188	0		
HE Hemlock 258 258 0 1	0 11.710	11.710	0.000	2 0	197	0		
LO Lodgepole Pine 4843 2436 2406 22	2406 220.120	110.746	109.374	10 31	143	0		
SP Spruce 1805 1690 115 8 MD Whitehark Dina 175 175 6	115 82.026 0 5 685	76.820	5.206	4 F	190	4001		
WH Wastern White Dina 220 220 0 1	0 10.005	10.005	0.000	• •	179	0		
YE fellow Pine 122 122 0	0 5,556	5.556	0.000	2	206	0		
Conifer 8183 5571 2612 371	2612 371.963	253.220	118.743	8 33		4		
Total 8183 5571 2612 37	2612 371.963	253.220	118.743	8 33		Ŧ		
Harvesting Method Summaries Not Success Mat Vol V Charles Mat Warvert	Nat Vol Nat Vo	d /bs nof	David Davi	2	140	Taxter	Tream	Dand
erectes marreet met wetage met vot Method Volume Slopes //Tree	Tree vor ver v	(D)	(四) Fat	cut% Fir		Fires	Tree% Us	eless%
All Species SC 8183 10 0.58	0.58 371	1.963	21		4	1	9	e e
ALL MECTODE 5153 10 0.58 Conifer SC 8183 10 0.58	0.58 371	1.963	21			-4 e-	04	-, -, -, -, -, -, -, -, -, -, -, -, -, -
All Methods 8183 10 0.58	0.58 371	1.963	21		-	1	9	10
Insect Damage Net Volume (m3) All Other Conifer L.P. Pine Altack Grey Attack Insect Damage Green Attack Red Attack Grey Attack Insect Damage 146 2290	L nifer 0. age	. <b>P. Pine Red/</b> 78: 28% 088:	<b>rey Attack</b> 71% 098: 6	<pre>% of Conifer b 48</pre>	y Block			
Cutting Authority 95% Confidence Interval 28.5 Plots/Ha 0.5								
G'4 Definite Contraction of the								

Figure 14-2 Interior Appraisal Summary – Sample Listing.

# **15.** Appendices

15.1.	Appendix 1 Species Groupings	. Error! Bookmark not defined.
15.2.	Appendix 2 Allowable Species By Forest Inventory <b>defined.</b>	ZoneError! Bookmark not
15.3.	Appendix 3 Allowable Pathological Remarks By Fo Bookmark not defined.	rest Inventory Zone Error!
	15.3.1Coast Immature	. Error! Bookmark not defined.
	15.3.2Coast Mature	. Error! Bookmark not defined.
	15.3.3. Interior Immature	. Error! Bookmark not defined.
	15.3.4. Interior Mature	. Error! Bookmark not defined.
15.4.	Appendix 4 Maximum Height by Forest Inventory Z	ConeError! Bookmark not defined.
15.5.	Appendix 5 Maximum Age by Forest Inventory Zon	eError! Bookmark not defined.
15.6.	Appendix 6 Regions and District Numbers	. Error! Bookmark not defined.
15.7.	Appendix 7 Cruise Lumber Recovery Factors	. Error! Bookmark not defined.
15.8.	Appendix 8 Removed	. Error! Bookmark not defined.
15.9.	Appendix 9 Coast Log Grade Algorithms	. Error! Bookmark not defined.
	15.9.1Douglas Fir, Pine and Larch	. Error! Bookmark not defined.
	15.9.2Douglas Fir, Pine and Larch	. Error! Bookmark not defined.
	15.9.3Western Red Cedar	. Error! Bookmark not defined.
	15.9.4Western Red Cedar	. Error! Bookmark not defined.
	15.9.5Hemlock and Balsam	. Error! Bookmark not defined.
	15.9.6Hemlock and Balsam	. Error! Bookmark not defined.
	15.9.7. Spruce	. Error! Bookmark not defined.
	15.9.8. Spruce	
	15.9.9Cypress	. Error! Bookmark not defined.
	15.9.10. Cypress	. Error! Bookmark not defined.
	15.9.11. Percentages within Spruce Grades	. Error! Bookmark not defined.
	15.9.12. Percentages within Cedar Grades	. Error! Bookmark not defined.
	15.9.13. Deciduous	. Error! Bookmark not defined.
15.10.	Appendix 10 Interior LRF Algorithms	. Error! Bookmark not defined.
	15.10.1. Interior Hemlock	. Error! Bookmark not defined.

15.10.2. Dead Potential White Pine	Error! Bookmark not defined.
15.10.3. Allocation of Path in Thirds	Error! Bookmark not defined.
15.11. Appendix 11 Student's "T" Table	Error! Bookmark not defined.
15.12. Appendix 12 Wet and Dry Belt Douglas Fir BEC Ze	onesError! Bookmark not defined.
15.13. Appendix 13 Volume Calculation	Error! Bookmark not defined.
15.13.1. Volume calculation	Error! Bookmark not defined.
15.14. Appendix 14 Diameter Classes	Error! Bookmark not defined.
15.15. Appendix 15 Volume Constants	Error! Bookmark not defined.
15.16. Appendix 16 Rounding	Error! Bookmark not defined.
15.17. Appendix 17 Mathematical Notation	Error! Bookmark not defined.
15.18. Appendix 18 Interior Fir Quality Class Algorithm	Error! Bookmark not defined.
15.19. Appendix 19 Valid Compilation Versions	Error! Bookmark not defined.
15.20. Appendix 20 CGNF Compilation for Coast Forest R defined.	egionError! Bookmark not

# 15.1. Appendix 1 Species Groupings

Use the following species for stump diameter conversion (<u>Chapter 6</u>), Taper equation coefficients (<u>Chapter 7</u>), and Harvesting Method Summaries (<u>Chapter 13</u>).

Species Reported	Species Codes Used
Alder	D, DR
Aspen	АТ
Balsam	B, BA, BG, BL
Birch	E, EP, EN
Red Cedar	C, CW
Yellow Cedar	Y, Yc
Douglas Fir	F, FD
Hemlock	H, HW, HM
Larch	L, LL, LO, LT
Broadleaf Maple	МВ
Lodgepole Pine	PL
White Pine	PW
Albicaulis Pine	РА
Yellow Pine	PY
Cottonwood	AC
Spruce	S, SB, SE, SS, SW

Use the following species groupings for all other summaries.

Species Reported	Species Codes Used	Species Reported	Species Codes Used
Alder	D, DR	Larch	L
Aspen	AT	- Tamarack	LT
Balsam	В	- Western	LO
- White Fir	BA	- Alpine	LL
- Grand Fir	BG	Broadleaf Maple	МВ
- Mountain Fir	BL	White Pine	PW
Birch	E, EP, EN	Lodgepole Pine	PL
Red Cedar	C, CW	Albicaulis Pine	PA
Yellow Cedar	Y, YC	Yellow Pine	PY
Fir	F, FD	Cottonwood	AC
		Spruce	S
		- Sitka	SS
Hemlock	н	- Englemann	SE
- Western	HW	- White	SW
- Mountain	НМ	- Black	SB

Appendices

					S	Ρ	Е	С	I	Е	S						
		F	С	Н	В	S	Υ	Pw	ΡI	Ру	L	Ac	D	Mb	Е	AT	Ра
F																	
0	А	Х	Х	Х	Х	Х	Х	Х	Х	С	Н	Х	Х	Х	Х	Х	Х
R																	
F	В	Х	Х	Х	Х	Х	Х	Х	Х	С	Н	Х	Х	Х	Х	Х	Х
с С																	
с т	С	Х	Х	Х	Х	Х	Х	Х	Х	Х	D	Х	Х	Х	Х	Х	Х
I																	
	D	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	С	С	Х	Х	Х
I																	
Ν	E	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	С	С	Х	Х	Х
V																	
Е	F	Х	Х	Х	Х	Х	G	Х	Х	Х	Х	Х	С	С	Х	X	Х
Ν	-																
Т	G	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	С	С	Х	X	Х
0		V	X	X	X	X		V		<b>D</b>	V	V		•	V	X	V
R	Н	X	X	X	X	X	Α	X	X	D	X	X	В	Α	X	X	X
Y	-	v	v	v	v	v			v	6	V	v		•	v	v	V
	1	~	^	^	^	^	J	п	^	G	^	^	J	Α	^	^	^
7	1	-	Y	Y	Y	Y	Y	н	Y	G		Y	Y	۸	Y	x	Y
2	J		~	~	~	~	~		~	0		~	~	~	~	~	~
	ĸ	-	.1	X	X	X	.1	н	X	G	X	X	X	Δ	X	x	Δ
N –		I	0	~	~	~	U		Λ	5	~	~	Λ	~	Λ		~
F	L	Ι	I	κ	Х	Х	J	Н	Х	G	Х	Х	κ	Α	Х	Х	J

## 15.2. Appendix 2 Allowable Species By Forest Inventory Zone

X -indicates that the species may be found in the Forest Inventory Zone

When a species is not normally found in a FIZ a letter other than an X will be present. This letter represents the FIZ to use for calculating volume as well as Decay Waste and Breakage for the species.

When a letter other than an X is present it will initiate a warning message in the cruise compilation program.

## 15.3. Appendix 3 Allowable Pathological Remarks By Forest Inventory Zone

## 15.3.1. Coast Immature

The following table is for immature trees in Forest Inventory Zones A, B & C.

Species	Conk	Blind Conk	Scars	Fork & Crook	Frost Crack	Mistle Toe	Rotten Branch	Dead Top
Douglas Fir	Y	Y	Y	Y	Y	Y	N	Y
Cedar	Y	Y	Y	Y	Y	Ν	N	Y
Yellow Cedar	Y	Ν	Y	Y	Y	Ν	Y	Y
White Pine	Y	Y	Y	Y	Y	Ν	Y	Y
Yellow Pine	Y	Y	Y	Y	Y	Ν	Y	Y
Larch	Ν	Ν	N	N	N	Ν	N	Ν
Cottonwood	Y	Ν	Y	Y	Y	Ν	Y	Y
Alder	Y	Ν	Y	Y	Y	Ν	Y	Y
Maple	Y	Ν	Y	Y	Y	Ν	Y	Y
Birch	Y	Ν	Y	Y	Y	Ν	Y	Y
Aspen	Y	Ν	Y	Y	Y	Ν	Y	Y
White Bark Pine	Y	Y	Y	Y	Y	N	Y	Y
Hemlock	Y	Y	Y	Y	Y	Y	Y	Y
Balsam	Y	Y	Y	Y	Y	Y	Y	Y
Spruce	Y	Y	Y	Y	Y	Y	Y	Y
Lodgepole Pine	Y	Y	Y	Y	Y	Y	Y	Y

"N" indicators will be included as warnings in the Edit Error Report. The "N" indicated samples would be allowed to process to completion.

## 15.3.2. Coast Mature

Species	Conk	Blind Conk	Scars	Fork & Crook	Frost Crack	Mistle Toe	Rotten Branch	Dead Top
Cedar	Y	Y	Y	Y	Y	N	Y	Y
Yellow Cedar	Y	N	Y	Y	Y	N	Y	Y
White Pine	Y	Y	Y	Y	Y	N	Y	Y
Yellow Pine	Y	Y	Y	Y	Y	N	Y	Y
Larch	N	N	N	N	N	N	N	Ν
Cottonwood	Y	N	Y	Y	Y	N	Y	Y
Alder	Y	N	Y	Y	Y	N	Y	Y
Maple	Y	N	Y	Y	Y	N	Y	Y
Birch	Y	N	Y	Y	Y	N	Y	Y
Aspen	Y	N	Y	Y	Y	N	Y	Y
White Bark Pine	Y	Y	Y	Y	Y	N	Y	Y
Douglas Fir	Y	Y	Y	Y	Y	Y	Y	Y
Hemlock	Y	Y	Y	Y	Y	Y	Y	Y
Balsam	Y	Y	Y	Y	Y	Y	Y	Y
Spruce	Y	Y	Y	Y	Y	Y	Y	Y
Lodgepole Pine	Y	Y	Y	Y	Y	Y	Y	Y

The following table is for mature trees in Forest Inventory Zones A, B and C.

"N" indicators will be noted as warnings in the Edit Error report. The "N" indicate.

## 15.3.3. Interior Immature

The following table is for	immature trees in Forest	Inventory Zones D-L.
The following more is for		

Species	Conk	Blind Conk	Scars	Fork & Crook	Frost Crack	Mistle Toe	Rotten Branch	Dead Top
Douglas Fir	Y	Y	Y	Y	Y	Y	N	Y
Cedar	Y	Y	Y	Y	Y	N	N	Y
Hemlock	Y	Y	Y	Y	Y	N(1)	Y	Y
Yellow Cedar	Y	N	Y	Y	Y	N	Y	Y
White Pine	Y	Y	Y	Y	Y	N	Y	Y
Yellow Pine	Y	Y	Y	Y	Y	N	Y	Y
Cottonwood	Y	N	Y	Y	Y	N	Y	Y
Alder	N	N	N	N	N	N	N	N
Maple	N	N	N	N	N	N	N	N
Birch	Y	N	Y	Y	Y	N	Y	Y
Aspen	Y	N	Y	Y	Y	N	Y	Y
White Bark Pine	Y	Y	Y	Y	Y	N	Y	Y
Hemlock	Y	Y	Y	Y	Y	Y	Y	Y
Balsam	Y	Y	Y	Y	Y	Y	Y	Y
Spruce	Y	Y	Y	Y	Y	Y	Y	Y
Lodgepole Pine	Y	Y	Y	Y	Y	Y	Y	Y
Larch	Y	Y	Y	Y	Y	Y	Y	Y

1. Yes for FIZ J only.

"N" indicators will be noted as warnings in the Edit Error report. The "N" indicated samples would be allowed to process to completion.

## 15.3.4. Interior Mature

Species	Conk	Blind Conk	Scars	Fork & Crook	Frost Crack	Mistle Toe	Rotten Branch	Dead Top
Cedar	Y	Y	Y	Y	Y	N	Y	Y
Hemlock	Y	Y	Y	Y	Y	N(2)	Y	Y
Yellow Cedar	Y	Ν	Y	Y	Y	N	Y	Y
White Pine	Y	Y	Y	Y	Y	N	Y	Y
Yellow Pine	Y	Y	Y	Y	Y	N	Y	Y
Larch	Y	Y	Y	Y	Y	N(1)	Y	Y
Cottonwood	Y	Ν	Y	Y	Y	N	Y	Y
Alder	N	Ν	N	N	N	N	Ν	Ν
Maple	N	Ν	N	Ν	N	N	Ν	Ν
Birch	Y	Ν	Y	Y	Y	N	Y	Y
Aspen	Y	Ν	Y	Y	Y	N	Y	Y
White Bark Pine	Y	Y	Y	Y	Y	N	Y	Y
Douglas Fir	Y	Y	Y	Y	Y	Y	Y	Y
Hemlock	Y	Y	Y	Y	Y	Y	Y	Y
Balsam	Y	Y	Y	Y	Y	Y	Y	Y
Spruce	Y	Y	Y	Y	Y	Y	Y	Y
Lodgepole Pine	Y	Y	Y	Y	Y	Y	Y	Y

The following table is for mature trees in Forest Inventory Zones D-L.

1. Zones K and L only

2. Yes for FIZ J only.

"N" indicators will be noted as warnings in the Edit Error report. The "N" indicated samples would be allowed to process to completion

15.4./	Appendix	4 Maximum	Height by	<b>Forest</b>	Inventory	Zone
--------	----------	-----------	-----------	---------------	-----------	------

					S	Ρ		E	С	I		Е	S				
F		F	С	Н	В	S	Υ	Pw	ΡI	Py	L	Ac	D	Mb	Е	At	Ра
	Α	81	81	81	78	81	60	72	42	42	45	72	45	36	36	42	33
к -																	
E	В	90	81	81	78	81	60	72	42	42	45	72	45	36	36	36	33
S																	
Т	С	81	81	81	78	90	60	72	42	42	54	72	45	36	36	36	33
IN	D	60	54	54	51	60	42	53	42	42	54	54	45	36	42	42	33
V																	
F	Е	72	60	60	57	57	42	60	42	48	60	54	45	36	42	42	33
	F	72	60	60	57	57	42	60	42	48	60	54	45	36	42	42	33
0	G	72	60	60	57	57	42	60	42	48	60	54	45	36	42	42	33
R																	
Y	Н	60	54	54	54	54	60	42	42	42	45	54	45	36	42	33	33
Ζ	Ι	60	54	54	54	54	54	42	42	48	45	54	33	36	42	42	33
0																	
Ν	J	60	54	54	54	60	54	42	42	48	45	60	33	36	42	42	33
F																	
-	Κ	60	54	54	54	60	54	42	42	48	54	60	33	36	42	42	33
	L	60	54	54	45	54	54	42	42	48	36	54	33	36	42	42	33

Minimum height is 3 m.

# 15.5. Appendix 5 Maximum Age by Forest Inventory Zone

					S	Ρ	Е	С	Ι	Е	S						
		F	С	Н	В	S	Y	Pw	PI	Ру	L	Ac	D	Mb	Е	AT	Ра
F	А	800	600	600	500	600	800	500	300	500	500	300	200	200	200	200	400
к Г	В	800	600	600	500	600	800	500	300	500	500	300	200	200	200	200	400
L Q																	
Т	С	800	600	600	500	600	800	500	300	500	500	300	200	200	200	200	400
	D	500	400	400	400	400	800	500	300	500	500	300	200	200	200	200	400
I N																	
V	Е	500	400	400	400	400	800	500	300	500	500	300	200	200	200	200	400
Е																	
Ν	F	500	400	400	400	400	800	500	300	500	500	300	200	200	200	200	400
Т																	
0	G	500	400	400	400	400	800	400	300	500	500	300	200	200	200	200	400
R																	
Y	Н	500	400	400	400	400	800	500	300	500	500	300	200	200	200	200	400
z	Ι	500	400	400	400	400	800	500	300	500	500	300	200	200	200	200	400
0																	
Ν	J	500	400	400	400	400	800	500	300	500	500	300	200	200	200	200	400
Е																	
	Κ	500	400	400	400	400	800	500	300	500	500	300	200	200	200	200	400
	L	500	400	400	400	400	800	500	300	500	500	300	200	200	200	200	400

Minimum age is 40 years.

## **15.6. Appendix 6 Regions and District Numbers**

Area	Natural Resource Region	FTAS Code	Number	Natural Resource District	Number	FTAS Code
				Chilliwack	01	DCK
	South Coast	RSC	1	Sea to Sky (Squamish)	02	DSQ
				Sunshine Coast	03	DSC
F				South Island	04	DSI
SAOS	West Coast	PW/C	2	Campbell River	05	DCR
0	West Coast	RWC	2	North Island/Central Coast	06	DNI
				Haida Gwaii	07	DHG
				Quesnel	01	DQU
	Cariboo	RCB	3	Cariboo Chilcotin (amalgamation)	02	DCC
				100 Mile	03	DMH
ΗL	Kootenay /	RKB	4	Selkirk (Arrow Boundary, Columbia, Kootenay Lake)	04	DSE
sol	Boundary			Rocky Mountain	05	DRM
	Thompson /			Thompson Rivers (Kamloops & part of Headwaters)	06	DKA
	Okanagan	RTO	5	Cascades	07	DCS
				Okanagan Shuswap	08	DOS
				Prince George (+ part of Headwaters)	01	DPG
	Ominaaa	POM	6	Stuart Nechako (Vanderhoof)	02	DVA
	Ommeca	ROIVI	0	Stuart Nechako (Fort St James)	03	DJA
-				MacKenzie	04	DMK
ORTH	Northcost		7	Fort Nelson	05	DFN
ž	Northeast	RNO	7	Peace	06	DPC
				Skeena Stikine	07	DSS
	Skeena	RSK	8	Nadina	08	DND
				Coast Mountain (Kalum & N. Coast)	09	DKM

Re-organization has resulted in the amalgamation of several districts. District names not in brackets replace names in brackets where applicable.

# 15.7. Appendix 7 Cruise Lumber Recovery Factors

The following table lists the lumber recovery factors in board feet per cubic meter.

_	_	_	-	_	-	_	_	_	_	_		_	_	_	_	_	_	_	_	_		_	-	_	_
Yellow	Cedar	91	102	111	120	129	151	172	187	199	210	217	222	228	233	237	240	241	240	237	234	231	227	224	221
Spruce		91	103	113	123	134	158	185	202	217	226	234	240	246	252	258	263	266	267	265	263	261	259	257	254
Balsam		91	103	113	123	134	158	185	202	217	226	234	240	246	252	258	263	266	267	265	263	261	259	257	254
Hemlock		91	102	111	120	129	151	172	187	199	210	217	222	228	233	237	240	241	240	237	234	231	227	224	221
Cedar		91	97	103	108	115	132	156	177	197	215	227	235	238	239	239	237	233	228	223	217	210	201	193	184
Fir - QC2		91	100	109	119	130	160	206	234	251	262	270	275	279	281	282	282	281	280	279	277	275	273	272	269
Fir - QC1		100	109	118	128	139	170	217	246	266	279	287	292	297	299	302	302	303	302	302	301	298	297	295	295
Fir – Wet	Belt	91	103	113	123	134	156	185	202	217	226	234	240	246	252	258	263	266	267	265	263	261	259	257	254
Fir – Dry	Belt	16	102	111	120	129	151	172	187	199	210	217	222	228	233	237	240	241	240	237	234	231	227	224	221
Log Top	Diameter (cm)	4.5 - 5.49	5.5 - 6.49	6.5 - 7.49	7.5 - 8.49	8.5 - 9.99	10.0 - 14.9	15.0 - 19.9	20.0 - 24.9	25.0 - 29.9	30.0 - 34.9	35.0 - 39.9	40.0 - 44.9	45.0 - 49.9	50.0 - 54.9	55.0 - 59.9	60.0 - 64.9	65.0 - 69.9	70.0 - 74.9	75.0 - 79.9	80.0 - 84.9	85.0 - 89.9	90.0 - 94.9	95.0 - 99.9	100.0 +

Figure 15-1 Lumber Recovery Factors

For additional information please see Interior LRF Algorithms -15.10.1 Interior Hemlock

ite	Lodgepole	Yellow	Larch	Cottonwood	Alder	Maple	Birch	Aspen	Whitebark
	Pine	Pine							Pine
	91	91	91	91	91	91	91	91	91
	103	103	103	103	103	103	103	103	103
	113	113	113	113	113	113	113	113	113
	123	123	123	123	123	123	123	123	123
	134	134	134	134	134	134	134	134	134
	158	158	158	158	158	158	158	158	158
	185	185	185	185	185	185	185	185	185
	202	202	202	202	202	202	202	202	202
	17	217	217	217	217	217	217	217	217
G	26	226	226	226	226	226	226	226	226
R	34	234	234	234	234	234	234	234	234
	240	240	240	240	240	240	240	240	240
	246	246	246	246	246	246	246	246	246
~	52	252	252	252	252	252	252	252	252
2	58	258	258	258	258	258	258	258	258
2	63	263	263	263	263	263	263	263	263
	66	266	266	266	266	266	266	266	266
	267	267	267	267	267	267	267	267	267
2	65	265	265	265	265	265	265	265	265
	63	263	263	263	263	263	263	263	263
	261	261	261	261	261	261	261	261	261
	59	259	259	259	259	259	259	259	259
	257	257	257	257	257	257	257	257	257
	254	254	254	254	254	254	254	254	254

## Figure 15-2 Lumber Recovery Factors

For additional information please see Interior LRF Algorithms – 15.10.2 Dead Potential White Pine

# 15.8. Appendix 8 Removed

This Appendix has been removed.

## 15.9. Appendix 9 Coast Log Grade Algorithms

## **Explanatory Notes for Coast Metric Standing Tree Log Grading Flowcharts**

- 1. The flowcharts contain logic for restricting the grade of logs with spiral grain. Spiral grain (cm.) = spiral grain code from cruise sheet \* 3
- 2. The test for two or more other pathological indicators in hemlock and balsam is restricted to the following indicators: frost crack, mistletoe, rotten branches, dead or broken top and scars with open and closed scars occurring together in the same tree counting as only one indicator.
- 3. The tests for two and three or more other pathological indicators in cypress are restricted to frost crack, fork or crook, rotten branches, dead or broken top and scars occurring together in the same tree counting as only one indicator.
- 4. If the sum of the reported grade percents is not exactly 100 percent (due torounding), then add or subtract from the grade with the highest percent to make the total 100 percent. If there is a tie for the largest grade percent, then adjust the grade letter that is first alphabetically from B to Y.

If D=33%, E=33% and F=33% - Adjust grade D to 34%.

## 15.9.1. Douglas Fir, Pine and Larch





## 15.9.2. Douglas Fir, Pine and Larch

## 15.9.3. Western Red Cedar



## 15.9.4. Western Red Cedar



## 15.9.5. Hemlock and Balsam



## 15.9.6. Hemlock and Balsam



## 15.9.7. Spruce



## 15.9.8. Spruce


#### 15.9.9. Cypress



### 15.9.10. Cypress



Natural Resource District	D	E	F	G
Campbell River	8	11	39	42
Chilliwack	0	0	0	100
South Island	27	16	17	40
Coast Mountain	0	22	3	75
North Island - Central Coast	18	18	19	45
Haida Gwaii	11	21	9	59
Sea to Sky	0	0	100	0
Sunshine Coast	0	0	30	70

### 15.9.11. Percentages within Spruce Grades

Source of the table is the Coast Grade Distribution Report 2019-04-01 to 2021-03-31.

Mature spruce logs (greater than 120 years based on the age in 10s and tree class) will be separated into D, E, F and G grades where appropriate.

Example: In the Campbell River District when a log reaches the D/E/F/G decision box 8% of the log net volume will be deemed to be D grade, 11% will be deemed to be E grade, 39% will be deemed to be F grade and 42% will be deemed to be G grade.

## 15.9.12. Percentages within Cedar Grades

Natural Pasauroa District	D	F	l
Natural Resource District	К	L	М
	37	16	66
	63	84	34
Chilliwook	24	6	55
Chilliwack	76	94	45
South Island	46	13	64
South Island	54	87	36
Coast Mountain	39	23	76
Coast Mountain	61	77	24
North Joland Control Coast	48	23	71
North Island - Central Coast	52	77	29
Haida Gwaii	24	15	63
naiua Gwali	76	85	37
Soo to Sky	9	2	62
Sea lo Sky	91	98	38
Quantina Qaast	35	10	80
Sunshine Coast	65	90	20

Source of the table is the Coast Grade Distribution Report 2019-04-01 to 2021-03-31.

Immature red cedar logs (up to 120 years old based on the age in 10s and tree Classes) flow only into the I-grade where appropriate. Mature red cedar (greater than 120 years based on the age in 10s and tree class) will be separated into I and M grades where appropriate.

Example: In the Campbell River District when a log reaches the D/K decision box, 37% of the log net volume will be deemed to be D grade and 63% will be deemed to be K grade.

## 15.9.13. Deciduous



# 15.10. Appendix 10 Interior LRF Algorithms

## 15.10.1. Interior Hemlock

The use of Appendix 10.1 is mandatory for Interior Hemlock.



Pathological codes are required for tree classes 3, 7 and 9 for Hemlock in the Interior.

\* Any combination of 1 and 3, of the pathological indicators in question, in the first decision box indicates a yes answer.

## 15.10.2. Dead Potential White Pine



Pathological codes are required for White Pine tree classes 3, 7 and 9 in the Interior.

\* Any combination of 1 and 3, of the pathological indicators in question, in the first decision box indicates a yes answer.

# 15.10.3. Allocation of Path in Thirds

- 1. See table below for allocation of path in thirds to the log.
- 2. Spiral grain is collected as per the *Cruising Manual* (at 5 m).
- 3. Sap rot checks are collected by thirds and recorded in root rot column.

No. of			Pa	ath Locatio	on		
Logs	1	2	3	4	5	6	7
1	1	1	1	1	1	1	1
2	1	1	2	1	2	1,2	1,2
3	1	2	3	1,2	2,3	1,3	1,2,3
4	1	2,3	4	1,2,3	2,3,4	1,4	1 to 4
5	1,2	3	4,5	1,2,3	3,4,5	1,2,4,5	1 to 5
6	1,2	3,4	5,6	1 to 4	3 to 6	1,2,5,6	1 to 6
7	1,2	3,4,5	6,7	1 to 5	3 to 7	1,2,6,7	1 to 7
8	1,2,3	4,5	6,7,8	1 to 5	4 to 8	1-3,6-8	1 to 8
9	1,2,3	4,5,6	7,8,9	1 to 6	4 to 9	1-3,7-9	1 to 9
10	1,2,3	4 to 7	8 to 10	1 to 7	4 to 10	1-3,8-10	1 to 10
11	1 to 4	5 to 7	8 to 11	1 to 7	5 to 11	1-4,8-11	1 to 11
12	1 to 4	5 to 8	9 to 12	1 to 8	5 to 12	1-4,9-12	1 to 12
13	1 to 4	5 to 9	10 to 13	1 to 9	5 to 13	1-4,10-13	1 to 13
14	1 to 5	6 to 9	10 to 14	1 to 9	6 to 14	1-5,10-14	1 to 14
15	1 to 5	6 to 10	11 to 15	1 to 10	6 to 15	1-5,11-15	1 to 15

# 15.11. Appendix 11 Student's "T" Table

This appendix shows the t-values used to calculate the 95 percent confidence interval for the given degree of freedom.

Degrees of Freedom	t-value
1	12.706
2	4.303
3	3.182
4	2.776
5	2.571
6	2.447
7	2.365
8	2.306
9	2.262
10	2.228
11	2.201
12	2.179
13	2.160
14	2.145
15	2.131
16	2.120
17	2.110
18	2.101
19	2.093
20	2.086
21	2.080
22	2.074
23	2.069
24	2.064
25	2.060
26	2.056
27	2.052
28	2.048
29	2.045
30	2.042
31-67	2.000
68-112	1.980
113+	1.960

# 15.12. Appendix 12 Wet and Dry Belt Douglas Fir BEC Zones

WET AND DRY BELT DOUGLAS FIR ZONES			
	Biogeoclimatic Zone	Biogeoclimatic Subzone and Variant	
Wet Belt Code = 1	ESSF (Englemann Spruce - Subalpine Fir)	dc, dk, dm, dv, mc, mk, mm, mv, mw, vc, vv, wc, wk, wm, wv	
	ICH (Interior Cedar Hemlock)	dk, dm, dw, mc, mk, mm, mw, vc, vk, w, wk	
	IDF (Interior Douglas Fir)	mw, ww	
	MS (Montane Spruce)	undifferentiated, mw	
	SBPS (Sub-Boreal Pine - Spruce)	dc, mc, mk	
	SBS (Sub-Boreal Spruce)	undifferentiated, dh, dk, dw, mc, mh, mk, mm, mw, vk, wk	
Dry Belt Code = 2	BG (Bunchgrass)	xh, xw	
	ESSF (Englemann Spruce - Subalpine Fir)	XC, XV	
	ICH (Interior Cedar Hemlock)	xw	
	IDF (Interior Douglas Fir)	undifferentiated, dc, dk1, dk2, dm1, dm2, dw, xh, xk, xm, xw	
	MS (Montane Spruce)	dc, dk, dm, dv, xk, xv	
	PP (Ponderosa Pine)	xh, dh	
	SBPS (Sub-Boreal Pine - Spruce)	хс	

If subzones are missing from the above listing, the general rule to apply is: very dry and dry subzones are Dry Belt; and moist, wet and very wet are Wet Belt.

# 15.13. Appendix 13 Volume Calculation

This appendix will demonstrate how to calculate the volume for a tree using Kozak's taper equation, and will provide the associated regression coefficients and inflexion points. The volume is calculated for three sections of the tree. Section 1 is the stump, section two is the merchantable volume, and section 3 is the top of the tree. Hence, by applying these steps, both the total volume and the merchantable volume are calculated.

The merchantable portion of the tree is between the stump height and the height where the merchantable top diameter is calculated. This portion is divided into logs based on the log length specified by the timber merchantability specifications.

The last merchantable log is generally shorter than the other logs. If the last log is less than 2.5 m, then add its length and volume to next to last log.

There are two equations that must be used in order to determine the volume of the tree. The first is the taper equation, used to determine the diameter inside bark at a specified height above the ground. The second equation calculates the volume of a log given an upper and lower height above the ground, with associated diameters.

## **Taper Equation**

$$d_{i=} a_1 D^{a_2} a_3^{D} X^{exp}$$

Where:

$d_i$	=	diameter inside bark in cm. at height $h_i$ from the ground
exp	=	$a_4z^2 + a_5ln(z + 0.001) + a_6\sqrt{z} + a_7(D/H) + a_8e^z$
D	=	diameter at breast height in cm
Х	=	$(1 - \sqrt{\frac{h_i}{H}}) / (1 - \sqrt{p})$
Н	=	total height of tree in meters
$\mathbf{h}_{\mathbf{i}}$	=	height from ground in meters
Z	=	h <sub>i</sub> /H
р	=	inflection point, see the end of this Appendix
$a_1a_8$	=	regression coefficients, see the end of this Appendix
ln	=	natural logarithm
e	=	2.718281828

# 15.13.1. Volume calculation

For logs  $\leq 5$  m:

 $V = C \, * \, L_1 \, \left[ D_1 / 2 + 2 D_2 + D_3 + 2 D_4 + D_5 / 2 \right]$ 

For  $\log > 5$  m:

$$V = C * L_2 [D_1/2 + 2D_2 + D_3 + 2D_4 + D_5 + 2D_6 + D_7/2]$$

Where:

V	=	volume of log in m <sup>3</sup>
С	=	0.00005236
$L_1$	=	log length / 4
$L_2$	=	log length / 6
<b>d</b> <sub>1</sub>	=	diameter inside bark at a given height from ground calculated using the Taper Equation
$D_1$	=	$d_1^2$

To determine the height intervals for log volume calculation, use the following method:

Set the 1<sup>st</sup> height as the butt end of the log and the last height as the top end of the log. Assign the other heights at equal intervals between the butt and top of the log.

### Example

For a 5 m log whose butt starts at 0.3 m and top is 5.3 m up the tree:

Interval	Height	Diameter
1	0.30 m	d1
2	1.55 m	d <sub>2</sub>
3	2.80 m	d₃
4	4.05 m	d4
5	5.30 m	d <sub>5</sub>

Interval	Height	Diameter
1	0.30 m	d1
2	1.97 m	d2
3	3.63 m	d₃
4	5.30 m	d4
5	6.97 m	d5
6	8.63 m	de
7	10.30 m	d7

For a 10 m log whose butt is 0.3 m and top is 10.3 m:

Substitute each of the heights into the taper equation to yield a corresponding diameter, d<sub>I</sub>, then substitute these diameters into the appropriate volume equation to yield the volume of the log.

### Steps for Calculating the Volume of a Tree

An example of the volume calculations for a single tree is given. The tree parameters are:

Species:	Cypress
DBH:	110.0 cm
Total height:	41.0 m
F.I.Z.	С
Stump height:	30 cm
Top diameter:	15.0 cm
Log length:	10 m

Step 1 Look up the appropriate regression coefficients, *a*<sub>1</sub>, *a*<sub>2</sub>,, *a*<sub>8</sub> and the inflection point, *p*. These parameters are dependent on species and Forest Inventory Zone. They are provided in the tables in the back of this Appendix.

Example for Cypress in F.I.Z C:

0.30 р =0.928138  $a_1$ = 0.945293  $a_2$ = 0.999206 a3 = 0.301423  $a_4$ =-0.040792 a5 =-1.235630  $a_6$ =0.030743 a7 =0.672879 =  $a_8$ 

- Step 2 Determine the biological and gross merchantable volume.
  - 2.1 Calculate the diameter inside bark at stump height using the Taper equation. Substitute the stump height for h<sub>i</sub>. [If the resultant diameter is less than the specified top diameter, return 0 volume.]

#### Example 15.13.1

Solve the taper equation using 0.3 m as  $h_I$  (only 8 decimal places are shown).

$$X = (1 - \sqrt{0.3/41.0}) / (1 - \sqrt{0.3})$$
  
= (0.914460107...) / (0.452277442...)  
= 2.021900767...  
Exp =  $a_4z^2 + a_5 \ln(z + 0.001) + a_6\sqrt{z} + a_7(D/H) + a_8e^z$   
= 0.301423(0.30 / 41.0)<sup>2</sup> +(- 0.040792)ln((0.30 / 41.0) + 0.001) +(-  
1.235630)  $\sqrt{0.3/41} + 0.030743(110.0 / 41.0)$   
+ 0.672879(2.718281828)<sup>0.30/41.0</sup>  
= 0.849993  
d30 = (0.928138(110.0)<sup>0.945293</sup>)(0.999206)<sup>110.0</sup>(2.02190)<sup>0.849993</sup>

= 131.604

2.2 Calculate the merchantable height of the tree.

There are many ways to find the solution for the merchantable height. However, all methods use a binary search to iterate the proportion of the height at which merch height occurs. This method starts by substituting 0.9 (proportion of the total height to estimate the merch height) into the 'z0' variable in the exp equation calculated in step 2.1 above. Once the exp variable is calculated, it is substituted into the taper equation for (hi/H). This provides a new estimate of the proportion hi/H at the merch ht. The first estimated proportion is compared to the new estimated proportion. When the two proportions are less than 0.00001 different, then the iteration ends. This proportion is multiplied by the total height of the tree to obtain the merchantable height.

a. Start  $hi/H = z_0 = 0.9$ 

Substitute 0.9 into the formula:

$$\begin{split} & \text{Exp} = a_4 \, z_0^2 + a_5 \ln(z_0 + 0.001) + a_6 \sqrt{z0} + a_7 (\text{D/H}) + a_8 \text{e}^{z0} \\ & = 0.301423(0.9)^2 + (-0.040792) \ln((0.9) + 0.001) \\ & + (-1.235630) \sqrt{0.9} + 0.030743(110.0 / 41.0) \\ & + 0.672879(2.718281828)^{0.9} \\ & = 0.81368015 \end{split}$$

b. Substitute exp into the taper formula and solve for proportion  $hi/H = z_1$ 

 $z_{1} = [1 - ((d_{i} / (a_{1} * D^{a2} * a3^{D})) (^{1/exp})) * (1 - \sqrt{p})]^{2}$ = [1 - ((15 / (0.928138 \* (110.0) <sup>0.945293</sup>\* 0.999206 <sup>110.0</sup>)) <sup>1/0.81368015</sup>) \* (1 - \sqrt{0.3})]^{2} = 0.87345586

c. Compare results of  $z_0$  with  $z_1$ . Subtract one proportion from the other. If the result is < 0.00001 and number of iterations is < 10,000 then stop the iteration. = 0.9 - 0.87345586

= 0.026544

d. Since the result of the test was > 0.00001, therefore, continue iteration by halving the estimate of the proportion until result is < 0.00001.

New  $z_0 = (z_0 + z_1)/2$ = (0.9 + 0.87345586) / 2

= 0.88672793

e. Continue back to step 2.2.a until the test results in < 0.00001

Exp	ZO	Z1	Z0-z1
_			(<0.00001)
0.813680155	0.9	0.87345587	0.026544
0.793992663	0.886727934	0.87918892	0.007539
0.788486514	0.882958425	0.88079644	0.002162
0.786914461	0.881877432	0.88125569	0.000622
0.786462942	0.881566559	0.88138761	0.000179
0.786333036	0.881477085	0.88142557	0.000052
0.786295642	0.881451327	0.88143650	0.000015
0.786284877	0.881443912	0.88143964	0.000004

Here are the results of the iteration until a solution was found:

 $z_0 - z_1 = 0.881443912 - 0.88143964 = 0.000004 < 0.00001$ 

Therefore, the iteration can stop.

f. Solve for merchantable height.

Merchantable height = last z0 \* Total height

= 0.881443912 \* 41.0 m

= 36.139 m

= 36.1 m

2.3 Calculate the diameter inside bark at stump height using the Taper equation. Substitute the stump height for h<sub>i</sub>. [If the resultant diameter is less than the specified top diameter, return 0 volume.].

Example:

Using the Taper equation for height 36.1405 m, the calculated diameter is 14.99368 cm, which is within the allowable range for merchantable height.

2.4 Calculate the number of merchantable logs.

# of logs =  $\frac{merchantable height - stump height}{\log length} + 1$ 

Truncate the trailing decimal points.

Example:

$$# \text{ of } \log s = \frac{(36.14 - 0.30)}{10.0} + 1$$
$$= 3.58 + 1$$
$$= 3 + 1$$
$$= 4$$

2.5 Calculate the length of the last log.

Last log = merch. Height – (# of logs –1) \* log length – stump height

Generally speaking the last log will be shorter than the other logs.

```
Example:
```

```
Last \log = 36.14 - (4 - 1)*10.0 - 0.30
= 6.14 - 0.30
= 5.84 m
```

If the last log is less than 2.5 m, then append it to the next to last log.

2.6 Calculate the top diameter of each merchantable log using the Taper equation and then, calculate the volume of the log using the appropriate volume equation, based on the length of the log.

Example:

Consider a tree with four merchantable logs, with the following top heights and top diameters.

Log #	Top Height	Top Diameter (Taper Equation)
1	10.3000 m	75.25 cm
2	20.3000 m	60.58 cm

3	30.3000 m	35.58 cm
4	36.1400 m	15.00 cm

For the 1<sup>st</sup> log, if the stump height is less than 30 cm, then use the volume of a cylinder formula to calculate the volume of the merchantable portion below 30 cm. Use the Taper equation and corresponding volume formula for the portion of the log above 30 cm. The total length of the 1<sup>st</sup> log would be the merchantability required length based on the Map Area Statement, with the butt end of the log starting at the specified stump height.

Example:

Calculate the below 30 cm portion using:

 $C * d_{30}^2 * (0.30 - stump height)$ 

Where:

C = 0.00007854

d<sub>30</sub> = diameter at 30 cm

#### Volume of a Single Log:

Use the Taper equation to determine the 7 diameters for log # 1:

Position	hi	di - taper equation	$D_i = d_i^2$
1	0.3000 m	131.60 cm	17318.56
2	1.9666 m	102.70 cm	10547.29
3	3.6333 m	92.18 cm	8497.15
4	5.3000 m	85.85 cm	7370.22
5	6.9666 m	81.42 cm	6629.22
6	8.6333 m	78.04 cm	6090.24
7	10.300 m	75.25 cm	5662.56

Volume of Log # 1  $V_1 = C * L_2 [D_1/2 + 2D_2 + D_3 + 2D_4 + D_5 + 2D_6 + D_7/2]$ = 0.00005236 \* (10/6) \* 74632.65 = 6.513 m<sup>3</sup>

The other 3 merchantable logs volumes are 3.659 m<sup>3</sup>, 1.957 m<sup>3</sup> and 0.313 m<sup>3</sup> respectively.

Step 3 Calculate the stump volume.

If the stump height <= 30 cm, then:  $\frac{\text{Stump volume}}{(30 \text{cm \& below})} = C * d_{30}^2 * (\text{stump height})$ 

Where C = 0.00007854

 $d_{30}$  = diameter at 30 cm

Example A13.2

Stump volume =  $(0.00007854)*(0.30)*(131.60)^2 = 0.408 \text{ m}^3$ 

If the stump height is greater than 30 cm, then calculate the stump volume below 30 cm as shown above. Then, apply the appropriate log volume equation using the lower bound parameters (30 cm,  $d_{30}$ ) and the upper bound parameters (stump height, diameter at stump height).

Step 4 Calculate the top volume.

Depending on the length of the log, apply the appropriate log volume equation using the lower bound parameters of (merch. height and top diameter) and the upper bound parameters of (total height and 0.0).

Example:

The log length is 41.0 - 36.14 = 4.86 m, so the volume equation for logs less than 5 m would be used.

5	diameters	for	to	p:
---	-----------	-----	----	----

Position	h <sub>i</sub>	d <sub>i</sub> - taper equation	$D_{i}=d_{i}^2$
1	36.1405 m	15.00 cm	225.00
2	37.3553 m	10.74 cm	115.35
3	38.5702 m	6.71 cm	45.02
4	39.7850 m	3.07 cm	9.42
5	41.0000 m	0.00 cm	0.00

 $V_{top} = C * L_1 \left[ D_1 / 2 + 2D_2 + D_3 + 2D_4 + D_5 / 2 \right]$ 

 $= 0.00005236 * (4.8595/4) * 407.06 = 0.026 \text{ m}^3$ 

# **Inflection Points**

	n
	ν

		1	
Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L
F	0.25	0.25	0.25
С	0.25	0.30	0.30
н	0.20	0.25	0.25
В	0.25	0.30	0.30
S	0.25	0.30	0.30
Y	0.30	0.30	0.30
PW	0.25	0.25	0.25
PL	0.25	0.25	0.25
PY	0.25	0.25	0.25
L	0.30	0.30	0.30
AC	0.25	0.25	0.25
D	0.30	0.30	0.30
MB	0.25	0.25	0.25
E	0.25	0.25	0.25
AT	0.20	0.20	0.20
PA	0.25	0.25	0.25

# **Regression Coefficients**

~	
а	1
~	

	1		
Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L
F	1.012675	0.920840	0.920840
С	1.218296	1.033575	1.033575
Н	0.830874	0.752027	0.752027
В	0.988964	1.008741	0.764353
S	0.924126	0.897311	0.897595
Y	0.928138	0.928138	0.928138
PW	0.868943	0.984019	0.984019
PL	0.774601	0.774601	0.793793
PY	0.856592	0.856592	0.856592
L	0.746827	0.746827	1.164819
AC	0.802839	0.802839	0.852579
D	0.718188	0.718188	0.718188
MB	0.802839	0.802839	0.852579
Е	0.648830	0.648830	0.633306
AT	0.855966	0.855966	0.891641
PA	1.078961	1.078961	1.078961

Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L
F	0.899136	0.923867	0.923867
С	0.855983	0.896971	0.896971
Н	1.005210	1.028970	1.028970
В	0.951803	0.916357	1.053220
S	0.950707	0.957090	0.957499
Y	0.945293	0.945293	0.945293
PW	0.976312	0.941322	0.941322
PL	1.040320	1.040320	1.049320
PY	0.936402	0.936402	0.936402
L	1.003900	1.003900	0.831995
AC	0.993776	0.993776	0.952969
D	1.052190	1.052190	1.052190
MB	0.993776	0.993776	0.952969
E	1.121390	1.121390	1.110510
AT	0.987014	0.987014	0.957835
PA	0.894083	0.894083	0.894083

Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L
F	1.000123	1.000568	1.000568
С	0.999921	0.999079	0.999079
н	0.999142	0.998660	0.998660
В	0.999789	1.001159	0.994711
S	0.999518	0.999370	0.998952
Y	0.999206	0.999206	0.999206
PW	0.999773	0.999700	0.999700
PL	0.996984	0.996984	0.995709
PY	1.002104	1.002104	1.002104
L	0.997233	0.997233	1.003909
AC	0.998974	0.998974	1.000477
D	0.997551	0.997551	0.997551
MB	0.998974	0.998974	1.000477
E	0.992077	0.992077	0.994733
AT	0.999828	0.999828	1.001450
PA	1.001749	1.001749	1.001749

**a**4

Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L
F	0.968978	1.095560	1.095560
С	2.037620	1.598260	1.598260
Н	1.770670	1.174800	1.174800
В	2.336270	1.415990	1.381630
S	1.750510	1.532270	1.110150
Y	0.301423	0.301423	0.301423
PW	1.676930	1.571030	1.571030
PL	0.745750	0.745750	0.583403
PY	0.566217	0.566217	0.566217
L	0.747048	0.747048	1.880250
AC	0.706093	0.706093	0.731911
D	0.599235	0.599235	0.599235
MB	0.706093	0.706093	0.731911
E	0.865974	0.865974	1.021680
AT	0.424473	0.424473	0.695143
PA	1.377540	1.377540	1.377540

 $a_5$ 

Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L
F	-0.190913	-0.202191	-0.202191
С	-0.486492	-0.411541	-0.411541
Н	-0.329190	-0.263576	-0.263576
В	-0.502311	-0.325671	-0.306534
S	-0.408021	-0.364679	-0.281544
Y	-0.040792	-0.040792	-0.040792
PW	-0.372195	-0.369344	-0.369344
PL	-0.130177	-0.130177	-0.077654
PY	-0.087141	-0.087141	-0.087141
L	-0.133729	-0.133729	-0.401856
AC	-0.096789	-0.096789	-0.084192
D	-0.033036	-0.033036	-0.033036
MB	-0.096789	-0.096789	-0.084192
E	-0.106757	-0.106757	-0.141481
AT	-0.037553	-0.037553	-0.039652
PA	-0.286807	-0.286807	-0.286807

Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L	
F	0.825961	0.967329	0.967329	
С	2.632080	2.402420	2.402420	
Н	2.185610	2.233330	2.233330	
В	4.154490	2.793270	2.637080	
S	2.659000	2.741210	2.125100	
Y	-1.235630	-1.235630	-1.235630	
PW	2.567510	2.703200	2.703200	
PL	0.558818	0.558818	-0.036267	
PY	-0.063450	-0.063450	-0.063450	
L	0.397110	0.397110	3.082780	
AC	0.312724	0.312724	0.196339	
D	-0.261339	-0.261339	-0.261339	
MB	0.312724	0.312724	0.196339	
E	0.257139	0.257139	0.641499	
AT	-0.517540	-0.517540	-0.603404	
PA	1.038780	1.038780	1.038780	

**a**6

	•			
Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L	
F	0.048766	0.081696	0.081696	
С	0.109094	0.094283	0.094283	
Н	0.105050	0.045184	0.045184	
В	0.086560	0.108427	0.163996	
S	0.092651	0.117756	0.148340	
Y	0.030743	0.030743	0.030743	
PW	0.071928	0.049628	0.049628	
PL	0.198687	0.198687	0.142531	
PY	0.071720	0.071720	0.071720	
L	0.078345	0.078345	0.276300	
AC	0.119634	0.119634	0.148285	
D	0.215536	0.215536	0.215536	
MB	0.119634	0.119634	0.148285	
E	0.254574	0.254574	0.258921	
AT	0.102211	0.102211	0.193706	
PA	0.072537	0.072537	0.072537	

Species	F.I.Z. A, B & C	F.I.Z. D - J	F.I.Z. K & L	
F	-0.426214	-0.514604	-0.514604	
С	-1.486550	-1.252170	-1.252170	
Н	-1.192970	-1.002020	-1.002020	
В	-2.186240	-1.326790	-1.292080	
S	-1.396760	-1.362760	-1.005560	
Y	0.672879	0.672879	0.672879	
PW	-1.340830	-1.334700	-1.334700	
PL	-0.324178	-0.324178	-0.022523	
PY	0.051415	0.051415	0.051415	
L	-0.183542	-0.183542	-1.661550	
AC	-0.080057	-0.080057	-0.069852	
D	0.123059	0.123059	0.123059	
MB	-0.080057	-0.080057	-0.069852	
E	-0.149926	-0.149926	-0.359508	
AT	0.303931	0.303931	0.209159	
PA	-0.647372	-0.647372	-0.647372	

**a**8

# 15.14. Appendix 14 Diameter Classes

DBH Class	Tree DBH Range (cm)
10	7.5 - 12.4
15	12.5 - 17.4
20	17.5 - 22.4
25	22.5 - 27.4
30	27.5 - 32.4
35	32.5 - 37.4
40	37.5 - 42.4
45	42.5 - 47.4
50	47.5 - 52.4
55	52.5 - 57.4
60	57.5 - 62.4
65	62.5 - 67.4
70	67.5 - 72.4
75	72.5 - 77.4
80	77.5 - 82.4
85	82.5 - 87.4
90	87.5 - 92.4
95	92.5 - 97.4
100	97.5 - 102.4
105	102.5 - 107.4
110	107.5 - 112.4
115	112.5 - 117.4
120	117.5 - 122.4
125	122.5 - 127.4
130	127.5 - 132.4
135	132.5 - 137.4
140	137.5 - 142.4
145	142.5 - 147.4
150	147.5 - 162.4
175	162.5 - 187.4
200	187.5 - 212.4
225	212.5 - 237.4
250	237.5 - 262.4
275	262.5 +

# 15.15. Appendix 15 Volume Constants

The following tables are indexed by Species, Maturity and Forest Inventory Zone. They are used to determine the S.E.E. and Bias for volume for height-curve calculations (see <u>Chapter 7</u>).

Species	Maturity	F.I.Z.	Α	В	С
Douglas Fir	Immature	A, B, C	-4.319071	1.81382	1.042420
Douglas Fir	Mature	A, B, C	-4.348375	1.69244	1.181970
Douglas Fir	All	D – L	-4.383102	1.74294	1.156410
Red Cedar	Immature	A, B, C	-4.139118	1.71677	1.047420
Red Cedar	Mature	A, B, C	-4.103107	1.74324	0.981729
Red Cedar	All	D – L	-4.178431	1.75995	1.019080
Hemlock	Immature	A, B, C	-4.418820	1.86778	1.099890
Hemlock	Mature	A, B, C	-4.337451	1.78350	1.120230
Hemlock	All	D – L	-4.394633	1.94290	0.990275
Balsam	All	A, B, C	-4.266202	1.78296	1.103820
Balsam	All	D – L	-4.291919	1.87293	0.998274
Spruce	Immature	A, B, C	-4.310416	1.82284	1.057290
Spruce	Mature	A, B, C	-4.368545	1.64699	1.282450
Spruce	All	D – L	-4.294193	1.85859	1.007790
Yellow Cedar	All	A – L	-4.187127	1.77736	1.032990
White Pine	All	A – L	-4.300522	1.85780	1.022250
Lodgepole Pine	All	A – L	-4.349504	1.82276	1.108120
Albicaulis Pine	All	A – L	-4.300522	1.85780	1.022250
Yellow Pine	All	A – L	-4.482485	1.95443	1.016770
Larch	All	A – L	-4.350486	1.71236	1.135270
Cottonwood	All	A – L	-4.648431	1.73518	1.356010
Alder	All	A – L	-4.431705	1.89057	1.090770
Maple	All	A – L	-4.536696	1.90785	1.120160
Birch	All	A – L	-4.443142	1.90956	1.052050
Aspen	All	A – L	-4.419728	1.89476	1.053730

### Volume Constant A, B and C

# 15.16. Appendix 16 Rounding

Round all reported parameters to the specified number of significant digits from this manual. Use the normal rules for rounding (i.e. digits 0 - 4 are rounded down and digits 5 - 9 are rounded up). For example if a parameter is to be reported to one decimal place, then:

825.123 would round to 825.1, whereas

825.158 would round to 825.2

In cases where a reported parameter is based on summing or weighting the parameters of previously reported parameters, then save all the intermediate calculations to the maximum precision and round at the end. For example, the gross total volumes for 2 types in a cutting permit are as follows:

825.123 would round to 825.1, whereas

825.158 would round to 825.2

	9999.84	would round to 10000
Type 2	4444.423	would round to 4444
Type 1	5555.423	would round to 5555

In other words, the cutting permit total would be 10000, not 9999.

Throughout the manual the sample calculations will show all the necessary digits for intermediate calculations. It is assumed that any intermediate calculation that is not shown in this manual uses an adequate number of significant digits to carry the precision to result in the values used in the sample calculations that are shown. Whenever constants, e.g., pi, are used in this manual, use the constants as shown.

Use the following rules to determine how many decimal places are required for intermediate calculations.

#### Addition and Subtraction

Save the resultant sum or difference with the maximum precision in the operands used.

#### Multiplication

Add the number of decimal places for each of the operands used in the calculation.

#### Division, Square Root, Exponential and Logarithm

Carry enough decimal places to achieve the required precision for the output value. For example, if the output value is reported to 1 decimal place, the program variable should be accurate to 2 decimal places to produce accurate rounded numbers.

# 15.17. Appendix 17 Mathematical Notation

## Subscripts:

In  $x_d$  the d means that x can take on different forms or values. Putting in a particular value of d tells which form or value of x we are concerned with. The d may be a particular characteristic of an individual tree. The term  $x_1$  might be the height of the tree,  $x_2$  might be its' DBH. Or the subscript might imply a particular tree. In this case,  $x_1$  could be the height of the first tree and  $x_2$  the height of the second tree. Which meaning is intended will usually be clear in the text.

A variable (say x) will often be identified in more than one way. Multiple classification is accomplished with more subscripts. In  $x_{d,u}$  the d might identify the characteristic (for height, d = 1: for DBH, d = 2). The u could identify which individual we are dealing with. Then  $x_{2,7}$  would tell us that we are dealing with the DBH (d = 2) of the seventh tree (u = 7). If the individuals are from different groups we can use another subscript (sayh).

The symbol  $x_{d,u,h}$  would indicate the d<sup>th</sup> characteristic of the u<sup>th</sup> individual of the h<sup>th</sup> group.

### Summations:

To indicate that several (say 6) values of a variable (x) are to be added together we could

write  $\sum_{d=1}^{6} x$  In words this tells us to sum all values of x <sub>d</sub> , letting d go from 1 up to 6.

The symbol  $\Sigma$  indicates that a summation should be performed. The x is what should be summed and the values above and below the  $\Sigma$  indicate the limits over which the subscript d will be allowed to vary.

### **Brackets:**

The equation  $\sum_{d} \left( \sum_{u} x_{d,u} \right)$  says that for each value of d we should first add up the  $x_{d,u}$  over

all values of u. Then add these up over all values of d.

If the range of d is from 1 to 3 and the range of u is 1 to 4 then:

$$\sum_{d=1}^{3} \left( \sum_{u=1}^{4} x_{d,u} \right) = (x_{1,1} + x_{1,2} + x_{1,3} + x_{1,4}) + (x_{2,1} + x_{2,2} + x_{2,3} + x_{2,4}) + (x_{3,1} + x_{3,2} + x_{3,3} + x_{3,4}).$$

# 15.18. Appendix 18 Interior Fir Quality Class Algorithm

This is computed on a tree by tree basis.

## Quality Class 1

- No conk,
- no blind conk,
- no scars in lower third,
- no forks or crooks in lower two thirds,
- no frost cracks in lower third,
- no rotten branches greater than 10 cm in diameter in lower third,
- no dead or broken top, and

• no 
$$\left(\frac{\text{DBH (cm)}}{\text{Height (cm)}}\right)$$
 ratio less than 1:48.

## **Quality Class 2**

- Trees of lower quality than those above, and
- tree class 3, 4, 6, 7 and 9 trees.

# **15.19.** Appendix 19 Valid Compilation Versions

The valid compilation versions are listed at the following site: <u>Timber Cruising - Province of British</u> <u>Columbia</u>

# 15.20. Appendix 20 CGNF Compilation for the Coast Forest Region

For the Coast Forest Region, the effective date is January 1, 2007. The CGNF Compilation for the Coast Forest Region is available at:

<u>https://www2.gov.bc.ca/gov/content/industry/forestry/competitive-forest-industry/timber-pricing/timber-cruising/cgnf-compilation-standards-for-the-coast-forest-region-manual</u>
## 16. Glossary

Average Line Method	A calculation method that utilizes all the plots within a timber type regardless of whether all those plots are in the same block or harvest method.
Basal Area	The area in m <sup>2</sup> that each tree in a cruise plot represents on a per hectare basis. For example, each tree in a variable radius plot using a BAF 10 prism represents 10m <sup>2</sup> /ha of basal area.
Basal Area Factor	Basal area (m <sup>2</sup> ) per hectare that each "in" tree represents when using a prism or relascope. Prisms are sometimes classified as "diopter" size or inscribed with the BAF number. The size denotes the basal area factor (i.e., an 8 BAF prism which tallies 7 trees in a plot would give a basal area (in timber) of 56 m <sup>2</sup> /hectare).
Bias	A difference between the sampling result and the actual value due to errors in measurement, sampling procedure or calculations.
Biological Volume	Volume of a tree from the ground to the top.
Block	An area that meets the cutblock requirements as specified in the <u>Coast</u> and <u>Interior Appraisal Manuals.</u>
Block Method	A calculation method that only utilizes plots from within a Block or Harvesting Method.
Board Foot	A volume of lumber equal to 12 inches by 12 inches by 1 inch.
Bone Dry Unit	A measure of chip recovery for a given volume of merchantable wood.
Chip Yield	Amount of chips, expressed in bone dry units, obtained from a given volume of lumber.
Coast Compilation	A cruise compilation that will be compiled for a coast stumpage appraisal. https://www2.gov.bc.ca/gov/content/industry/forestry/com

	petitive-forest-industry/timber-pricing/coast-timber- pricing/coast-appraisal-manual.
Coefficient of Variation	A relative measure of variation, equal to the sample standard deviation expressed as a percentage of the sample mean $\left(\frac{SD}{\bar{x}}\right)$ .
Cull	Decay, waste, and breakage volume combined.
Cut Tree	A tree that will be felled.
Cutting Permit Area	The area authorized to harvest Crown timber, as provided by the <i>Forest Act</i> .
DBH	The outside bark diameter of a tree measured at breast height.
DBH Class	A range of DBH values used to group trees together.
Dead Potential	A dead tree with at least 50% sound wood fiber remaining.
Degree of Freedom	A value used in the lookup of the T-Table. It is the number of measurements used, n, minus the number of statistics already derived from the observations, and used in the calculations.
Diameter Conversion	A method of estimating the DBH based on the stump diameter.
Double Sampling Ratio	A factor applied in the cruise compilation to adjust the basal area, stems per hectare and other cruise parameters when count and measure plots are used in a compilation.
Grade	A qualitative assessment of a log.
Harvesting Method	Method used to harvest a cutting permit.
Height-diameter Curve	A regression model used to estimate heights from DBH.
Inflection Point	Point where a curve changes from concave to convex or vice versa.
Interior Compilation	A cruise compilation that will be compiled for an interior stumpage appraisal. https://www2.gov.bc.ca/gov/content/industry/forestry/com

	petitive-forest-industry/timber-pricing/interior-timber- pricing/interior-appraisal-manual
Large Log	A log whose top diameter is 30 cm or greater.
Leave Tree	A tree that will not be felled.
Loss Factor	The method used to determine the net volume of a tree. The loss factors were determined as part of the provincial inventory system. Loss factors use a combination of tree maturity, pathological indicators and tree location (FIZ and PSYU or local factors) to determine the percentage of decay, waste and breakage that will be deducted from the gross merchantable volume equally from each log in a tree.
Lumber Recovery Factor	The amount of lumber recovery per cubic meter of net volume (i.e. board feet per cubic meter).
Maximum Age	Age limit for sample trees used for height-curve calculations.
Maximum DBH	The largest DBH that can be used in a height-diameter curve.
Maximum Height	The largest height that a height-diameter curve produces.
Merchantable Height	Height of a tree where the diameter is equal to the Top Diameter for utilization.
Merchantable Volume	The volume of a tree between the stump height and the merchantable height.
Minimum DBH	The smallest DBH that can be used in a height-diameter curve.
Old Growth	A mature stand that has never been felled.
Pathological Indicator	Conk, blind conk, scar, fork or crook, frost crack, mistletoe, rotten branch, and dead or broken top.
Plot	A sample of the cutting permit. The plot is used to estimate the compilation parameters on a 'per hectare' basis. The 'per hectare' value is multiplied by an area, which provides an estimate of the parameter total for that area. For example, a plot would estimate the number of stems per hectare.

	Multiplying by the area of the cutting permit would provide an estimate of the number of stems in the cutting permit.
Plot Size	For fixed area plots only. The plot size is the area of each plot to the nearest one hundredth of a hectare.
Plot Sweep	The size of the plot. A plot sweep can be full or border. For border plots, each tree tallied would count double towards the number of stems per hectare.
Reduction	A method of reducing the volume and stem estimates by assigning some trees as cut trees and some trees as leave trees.
Regression Coefficient	Coefficient that yields the 'line of best fit' for an equation, determined using linear or non-linear regression analysis.
Risk group	A grouping by expected "risk" or probability of average decay, waste and breakage. A combination of tree class, pathological indicators, Forest Inventory Zone and PSYU determines the Risk Group of an individual tree for volume deduction.
ScatterGram	A type of graph that plots a collection of points, rather than a curve. For example, a graph which plots the measured heights over measured DBH.
Second Growth	Coniferous species tallied in a plot where the age in 10s is less than 15 or the tree class is 8 or 9. Tree classes 5 and 7 are never counted as second growth.
Silviculture Treatment Unit	An area allocated for a partial cut prescription (including a clear cut prescription).
Small Log	A log whose top diameter is less than 30 cm.
Snag	A useless tree having no potential for sound wood. Snags are coded tree class 4 (living) or 6 (dead).
Species Grouping	A set of species that will report using one species code in a report.
Standard Deviation	The square root of variance. It characterizes dispersion of individuals about the mean and gives some idea

	whether most of the individuals in a population are close to the mean or spread out.
Standard Error Estimate	An expression of how close the sample mean is to the true mean. Two standard errors (2 SE) means there is a 95% chance that the true mean is within the sampling error of the cruise.
Stem	A tree having potential for sound wood.
Stem Volume	See biological volume.
Stud Log	A log whose top diameter is less than 20 cm.
Stump Diameter	The measured diameter of a stump in cm, inside bark.
Stump Height	The measured height above the ground where a tree has been felled.
Stump Volume	Volume of a stump calculated using the volume of a cylinder formula.
Sub Plot	A method of differentiating between different sized trees in a plot.
'T' Table	A list of values used to determine the Confidence Interval given the Standard Error of the mean.
Taper Equation	Equation used to assign a diameter to a given height of a tree.
Timber Type	A stratification of the Cutting Permit, which identifies trees of differing quality and/or quantity.
Top Volume	Volume of the non-merchantable portion of a tree above the merchantable height.
Tree Class	A series of classes (nine) signifying age/maturity, presence of pathological indicators, and live/dead classification. This classification, in combination with pathological indicators and age in 10's, determines the appropriate risk group for volume deduction.
UTM Co-ordinates	Coordinates from the Universal Transverse Mercator coordinate system, a two dimensional coordinate system that divides the earth into 60 zones.

Variance	The mean of squared deviations of observations about a sample mean. (These deviations or differences from the mean are called residuals).
Volume Constant	Regression coefficients used to determine the biological tree volume from DBH and tree height.