2022

BC Conservation Status Rank Review and Changes

Vascular Plants

Additions: 12 vascular plants were added to the BC flora. Only two were native species.

Taraxacum scopulorum, alpine dandelion is a previously overlooked species. Specimens collected in limited habitat in the Peace River area that were previously identified as *Drymocallis convallaria* were reidentified as *Drymocallis arguta*, tall wood beauty.

Among the Exotics is *Cytisus multiflorus*, Spanish broom, an ornamental shrub that has escaped from plantings and appears to be established on Vancouver Island and *Phytolacca americana*, pokeweed, a garden ornamental from eastern North America that has established a population in a Vancouver Park.

Excluded: Eight vascular plants were removed from the flora primarily due to an absence of reliably verified specimens or misidentification.

Taxonomic/Name Changes: 43 changes in taxonomic classification or nomenclature were made this year. Most of these changes better align BC taxonomy and nomenclature with the Canada-wide database VASCAN and recent treatments in the Flora of North Americana and the revised Flora of the Pacific Northwest, 2nd Edition (Hitchcock and Cronquist)(Giblin et al. eds, 2018).

Status Assessment: 46 taxa had changes to their provincial conservation status ranks this year. Almost all changes were due to new information or new interpretation of the same information. The ranks of 6 taxa were changed to SU (Unknown) because of taxonomic questions or uncertainty regarding provenance. For example, the rank for *Catabrosa aquatica*, brookgrass was changed from SH to SU because the historical collection from Fernie included no details regarding provenance and a contemporary record from Texada Island represents an introduction. Other rank changes represent minor refinements that have been made possible through recent surveys or new information.

Bryophytes

Additions: 26 mosses were added to the BC flora. Most of these were reported for BC by the Flora of N. America Vol. 28 and confirmed with specimens. Several others, such as *Brachythecium campestre, Sphagnum orientale* and *Tortula plinthobia* are not listed for BC in FNA Vol. 28, but were verified with collections by BC bryologists.

Excluded: 22 mosses were removed from the BC flora because they could not be confirmed with collections, or they were reidentified as other species.

Taxonomic/Name Changes: 106 taxonomic changes were made to bryophytes (and one liverwort) this year. Many were generic reassignments or spelling corrections following *An annotated checklist of bryophytes of Europe, Macaronesia and Cyprus* (Hodgetts et al. 2020.) Several trinomials were added where FNA (Vol. 28) recognizes subtaxa (e.g. *Orthotrichum pallens* var. *pallens*); others were removed where FNA (Vol. 28) does not recognize subtaxa (e.g. *Amblystegium serpens*)

Status Assessment: Ranks for three mosses were changed to SU (Unknown) due to uncertainty related to taxonomy or specimen identification.

Fungi

Four lichens and one macrofungus were added to the myco-flora this year. This reflects incidental changes brought to our attention and not that there are few updates to these groups. Many more changes are expected once we have the opportunity to address these groups and undertake assessments in the coming months and years.

Vascular Plant References

Ackerfield, J. R., Keil, D. J., Hodgson, W. C., Simmons, M. P., Fehlberg, S. D. and Funk, V. A. 2020. Thistle be a mess: Untangling the taxonomy of *Cirsium* (Cardueae: Compositae) in North America. J. Syst. Evol. 58: 881–912.

Allen, G. 2021. Personal communication. University of Victoria Botany Dept. Professor. Victoria, BC.

Allen, G.A. L. Brouillet, J.C. Semple, H.J. Guest, and R. Underhill. 2019. Diversification of the North American Doellingeria-Eucephalus Clade (Astereae: Asteraceae) Inferred from Molecular and Morphological Evidence. Systematic Botany, 44(4): 930-942.

Björk, C. R. 2020. Notes on the Holarctic Species of Huperzia (Lycopodiaceae), with Emphasis on British Columbia, Canada. 2020. Annales Botanici Fennici 57(4-6): 255-278.

Brummitt R. K. 2007. Report of the Nomenclature Committee for Vascular Plants: 58. Taxon 56(2): 590-594.

Carex Working Group (http://www.carexworkinggroup.com/pages/specieslist.html).

Costea, M. et al. 2015. A Phylogenetically Based Infrageneric Classification of the Parasitic Plant Genus Cuscuta (Dodders, Convolvulaceae) Systematic Botany 40(1): pp. 269–28.

Doweld, A.B. & A. Shipunov. 2017. (2497) Proposal to reject the name Plantago indica (Plantaginaceae). Taxon. 66 (1): 205–206.

Fehrer, J., B. Gemeinholzer, J. Chrtek Jr., & S. Bräutigam. 2007. Incongruent plastid and nuclear DNA phylogenies reveal ancient intergeneric hybridization in *Pilosella* hawkweeds (Hieracium, Cichorieae, Asteraceae). Molecular Phylogenetics and Evolution. Volume 42, Issue 2. Pages 347-361.

Flora of North America Editorial Committee. 1993+ Flora of North America North of Mexico [Online]. 22+ vols. New York and Oxford. Vol. 8, Vol. 12, Vol. 17, Vol. 24. http://beta.floranorthamerica.org. Accessed [May22, 2022].

Gaskin, J.F. & L.M. Wilson. 2007. Phylogenetic Relationships Among Native and Naturalized Hieracium (Asteraceae) in Canada and the United States Based on Plastid DNA Sequences. Systematic Botany. Volume 32.No. 2. pp. 478-485(8).

Giblin, D., B. Legler, P. Zika, & R. Olmstead, Eds. 2018. Flora of the Pacific Northwest (Hitchcock and Cronquist): An Illustrated Manual, 2nd Edition. University of Washington Press. Seattle, USA.

Jepson e-flora. Accessed online at: https://ucjeps.berkeley.edu/eflora/

Kim, S.-C., Crawford, D. J., & Jansen, R. K. 1996. Phylogenetic Relationships among the Genera of the Subtribe Sonchinae (Asteraceae): Evidence from ITS Sequences. Systematic Botany, 21(3), 417–432.

Kurtto, A., Uotila, P. 2019. New combinations in the vascular flora of Finland, in the genera *Spinulum*, *Oxybasis* and *Potentilla*. Memoranda Societatis Pro Fauna Et Flora Fennica, 95, 36-39.

Lomer, F. 2021. Personal communication. Consultant. New Westminster, BC.

Marr, K. 2021. Personal communication. Royal BC Museum Botany Collections. Curator. Victoria, BC.

Morin, N.R. 2020. Taxonomic changes in North American Campanuloideae (Campanulaceae). Phytoneuron 2020-49: 1–46.

PAF Editorial Committee. 2021. Achillea alpina ssp. multiflora In Pan Arctic Flora. Accessed online at: http://panarcticflora.org/results?biogeographic=&bioclimatic=®ion=&name=achillea+alpina#paf-861404b.

Peterson, P.M., K. Romaschenko, R.J. Soreng, & Jesus Valdés Reyna. 2019. A key to the North American genera of Stipeae (Poaceae, Pooideae) with descriptions and taxonomic names for species of Eriocoma, Neotrinia, Oloptum, and five new genera: Barkworthia, ×Eriosella, Pseudoeriocoma, Ptilagrostiella, and Thorneochloa. PhytoKeys 126: 89-125.

Peterson, Paul & Romaschenko, Konstantin & Herrera-Arrieta, Yolanda. 2015. A molecular phylogeny and classification of the Eleusininae with a new genus, Micrachne (Poaceae: Chloridoideae: Cynodonteae). Taxon. 64. 445-467. 10.12705/643.5.

Pringle, J.S. 2013. Nomenclatural Notes on North American Gyrandra (Centaurium s. lat.) and Lomatogonium (Gentianaceae). Rhodora 115 (961): 96–111.

Sears, C. Personal communication. Consultant. Golder Associates Ltd. Vancouver, BC.

Seung-chul, Kim, D.J. Crawford, and R. Jansen. 1996. Phylogenetic relationships among the genera of the subtribe Sonchinae (Asteraceae): evidence from ITS sequences. Systematic Botany 21: 417-432.

Wendling, B.M., Galbreath KE, DeChaine EG. 2011. Resolving the Evolutionary History of Campanula (Campanulaceae) in Western North America. PLoS ONE 6(9): e23559.

Wiegleb, G., Bobrov, A., J. Zalewska-Gałosz, J. 2017. A taxonomic account of Ranunculus section Batrachium (Ranunculaceae). Phytotaxa. 319: 1-55.

Wilson, B.L., R.E. Brainerd, and N. Otting. 2013. NEW COMBINATIONS IN CAREX KELLOGGII (CYPERACEAE). J. Bot. Res. Inst. Texas 7(1): 53.

Zika, P.F. and G.C. Tucker. 2017. Variation in Linnaea borealis (Linnaeaceae) across North America and Greenland. J. Bot. Res. Inst. Texas 11(1): 67–79.

Bryophyte References

Caparros. R, F. Lara, I. Draper, V. Mazimpaka, and R. Garilleti. 2016. Integrative taxonomy sheds light on an old problem: the Ulota crispa complex (Orthotrichaceae, Musci). Botanical Journal of the Linnean Society, 2016, 180, 427–451.

Flatberg, K.I. 2005. Taxonomy, geography and possible origin of *Sphagnum inexspectatum* (sect. Subsecunda) sp. nov. Lindbergia 30: 59-78.

Flora of North America Editorial Committee, eds. 1993+. Flora of North America North of Mexico [Online]. 22+ vols. New York and Oxford. Vol. 27, 2007; vol 28, 2014; http://beta.floranorthamerica.org. Accessed [May22, 2022].

Golinski, Karen. 2021. Personal Communication. Collections Curator. UBC Herbarium, Beaty Biodiversity Museum.

Hanusch, M., E. M. Ortiz, J. Patiño, and H. Schaefer. 2020. Biogeography and integrative taxonomy of Epipterygium (Mniaceae, Bryophyta). TAXON 69 (6): 1150–1171.

Hodgetts, N.G., L. Söderström, T. L. Blockeel, S. Caspari, M. S. Ignatov, N. A. Konstantinova, N. Lockhart, B. Papp, C. Schröck, M. Sim-Sim, D. Bell, N. E. Bell, H. H. Blom, M. A. Bruggeman-Nannenga, M. Brugués, J. Enroth, K. I. Flatberg, R. Garilleti, L. Hedenäs, D. T. Holyoak, V. Hugonnot, I. Kariyawasam, H. Köckinger, J. Kučera, F. Lara, and R. D. Porley. 2019. An annotated checklist of bryophytes of Europe, Macaronesia and Cyprus. Journal of Bryology 42:1, 1-116.

Ireland, R.R., G.R. Brassard, W.B. Schofield, & D.H. Vitt. 1987. Checklist of mosses of Canada II. Lindbergia 13: 1-62.

Joya, Steve. 2021. Personal Communication. Consultant.

Kučera, J., O. I. Kuznetsova, A. Manukjanová & M. S. Ignatov. 2019. A phylogenetic revision of the genus Hypnum: towards completion. Taxon 68(4): 628–660.

Lara, F., R. Garillet, B. Goffinet, I. Draper, R. Medina, B. Vigalondo & V. Mazimpaka. 2016. Lewinskya, a new genus to accommodate the phaneroporous and monoicous taxa of Orthotrichum (Bryophyta, Orthotrichaceae). Cryptogamie, Bryologie 37 (4): 361-382.

McIntosh, Terry. 2021. Personal Communication. Consultant.

Muñoz, J. 1999. *Grimmia arcuatifolia* and *G. leibergii* (Musci, Grimmiaceae), two neglected species from northwestern North America. Anales Jardin Botanico de Madrid. 57(1). Pp 7-13.

Shaw, A.J., B. Shaw, H.K. Stenøien, G.K. Golinski, K. Hassel & K.I. Flatberg. 2015. Pleistocene survival, regional genetic structure and interspecific gene flow among three northern peat-mosses, *Sphagnum inexspectatum*, *S. orientale* and *S. miyabeanum*. Journal of Biogeography 42: 364-376.

Shaw, A.J., B. Shaw, M. Ricca & K.I. Flatberg. 2012. A phylogenetic monograph of the *Sphagnum subsecundum* complex (Sphagnaceae) in eastern North America. The Bryologist 115: 128-152.

Shaw, A.J., B. Shaw & S. Boles. 2008. A phylogenetic delimitation of the *Sphagnum subsecundum* complex (Sphagnaceae, Bryophyta). American Journal of Botany 95(6): 731-744.