

BC's Community Energy and Emission Inventories...supporting efforts towards Complete, Compact, Energy-Efficient Communities





Page 2 of 8 June 30, 2010

Sectors

On Road Transport	ation	Vehicles	Consumption	Measurement	Average-VKT(km)	Energy (GJ)	<u>CO2e (t)</u>
Small Passenger Cars	Gasoline	9,912	13,771,310	Litres	13,539	481,996	32,977
	Diesel Fuel	427	426,737	Litres	13,636	16,344	1,165
	Other Fuel	< 10	875	Litres	8,199	34	1
				Small Pa	assenger Cars	498,374	34,143
Large Passenger Cars	Gasoline	5,737	11,793,498	Litres	16,259	412,772	28,104
	Diesel Fuel	124	274,066	Litres	16,066	10,497	747
	Other Fuel	19	47,792	Litres	13,247	1,830	73
				Large Pa	assenger Cars	425,099	28,924
Light Trucks, Vans, SUVs	Gasoline	18,315	54,939,572	Litres	19,316	1,922,885	131,897
	Diesel Fuel	1,996	4,842,550	Litres	18,570	185,470	13,229
	Other Fuel	184	486,148	Litres	13,250	18,619	745
				Light Tr	ucks, Vans, SUVs	2,126,974	145,871
Commercial Vehicles	Gasoline	153	677,649	Litres	13,483	23,718	1,582
	Diesel Fuel	444	2,072,713	Litres	20,997	79,385	5,578
	Other Fuel	20	91,928	Litres	11,904	3,521	141
				Comme	rcial Vehicles	106,624	7,301
Tractor Trailer Trucks	Gasoline	10	30,351	Litres	7,085	1,062	71
	Diesel Fuel	549	15,609,108	Litres	70,975	597,829	42,003
	Other Fuel	< 10	13,775	Litres	8,292	528	21
				Tractor	Trailer Trucks	599,419	42,095
Motorhomes	Gasoline	325	418,362	Litres	2,765	14,643	977
	Diesel Fuel	41	38,493	Litres	3,828	1,474	104
	Other Fuel	< 10	6,645	Litres	2,189	255	10
				Motorho	omes	16,372	1,091
Motorcycles, Mopeds	Gasoline	637	317,804	Litres	4,851	11,123	742
				Motorcy	cles, Mopeds	11,123	742
Bus	Gasoline	19	153,981	Litres	17,048	5,389	362
	Diesel Fuel	85	949,413	Litres	22,516	36,363	2,555
	Other Fuel	< 10	21,945	Litres	15,902	841	34
				Bus		42,593	2,951



Page 3 of 8 June 30, 2010

On Road Transportation Totals			Gasol Diesel Other All Fu	ine: : Fuel: iels:	2,873,588 927,362 25,628 3,826,578	196,712 65,381 1,025 263,118
Buildings	Type	Connections	Consumption	Measurement	Energy (GJ)	<u>CO2e (t)</u>
Residential	Electricity Natural Gas Heating Oil Propane Wood	31,797 11,471	368,502,807 828,485 358,369 630,696 751,295 Residential	Kilowatt Hours GigaJoules GigaJoules GigaJoules GigaJoules	1,326,609 828,485 358,369 630,696 751,295 3,895,454	2,733 42,252 25,261 38,479 278 109,003
Commercial/Small-Medium Industrial	Electricity Natural Gas	4,541 1,301	173,810,512 478,747 Commercial/Sma	Kilowatt Hours GigaJoules II-Medium Industrial	625,717 478,747 1,104,464	1,284 24,416 25,700
Buildings Totals			Electri Natura Propa Wood: Heatin Buildi	city: al Gas: ne: g Oil: ngs:	1,952,326 1,307,232 630,696 751,295 358,369 4,999,918	4,017 66,668 38,479 278 25,261 134,703
Solid Waste			Comm	unity Solid Waste	<u>Mass (t)</u> 29,354	<u>CO2e (t)</u> 18,925



Grand Total				000 (1)
Granu Totai	CONSUMPTION		ENERGY (GJ)	<u>CO2e (t)</u>
Diesel Fuel	24,213,080	L	927,362	65,381
Electricity	542,313,319	kWh	1,952,326	4,017
Gasoline	82,102,527	L	2,873,588	196,712
Heating Oil	358,369	GJ	358,369	25,261
Natural Gas	1,307,232	GJ	1,307,232	66,668
Other Fuel	669,108	L	25,628	1,025
Propane	630,696	GJ	630,696	38,479
Solid Waste	29,354	Т	0	18,925
Wood	751,295	GJ	751,295	278
Total of Transportation / Buildings / Solid Waste:			8,826,496 (GJ 416,746 tonnes

Memo Items

Buildings	Туре	Connections	Consumption	Measurement	Energy (GJ)	<u>CO2e (t)</u>	
Large Industrial	Electricity	12	88,906,077	Kilowatt Hours	320,062	533	
	Natural Gas	12	withheld	GigaJoules	-	-	
			Lar	ge Industrial	320,062	533	
Agriculturo				Number of Animala	Mathana		
Agriculture				Number of Animals	weulane	<u>0028 (l)</u>	
		Er	nteric Fermentatior	13,115	804	16,884	
Land-Use Change					<u>Area (ha)</u>	<u>CO2e (t)</u>	
		Defore	estation from Agric	culture	-	-	
		Defore	estation from Settl	ement	143	68,864	
			Defo	restation:	143	68,864	



Supporting Indicators

Below you will find supporting indicators for which data is provided. These are the first five supporting indicators for which data is provided as a part of the updated 2007 CEEI. Columns with all zeros indicate data unavailable in these CEEI reports. Thirteen additional supporting indicators are under consideration for future reports (see next page). Local government feedback is requested on all supporting indicators. Please take the time to complete the short CEEI Survey at http://www.env.gov.bc.ca/cas/mitigation/ceei/index.html or contact us directly at CEEIRPT@gov.bc.ca/cas/mitigation/ceei/index.html or

Housing Type - Private dwellings by structural type

Housing type is important for reducing building-related GHG emissions and energy consumption. A trend toward fewer single family dwellings indicates an increase in residential density, which is known to reduce transportation-related GHG emissions.

1996 Units		6 %	2001 Units %		2006 Units %		
Single Detached House	18,750	45	19,175	79	19,155	78	
Semi-Detached House	265	1	385	2	380	2	
Row House	500	1	585	2	510	2	
Apartment, Duplex	750	2	795	3	765	3	
Apartment, 5 storeys or higher	r 105	0	30	0	15	0	
Apartment, under 5 storeys	1,440	3	1,415	6	1,665	7	
Other Single Attached House	70	0	90	0	110	0	
Movable Dwelling	1,445	3	1,735	7	2,075	8	

Commute to Work - Employed labour force - by mode of commute

An increase in the number of people choosing to walk, cycle and use transit reduces GHG emissions. More compact, complete, connected communities should see an increase in the use of these transportation modes.

	199	6	200	2001		2006	
	People	%	People	%	People	%	
Car, Truck, Van as Driver	17,195	77	16,965	77	17,180	76	
Car, Truck,Van as Passenge	1,725	8	1,525	7	1,715	8	
Public Transit	145	1	260	1	315	1	
Walked	2,645	12	2,745	12	2,575	11	
Bicycle	230	1	345	2	425	2	
Motorcycle	45	0	40	0	40	0	
Taxicab	10	0	50	0	15	0	
Other Method	295	1	215	1	235	1	

Residential Density

* Net of Crown land, parks, Indian Reserves, water features, airports, ALR,waste disposal sites.

Increasing residential densities is known to reduce vehicle use resulting in fewer transportation-related GHG emissions. There are many additional benefits from more compact development.

2009

This data is currently unavailable in the CEEI 2007 Reports.

Commute Distance

Shorter commute distances generally reduce GHG emissions by increasing the likelihood of people walking, cycling or using transit. Commute distance is also indicative of the 'completeness' of a community from an employment perspective.

2006

People %

This data is currently unavailable in the CEEI 2007 Reports.



Parks and Protected Greenspace * Total is net of Indian Reserves

** The quantity of parkland may be underestimated Parks and protected greenspaces are important for the protection and enhancement of community carbon sinks.

	2009		
	Area (ha)	%	
National Parks	0.0	0.0	
Provincial Parks / Protected Areas	360,176.5	16.1	
Local Parks	6,620.6	0.3	
Agricultural Land Reserve	63,560.2	2.8	
Other land use	1,808,762.6	80.8	
Total Land Area	2,239,119.9	100.0	



Supporting Indicators Under Consideration

The following supporting indicators are under consideration for inclusion in future CEEI reports. The 2007 CEEI reports provide these 'placeholder' indicators to give indication of data that may be provided in the future by the Province on an ongoing basis to assist in monitoring actions to reduce GHG emissions and energy consumption. Please submit feedback to <u>CEEIRPT@gov.bc.ca</u> (see survey on CEEI website).

On-Road Transportation (and Land Use) Proximity to Transit Persons, dwelling units (du) and employment within 400m of a guality transit stop/line Persons and dwelling units (du) within 400m of services (e.g. grocery store, school, other retail etc.) Proximity to Services Transit Ridership Annual per capita transit ridership **Buildings** Residential; Public Building Average energy use per person per square metre of floor space Energy Intensity Average residential dwelling unit size Floor Space Solid Waste (and Water) Waste Diversion Tonnes of waste diverted Avoided Waste Emissions Tonnes of CO2e of avoided future emissions due to reduced waste since 2007 Water Use Per capita residential water use Land-Use Change Impervious Surface Cover % change in impervious surface cover Tree Canopy Cover % change in tree canopy cover **Community and Renewable Energy Supply** District Energy # and energy output (e.g. buildings connected, energy consumed in GJ or kWh) of district energy systems by energy type (e.g. renewable or non-renewable) **On-Site Renewable Energy** # and energy output (in GJ or kWh) from households producing and/or consuming on-site renewable heat (e.g. biomass, solar thermal, geo-exchange) and/or electrical (e.g. solar photovoltaic, small wind, small scale hydro) energy **Energy Recovery From Waste** Energy (GJ or kWh) recovered from waste (e.g. from landfill gas, sewage treatment, industrial operations, farm)



This is your local government's Updated 2007 Community Energy and Emissions Inventory (CEEI) Report

What is a CEEI Report?

CEEI Reports are a result of a multi-agency effort to provide a province-wide solution to assist local governments in BC to track and report on community-wide energy consumption and greenhouse gas (GHG) emissions every two years. CEEI Reports are one of the many resources available through the Climate Action Toolkit (<<u>http://www.toolkit.bc.ca></u>), a web-based service provided through the ongoing collaboration between UBCM and the Province.

Why does my local government need a CEEI Report?

A community energy and GHG emissions inventory can be a valuable tool that helps local governments plan and implement GHG and energy management strategies, while at the same time strengthening broader sustainability planning at the local level. CEEI reports fulfill local governments' Climate Action Charter commitment to measure and report their community's GHG emissions profile, establish a base year inventory for local governments to consider as they develop targets, policies, and actions related to BC's *Local Government Act* requirements, and fulfill Milestone One requirements for those local government members of the Federation of Canadian Municipalities' (FCM's) Partners in Climate Protection (PCP) program.

A first in North America!

CEEI is a first in North America and a first step for BC communities. The 2007 CEEI Reports are based on best available province-wide data. The accuracy and detail of CEEI reports will continue to improve to meet increasing local and provincial government information needs. Improvements have been made from the original draft 2007 CEEI Reports posted in Spring 2009. These include estimates for residential heating oil, propane and wood use, breaking out small and medium from large industrial buildings, including updated land-use change and new agricultural sectors as 'memo items', and the first of a suite of 'supporting indicators'. Following the 2010 CEEI Reports, inventories will be generated every two years, and will continue to improve as government information needs, international protocols and new data sources emerge.

For More Information:

- The full list of all BC local government Updated 2007 CEEI Reports, CEEI Data Summary Report, Technical Methods and Guidance Document, and additional information on the Secondary Indicators are available at: http://www.env.gov.bc.ca/cas/mitigation/ceei/index.html.

- For guidance on target setting and community actions, go to <<u>http://www.toolkit.bc.ca></u> and <<u>http://www.cd.gov.bc.ca/lgd/greencommunities/targets.htm></u>.

We Need Your Feedback:

- To continue to guide us on CEEI, particularly now with the new Indicators. Please take the time to complete the short CEEI Survey at http://www.env.gov.bc.ca/cas/mitigation/ceei/index.html or contact us directly at CEEI Survey at http://www.env.gov.bc.ca/cas/mitigation/ceei/index.html or contact us directly at CEEI Survey at http://www.env.gov.bc.ca/cas/mitigation/ceei/index.html or contact us directly at CEEI Survey at http://www.env.gov.bc.ca/cas/mitigation/ceei/index.html or contact us directly at http://www.env.gov.bc.ca/cas/mitigation/ceei/index.html or contact us directly

Notice to the Reader: This CEEI Report uses information from a variety of sources to estimate GHG emissions. While the methodologies, assumptions and data used are intended to provide reasonable estimates of greenhouse gas emissions, the information presented in this report may not be appropriate for all purposes. The Province of BC and the data providers do not provide any warranty to the user or guarantee the accuracy or reliability of the data contained in this report. The user accepts responsibility for the ultimate use of such data. We need your help to make these reports better, where you do note inaccuracies, please contact us.