Farm Mechanization **ACTSHEET**



Order No. 234.005-2 Revised December 2015

CALIBRATION WORKSHEET - BOOM SPRAYER -

Measured delivery rate	L/ha <i>L/acre</i>
Area sprayed by a full tank	ha <i>acre</i>
Tractor gear	
Throttle	rpm
Forward speed (if Timed Output)	km/h <i>mph</i>
Nozzles	
Regulator Pressure	kPa(psi)
Date	

Follow this step-by-step procedure to calibrate a sprayer. All liquid volumes are in litres (L), but you can use *either* metric or imperial units for distance and area (don't mix them). Circle the units used such as 500 (L/ha) L/acre

After you've finished calibrating your equipment, write key data in the box at left for future reference.

Use the Pesticide Use Calculation worksheet to find the area sprayed by a full tank, and to calculate how much of each pesticide you'll need to buy and add to each tank.

1. SET-UP Inspection Before Sprayer Start-Up ☑ Tank size is _____ L Nozzles: □ Calibration strip or dipstick for tank? □ nozzle type okay? Tire size & pressures okay? □ all same size/ID#? (record in box above) □ correct nozzle spacing of cm (in) (Record on p 7) Hoses in good condition? □ nozzles spaced evenly? □ clean? not worn? aligned? Filler opening screen in place? clean? good repair? □ are there nozzle check valves? □ mesh size correct? _____ Boom height □ above target? _____ cm (in) Suction screen □ is boom level? □ in place? clean? good repair? □ mesh size correct? Surge tank (piston & diaphragm pumps only) Nozzle screens (check each one) ■ working properly? □ air pressure correct at ____ kPa(psi) □ in place? clean? good repair? □ mesh size correct?

Factsheet 234.005-2 Page 1 of 8

Inspection with Sprayer Running ☑

Fill the tank more than half full with clean water.

- □ start sprayer pump & run tractor throttle at _____ rpm.
 note pump's maximum rpm is
- open boom valve to fill lines and begin spraying
- clean nozzles producing distorted patterns and retest
- □ throw out damaged nozzles and replace them


Check and fix any problems

- □ leaks?
- □ valves working?

- □ agitation okay?
- □ bypass flow okay?
- adjust pressure regulator to get right spray pressure at the nozzles


Measure pressure at regulator and nozzles along boom.
Draw extensions of the boom as necessary.

- □ Pressure gauge working?
- □ Pressure drop less than 10%



Measuring Nozzle Output

Draw nozzle locations on the diagram below and number them to identify which ones may need to be cleaned or replaced after testing. As the sprayer runs, collect and record the output for a set time e.g. 1 minute, 30 sec or 15 sec. Measure in litres.



1. In the box below, divide Total Output in L by the number of nozzles to find the average output per nozzle for collection time.

				Average
Total Output				Output
Collected	÷	# of nozzles	=	Collected
L	÷	noz.	=	L

2. For uniformity, find the maximum and minimum acceptable output (5% more or less than average.) Replace nozzles if above maximum output or below minimum output.

Minimum Output	= 0.95	X	Average Output	=	L
Maximum Output	= 1.05	X	Average Output	=	L

3. Replace all nozzles if average output is 15% more than a new nozzle's output (from manufacturer's chart or discharge test).

Nozzlo Outnut	Nozzlo Outnut
Nozzle Output Litres persec	Nozzle Output Litres persec
1. L	26. L
2L	27. L
3L	28. L
4. L	29. L
5. <u>L</u>	30. L
6. L	31. L
7. L	32. L
8. L	33. L
9. L	34. L
10. L	35. L
11. L	36. L
12. L	37. L
13. L	38. L
14. L	39. L
15. <u>L</u>	40L
16L	41L
17L	42L
18L	43L
19L	44L
20L	45L
21L	46. <u>L</u>
22L	47L
23L	48L
24L	49L
25L	50L
Total O	utputL

Average Output per Collection	÷	Collection Time	X	Conversion	=	Average Output
т	÷	sec		60 sec/min		L/min

New				Maximum
Nozzle				Average
Output	X	Constant	=	Output
L/min	X	1.15	=	L/min

Swath Width Do only ONE of these. You'll use the swath width on the next page.

Broadcast swath: multiply number of nozzles by nozzle spacing; convert to metres or feet

# nozzles	X	spacing	÷	conversion	=	swath width
noz.	X	cm	÷	100 cm/m	=	m
noz.	X	in	÷	12 in/ft	=	ft

Factsheet 234.005-2 Page 2 of 8

Band swath: multiply number of bands by width of each band; convert to metres or feet

# bands	X	band width	÷	conversion	=	swath width
bands	X	cm	÷	100 cm/m	=	m
bands	X	in	÷	12 in/ft	=	ft

Row crop swath: multiply number of rows by width of each row. (Note: rows are stated in metres or feet, so no conversion is needed).

# rows	X	row width	=	swath width
rows	X	m	=	m
rows	X	ft	=	ft

2. Measuring Delivery Rate

You can use either of these methods to determine the actual delivery rate of the sprayer.

Test Area method

- 1. Mark out a test strip at least 60 m or 200 ft long. Your strip was _____ m (ft) long. Note: A one acre test strip is = 43,560 $ft^2 \div$ _____ ft (swath width) = ____ ft. long.
- 2. Fill the tank about half full with water and start sprayer nozzles and agitation. Then set the pressure to what you want. Use the same throttle RPM you'll use in the field. Pressure _____kPa (psi)
- 3. Choose a tractor gear to get desired forward speed. Gear _____ Throttle _____rpm (as in Step 2 above)
- 4. Record the volume of water in the tank before the test: _____L. Mark where the sprayer is parked so you can return it to the same position to measure water sprayed (level ground is best).
- 5. Drive towards the first stake at the correct speed, and open the boom valve as you pass it. Check the sprayer pressure. Close the boom valve as you pass the second stake.
- 6. Repeat until at least 10% of a full tank is sprayed. Record the number of runs (_____runs).
- 7. Return to the water filling site and park in the same location as in Step 4. Measure the amount of water remaining: ______L. Number of litres discharged during the test was _____L.
- 8. Calculate the test area. Multiply the strip length by your swath width by the number of runs.

strip length	X	swath width	X	# runs	=	test area
m	X	m	X	runs	=	m^2
ft	X	ft	X	runs	=	ft^2

9. Calculate the Delivery Rate. Divide water sprayed (L) by test area (m² or ft²).

water sprayed	÷	test area		X	conversion	=	delivery rate
L	÷		m^2	X	$10,000 \text{ m}^2/\text{ha}$	=	L/ha
L	÷		ft^2	X	$43,560 ft^2 / acre$	=	L/acre
/I /I 2 5 /: I /		T/ OA/ T/I					

(L/ha=2.5 times L/acre L/acre=0.4 times L/ha)

Timed Output method

- 1. Measure the forward speed of your tractor and sprayer with a half tank of water in field conditions. (Tractor speedometers need to be checked for accuracy, see page 7.) _____ km/h (mph)
- 2. Measure total nozzle output by spraying for a set time (such as 10 min) and divide volume (L) by time to find total output (L/min) OR use total nozzle output (L/min) from page 2.

Tank volume at start _____L Tank Volume at finish _____L Discharge time ____min.

Discharge volume (start-finish) = ____L

Total nozzle output = (Discharged Volume ÷ Time) = ___L ÷ __min. = __L/min.

3. Calculate the Delivery Rate. Divide total output by forward speed and swath width and multiply by a constant. total nozzle

TO THE THOUSAND								
output	÷	forward speed	÷	swath width	X	constant	=	delivery rate
L/min	÷	km/h	÷	m	X	600	=	L/ha
L/min	÷	mph	÷	ft	X	495	=	L/acre
(L/ha=2.5 times L/acre		L/acre=0.4 times L/ha)						

Factsheet 234.005-2 Page 3 (

3. Adjusting Delivery Rate

If the Delivery Rate of your sprayer is different than the rate listed on the pesticide label or recommended in the production guide, it can be adjusted in three ways:

1. **Nozzle size** should be changed if you wish to make large changes in delivery rate. Check with your nozzle supplier or agricultural advisor. Obtain a catalogue listing nozzles and nozzle outputs. The following formula can also be used to find nozzle size.

delivery rate	X	forward speed	X	nozzle spacing	÷	constant	=	nozzle output
L/ha	X	km/h	X	cm	÷	60,000	=	L/min
L/acre	X	mph	X	in	÷	5940	=	L/min

List your nozzle options by referring to a manufacturer's catalogue.

Nozzle Size
Nozzle Pressure kPa(psi)
Nozzle Output L/min
Forward Speed km/h (mph)
Delivery Rate L/ha (L/acre)

2. **Forward speed** changes will adjust the delivery rate. Slower speeds increase the amount sprayed in a field, and faster speeds reduce it. If your delivery rate is 112L/acre at 6 mph, then by halving your speed to 3 mph you'll double the delivery rate to 224 L/acre.

Use these formulas to calculate alternative combinations of delivery rates and speeds

	present		present		new forward		new delivery
_	forward speed	X	delivery rate	÷	speed	=	rate
	km/h	X	L/min	÷	km/h	=	L/min
	mph	X	L/min	÷	mph	=	L/min

Speed changes are usually made by using a different gear in order to keep tractor RPMs within the range recommended for the sprayer pump.

present		present		new delivery		new forward
forward speed	X	delivery rate	÷	rate	=	speed
km/h	X	L/min	÷	L/min	=	km/h
mph	X	L/min	÷	L/min	=	mph

When you have chosen a new gear, check with your nozzle supplier on which nozzle to use or calculate the new nozzle output (same formula as Step 1).

	delivery		forward		nozzle		constant		new nozzle
_	rate	X	speed	X	spacing	÷	Constant	=	output
Ī	L/ha	X	km/h	X	cm	÷	60,000	=	L/min
	L/acre	X	mph	X	in	÷	5940	=	L/min

3. **Spray pressure should be set for the correct droplet size.** Changing pressure is recommended only for very small changes in delivery rates. Otherwise your droplet size will change and cause drift or runoff problems. Since pressure must be increased four times to double the delivery rate, this is not a good way to adjust delivery rate.

After making the adjustments, measure the delivery rate again. Fill in a new Calibration Worksheet.

When your equipment is accurately calibrated and applying the desired delivery rate, then you are ready to spray. Use one of the next two pages to determine how much pesticide to buy and how much pesticide to add to a full or partial tank. Choose page 5 if the pesticide is given in a per area rate, otherwise use page 6.

Factsheet 234.005-2 Page 4 of 8

4.a Calculating How Much Pesticide to Add to a Spray Tank – Per Area Rate

Example: Pesticion	de Labels read: "u	se 3L/ha	a in 1000L of water'	' or '	'use 3L/1000L of w	ater/ha'	. (Otherwise see page 6.)
Pesticide	Pest		C	rop_		Date _	
			or <i>acres</i> . Use <u>only</u> he				
Use litres (L) for a	ll liquid volumes. U	Jse the it	<i>talicized</i> line if you a	re us	ing <i>acres</i> .		
Field area		ha	a	cres ((hectares = 0.4 x acr)	es)	
Spray tank capacit		L	L	(L=	= 3.79 x US gal. L =	4.55 x	Imperial gal.)
Pesticide label app	olication rate	kg o	r L/ha <i>k</i> a	g or l	L/acre = 0.4	x L/ha)	
Spray volume		L/ha	L	/acre	(from label or produ	action gr	uide or field test)
Check your Calibr	ation Worksheets a	nd choos	se a suitable sprayer	setup	and Sprayer Deliver	ry Rate	
Sprayer Delivery I	Rate	L/ha	<i>L</i>	/acre	(L/acre = 0.4 x L/h)	ıa)	
Copy values into t	he formulas below	where ne	eeded.				
			nastiaida labal		# of applications		nastiaida
How much	field area	X	pesticide label application rate		**	=	pesticide to buy
pesticide to			kg or L/ha		per year		
•	ha	X	1 - 7			_	kg or L kg or L
buy?	acres	X	kg or L/acres	X		_	kg or L

Full Tank

	tank capacity	÷		sprayer delivery rate	=	area covered
Area covered by a	L	÷		L/ha	=	ha/tank
full tank?	L	÷		L/acre	=	acres/tank
	pesticide label			area covered by		
	application rate	X		a full tank	=	pesticide to add
How much pesticide	kg or L/ha	X		ha/tank	=	kg or L
to add to a full tank?	kg or L/acre	X		acres/tank	=	kg or L
				area covered by		
	field area	÷	V	a full tank	=	tankfuls required
Number of tankfuls	ha	÷		ha/tank	=	tanks
required for area?	acre	÷		acres/tank	=	tanks

Partial Tank

Measure the area to be sprayed by the last tank accurately to avoid mixing too much spray.

How much spray mix to make for a partial tank?

How much pesticide to add to a partial tank?

sprayer delivery rate	X	area remaining	=	spray mix to make in partial tank
L/ha	X	ha	=	L
L/acre	X	acres	=	L
pesticide label	••	oran ramaining	_	pesticide to add to
application rate	X	↓ area remaining	=	partial tank
	X	area remaining ha	=	•

Factsheet 234.005-2 Page 5 of 8

4.b Calculating How Much Pesticide to Add to a Spray Tank - Per Dilution Rate

Example: Pesticide Label rea	ids: "use 1L/100L of wa	iter and spray foliage th	noroughly". (Otherwise see page 5.)	
Pesticide	Pest	Crop	Date	
Fill in values for only one colu	mn – hectares or <i>acres</i> . I	Use <u>only</u> hectares or only	acres; don't mix them.	
Use litres (L) for all liquid volu	umes. Use the <i>italicized</i> 1	ine if you are using acre	S.	
Field area	ha	acres (hectares	s = 0.4 x acres	
Spray tank capacity	L	L (L = 3.79 x)	US gal. $L = 4.55 \text{ x Imperial gal.}$	
Pesticide label application rate	kg or L/10001	of water (may be anoth	er amount of water)	
Spray volume	L/ha	<i>L/acre</i> (from la	abel, production guide or field test))
Check your Calibration Works	heets and choose a suital	ole sprayer setup and Spr	ayer Delivery Rate	
Sprayer Delivery Rate	L/ha	L/acre (L/acre	= 0.4 x L/ha)	
Copy values into the formulas	below where needed.			
How much pesticide to	buv?			

C 11		pesticide label		sprayer		# of applications		pesticide
field area	X	dilution rate	X	delivery rate	X	per year	=	to buy
ha	X	kg or L/1000L	X	L/ha	X		=	kg or L
acres	X	kg or L/1000L	X	L/acre	X		=	kg or L

Full Tank

_	tank capacity	÷	sprayer delivery rate	=	area covered
Area covered by a	L	÷	L/ha	=	ha/tank
full tank?	L	÷	L/acre	=	acres/tank
_	pesticide label				_
_	dilution rate	X	Tank capacity	=	pesticide to add
How much pesticide	kg or L/1000L	X	L	=	kg or L
to add to a full tank?	kg or L/1000L	X	L	=	kg or L
_			area covered by		
_	field area	÷	a full tank	=	tankfuls required
Number of tankfuls	ha	÷	ha/tank	=	tanks
required for area?	acre	÷	acre/tank	=	tanks

Partial Tank

Measure the area to be sprayed by the last tank accurately to avoid mixing too much spray.

How much spray mix to make for a partial tank?

How much pesticide to add to a partial tank?

sprayer delivery rate	X	area remaining	=	spray mix to make in partial tank
L/ha	X	ha	=	L
L/acre	X	acre	=	L
pesticide label dilution rate	X	spray mix in expartial tank	=	pesticide to add to partial tank
*	x x	spray mix in partial tank	= =	

Page 6 of 8 Factsheet 234.005-2

Forward Speed Calculations

		Date:											
tire	lculate the forward spes, tire pressures, or tit t field conditions.												
1.	Mark out a test strip	at least 60 m	or 200 ft long.										
2.	Fill the tank about h	nk about half full with water and move to the test strip.											
3.		the the tractor gear and throttle for the forward speed you want. Gear le rpm. Use the same throttle RPM when measuring nozzle output (Step 7).											
4.	1. Measure the time in seconds required to pass through the test strip on four runs. Reach the desired speed <i>before</i> entering the test strip, and hold that speed constant throughout the test run.												
	1st run+ 2n	nd run	+ 3rd run	3rd run + 4th run = seconds total time.									
5.		ate total distance travelled. Multiply test strip length (Step 1) by the number of runs. trip was $\underline{\hspace{1cm}}$ $m(ft)$ long x $\underline{\hspace{1cm}}$ runs $=$ $\underline{\hspace{1cm}}$ $m(ft)$ total distance.											
6.													
	using the formula in	the box	total distance	÷	total tin	ne	X			forwa			
	at right.							3.6 0.68			km/h <i>mph</i>		
		rpm sec	Tire Size				Tire	e Pressure					
		• ,											
	Forward speed Tractor #2	\ 1 /	Tire Size				Tire	e Pressure					
	Gear Throttle	rpm											
	Time	•											
	Total distance												
		0 /											
	Forward speed	km/h <i>(mph)</i>									1		

Factsheet 234.005-2 Page 7 of 8

Sprayer Setup Summary

Sprayer	Trac	tor	Date							
Sprayer Setup #			Sprayer Setup #							
Measured (calculated) De	elivery Rate	L/acre	Measured (calculated)) Delivery Rate	L/acre					
	US	S gal/acre			_US gal/acre					
Tank Volume	_L	_US gal	Tank Volume	L	US gal					
Area Sprayed by a Full Ta	ank	acre	Area Sprayed by a Fu	ll Tank	acre					
Tractor Gear	throttle	rpm	Tractor Gear	throttle	rpm					
Forward Speed	mph	km/hr	Forward Speed	mph	km/hr					
# of Nozzles	swath width	ft	# of Nozzles	swath width	ft					
Nozzle (size/type)			Nozzle (size/type)							
Pressure @ Regulator	<u>@</u> nozzles_		Pressure @ Regulator	@ nozzl	les					
Sprayer Setup #			Sprayer Setup #							
Measured (calculated) De	livery Rate	L/acre	Measured (calculated)) Delivery Rate	L/acre					
	US	S gal/acre			_US gal/acre					
Tank Volume	_L	_US gal	Tank Volume	L	US gal					
Area Sprayed by a Full Ta	ank	acre	Area Sprayed by a Fu	Area Sprayed by a Full Tank acre						
Tractor Gear	throttle	rpm	Tractor Gear	throttle	rpm					
Forward Speed	mph	km/hr	Forward Speed	mph	km/hr					
# of Nozzles	swath width	ft	# of Nozzles	swath width	ft					
Nozzle (size/type)			Nozzle (size/type)							
Pressure @ Regulator	@ nozzles_		Pressure @ Regulator	@ nozzl	es					
Sprayer Setup #			Sprayer Setup #							
Measured (calculated) De	livery Rate	L/acre	Measured (calculated)) Delivery Rate	L/acre					
	US	S gal/acre			_US gal/acre					
Tank Volume	_L	_US gal	Tank Volume	L	US gal					
Area Sprayed by a Full Ta	ank	acre	Area Sprayed by a Fu	ll Tank	acre					
Tractor Gear	throttle	rpm	Tractor Gear	throttle	rpm					
Forward Speed	mph	km/hr	Forward Speed	mph	km/hr					
# of Nozzles	swath width	ft	# of Nozzles	swath width	ft					
Nozzle (size/type)			Nozzle (size/type)							
Pressure @ Regulator	<u>@</u> nozzles_		Pressure @ Regulator @ nozzles							

FOR FURTHER INFORMATION CONTACT

Phone: 604.556.3001 Toll Free: 1.888.221.7141 MINISTRY OF AGRICULTURE

1767 Angus Campbell Road Abbotsford, B.C. V3G 2M3

Factsheet 234.005-2 Page 8 of 8