

TRAIL SIGNS - CAUTION - pg. 1 of 5



STOP AHEAD

Informs riders that they are approaching a stop sign.


12 in. x 12 in. diamond. Yellow background with 5 in. red octagon and 4 x 4 in. black arrow.



HAZARD MARKER

Identifies a fixed object at the side of the trail. Used any time the fixed object narrows the normal width of the trail such as bridge railings. The stripes slope down towards the trail.


12 in. x 12 in. square. 1³/₄ in. wide black 45° stripes 2 in wide yellow spacing.



CAUTION

Use this sign to warn of a hazard when no specific sign is available for that hazard. The specific hazard should be printed on the space provided on the sign.

12 in. x 12 in. diamond. Yellow background, black lettering. Arial Narrow Bold 180 point character spacing 0%



RIGHT OR LEFT TURN

Informs the rider that the trail ahead makes significant changes in direction.

12 in. x 12 in. diamond. Yellow background, black arrow. 8 x 7 in. black arrow.



SLOW

Instructs riders to temporarily slow their vehicle.

12 in. x 12 in. diamond. Yellow background, black lettering. Arial Narrow Bold 350 point character spacing minus 20%


SIGN COLOURS - Reflective paints

BLACK - C0, M0, Y0, K100 WHITE - C0, M0, Y0, K0 RED - C0, M100, Y100, K0 GREEN - C100, M0, Y100, K0
YELLOW - C0, M13, Y100, K0
ORANGE - C0, M50, Y100, K0

For additional information on use or placement please refer to Standards for Snowmobile Trail Signing & Placement in British Columbia

Standard	TRAIL SIGNS	- CAUTIO	ON - pg. 1 c	of 5
File No:			Draft Date:	10/08
Approved By:		Revision No:	Date:	01/09
W	Marshall	Revision No:	Date:	
Date:		Revision No:	Date:	
THE REAL PROPERTY.				
BRITISH	Ministry of Tourism, Sport and the Arts	Drawing Scale:	1½ " x 1' Sheet S	^{Size:} 8.5" X 11"
C <u>OLUMBI</u> A		Drawing No:	RST 481-TS-C	


TRAIL SIGNS - CAUTION - pg. 2 of 5



GATE AHEAD

Informs riders that they are approaching a gate across the trail.


12 in. x 12 in. diamond. Yellow background, black lettering. Arial Bold 135 point character spacing 0% line spacing 105% character height.



WINDING TRAIL

Informs riders that they are approaching a series of curves.


12 in. x 12 in. diamond.
White background, black lettering.
Arial Narrow Bold 110 point
character spacing minus 5%
line spacing 110% character height
4.5 x 9.5 in. black arrow.



JUNCTION AHEAD

Informs riders that they are approaching a trail intersection.


12 in. x 12 in. diamond. Yellow background, black lettering. Arial Bold Narrow 190 point character spacing 0% line spacing 85% character height.



BUMP

Informs riders that they are approaching a spot that is abruptly higher or lower than the trail on both sides.

12 in. x 12 in. diamond. Yellow background, black lettering. Arial Bold 210 point character spacing 0% line spacing 100% character height 11.5 x 1 in. black graphic.



BRIDGE AHEAD

Informs riders that they are approaching a bridge which is narrower than the trail.

12 in. x 12 in. diamond. Yellow background, black lettering. Arial Bold 135 point character spacing 0%. 4.5 x 3.25 in. black graphic.


SIGN COLOURS - Reflective paints

BLACK - C0, M0, Y0, K100 WHITE - C0, M0, Y0, K0 RED - C0, M100, Y100, K0 GREEN - C100, M0, Y100, K0
YELLOW - C0, M13, Y100, K0
ORANGE - C0, M50, Y100, K0

For additional information on use or placement please refer to Standards for Snowmobile Trail Signing & Placement in British Columbia

Standard TRAIL SIGNS - CAUTION - pg. 2 of 5				
File No:			Draft Date:	10/08
Approved By: W Marshall		Revision No:	Date:	01/09
		Revision No:	Date:	
Date:		Revision No:	Date:	
BRITISH Spo	Ministry of Tourism, Sport and the Arts	Drawing Scale:	1½ " x 1' Sheet S	^{Size:} 8.5" X 11"
COLUMBIA		Drawing No:	RST 481-TS-C	

TRAIL SIGNS - CAUTION - pg. 3 of 5



CHEVRON

Provides additional guidance to the rider in a sharp turn.

12 in. x 12 in. square. Yellow background, black graphic.



ICE CROSSING

Informs the rider that they are approaching a section of trail which crosses a frozen body of water.

12 in. x 12 in. diamond. Yellow background, black lettering. Arial Narrow Bold 120 point character spacing 0% line spacing 100% character height. Black graphic.



STEEP HILL

Informs the rider that they are approaching a section of trail with an exceptionally steep grade.


12 in. x 12 in. diamond. Yellow background, black lettering. Arial Bold Narrow 120 point character spacing 0% line spacing 90% character height. Black graphic.



GROOMING AT ANY TIME

Informs the rider that trail grooming may be done at any hour of the day.

12 in. x 12 in. diamond. Yellow background, black lettering. Arial Bold Narrow 160 and 110 point character spacing minus 5% line spacing 85% character height. Black graphic.



ICE

Informs the rider that they are approaching a section of trail that may be ice covered and slippery. Proceed with caution.

12 in. x 12 in. diamond. Yellow background, black lettering. Arial Bold Narrow 160 point character spacing 0%. Black graphic.

SIGN COLOURS - Reflective paints

BLACK - C0, M0, Y0, K100 WHITE - C0, M0, Y0, K0 RED - C0, M100, Y100, K0 GREEN - C100, M0, Y100, K0
YELLOW - C0, M13, Y100, K0
ORANGE - C0, M50, Y100, K0

For additional information on use or placement please refer to Standards for Snowmobile Trail Signing & Placement in British Columbia

Standard	TRAIL SIGNS	- CAUTIO	ON - pg. 3 c	of 5
File No:			Draft Date:	10/08
Approved By:		Revision No:	Date:	01/09
W	markall	Revision No:	Date:	
Date:		Revision No:	Date:	
BRITISH	Ministry of Tourism, Sport and the Arts	Drawing Scale:	1½ " x 1' Sheet S	^{Size:} 8.5" X 11"
COLUMBIA	oport and the Arts	Drawing No:	RST 481-TS-C	

CAUTION **LOGGING AHEAD**

LOGGING OPERATIONS

Informs the rider that logging operations are taking place in the area and trucks may be on or crossing the trail.

12 in. x 12 in. diamond. Yellow background, black lettering. Arial Bold 140 point character spacing 0% line spacing 115% character height.



RIGHT HAIRPIN CURVE

Informs the rider that they are approaching a sharp right turn of or close to 180 degrees.


12 in. x 12 in. diamond. Yellow background, black arrow.



SKIERS ON TRAIL

Informs the rider that other recreationists are frequently encountered on this section of trail.


12 in. x 12 in. diamond. Yellow background, black graphic.



LEFT HAIRPIN CURVE

Informs the rider that they are approaching a sharp left turn of or close to 180 degrees.

12 in. x 12 in. diamond. Yellow background, black arrow.



TRAIL MARKER **REASSURANCE BLAZER**

Informs the rider that they are on a designated snowmobile trail.

5 in. x 7 in. uneven diamond. Yellow background, black lettering. Arial Bold 135 point character spacing 0% line spacing 90% character height.

SIGN COLOURS - Reflective paints

BLACK - C0, M0, Y0, K100 WHITE - CO. MO. YO. KO RED - CO. M100. Y100. K0

GREEN - C100, M0, Y100, K0 YELLOW - C0, M13, Y100, K0 ORANGE - C0, M50, Y100, K0

For additional information on use or placement please refer to Standards for Snowmobile Trail Signing & Placement in British Columbia

Standard TRAIL SIGNS - CAUTION - pg. 4 of 5				
File No:			Draft Date:	10/08
Approved By: W Marshall		Revision No:	Date:	01/09
		Revision No:	Date:	
Date:		Revision No:	Date:	
	Ministry of Tourism, Sport and the Arts			
BRITISH		Drawing Scale:	1½ " x 1' Sheet S	^{Size:} 8.5" X 11"
COLUMBIA		Drawing No:	RST 481-TS-C	

Arial Bold 100 point

Arial Bold 64 point

Arial Narrow Bold 48 pt. character spacing 0% line spacing 100% character height.

Arial Narrow Bold 48 pt. character spacing 0% line spacing 120% character height.

Arial Bold 58 point

CAUTIONARE YOU PREPARED?

AVALANCHES MAY OCCUR
THROUGHOUT THIS UNCONTROLLED
BACKCOUNTRY AREA

- **♦ Conditions may change quickly**
- ♦ Be prepared
- **♦ Know the Snow**

USE AT YOUR OWN RISK

UNCONTROLLED BACKCOUNTRY

Informs the rider that they are approaching uncontrolled backcountry where avalanches may occur throughout the area

12 in. x 12 in. square. Yellow background, black lettering. Lettering font, style, point size, character spacing and line spacing are described on the left of the sign

Arial Bold 100 point

Arial Bold 64 point

Arial Bold 36 point

Arial Narrow 30 point. character spacing 0% line spacing 112%

Arial Bold 36 point

Arial Narrow 30 point. character spacing 0% line spacing 120% character height.



♦ Survival saw

BEFORE YOU GO OUT / BRING WITH YOU

Informs the rider that before they go out what they should do and what they should bring with them.

12 in. x 16 in. square. Yellow background, black lettering. Lettering font, style, point size, character spacing and line spacing are described on the left of the sign

Standard	TRAIL SIGNS	- CAUTIO	ON - pg. 5	of 5
File No:			Draft Date:	10/08
Approved By:		Revision No:	Date:	01/09
$ W\rangle$	Marshall	Revision No:	Date:	
Date:		Revision No:	Date:	
BRITISH S	linistry of Tourism, Sport and the Arts	Drawing Scale:	1:5 Sheet	Size: 8.5" X 11"
COLUMBIA	port and the Arts	Drawing No:	RST 481-TS-0	