

Appendix Two



Detailed Cause of Death by Gender and Age
British Columbia, 2011

Preamble to Appendix 2

Appendix 2 provides detailed causes of death by gender and age group for deaths that occurred in British Columbia to provincial residents in the current year. Causes of death are coded according to the World Health Organization's International Statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10). ICD-10 defines the underlying cause of death as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury." ICD-10 codes consist of a letter followed by a two-digit number, and sometimes include a third digit to provide more specificity. In this appendix, the ICD-10 codes are presented at the three character level only, truncating the third digit.

The list below provides a summary of ICD-10 codes, including many of the subgroups used for underlying causes of death in this report:

| Cause of Death Category | ICD-10 Code(s) |
|---|------------------------|
| Certain infectious and parasitic diseases | A00-B99 |
| Tuberculosis | A15-A19, B90 |
| HIV disease | B20-B24 |
| Neoplasms | C00-D48 |
| Malignant neoplasms | C00-C97 |
| Malignant neoplasm of colon and rectum | C18-C21 |
| Malignant neoplasm of lung | C34 |
| Malignant neoplasm of female breast | C500-C509 |
| Diseases of blood and blood-forming organs and disorders involving the immune mechanism | D50-D89 |
| Endocrine, nutritional, and metabolic diseases | E00-E90 |
| Diabetes mellitus | E10-E14 |
| Mental and behavioural disorders | F00-F99 |
| Vascular/senile dementia | F01, F03 |
| Psychoactive substance and drug use/abuse | F11-F16, F19 |
| Diseases of the nervous system | G00-G99 |
| Alzheimer's disease | G30 |
| Diseases of the eye and adnexa | H00-H59 |
| Diseases of the ear and mastoid process | H60-H95 |
| Diseases of the circulatory system | I00-I99 |
| Cardiovascular disease | I00-I51 |
| Ischemic heart diseases | I20-I25 |
| Cerebrovascular diseases | I60-I69 |
| Atherosclerosis | I70 |
| Diseases of the respiratory system | J00-J99 |
| Pneumonia/Influenza (excluding hypostatic) | J10-J181, J188, J189 |
| Chronic Pulmonary Disease | J40-J44 |
| Asthma | J45-J46 |
| Diseases of the digestive system | K00-K93 |
| Diseases of liver | K70-K76 |
| Chronic liver disease/cirrhosis | K70, K73-74, K760-K761 |
| Diseases of the skin and subcutaneous tissue | L00-L99 |
| Diseases of the musculoskeletal system and connective tissue | M00-M99 |

| | |
|--|---|
| Diseases of the genitourinary system | N00-N99 |
| Complications of pregnancy, childbirth, and the puerperium | O00-O99 |
| Certain conditions originating in the perinatal period | P00-P96 |
| Congenital malformations and chromosome abnormalities | Q00-Q99 |
| Symptoms, signs and abnormal findings, unknown causes | R00-R99 |
| Sudden infant death syndrome (SIDS) | R95 |
| Cause of death unknown or pending | R96-R99 |
| External causes | V01-Y98 |
| Motor vehicle accidents | V02-V04, V09, V12-V14, V190-V196, V20-V79, V803-V805, V820-V821, V823-V890, V899, Y850 |
| Other transport accidents | V01, V05-V06, V10-V11, V15-V18, V198-V199, V800-V802, V806-V809, V812-V819, V822-V829, V891, V893, V91, V93-V99, Y859 |
| Unintentional drowning (including water transport) | V90, V92, W65-W74 |
| Unintentional falls | W00-W19 |
| Exposure to smoke, fire and flames | X00-X09 |
| Unintentional poisoning | X40-X49 |
| Suicide | X60-X84, Y870 |
| Homicide | X85-Y09, Y871 |

APPENDIX 2
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|---|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| A04 Other bacterial intestinal infections | M | - | - | - | - | - | - | - | 3 | 10 | 29 | 42 |
| | F | - | - | - | - | - | - | - | 2 | 6 | 27 | 35 |
| A08 Viral and other specified intestinal infections | M | - | - | - | - | - | - | - | - | 2 | 5 | 7 |
| | F | - | - | - | - | - | - | - | 1 | - | 12 | 13 |
| A09 Diarrhoea and gastroenteritis of presumed infectious origin | M | 1 | - | - | - | - | - | - | 1 | 1 | 8 | 11 |
| | F | - | - | - | - | - | - | - | 2 | 4 | 22 | 28 |
| A16 Respiratory tuberculosis | M | - | - | - | - | - | - | - | 1 | 3 | 3 | 7 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| A40 Streptococcal septicemia | M | - | - | - | - | - | - | - | 1 | - | 3 | 4 |
| | F | - | - | 1 | - | - | - | - | 1 | - | 1 | 3 |
| A41 Other septicemia | M | - | - | - | 1 | - | - | 1 | 19 | 16 | 47 | 84 |
| | F | - | - | - | - | 1 | - | 1 | 6 | 24 | 65 | 97 |
| A49 Bacterial infection of unspecified site | M | - | - | - | - | - | - | 2 | - | - | 1 | 3 |
| | F | - | - | - | - | - | - | - | - | 2 | 2 | 4 |
| B18 Chronic viral hepatitis | M | - | - | - | - | - | - | 3 | 46 | 12 | 4 | 65 |
| | F | - | - | - | - | - | - | 3 | 22 | 4 | 3 | 32 |
| B20 HIV resulting in infectious and parasitic diseases | M | - | - | - | - | - | - | 8 | 14 | 1 | 1 | 24 |
| | F | - | - | - | - | - | - | 3 | 3 | - | - | 6 |
| B21 HIV resulting in malignant neoplasms | M | - | - | - | - | - | - | 4 | 2 | - | - | 6 |
| | F | - | - | - | - | - | - | 2 | - | - | - | 2 |
| B22 HIV resulting in other specified diseases | M | - | - | - | - | - | - | - | 5 | - | - | 5 |
| | F | - | - | - | - | - | - | 1 | - | - | - | 1 |
| B23 HIV disease resulting in other conditions | M | - | - | - | - | - | - | 3 | 3 | 1 | 1 | 8 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| B24 Unspecified HIV disease | M | - | - | - | - | - | - | - | 3 | 1 | - | 4 |
| | F | - | - | - | - | - | 1 | - | 2 | - | - | 3 |
| B90 Sequelae of tuberculosis | M | - | - | - | - | - | - | - | 1 | - | 4 | 5 |
| | F | - | - | - | - | - | - | - | - | 3 | 2 | 5 |
| B94 Sequelae of other and unspecified infectious and parasitic diseases | M | - | - | - | - | - | - | - | - | 1 | - | 1 |
| | F | - | - | - | - | - | - | - | - | 1 | 3 | 4 |
| C02 Malignant neoplasm of other and unspecified parts of tongue | M | - | - | - | - | - | - | 1 | 22 | 13 | 4 | 40 |
| | F | - | - | - | - | - | - | - | 5 | 6 | 7 | 18 |
| C06 Malignant neoplasm of other and unspecified parts of mouth | M | - | - | - | - | - | - | - | 4 | 3 | 2 | 9 |
| | F | - | - | - | - | - | - | - | 1 | 2 | 4 | 7 |
| C07 Malignant neoplasm of parotid gland | M | - | - | - | - | - | - | - | 1 | 2 | 4 | 7 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| C09 Malignant neoplasm of tonsil | M | - | - | - | - | - | - | - | 7 | 4 | - | 11 |
| | F | - | - | - | - | - | - | - | 2 | 2 | 3 | 7 |
| C10 Malignant neoplasm of oropharynx | M | - | - | - | - | - | - | - | 7 | 2 | - | 9 |
| | F | - | - | - | - | - | - | - | 1 | 3 | 2 | 6 |
| C11 Malignant neoplasm of nasopharynx | M | - | - | - | - | - | - | 1 | 4 | 2 | 1 | 8 |
| | F | - | - | - | - | - | - | 2 | 4 | - | 2 | 8 |
| C12 Malignant neoplasm of pyriform sinus | M | - | - | - | - | - | - | - | 1 | 3 | 1 | 5 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| C14 Malignant neoplasm of other & ill-defined sites in the lip, oral cavity & pharynx | M | - | - | - | - | - | - | - | 4 | 13 | 4 | 21 |
| | F | - | - | - | - | - | - | - | - | 2 | 2 | 4 |
| C15 Malignant neoplasm of esophagus | M | - | - | - | - | - | - | 3 | 60 | 91 | 43 | 197 |
| | F | - | - | - | - | - | - | 1 | 8 | 35 | 25 | 69 |
| C16 Malignant neoplasm of stomach | M | - | - | - | - | - | - | 10 | 42 | 46 | 29 | 127 |
| | F | - | - | - | - | - | 1 | 2 | 28 | 23 | 40 | 94 |
| C17 Malignant neoplasm of small intestine | M | - | - | - | - | - | - | 1 | 4 | 11 | 4 | 20 |
| | F | - | - | - | - | - | - | - | 4 | 4 | 2 | 10 |
| C18 Malignant neoplasm of colon | M | - | - | - | - | - | - | 6 | 99 | 170 | 137 | 412 |
| | F | - | - | - | - | - | - | 4 | 69 | 141 | 164 | 378 |
| C19 Malignant neoplasm of rectosigmoid junction | M | - | - | - | - | - | - | 1 | 18 | 25 | 18 | 62 |
| | F | - | - | - | - | - | - | - | 15 | 10 | 19 | 44 |
| C20 Malignant neoplasm of rectum | M | - | - | - | - | - | - | - | 21 | 41 | 18 | 80 |
| | F | - | - | - | - | - | - | 1 | 18 | 15 | 28 | 62 |
| C21 Malignant neoplasm of anus and anal canal | M | - | - | - | - | - | - | - | 3 | 3 | 2 | 8 |
| | F | - | - | - | - | - | - | - | 5 | 4 | 1 | 10 |
| C22 Malignant neoplasm of liver and intrahepatic bile ducts | M | - | - | - | - | - | - | 4 | 79 | 92 | 40 | 215 |
| | F | - | - | - | - | - | - | 2 | 29 | 51 | 42 | 124 |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|---|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| C23 Malignant neoplasm of gallbladder | M | - | - | - | - | - | - | - | 2 | 9 | 2 | 13 |
| | F | - | - | - | - | - | - | - | 7 | 9 | 7 | 23 |
| C24 Malignant neoplasm of other & unspecified parts of biliary tract | M | - | - | - | - | - | - | 2 | 10 | 5 | 17 | |
| | F | - | - | - | - | - | 1 | 7 | 5 | 8 | 21 | |
| C25 Malignant neoplasm of pancreas | M | - | - | - | - | - | 6 | 75 | 135 | 91 | 307 | |
| | F | - | - | - | - | - | 5 | 50 | 96 | 108 | 259 | |
| C26 Malignant neoplasm of other & ill-defined digestive organs | M | - | - | - | - | - | - | 11 | 27 | 19 | 57 | |
| | F | - | - | - | - | 1 | - | 5 | 20 | 34 | 60 | |
| C31 Malignant neoplasm of accessory sinuses | M | - | - | - | - | - | 2 | 3 | 1 | 1 | 7 | |
| | F | - | - | - | - | - | - | - | - | - | - | |
| C32 Malignant neoplasm of larynx | M | - | - | - | - | - | - | 12 | 15 | 5 | 32 | |
| | F | - | - | - | - | - | - | 2 | 4 | 1 | 7 | |
| C34 Malignant neoplasm of bronchus & lung | M | - | - | - | - | - | 7 | 312 | 564 | 340 | 1,223 | |
| | F | - | - | - | - | - | 8 | 266 | 488 | 339 | 1,101 | |
| C37 Malignant neoplasm of thymus | M | - | - | - | - | - | - | 2 | - | - | 2 | |
| | F | - | - | - | - | - | - | 1 | 2 | - | 3 | |
| C38 Malignant neoplasm of heart, mediastinum & pleura | M | - | - | - | - | - | - | 1 | - | 1 | 2 | |
| | F | - | - | - | - | - | 1 | 1 | 2 | - | 4 | |
| C41 Malignant neoplasm of bone & articular cartilage of other & unspecified sites | M | - | - | - | - | 2 | 2 | - | 4 | 1 | 11 | |
| | F | - | - | - | - | - | - | 1 | 2 | 3 | 7 | |
| C43 Malignant melanoma of skin | M | - | - | - | - | - | - | 6 | 33 | 40 | 97 | |
| | F | - | - | - | - | - | 1 | 3 | 14 | 17 | 48 | |
| C44 Other malignant neoplasms of skin | M | - | - | - | - | - | - | 1 | 5 | 11 | 35 | |
| | F | - | - | - | - | - | - | - | 2 | 6 | 17 | |
| C45 Mesothelioma | M | - | - | - | - | - | - | 11 | 25 | 19 | 55 | |
| | F | - | - | - | - | - | - | 1 | 3 | 4 | 8 | |
| C48 Malignant neoplasm of peritoneum & retroperitoneum | M | - | - | - | - | - | - | - | 2 | 2 | 4 | |
| | F | - | - | - | - | - | - | 2 | 9 | 3 | 14 | |
| C49 Malignant neoplasm of other connective & soft tissue | M | - | 1 | - | - | 1 | - | 3 | 8 | 12 | 34 | |
| | F | - | - | - | - | 1 | 1 | 1 | 6 | 9 | 23 | |
| C50 Malignant neoplasm of breast | M | - | - | - | - | - | - | - | 3 | - | 3 | |
| | F | - | - | - | - | - | - | 27 | 209 | 203 | 598 | |
| C51 Malignant neoplasm of vulva | M | - | - | - | - | - | - | - | - | - | - | |
| | F | - | - | - | - | - | - | 4 | 1 | 9 | 14 | |
| C53 Malignant neoplasm of cervix uteri | M | - | - | - | - | - | - | - | - | - | - | |
| | F | - | - | - | - | - | - | 4 | 20 | 13 | 46 | |
| C54 Malignant neoplasm of corpus uteri | M | - | - | - | - | - | - | - | - | - | - | |
| | F | - | - | - | - | - | - | 2 | 36 | 26 | 78 | |
| C55 Malignant neoplasm of uterus, part unspecified | M | - | - | - | - | - | - | - | - | - | - | |
| | F | - | - | - | - | - | - | - | 12 | 11 | 33 | |
| C56 Malignant neoplasm of ovary | M | - | - | - | - | - | - | - | - | - | - | |
| | F | - | - | - | - | - | - | 5 | 61 | 88 | 214 | |
| C57 Malignant neoplasm of other & unspecified female genital organs | M | - | - | - | - | - | - | - | - | - | - | |
| | F | - | - | - | - | - | - | 2 | 2 | 2 | 6 | |
| C61 Malignant neoplasm of prostate | M | - | - | - | - | - | - | - | 38 | 185 | 527 | |
| | F | - | - | - | - | - | - | - | - | - | - | |
| C62 Malignant neoplasm of testis | M | - | - | - | - | 1 | 2 | - | 1 | 1 | 6 | |
| | F | - | - | - | - | - | - | - | - | - | - | |
| C64 Malignant neoplasm of kidney, except renal pelvis | M | - | - | - | - | - | - | 1 | 40 | 62 | 138 | |
| | F | - | - | - | - | - | - | - | 8 | 28 | 57 | |
| C66 Malignant neoplasm of ureter | M | - | - | - | - | - | - | - | 1 | 3 | 4 | |
| | F | - | - | - | - | - | - | - | 1 | - | 1 | |
| C67 Malignant neoplasm of bladder | M | - | - | - | - | - | - | 2 | 25 | 70 | 192 | |
| | F | - | - | - | - | - | - | 2 | 11 | 29 | 89 | |
| C68 Malignant neoplasm of other & unspecified urinary organs | M | - | - | - | - | - | - | - | 2 | 4 | 6 | |
| | F | - | - | - | - | - | - | - | 1 | 1 | 2 | |
| C70 Malignant neoplasm of meninges | M | - | - | - | - | - | - | - | 1 | - | 1 | |
| | F | - | - | - | - | - | - | - | 1 | - | 4 | |
| C71 Malignant neoplasm of brain | M | 1 | 1 | 2 | 1 | - | 1 | 19 | 60 | 41 | 147 | |
| | F | - | - | 1 | 1 | - | 2 | 10 | 33 | 31 | 108 | |
| C73 Malignant neoplasm of thyroid gland | M | - | - | - | - | - | - | - | 4 | 1 | 7 | |
| | F | - | - | - | - | - | - | - | 4 | 5 | 14 | |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|---|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| C74 Malignant neoplasm of adrenal gland | M | - | 1 | 1 | - | - | - | 2 | 2 | - | - | 6 |
| | F | - | - | - | - | - | 1 | - | 1 | - | - | 2 |
| C76 Malignant neoplasm of other & ill-defined sites | M | - | - | 1 | - | - | - | - | 2 | 6 | 7 | 16 |
| | F | - | - | - | - | - | - | - | 5 | 1 | 17 | 23 |
| C80 Malignant neoplasm - primary site unknown | M | - | - | - | - | - | - | 3 | 24 | 64 | 67 | 158 |
| | F | - | - | - | - | - | - | 1 | 27 | 51 | 83 | 162 |
| C81 Hodgkin's disease | M | - | - | - | 1 | - | - | - | 5 | 1 | 1 | 8 |
| | F | - | - | - | - | - | 1 | 2 | 1 | - | - | 4 |
| C82 Follicular [nodular] non-Hodgkin's lymphoma | M | - | - | - | - | - | - | - | 4 | 2 | 1 | 7 |
| | F | - | - | - | - | - | - | - | 3 | 3 | 4 | 10 |
| C83 Diffuse non-Hodgkin's lymphoma | M | - | - | - | - | - | 1 | 2 | 7 | 15 | 12 | 37 |
| | F | - | - | - | - | - | - | - | 4 | 12 | 12 | 28 |
| C84 Peripheral & cutaneous T-cell lymphoma | M | - | - | - | - | - | - | - | 2 | 5 | 1 | 8 |
| | F | - | - | - | - | - | - | - | 1 | 4 | 3 | 8 |
| C85 Other & unspecified types of non-Hodgkin's lymphoma | M | - | - | - | - | 1 | - | 1 | 25 | 66 | 51 | 144 |
| | F | - | - | - | - | - | - | - | 15 | 38 | 56 | 109 |
| C90 Multiple myeloma & malignant plasma cell neoplasms | M | - | - | - | - | - | - | 1 | 15 | 39 | 33 | 88 |
| | F | - | - | - | - | - | - | - | 20 | 34 | 31 | 85 |
| C91 Lymphoid leukemia | M | - | - | - | 1 | - | - | 1 | 9 | 27 | 21 | 59 |
| | F | - | - | - | - | - | - | 1 | 7 | 13 | 18 | 39 |
| C92 Myeloid leukemia | M | - | - | - | - | - | - | 4 | 22 | 33 | 25 | 84 |
| | F | - | - | - | - | - | - | 4 | 15 | 27 | 21 | 67 |
| C95 Leukemia of unspecified cell type | M | - | - | - | - | - | - | - | 1 | 19 | 14 | 34 |
| | F | - | - | - | - | - | - | 1 | 3 | 7 | 12 | 23 |
| D32 Benign neoplasm of meninges | M | - | - | - | - | - | - | - | - | 2 | 4 | 6 |
| F | - | - | - | - | - | - | - | - | - | 2 | 3 | 5 |
| D37 Neoplasm of uncertain or unknown behaviour of oral cavity & digestive organs | M | - | - | - | - | - | - | - | - | - | 1 | 1 |
| | F | - | - | - | - | - | - | - | - | 1 | 3 | 4 |
| D38 Neoplasm of uncertain/unknown behaviour of middle ear, respiratory & intrathoracic organs | M | - | - | - | - | - | - | - | - | 2 | 1 | 3 |
| | F | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| D43 Neoplasm of uncertain/unknown behaviour of brain & central nervous system | M | - | - | - | - | - | - | - | 1 | 5 | 2 | 8 |
| | F | - | - | - | - | - | - | 1 | 2 | - | 3 | 6 |
| D45 Polycythemia vera | M | - | - | - | - | - | - | - | - | 2 | 1 | 3 |
| | F | - | - | - | - | - | - | - | - | - | 6 | 6 |
| D46 Myelodysplastic syndromes | M | - | - | - | - | - | - | - | 4 | 23 | 31 | 58 |
| | F | - | - | - | - | - | - | - | 1 | 6 | 25 | 32 |
| D47 Neoplasm of uncertain or unknown behaviour of lymphoid, hematopoietic & related tissue | M | - | - | - | - | - | - | - | - | 4 | 5 | 9 |
| | F | - | - | - | - | - | - | - | 1 | 4 | 6 | 11 |
| D48 Neoplasm of uncertain or unknown behaviour of other & unspecified sites | M | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| | F | - | - | - | - | - | - | - | 2 | 4 | 3 | 9 |
| D61 Other aplastic anemias | M | - | - | - | - | - | - | - | 1 | 1 | 5 | 7 |
| | F | - | - | - | - | - | - | - | - | 1 | 4 | 5 |
| D64 Other anemias | M | - | - | - | - | - | - | - | 1 | 2 | 11 | 14 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 19 | 21 |
| D68 Other coagulation defects | M | - | - | - | - | - | - | 1 | 3 | 1 | 2 | 7 |
| | F | - | - | - | - | - | - | - | 1 | - | 3 | 4 |
| D70 Agranulocytosis | M | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| | F | - | - | - | - | - | - | - | 2 | - | 2 | 4 |
| E03 Other hypothyroidism | M | - | - | - | - | - | - | - | - | - | 1 | 1 |
| | F | - | - | - | - | - | - | - | 1 | 3 | 5 | 9 |
| E10 Insulin-dependent diabetes mellitus | M | - | - | - | - | - | - | 3 | 12 | 28 | 10 | 53 |
| | F | - | - | - | - | - | - | 2 | 6 | 9 | 12 | 29 |
| E11 Non-insulin-dependent diabetes mellitus | M | - | - | - | - | - | - | - | 36 | 73 | 101 | 210 |
| | F | - | - | - | - | - | 1 | 1 | 6 | 53 | 86 | 147 |
| E14 Diabetes mellitus NOS | M | - | - | - | - | - | 1 | 5 | 92 | 231 | 255 | 584 |
| | F | - | - | - | - | - | - | 4 | 50 | 131 | 250 | 435 |
| E46 Unspecified protein-energy malnutrition | M | - | - | - | - | - | - | - | 1 | 3 | 3 | 7 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 3 | 5 |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|--|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| E66 Obesity | M | - | - | - | - | - | - | 3 | 13 | 7 | 1 | 24 |
| | F | - | - | - | - | - | - | - | 12 | 9 | 5 | 26 |
| E78 Disorders of lipoprotein metabolism & other lipidemias | M | - | - | - | - | - | - | - | 5 | 15 | 18 | 38 |
| | F | - | - | - | - | - | - | - | 2 | 9 | 20 | 31 |
| E83 Disorders of mineral metabolism | M | - | 1 | - | - | - | - | - | 3 | - | 1 | 5 |
| | F | - | - | - | - | - | - | - | - | 2 | 4 | 6 |
| E85 Amyloidosis | M | - | - | - | - | - | - | - | 4 | 6 | 2 | 12 |
| | F | - | - | - | - | - | - | - | 4 | 4 | 6 | 14 |
| E86 Volume depletion | M | - | - | - | - | - | - | - | - | 1 | 6 | 7 |
| | F | - | - | - | - | - | - | - | - | 2 | 23 | 25 |
| E87 Other disorders of fluid, electrolyte & acid-base balance | M | - | - | - | - | - | - | - | - | 1 | 7 | 8 |
| | F | - | - | - | - | - | - | - | - | 2 | 10 | 12 |
| E88 Other metabolic disorders | M | - | - | - | - | - | - | - | 2 | 2 | 1 | 5 |
| | F | - | - | - | - | - | - | - | 3 | - | 4 | 7 |
| F03 Unspecified dementia | M | - | - | - | - | - | - | - | 6 | 76 | 368 | 450 |
| | F | - | - | - | - | - | - | - | 6 | 78 | 837 | 921 |
| F05 Delirium, not induced by alcohol & other psychoactive substances | M | - | - | - | - | - | - | - | - | 5 | 15 | 20 |
| | F | - | - | - | - | - | - | - | - | - | 15 | 15 |
| F10 Mental & behavioural disorders due to use of alcohol | M | - | - | - | - | - | - | 6 | 36 | 24 | 9 | 75 |
| | F | - | - | - | - | - | - | 1 | 10 | 7 | 3 | 21 |
| F19 Multiple drug misuse & misuse of other psychoactive substances | M | - | - | - | - | - | - | 1 | 2 | - | - | 3 |
| | F | - | - | - | - | - | - | 2 | 1 | - | - | 3 |
| F20 Schizophrenia | M | - | - | - | - | - | - | - | 1 | - | - | 1 |
| | F | - | - | - | - | - | - | - | - | 3 | 1 | 4 |
| F31 Bipolar affective disorder | M | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| F32 Depressive episode | M | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| | F | - | - | - | - | - | - | - | 1 | 2 | 10 | 13 |
| G10 Huntington's disease | M | - | - | - | - | - | - | 1 | 4 | 4 | 1 | 10 |
| | F | - | - | - | - | - | - | 2 | 2 | 3 | 3 | 10 |
| G11 Hereditary ataxia | M | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| G12 Spinal muscular atrophy & related syndromes | M | - | - | - | - | - | - | 2 | 16 | 26 | 13 | 57 |
| | F | - | - | - | - | - | - | - | 17 | 37 | 8 | 62 |
| G20 Parkinson's disease | M | - | - | - | - | - | - | - | 5 | 59 | 111 | 175 |
| | F | - | - | - | - | - | - | - | 3 | 24 | 94 | 121 |
| G30 Alzheimer's disease | M | - | - | - | - | - | - | - | - | 47 | 194 | 241 |
| | F | - | - | - | - | - | - | - | 5 | 36 | 369 | 410 |
| G31 Other degenerative diseases of nervous system, NEC | M | - | 1 | - | - | - | - | - | 8 | 16 | 18 | 43 |
| | F | 1 | - | 1 | - | - | - | 3 | 7 | 13 | 18 | 43 |
| G35 Multiple sclerosis | M | - | - | - | - | - | - | - | 12 | 11 | 2 | 25 |
| | F | - | - | - | - | - | - | 2 | 12 | 13 | 3 | 30 |
| G40 Epilepsy | M | - | 1 | - | - | - | 1 | 1 | 4 | 1 | 1 | 9 |
| | F | - | 1 | - | - | - | 1 | 2 | 6 | 1 | 1 | 12 |
| G41 Status epilepticus | M | - | - | - | - | - | - | - | 1 | 2 | - | 3 |
| | F | - | - | - | - | - | - | 1 | - | 1 | 1 | 3 |
| G70 Other myoneural disorders | M | 1 | 1 | - | - | - | - | - | 2 | 1 | - | 5 |
| | F | - | - | - | - | - | - | 1 | - | 1 | 3 | 5 |
| G71 Primary disorders of muscles | M | 1 | - | - | - | - | - | 2 | 9 | - | - | 12 |
| | F | - | - | - | - | - | - | - | 2 | 2 | 1 | 5 |
| G80 Infantile cerebral palsy | M | - | - | - | - | 1 | 1 | 2 | 3 | 1 | - | 8 |
| | F | - | - | - | - | 1 | - | 1 | 1 | 1 | - | 4 |
| G93 Other disorders of brain | M | - | - | - | - | - | - | - | 7 | 13 | 3 | 23 |
| | F | - | - | - | - | - | - | 2 | 7 | 2 | 3 | 14 |
| G95 Other diseases of spinal cord | M | - | - | - | - | - | - | - | 1 | 1 | 3 | 5 |
| | F | - | - | - | - | - | - | - | - | - | 1 | 1 |
| I05 Rheumatic mitral valve diseases | M | - | - | - | - | - | - | - | 1 | 3 | 3 | 7 |
| | F | - | - | - | - | - | - | - | 2 | 8 | 10 | 20 |
| I07 Rheumatic tricuspid valve diseases | M | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| | F | - | - | - | - | - | - | - | - | - | 3 | 3 |
| I08 Multiple valve diseases | M | - | - | - | - | - | - | - | 1 | 12 | 10 | 23 |
| | F | - | - | - | - | - | - | - | 1 | 4 | 10 | 15 |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|---|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| I09 Other rheumatic heart diseases | M | - | - | - | - | - | - | - | - | - | 1 | 1 |
| | F | - | - | - | - | - | - | - | - | 2 | 3 | 5 |
| I10 Essential (primary) hypertension | M | - | - | - | - | - | - | 3 | 14 | 19 | 36 | |
| | F | - | - | - | - | - | - | 2 | 12 | 51 | 65 | |
| I11 Hypertensive heart disease | M | - | - | - | - | - | 2 | 7 | 6 | 17 | 32 | |
| | F | - | - | - | - | - | 1 | 4 | 9 | 38 | 52 | |
| I12 Hypertensive renal disease | M | - | - | - | - | - | - | 3 | 9 | 59 | 71 | |
| | F | - | - | - | - | - | - | 1 | 11 | 62 | 74 | |
| I13 Hypertensive heart and renal disease | M | - | - | - | - | - | - | - | 2 | 11 | 13 | |
| | F | - | - | - | - | - | - | - | 2 | 18 | 20 | |
| I21 Acute MI | M | - | - | - | - | - | 1 | 9 | 144 | 249 | 395 | |
| | F | - | - | - | - | - | - | 2 | 34 | 121 | 506 | |
| I24 Other acute ischemic heart diseases | M | - | - | - | - | - | - | 1 | 4 | 11 | 27 | |
| | F | - | - | - | - | - | - | - | 1 | 10 | 29 | |
| I25 Chronic ischemic heart disease | M | - | - | - | - | - | 1 | 17 | 207 | 327 | 645 | |
| | F | - | - | - | - | - | - | 3 | 33 | 122 | 735 | |
| I26 Pulmonary embolism | M | - | - | - | - | - | - | 1 | 11 | 13 | 13 | |
| | F | - | - | - | - | - | - | 1 | 9 | 16 | 21 | |
| I27 Other pulmonary heart diseases | M | - | - | - | - | - | - | - | 1 | 4 | 6 | |
| | F | - | - | - | - | - | - | - | 5 | 2 | 12 | |
| I31 Other diseases of pericardium | M | - | - | - | - | - | - | - | 1 | 1 | 1 | |
| | F | - | - | - | - | - | - | - | 2 | 1 | 3 | |
| I33 Acute and subacute endocarditis | M | - | - | - | - | - | - | 2 | 2 | 2 | 3 | |
| | F | - | - | - | - | - | - | 1 | 2 | 2 | 5 | |
| I34 Nonrheumatic mitral valve disorders | M | - | - | - | - | - | - | - | 5 | 3 | 9 | |
| | F | - | - | - | - | - | - | 1 | 2 | 8 | 17 | |
| I35 Nonrheumatic aortic valve disorders | M | - | - | - | - | - | - | - | 10 | 23 | 76 | |
| | F | - | - | - | - | - | - | 1 | 2 | 11 | 82 | |
| I38 Endocarditis | M | - | - | - | - | - | - | 1 | 6 | 12 | 20 | |
| | F | - | - | - | - | - | - | 2 | 2 | 8 | 28 | |
| I42 Cardiomyopathy | M | - | - | - | - | - | - | 6 | 29 | 33 | 30 | |
| | F | - | - | - | - | - | - | - | 9 | 8 | 29 | |
| I44 Atrioventricular & left bundle-branch block | M | - | - | - | - | - | - | - | - | - | 1 | |
| | F | - | - | - | - | - | - | - | - | - | 7 | |
| I45 Other conduction disorders | M | - | - | - | - | - | - | 1 | - | 2 | 3 | |
| | F | - | - | - | - | - | - | - | - | 1 | 2 | |
| I46 Cardiac arrest | M | - | - | - | - | - | - | - | 5 | 4 | 7 | |
| | F | - | - | - | - | - | - | - | 1 | 2 | 9 | |
| I47 Paroxysmal tachycardia | M | - | - | - | - | - | - | - | 1 | - | 1 | |
| | F | - | - | - | - | - | - | - | - | 1 | 2 | |
| I48 Atrial fibrillation and flutter | M | - | - | - | - | - | - | 1 | 2 | 34 | 122 | |
| | F | - | - | - | - | - | - | - | 2 | 22 | 206 | |
| I49 Other cardiac arrhythmias | M | - | - | - | - | - | - | - | 7 | 13 | 19 | |
| | F | - | - | - | - | - | - | 1 | 5 | 12 | 32 | |
| I50 Heart failure | M | - | - | - | - | - | - | 1 | 17 | 50 | 211 | |
| | F | - | - | - | 1 | - | - | - | 6 | 38 | 385 | |
| I51 Complications & ill-defined descriptions of heart disease | M | - | - | - | - | - | 1 | 3 | 5 | 5 | 12 | |
| | F | - | - | - | - | 1 | - | 1 | - | 9 | 23 | |
| I60 Subarachnoid hemorrhage | M | - | - | - | - | - | - | 5 | 12 | 6 | 9 | |
| | F | - | - | - | - | - | - | 10 | 14 | 23 | 10 | |
| I61 Intracerebral hemorrhage | M | - | - | - | - | - | - | 1 | 21 | 33 | 42 | |
| | F | - | - | - | - | - | - | 3 | 16 | 34 | 57 | |
| I62 Other nontraumatic intracranial hemorrhage | M | - | - | - | - | - | - | - | 2 | 16 | 39 | |
| | F | - | - | - | - | - | - | 1 | 8 | 18 | 35 | |
| I63 Cerebral infarction | M | - | - | - | - | - | - | - | 6 | 16 | 33 | |
| | F | - | - | - | - | - | - | - | 4 | 25 | 58 | |
| I64 CVA, NOS | M | - | - | - | - | - | - | - | 17 | 139 | 370 | |
| | F | - | - | - | - | - | - | 2 | 12 | 106 | 674 | |
| I67 Other cerebrovascular diseases | M | - | - | - | - | - | - | - | 3 | 24 | 76 | |
| | F | - | - | - | - | - | - | - | 4 | 6 | 133 | |
| I69 Sequelae of cerebrovascular disease | M | - | - | - | - | - | - | - | 1 | 12 | 29 | |
| | F | - | - | - | - | - | - | - | 3 | 8 | 48 | |

Notes are included at end of Appendix 2.

APPENDIX 2 – continued
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|--|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| I70 Atherosclerosis | M | - | - | - | - | - | - | - | 4 | 7 | 15 | 26 |
| | F | - | - | - | - | - | - | - | 1 | 2 | 23 | 26 |
| I71 Aortic aneurysm and dissection | M | - | - | - | - | - | - | 5 | 25 | 53 | 66 | 149 |
| | F | - | - | - | - | - | - | - | 10 | 20 | 30 | 60 |
| I72 Other aneurysm | M | - | - | - | - | - | - | 1 | 3 | 2 | 3 | 9 |
| | F | - | - | - | - | - | - | 1 | 1 | - | 2 | 4 |
| I73 Other peripheral vascular diseases | M | - | - | - | - | - | - | - | 6 | 11 | 38 | 55 |
| | F | - | - | - | - | - | - | - | 1 | 15 | 46 | 62 |
| I74 Arterial embolism and thrombosis | M | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| | F | - | - | - | - | - | - | - | - | 5 | 8 | 13 |
| I77 Other disorders of arteries & arterioles | M | - | - | - | - | - | - | - | 1 | 5 | 1 | 7 |
| | F | - | - | - | - | - | - | - | 1 | 3 | 2 | 6 |
| I80 Phlebitis and thrombophlebitis | M | - | - | - | - | - | - | 1 | 7 | 2 | 3 | 13 |
| | F | - | - | - | - | - | - | - | 4 | 1 | 4 | 9 |
| I81 Portal vein thrombosis | M | - | - | - | - | - | - | - | - | 1 | - | 1 |
| | F | - | - | - | - | - | - | 1 | 2 | - | 2 | 5 |
| I99 Other & unspecified disorders of circulatory system | M | - | - | - | - | - | - | - | - | 3 | 1 | 4 |
| | F | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| J06 Acute upper respiratory infections of multiple & unspecified sites | M | - | - | - | - | - | - | - | - | - | 2 | 2 |
| | F | - | - | - | - | - | - | - | - | - | 5 | 5 |
| J10 Influenza due to identified influenza virus | M | - | - | - | - | - | - | - | 4 | - | - | 4 |
| | F | - | - | - | - | - | - | - | 1 | 2 | 3 | 6 |
| J11 Influenza, virus not identified | M | - | - | - | - | - | - | - | - | - | 5 | 5 |
| | F | - | - | - | - | - | - | - | - | 1 | 7 | 8 |
| J15 Bacterial pneumonia, NEC | M | - | - | - | - | - | - | 2 | 4 | 3 | 4 | 13 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 3 | 5 |
| J18 Pneumonia, organism unspecified | M | - | - | - | - | - | 1 | 9 | 25 | 83 | 378 | 496 |
| | F | - | 1 | - | - | - | - | 2 | 22 | 58 | 493 | 576 |
| J22 Unspecified acute lower respiratory infection | M | - | - | - | - | - | - | - | - | - | - | - |
| | F | - | - | - | - | - | - | - | - | - | 5 | 5 |
| J42 Unspecified chronic bronchitis | M | - | - | - | - | - | - | - | - | 3 | 2 | 5 |
| | F | - | - | - | - | - | - | - | - | - | 2 | 2 |
| J43 Emphysema | M | - | - | - | - | - | - | - | 4 | 18 | 22 | 44 |
| | F | - | - | - | - | - | - | - | 4 | 13 | 26 | 43 |
| J44 Other chronic obstructive pulmonary disease | M | - | - | - | - | - | - | 1 | 56 | 244 | 419 | 720 |
| | F | - | - | - | - | - | - | 3 | 37 | 209 | 409 | 658 |
| J45 Asthma | M | - | - | - | - | - | - | - | - | 4 | 4 | 8 |
| | F | - | - | - | - | - | - | 1 | 3 | 7 | 18 | 29 |
| J47 Bronchiectasis | M | - | - | - | - | - | - | - | - | 3 | 8 | 11 |
| | F | - | - | - | - | - | - | 1 | 2 | 6 | 11 | 20 |
| J61 Pneumoconiosis due to asbestos & other mineral fibres | M | - | - | - | - | - | - | - | - | 5 | 8 | 13 |
| | F | - | - | - | - | - | - | - | - | - | 1 | 1 |
| J69 Aspiration pneumonia due to solids & liquids | M | - | - | - | - | - | - | - | 7 | 41 | 103 | 151 |
| | F | - | - | - | - | - | - | - | 9 | 15 | 96 | 120 |
| J80 Adult respiratory distress syndrome | M | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| | F | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| J84 Other interstitial pulmonary diseases | M | - | - | - | - | - | - | 1 | 17 | 76 | 64 | 158 |
| | F | - | - | - | - | - | - | - | 9 | 23 | 46 | 78 |
| J86 Pyothorax | M | - | - | - | - | - | - | - | 1 | 2 | 7 | 10 |
| | F | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| J90 Pleural effusion, NEC | M | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| | F | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| J98 Other respiratory disorders | M | - | - | - | - | - | - | - | 1 | 4 | 9 | 14 |
| | F | - | - | - | - | - | - | 1 | - | 3 | 18 | 22 |
| K20 Oesophagitis | M | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| | F | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| K21 Gastroesophageal reflux disease | M | - | - | - | - | 1 | - | - | 1 | - | 6 | 8 |
| | F | - | - | - | - | - | - | - | - | 2 | 10 | 12 |
| K22 Other diseases of esophagus | M | - | - | - | - | - | - | - | 2 | 2 | 11 | 15 |
| | F | - | - | - | - | - | - | - | - | 3 | 6 | 9 |
| K25 Gastric ulcer | M | - | - | - | - | - | - | - | 3 | - | 1 | 4 |
| | F | - | - | - | - | - | - | 1 | - | 3 | 2 | 6 |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|---|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| K26 Duodenal ulcer | M | - | - | - | - | - | - | - | 3 | 5 | 13 | 21 |
| | F | - | - | - | - | - | - | 1 | 1 | 5 | 11 | 18 |
| K27 Peptic ulcer | M | - | - | - | - | - | - | - | - | - | - | - |
| | F | - | - | - | - | - | - | - | 1 | 1 | 5 | 7 |
| K29 Gastritis and duodenitis | M | - | - | - | - | - | - | 1 | 3 | 1 | 1 | 6 |
| | F | - | - | - | - | - | - | - | - | 2 | 1 | 3 |
| K31 Other diseases of stomach & duodenum | M | - | - | - | - | - | - | - | 1 | - | 1 | 2 |
| | F | - | - | - | - | - | - | - | 1 | 2 | 6 | 9 |
| K43 Ventral hernia | M | - | - | - | - | - | - | - | - | - | 2 | 2 |
| | F | - | - | - | - | - | - | - | 2 | - | 2 | 4 |
| K44 Diaphragmatic hernia | M | - | - | - | - | - | - | - | - | 2 | 1 | 3 |
| | F | - | - | - | - | - | - | - | - | - | 11 | 11 |
| K46 Unspecified abdominal hernia | M | - | - | - | - | - | - | - | - | 4 | 2 | 6 |
| | F | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| K50 Crohn's disease | M | - | - | - | - | - | - | 1 | 1 | 4 | 1 | 7 |
| | F | - | - | - | - | - | - | - | - | 4 | 3 | 7 |
| K51 Ulcerative colitis | M | - | - | - | - | - | - | 1 | - | - | 3 | 4 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| K52 Other noninfective gastroenteritis & colitis | M | - | - | - | - | - | - | - | - | - | 2 | 2 |
| | F | - | - | - | - | - | - | - | - | 2 | 1 | 3 |
| K55 Vascular disorders of intestine | M | - | - | - | - | - | - | 1 | 4 | 17 | 14 | 36 |
| | F | - | - | - | - | - | - | 2 | 6 | 25 | 56 | 89 |
| K56 Paralytic ileus & intestinal obstruction without hernia | M | - | - | - | - | - | - | 1 | 8 | 7 | 32 | 48 |
| | F | - | - | - | - | - | - | - | 2 | 10 | 43 | 55 |
| K57 Diverticular disease of intestine | M | - | - | - | - | - | - | - | 1 | 1 | 11 | 13 |
| | F | - | - | - | - | - | - | - | 1 | 3 | 20 | 24 |
| K59 Other functional intestinal disorders | M | - | - | - | - | - | - | - | 1 | 2 | 1 | 4 |
| | F | - | - | - | - | - | - | - | - | 2 | 2 | 4 |
| K62 Other diseases of anus and rectum | M | - | - | - | - | - | - | - | 1 | 2 | - | 3 |
| | F | - | - | - | - | - | - | - | - | - | 2 | 2 |
| K63 Other diseases of intestine | M | - | - | - | - | - | - | - | 4 | 4 | 8 | 16 |
| | F | - | - | - | - | - | - | - | - | 4 | 18 | 22 |
| K65 Peritonitis | M | - | - | - | - | - | - | - | 1 | 2 | 2 | 5 |
| | F | - | - | - | - | - | - | - | 1 | - | 2 | 3 |
| K66 Other disorders of peritoneum | M | - | - | - | - | - | - | - | - | 3 | 3 | 6 |
| | F | - | - | - | - | - | - | - | 1 | - | - | 1 |
| K70 Alcoholic liver disease | M | - | - | - | - | - | - | 11 | 122 | 62 | 11 | 206 |
| | F | - | - | - | - | - | - | 9 | 61 | 21 | 7 | 98 |
| K72 Hepatic failure | M | - | - | - | - | - | - | - | 6 | 3 | 2 | 11 |
| | F | - | - | - | - | - | - | - | 3 | 2 | 4 | 9 |
| K74 Fibrosis and cirrhosis of liver | M | - | - | - | - | - | - | 2 | 12 | 15 | 4 | 33 |
| | F | - | - | - | - | - | - | 1 | 10 | 17 | 10 | 38 |
| K75 Other inflammatory liver diseases | M | - | - | - | - | - | - | - | - | 2 | - | 2 |
| | F | - | - | - | - | - | - | 1 | 2 | 5 | 3 | 11 |
| K76 Other diseases of liver | M | - | - | - | - | - | - | - | 3 | 2 | 2 | 7 |
| | F | - | - | - | - | - | - | - | 3 | 5 | 2 | 10 |
| K80 Cholelithiasis | M | - | - | - | - | - | - | - | 2 | 4 | 6 | 12 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 8 | 10 |
| K81 Cholecystitis | M | - | - | - | - | - | - | - | 1 | - | 9 | 10 |
| | F | - | - | - | - | - | - | - | - | - | 7 | 7 |
| K83 Other diseases of biliary tract | M | - | - | - | - | - | - | - | 1 | 4 | 6 | 11 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 5 | 7 |
| K85 Acute pancreatitis | M | - | - | - | - | - | - | 3 | 2 | 6 | 2 | 13 |
| | F | - | - | - | - | - | - | 1 | 6 | 5 | 7 | 19 |
| K86 Other diseases of pancreas | M | - | - | - | - | - | - | - | 1 | 2 | 3 | 6 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 1 | 3 |
| K92 Other diseases of digestive system | M | - | - | - | - | - | - | 3 | 13 | 25 | 56 | 97 |
| | F | - | - | - | - | - | - | - | 6 | 12 | 70 | 88 |
| L02 Carbuncles | M | - | - | - | - | - | - | 1 | 2 | - | - | 3 |
| | F | - | - | - | - | - | - | - | - | - | 2 | 2 |
| L03 Cellulitis | M | - | - | - | - | - | - | - | 1 | 4 | 9 | 14 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 14 | 16 |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|---|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| L08 Other local infections of skin & subcutaneous tissue | M | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| | F | - | - | - | - | - | - | - | 1 | 2 | 3 | 6 |
| L89 Decubitus ulcer | M | - | - | - | - | - | - | - | 1 | - | 4 | 5 |
| | F | - | - | - | - | - | - | - | - | 4 | 9 | 13 |
| L98 Other disorders of skin & subcutaneous tissue, NEC | M | - | - | - | - | - | - | - | - | - | - | - |
| | F | - | - | - | - | - | - | - | 1 | 1 | 3 | 5 |
| M00 Pyogenic arthritis | M | - | - | - | - | - | - | - | - | 2 | 1 | 3 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 3 | 5 |
| M06 Other rheumatoid arthritis | M | - | - | - | - | - | - | - | 1 | 3 | 2 | 6 |
| | F | - | - | - | - | - | - | 1 | 3 | 5 | 14 | 23 |
| M13 Other arthritis | M | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| | F | - | - | - | - | - | - | - | - | - | 5 | 5 |
| M19 Other arthrosis | M | - | - | - | - | - | - | - | - | 3 | 3 | 6 |
| | F | - | - | - | - | - | - | - | - | - | 9 | 9 |
| M31 Other necrotizing vasculopathies | M | - | - | - | - | - | - | - | 1 | 1 | 2 | 4 |
| | F | - | - | - | - | - | - | - | 1 | 3 | 3 | 7 |
| M32 Systemic lupus erythematosus | M | - | - | - | - | - | - | - | 2 | - | 1 | 3 |
| | F | - | - | - | - | - | - | 2 | 4 | 4 | 1 | 11 |
| M34 Systemic sclerosis | M | - | - | - | - | - | - | - | 6 | 2 | - | 8 |
| | F | - | - | - | - | - | - | 1 | 2 | 9 | 5 | 17 |
| M35 Other systemic involvement of connective tissue | M | - | - | - | - | - | - | 1 | - | - | 1 | 2 |
| | F | - | - | - | - | - | - | - | 4 | - | 4 | 8 |
| M48 Other spondylopathies | M | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| | F | - | - | - | - | - | - | - | - | 1 | 2 | 3 |
| M62 Other disorders of muscle | M | - | - | - | - | - | - | - | - | 2 | 1 | 3 |
| | F | - | - | - | - | - | - | - | - | - | 2 | 2 |
| M80 Osteoporosis with pathological fracture | M | - | - | - | - | - | - | - | - | - | - | - |
| | F | - | - | - | - | - | - | - | - | 3 | 7 | 10 |
| M81 Osteoporosis without pathological fracture | M | - | - | - | - | - | - | - | - | - | 1 | 1 |
| | F | - | - | - | - | - | - | - | - | - | 7 | 7 |
| M86 Osteomyelitis | M | - | - | - | - | - | - | - | 1 | 3 | 4 | 8 |
| | F | - | - | - | - | - | - | - | - | 1 | 1 | 2 |
| N03 Chronic nephritic syndrome | M | - | - | - | - | - | - | 1 | - | - | 6 | 7 |
| | F | - | - | - | - | - | - | - | - | - | 3 | 3 |
| N12 Tubulointerstitial nephritis, not specified as acute or chronic | M | - | - | - | - | - | - | - | - | 3 | 3 | 6 |
| | F | - | - | - | - | - | - | - | 1 | 2 | 5 | 8 |
| N13 Obstructive and reflux uropathy | M | - | - | - | - | - | - | - | - | 1 | 3 | 4 |
| | F | - | - | - | - | - | - | - | - | - | 1 | 1 |
| N17 Acute renal failure | M | - | - | - | - | - | - | - | - | 6 | 13 | 19 |
| | F | - | - | - | - | - | - | - | - | 4 | 10 | 14 |
| N18 Chronic renal failure | M | - | - | - | - | - | - | - | 2 | 15 | 53 | 70 |
| | F | - | - | - | - | - | - | - | 3 | 12 | 66 | 81 |
| N19 Unspecified renal failure | M | - | - | - | - | - | - | - | 4 | 15 | 27 | 46 |
| | F | - | - | - | - | - | - | - | 1 | 6 | 35 | 42 |
| N20 Calculus of kidney and ureter | M | - | - | - | - | - | - | - | - | 1 | 3 | 4 |
| | F | - | - | - | - | - | - | 1 | 1 | - | - | 2 |
| N28 Other disorders of kidney and ureter, NEC | M | - | - | - | - | - | - | - | 2 | 4 | 5 | 11 |
| | F | - | - | - | - | - | - | - | - | 3 | 3 | 6 |
| N30 Cystitis | M | - | - | - | - | - | - | - | - | - | - | - |
| | F | - | - | - | - | - | - | - | - | 2 | 5 | 7 |
| N32 Other disorders of bladder | M | - | - | - | - | - | - | - | - | - | 2 | 2 |
| | F | - | - | - | - | - | - | - | - | - | 4 | 4 |
| N39 Other disorders of urinary system | M | - | - | - | - | - | - | - | 5 | 24 | 66 | 95 |
| | F | - | - | - | - | - | - | - | 5 | 23 | 158 | 186 |
| N40 Prostatic hypertrophy | M | - | - | - | - | - | - | - | 1 | 5 | 18 | 24 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| N42 Other disorders of prostate | M | - | - | - | - | - | - | - | - | 1 | 6 | 7 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| P01 Fetus & newborn affected by maternal complications of pregnancy | M | 7 | - | - | - | - | - | - | - | - | - | 7 |
| | F | 10 | - | - | - | - | - | - | - | - | - | 10 |
| P02 Fetus & newborn affected by complications of placenta, cord and membranes | M | 10 | - | - | - | - | - | - | - | - | - | 10 |
| | F | 8 | - | - | - | - | - | - | - | - | - | 8 |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|---|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|-------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| P07 Disorders related to short gestation & low birth weight, NEC | M | 15 | - | - | - | - | - | - | - | - | - | 15 |
| | F | 12 | - | - | - | - | - | - | - | - | - | 12 |
| P96 Other conditions originating in the perinatal period | M | 1 | - | - | - | - | - | - | - | - | - | 1 |
| | F | 4 | - | - | - | - | - | - | - | - | - | 4 |
| Q21 Congenital malformations of cardiac septa | M | 3 | - | - | - | - | 1 | 1 | 2 | - | - | 7 |
| | F | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 4 |
| Q23 Congenital malformations of aortic & mitral valves | M | 1 | - | 1 | - | - | - | - | 1 | - | - | 3 |
| | F | 1 | - | - | - | - | - | - | - | - | 1 | 2 |
| Q24 Other congenital malformations of heart | M | 1 | - | - | - | - | - | 2 | - | - | - | 3 |
| | F | 2 | - | - | - | - | - | 1 | - | - | - | 3 |
| Q25 Congenital malformations of great arteries | M | - | - | - | - | 1 | - | 1 | - | - | - | 2 |
| | F | 3 | - | - | - | - | - | - | - | - | - | 3 |
| Q61 Cystic kidney disease | M | 1 | - | - | - | - | - | - | - | 2 | - | 3 |
| | F | 1 | - | - | - | - | - | - | 2 | 1 | - | 4 |
| Q87 Other specified malformation syndromes affecting multiple systems | M | 2 | - | - | - | - | - | - | - | 1 | - | 3 |
| | F | - | - | - | - | - | - | 1 | 1 | 1 | - | 3 |
| Q90 Down's syndrome | M | 2 | - | - | - | - | - | - | 9 | - | - | 11 |
| | F | - | - | - | - | - | - | - | 4 | - | - | 4 |
| R09 Other symptoms and signs involving circulatory and respiratory systems | M | - | - | - | - | - | - | - | 1 | 2 | 3 | 6 |
| | F | - | - | - | - | - | - | - | - | 1 | 5 | 6 |
| R53 Malaise and fatigue | M | - | - | - | - | - | - | - | 1 | 1 | 2 | 4 |
| | F | - | - | - | - | - | - | - | - | - | 7 | 7 |
| R54 Senility | M | - | - | - | - | - | - | - | - | - | 9 | 9 |
| | F | - | - | - | - | - | - | - | - | 1 | 29 | 30 |
| R62 Lack of expected normal physiological development | M | - | - | - | - | - | - | - | - | - | 2 | 2 |
| | F | - | - | - | - | - | - | - | - | 1 | 4 | 5 |
| R68 Other general symptoms and signs | M | - | - | - | - | - | - | - | - | - | 4 | 4 |
| | F | - | - | - | - | - | - | - | - | - | 3 | 3 |
| R95 Sudden infant death syndrome | M | 5 | - | - | - | - | - | - | - | - | - | 5 |
| | F | 5 | - | - | - | - | - | - | - | - | - | 5 |
| R99 Other ill-defined and unspecified causes of mortality | M | 21 | 3 | - | 2 | 17 | 49 | 138 | 235 | 93 | 75 | 633 |
| | F | 6 | - | 1 | 3 | 8 | 11 | 52 | 108 | 46 | 83 | 318 |
| V03 Pedestrian injured in collision with car, pick-up truck or van | M | - | - | - | 1 | - | 2 | 3 | 4 | 4 | 3 | 17 |
| | F | - | 1 | - | - | - | - | 2 | 6 | 2 | - | 12 |
| V23 Motorcycle rider injured in collision with car, pick-up truck or van | M | - | - | - | - | - | 1 | 6 | 2 | 2 | - | 11 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| V27 Motorcycle rider injured in collision with fixed or stationary object | M | - | - | - | - | - | 2 | 1 | 2 | - | - | 5 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| V43 Car occupant injured in collision with car, pick-up truck or van | M | - | - | - | - | 1 | - | 4 | 1 | - | 5 | 11 |
| | F | - | - | - | - | 1 | 2 | 2 | 3 | 2 | - | 10 |
| V44 Car occupant injured in collision with heavy transport vehicle or bus | M | - | - | - | 1 | 1 | - | 1 | 7 | 2 | - | 12 |
| | F | - | 1 | 1 | - | - | - | 3 | 2 | 1 | 1 | 9 |
| V47 Car occupant injured in collision with fixed or stationary object | M | - | - | - | - | 4 | 1 | - | 1 | 1 | - | 7 |
| | F | - | - | - | - | 2 | 1 | 3 | 1 | - | - | 7 |
| V48 Car occupant injured in noncollision transport | M | - | - | - | - | - | 2 | - | 2 | - | 1 | 5 |
| | F | - | - | - | - | 1 | - | 1 | 2 | 2 | 4 | 10 |
| V53 Occupant of pick-up truck or van injured in collision with car, pick-up truck or van | M | - | - | - | - | - | 1 | 2 | 2 | - | 4 | 9 |
| | F | - | - | - | - | - | - | - | - | - | 2 | 2 |
| V57 Occupant of pick-up truck or van injured in collision with fixed or stationary object | M | - | - | - | - | - | 2 | 1 | 1 | 2 | - | 6 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| V58 Occupant of pick-up truck or van injured in noncollision transport accident | M | - | - | - | - | - | 2 | 3 | 1 | 1 | - | 7 |
| | F | - | - | - | - | 1 | 1 | - | - | 2 | - | 4 |
| V86 Occupant of special all-terrain or other off-road MV, injured in transport accident | M | - | - | - | - | - | 2 | 4 | 1 | 1 | - | 8 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| V92 Water-transport-related drowning & submersion w/o accident to watercraft | M | - | - | - | - | - | 1 | 1 | 3 | - | - | 5 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| V95 Accident to powered aircraft causing injury to occupant | M | - | - | - | - | - | 1 | 3 | 3 | 1 | - | 8 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| W01 Fall on same level from slipping, tripping & stumbling | M | - | - | - | - | - | - | - | - | 4 | 13 | 17 |
| | F | - | - | - | - | - | - | - | 2 | 5 | 22 | 29 |
| W05 Fall involving wheelchair | M | - | - | - | - | - | - | - | - | 2 | 3 | 5 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 5 | 7 |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | Total | |
|---|--------|----------------------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-----|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | | 80+ |
| W06 Fall involving bed | M | - | - | - | - | - | - | - | - | 3 | 11 | 14 |
| | F | - | - | - | - | - | - | - | 1 | 1 | 17 | 19 |
| W07 Fall involving chair | M | - | - | - | - | - | - | - | - | - | 4 | 4 |
| | F | - | - | - | - | - | - | - | - | 1 | 4 | 5 |
| W08 Fall involving other furniture | M | - | - | - | - | - | - | - | - | 1 | 7 | 8 |
| | F | - | - | - | - | - | - | - | - | - | 9 | 9 |
| W10 Fall on and from stairs and steps | M | - | - | - | - | - | - | - | 5 | 7 | 13 | 25 |
| | F | - | - | - | - | - | - | - | 1 | 3 | 10 | 14 |
| W11 Fall on and from ladder | M | - | - | - | - | - | - | 2 | 1 | 2 | 1 | 6 |
| | F | - | - | - | - | - | - | - | - | - | - | - |
| W13 Fall from, out of or through building or structure | M | - | - | 1 | - | - | 1 | - | 2 | - | - | 4 |
| | F | - | 1 | - | - | - | - | - | 1 | - | - | 2 |
| W18 Other fall on same level | M | - | - | - | - | - | - | - | - | 1 | 4 | 5 |
| | F | - | - | - | - | - | - | - | - | 1 | 3 | 4 |
| W19 Unspecified fall | M | - | - | - | - | - | - | 4 | 13 | 36 | 143 | 196 |
| | F | - | - | - | - | - | - | - | 10 | 39 | 188 | 237 |
| W65 Drowning and submersion while in bathtub | M | - | - | - | - | - | - | - | 3 | - | 1 | 4 |
| | F | - | - | - | - | - | - | - | 1 | - | - | 1 |
| W69 Drowning & submersion while in natural water | M | - | - | - | - | 1 | 1 | 5 | 1 | 1 | - | 9 |
| | F | - | - | - | - | - | 1 | 2 | - | - | - | 3 |
| W70 Drowning & submersion following fall into natural water | M | - | - | - | - | - | 1 | - | 3 | - | - | 4 |
| | F | - | - | - | - | - | - | - | - | 1 | - | 1 |
| W79 Inhalation & ingestion of food causing obstruction of respiratory tract | M | - | - | - | - | - | - | - | 2 | 6 | 6 | 14 |
| | F | - | - | - | - | - | - | - | - | - | 5 | 5 |
| W80 Inhalation & ingestion of other objects causing obstruction of respiratory tract | M | - | - | - | - | - | - | - | - | 4 | 6 | 10 |
| | F | - | - | - | - | - | - | - | - | - | 3 | 3 |
| X00 Exposure to uncontrolled fire in building or structure | M | - | - | - | - | - | 1 | 1 | 4 | 1 | - | 7 |
| | F | - | 1 | - | - | - | - | - | - | 3 | - | 4 |
| X31 Exposure to excessive natural cold | M | - | - | - | - | - | - | - | 5 | 1 | - | 6 |
| | F | - | - | - | - | - | 1 | - | - | 2 | - | 3 |
| X41 Accidental poisoning by & exposure to antiepileptic, sed.-hypnotic, antipark. & psychotropic drugs, NEC | M | - | - | - | - | - | 1 | 7 | 4 | - | - | 12 |
| | F | - | - | - | - | 1 | - | 1 | 4 | - | - | 6 |
| X42 Accidental poisoning by & exposure to narcotics & psychodysleptics [hallucinogens], NEC | M | - | - | - | - | 1 | 16 | 51 | 49 | - | - | 117 |
| | F | - | - | - | - | 1 | 3 | 24 | 14 | - | - | 42 |
| X44 Accidental poisoning by & exposure to other & unspecified drugs, medicaments & biological substances | M | - | - | - | - | 1 | 4 | 26 | 23 | - | - | 54 |
| | F | - | - | - | - | - | 2 | 14 | 13 | - | 2 | 31 |
| X45 Accidental poisoning by & exposure to alcohol | M | - | - | - | - | - | - | 6 | 10 | 2 | - | 18 |
| | F | - | - | - | - | - | - | 1 | 1 | - | - | 2 |
| X59 Exposure to unspecified factor | M | - | - | - | - | - | - | - | - | 2 | 3 | 5 |
| | F | - | - | - | - | - | - | 1 | - | - | 12 | 13 |
| X61 Suicide by antiepileptic, sedative-hypnotic, antiparkinsonism & psychotropic drugs, NEC | M | - | - | - | - | - | - | 3 | 7 | 1 | - | 11 |
| | F | - | - | - | - | - | - | 2 | 8 | 4 | 2 | 16 |
| X62 Suicide by narcotics & psychodysleptics [hallucinogens], NEC | M | - | - | - | - | - | - | 4 | 4 | - | 1 | 9 |
| | F | - | - | - | - | - | - | 2 | 2 | - | 1 | 5 |
| X64 Suicide by other & unspecified drugs, medicaments & biological substances | M | - | - | - | - | - | 1 | 6 | 6 | 3 | 1 | 17 |
| | F | - | - | - | - | - | - | 9 | 13 | 1 | - | 23 |
| X67 Suicide by other gases and vapours | M | - | - | - | - | - | - | 3 | 15 | 3 | 1 | 22 |
| | F | - | - | - | - | - | 1 | - | 2 | 1 | - | 4 |
| X70 Suicide by hanging, strangulation & suffocation | M | - | - | - | - | 4 | 6 | 51 | 63 | 14 | 8 | 146 |
| | F | - | - | - | 2 | 5 | 5 | 13 | 11 | - | 3 | 39 |
| X71 Suicide by drowning & submersion | M | - | - | - | - | 1 | - | 3 | 1 | 2 | - | 7 |
| | F | - | - | - | - | - | 1 | 2 | - | 1 | - | 4 |
| X73 Suicide by rifle, shotgun and larger firearm discharge | M | - | - | - | - | 1 | 1 | 1 | 7 | 7 | - | 17 |
| | F | - | - | - | - | - | 1 | - | - | - | - | 1 |
| X74 Suicide by other & unspecified firearm discharge | M | - | - | - | - | 3 | 1 | 8 | 7 | 6 | 5 | 30 |
| | F | - | - | - | - | 1 | - | 1 | - | - | - | 2 |
| X78 Suicide by sharp object | M | - | - | - | - | 1 | 2 | 1 | 10 | 6 | 1 | 21 |
| | F | - | - | - | - | - | - | - | 1 | - | - | 1 |

Notes are included at end of Appendix 2.

APPENDIX 2 – *continued*
DETAILED CAUSE OF DEATH BY GENDER AND AGE
 BRITISH COLUMBIA, 2011

| ICD-10 Cause of Death | Gender | Age of Deceased (in Years) | | | | | | | | | | Total |
|---|----------|----------------------------|-----------|-----------|-----------|-----------|------------|------------|--------------|--------------|---------------|---------------|
| | | <1 | 1-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-44 | 45-64 | 65-79 | 80+ | |
| X80 Suicide by jumping from a high place | M | - | - | - | - | - | 2 | 7 | 10 | 3 | - | 22 |
| | F | - | - | - | - | - | - | 2 | 2 | 1 | 1 | 6 |
| X81 Suicide by jumping or lying before moving object | M | - | - | - | - | 1 | 1 | 2 | 1 | 1 | 1 | 7 |
| | F | - | - | - | - | - | - | - | 1 | 1 | - | 2 |
| X95 Assault by other and unspecified firearm discharge | M | - | - | - | - | - | 3 | 5 | - | - | - | 8 |
| | F | - | - | - | - | 1 | - | 1 | - | - | - | 2 |
| X99 Assault by sharp object | M | - | - | 1 | - | 3 | 2 | 3 | 3 | - | - | 12 |
| | F | - | - | - | - | - | 1 | - | 3 | 2 | - | 6 |
| Y09 Assault by unspecified means | M | - | - | - | - | - | - | 2 | 3 | 1 | 1 | 7 |
| | F | - | - | - | - | - | - | 2 | - | - | - | 2 |
| Y12 Poisoning by & exposure to narcotics & psychodysleptics [hallucinogens], NEC, undetermined intent | M | - | - | - | - | - | - | 1 | 2 | - | - | 3 |
| | F | - | - | - | - | - | - | 2 | - | - | - | 2 |
| Y83 Surgical operation & other surgical procedures causing abnormal reaction or later complication w/o misadventure | M | - | - | - | - | - | - | - | 1 | 2 | 3 | 6 |
| | F | - | - | - | - | - | - | 1 | - | 3 | 3 | 7 |
| Y85 Sequelae of transport accidents | M | - | - | - | - | - | 1 | 2 | 3 | 1 | 1 | 8 |
| | F | - | - | - | - | - | - | 2 | 1 | 2 | - | 5 |
| Y86 Sequelae of other accidents | M | - | - | - | - | - | - | - | 1 | 5 | 1 | 7 |
| | F | - | - | - | - | - | - | - | - | 2 | - | 2 |
| All Causes of Death | M | 98 | 14 | 9 | 11 | 57 | 135 | 640 | 3,104 | 5,010 | 7,241 | 16,319 |
| | F | 69 | 9 | 5 | 9 | 30 | 49 | 353 | 1,972 | 3,590 | 9,371 | 15,457 |
| | T | 167 | 23 | 14 | 20 | 87 | 184 | 993 | 5,076 | 8,600 | 16,612 | 31,776 |

Note: The output from ICD-10 mortality coding and underlying cause of death selection was modified in British Columbia to reflect the intent of certifiers in this jurisdiction and to provide greater continuity over time. Data using the standard ICD-10 rules for such categories as pneumonia/influenza, diabetes, or cancer should not be compared to the numbers shown above. Non-residents and unknown gender are excluded.

¹The BC Coroners' Service classifies SIDS deaths as "SUDI" - please see glossary (under "SIDS") for explanation.