


| L100 | | | | | | | | | | L200 | | 22.629 3.234 | | | |
|------|-----|---------|-----|---------|-----|---------|---------|-----|---------------------------------------|------|-------|-----------------|------|-----|----|
| | 4 | NRE N | | | | | | | U U U U U U U U U U U U U U U U U U U | L | 1.82% | | 2% | | |
| | | WHITE L | | WHITE L | | EX. EOI | EX. EOF | | WHITE | | | EX. EOP | 1 | | |
| | | | | | | | | | | | | | | | |
| -2 | +70 | 2 4 | - 6 | 6 8 | 6 1 | 0 - | 12 1 | 4 1 | 16 1 | 8 2 | 0 2 | 2 2 | 24 2 | 6 2 | 28 |

| L100 LINE | | | | | L200 LINE | <u>3.258</u> | | |
|------------|-------|-------|---------|-------|-----------|--------------|-------|---|
| | | | | | | 47% 2% | 2% | |
| WHITE LI | WHITE | WHITE | EX. EOF | | | EX. EOP | | |
| | | | | | | | | |
| 101+60 | 2 4 | 6 8 | 10 12 | 14 16 | 18 20 | 22 24 | 26 28 | 8 |

| | L100 | LINE | | | | | | | | L200 | LINE | | | | |
|---|--------|----------|---------------------------------------|-----|--------|-----|-----|-----|--------|------|-------|------------------------|-----|---------------------|---|
| | φ I | <u>;</u> | | | | | | | | | Í | <u>22.633</u> 3.262 | | | |
| | | | | | | | | | | | | <u>3.</u> | | | |
| | | | | | | | | | | | 1.36% | 2% | 2% | | |
| | | | | | | | | | | | | | | | |
| | | | Ш Z | | Ц Z | | | | Ш Z | L | | | | | |
| | | | لــــــــــــــــــــــــــــــــــــ | | | EO | EOF | | —J | - | | EOP | 1 | | |
| | | | WHITE | | | EX. | EX. | | WHITE | | | EX. | | \backslash \sim | |
| | * | A | > | | | | | | > | | 5 | | | • | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | 101 | +50 | | | | | | | | | | | | | |
| _ | 2 0 |) 2 | 2 4 | + 6 | 8 1 | 0 1 | 2 1 | 4 1 | 6 1 | 8 2 | 0 2 | 2 2 | 4 2 | 6 2 | 8 |

| | L100 | LINE | | | | | | | | | L200 | LINE | | | | |
|-------|-------------|------|-------|-----|----------|-----|-----|-----|-----|--------|------|-------|------------------------|------------|--------------|---|
| | q | | | | | | | | | | | Ę | 0 16 | | | |
| | | | | | | | | | | | | | <u>22.640</u> 3.246 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | 1.70% | 2% | 2% | | |
| | | | | | | | | | | | | | | 2/6 | | |
| | L | | / ü | | - INE | | | | | | | | | \searrow | | |
| | 4 | | | | | | | | | | | Z | | | | |
| | - | | | | Щ | | EO | EOF | | | | | EOP | \ | | |
| | Ē | | WHITE | | WHITE | | EX. | EX. | | WHITE | | | | | \backslash | |
| | 1144 | ¥ / | | | \geq | | | | | \geq | | IHM | EX. | | \ | |
| | | /_ | | | | | | | | | | | | | | |
| | TING GROUND | | | | | | | | | | | | | | | |
| LEVIS | TING GROUND | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 101 | +40 | | | | | | | | | | | | | | |
| | | | | | 5 8 |) 1 | 0 1 | 0 1 | 1 1 | 6 1 | • • | 20 2 | 0 0 | 4 0 | e 0 | 0 |
| _ | Ζ (| . ע | 4 4 | ۴ P |) q | 3 1 | υι | 2 1 | 4 1 | 6 1 | 0 4 | 20 2 | 2 2 | 4 2 | 6 2 | 8 |

| | | | | 6 | |
|------------------------|-----------|------------------|--|--|--|
| L100 LINE | | | L200 LINE | | |
| | | | | 3.234 | |
| | | | 1.82% | 2% 2% | |
| | L L L | | | | |
| | MHITE | EX. EO EX. EO | WHITE | EX. EO | |
| | | | > > | | |
| | | | | | |
| | | | | -2 | |
| 101+70 | | | | | |
| -2 Q 2 4 | 6 8 | 10 12 14 | 16 18 20 2 | 2 24 26 28 -4 30 | |
| | | | | | |
| L100 LINE | | | L200 LINE | 6 | |
| | | | | 3.258 | |
| | | | 1.47% | 4 | |
| | | | | | |
| | WHITE LUI | | | | |
| | H | EX. | WHITE | | |
| | | | | 0 | |
| | | | | | |
| 101+60 | | | | -2 | |
| | 6 8 | 10 12 14 | 16 18 20 2 | 2 24 26 28 - 4 30 | |
| | | | | | |
| | | | L200 LINE | 6 | |
| L100 LINE | | | | 3.262 3.262 | |
| | | | | | |
| | | | 1.36% | 2% 2% | |
| | | | | | |
| | WHITE | EX. E | WHITE | EX | |
| | | | | 0 | |
| | | | | | |
| | | | | -2 | |
| 101+50 | | | | | |
| <u> </u> | φ φ | 10 12 14 | 16 18 20 2 | 2 24 26 28 - 4 30 | |
| | | | | | |
| L100 LINE | | | L200 LINE | | |
| | | | | 22.640 3.246 | |
| | | | 1.70% | 2% 2% | |
| | | | | | |
| | WHITE | EX. EO | WHITE L W | EO | |
| | > | | × × | <u>й</u> (| |
| EXISTING GROUND (TYP.) | | | | | |
| | | | | -2 | |
| 101+40 | | | | | |
| -2 0 2 4 | 6 8 | 10 12 14 | 16 18 20 2 | 2 24 26 28 -4 30 | |
| | | | | | |
| REVISIONS | NAME | | BRITISH COLUMBIA | NISTRY OF TRANSPORTATION AND INFRASTRUCTURE | DESIGN SECTIONS |
| | | | | SOUTH COAST REGION | HIGHWAY 7B |
| | | | | DESIGNED R. MOOTOOSAMY DATE2024-04-28 | BUS STOPS AT BROADWAY ST INTERSECTION |
| | | | CAD FILENAME <u>1000_X-SEC_H7B_BROADWA</u> FILE NUMBER <u>1961.0518</u> . | Y QUALITY CONTROL I. MACMILLAN DATE 2024-04-28 | SCALE 0 1 1:100 5m PROJECT NUMBER REG DRAWING NUMBER REV |
| | | | PLOT DATE 2024-07- | - | 13234-0001 1 R1-1149-1001 |




| | L100 | | | | | | | | | | L200 | D LINE | 23.661 3 173 | | | f |
|---|------|-----|-----------------------|---|-----|-----|-----|------|-----|-------|------|--------|-----------------|----------------|------|----|
| | | | | | | | | | | | | 1.62 | Л | ; 2.00% 2.(| 00% | |
| | | | L N L L L | | | EO | | | | | | | | | | |
| | | | WHITE | | | EX. | | EX. | | MHITI | | | | EX. | | |
| | | | | | | | | | | | | | | | | |
| _ | 102 | +10 | 2 4 | _ | 6 8 | В 1 | 0 1 | 2 - | 4 1 | 6 1 | 8 2 | 0 2 | 2 2 | 24 | 26 2 | 28 |

| | L100 | LINE | | | | | | | | | L20 | | | | | |
|---|------|------|------------------|-----|-----|----------------|-----|-----|-----|-------|-----|-------|-----------------|-------|----------------------|--------|
| | ų | | | | | | | | | | | | 23.080 3.196 | | | P F |
| | | | | | | | | | | | | 1.675 | <u>ж Л :</u> | 2% 2% | | |
| | | | L N N N | | | EO EO EO | | EOP | | | | | EOP | | $\left\{ - \right\}$ | |
| | | | WHITE | | | EX. | | EX. | | WHITE | | WHITE | EX. | | \ | |
| | | | | | | | | | | | | | | | | |
| | 102 | +00 | | | | | | | | | | | | | | |
| _ | 2 (| | 2 4 | 4 6 | 5 8 | 3 1 | 0 1 | 2 1 | 4 1 | 6 1 | 8 2 | 0 2 | 22 2 | 4 2 | 6 2 | 28 |


| | L100 (| | | | | | | | | | L200 | ը LINE Բ | 22.742 3.221 | | | |
|---|-----------|-----|---------------------------------------|-----|-------|-----|-----|-----|---|-------|------|-------------|-----------------|-------|------|----|
| | L | | – – – – – – – – – – – – – – – – – – – | | | EOP | | | | | | 1.69 | 2.00 | 2.00% | | |
| | | | WHITE | | WHITE | EX. | | EX. | | WHITE | | MHITE | EX. EC | | | |
| | | | | | | | | | | | | | | | | |
| _ | 101 | +90 | | L 6 | 5 8 | 5 1 | 0 1 | 2 1 | 4 | 16 1 | 8 2 | 0 2 | 2 2 | 4 2 | 26 2 | 28 |

| | L100 LINE | | | | | | L200 LIN | 1E | | |
|----|---|-------|---------------|----------------|------|------|---------------------------------------|-------------------------------|------|----|
| | Ę – | | | | | | <u>ę</u> | | | |
| | | | | | | | | <u>22.664</u> <u>3.236</u> | | |
| | | | | | | | | 8 | | |
| | | | | | | | | 1.62% 2% | 2% | |
| | | | | | | | | | | |
| | | | · · | | | | | | | |
| | Z | | L N L | LO LO LO | | | Z | | | |
| | T. | | Ш | Ŭ | EO | | | EOP | N N | |
| | ¥ I | MHITE | WHITE | EX. | ËX. | | | | Ň | |
| | - A A A A A A A A A A A A A A A A A A A | > | < | | | > | A A A A A A A A A A A A A A A A A A A | EX. | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | EXISTING GROU | ND (TYP.) | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | 101+80 | | | | | | | | | |
| -2 | | 2 4 | 6 8 | 10 | 12 1 | 4 16 | 18 20 | 22 24 | 4 26 | 28 |
| | I | 1 | T | I | | I | | | | I |

| REVISIONS | NAME | | | DEPTTICIT N | IINISTRY OF TRA | ANSPORTATION . | | Τ |
|-----------|------|---|--------------|-----------------------|------------------------|----------------------|------------|----------|
| | | | | BRITISH N Columbia | AND INFRAS | N N | | |
| | | | | | SOUTH COAS | ST REGION | | |
| | | | | H | GHWAY ENGINEERII | NG AND GEOMATICS | | |
| | | | | | DESIGNED | R. MOOTOOSAMY DATE | 2024-04-28 | 1 |
| | | 1 | | | DESIGNED_ | TR. MOOTOOOAMIT DATE | 2024-04-20 | |
| | | 4 | CAD FILENAME | 1000_X-SEC_H7B_BROAD | VAY QUALITY CONTROL | I. MACMILLAN DATE | 2024-04-28 | L |
| | | | FILE NUMBER | 1961.051 | B.07 QUALITY ASSURANCE | J. BORCH DATE | 2024-04-28 | |
| | | | PLOT DATE | 2024-0 | 7-12 DRAWN_ | Y. KE DATE | 2024-04-28 | |
| I | | I | ļ | | | | | <u> </u> |



|----



| | L100 | LINE | | | | | L200 LINE | | |
|---|------|------|----------|----------|----------|----------|-----------|------------------------|-------|
| | | | | | | | | <u>23.237</u> 3.070 | |
| | | | | | | | 2.46% | | |
| - | | | WHITE LI | YELLOW L | YELLOW L | WHITE LI | WHITE LIN | EX. EOP- | |
| | | | | | | | | | |
| _ | 102 | +50 | 2 4 | 6 8 | 10 12 14 | 4 16 1 | 8 20 22 | 2 24 | 26 28 |


| | L100 LINE | | | | | L200 LINE | 590.5 |
|-------------|--------------|-------|--------|---------|-------|-----------|----------|
| L L L | | | | | | | |
| WHITE | | WHITE | YELLON | YELLOW | WHITE | WHITE | |
| | 102+40 | | | | | | |
| | 2 Q 2 | 2 4 | 6 8 10 |) 12 14 | 16 18 | 8 20 22 2 | 24 26 28 |

| | L100 | | | | | | | | | | L200 | | 23.021 3.099 | | | |
|------------|------|-----|----------|-----|-----|-----|---------|---------|----|----------|------|-------|-----------------|-------|----------|----|
| | L | | LE N | | | | | | | | | 2.33% | | 2.00% | 2.00% | |
| WHITE LINE | | | WHITE LI | | | | EX. EOF | EX. EOF | | WHITE LI | | | WHITE LINE | | EX. EOP- | |
| | | | | | | | | | | | | | | | | |
| _ | 102 | +30 | 2 4 | F (| 6 6 | 3 1 | 0 1 | 12 | 14 | 16 | 18 2 | 0 2 | 2 2 | 4 2 | 6 2 | 28 |

| L100 | LINE | | | | | L200 LINE | | | |
|------|------|-----|--------------|------------|-------|-----------|-----------------|-------|--------------------|
| | | | | | | | 23.103 3.127 | | F |
| | | | | - <u> </u> | | 2.10 | % | 2.00% | 2.00% |
| l | | | | | | | | | |
| | | | | EOB | | | | EOP- | |
| | | | EX. | EX | WHITE | | WHITE | EX. | |
| | | | ROUND (TYP.) | | | | | | |
| | | | | | | | | | |
| 102 | +20 | | | | | | | | |
| -2 0 | þ 2 | 4 6 | 3 10 | 12 14 | 16 18 | 20 | 22 2 | 4 26 | 5 2 <mark>8</mark> |

| RY OF TRANS | DEPUTION MIN | | NAME | IONS |
|----------------|-------------------------|--------------|------|------|
| D INFRASTRU | BRITISH COLUMBIA | C | | |
| SOUTH COAST F | | | | |
| ENGINEERING A | HIGHV | | | |
| DESIGNED | | | | |
| | | | | |
| JALITY CONTROL | 1000_X-SEC_H7B_BROADWAY | CAD FILENAME | | |
| ITY ASSURANCE | 1961.0518.07 | FILE NUMBER | | |
| DRAWN | 2024-07-12 | PLOT DATE | | |

| 6 | | | | | | |
|--|-----------|----------------|----------------|------|----------------|-----|
| ₽ ſ | | | | | | |
| 4 | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 0 | | | | | | |
| | | | | | | |
| -2 | | | | | | |
| | | | | | | |
| 30 | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| P P | | | | | | |
| 4 | | | | | | |
| | | | | | | |
| 2 | | | | | | |
| | | | | | | |
| 0 | | | | | | |
| | | | | | | |
| -2 | | | | | | |
| | | | | | | |
| 30 | | | | | | |
| | | | | | | |
| 6 | | | | | | |
| P D | | | | | | |
| 4 | | | | | | |
| | | | | | | |
| 2 | | | | | | |
| | | | | | | |
| 0 | | | | | | |
| | | | | | | |
| -2 | | | | | | |
| 2 | | | | | | |
| -4 30 | | | | | | |
| 4 | | | | | | |
| - | | | | | | |
| 6 FL | | | | | | |
| | | | | | | |
| 4 | | | | | | |
| | | | | | | |
| 2 | | | | | | |
| | | | | | | |
| 00 | | | | | | |
| | | | | | | |
| 2 | | | | | | |
| 70 | | | | | | |
| 0 | | | | | | |
| | 1 | | | | | |
| ATION E | | DES | IGN SECTION | ONS | | |
| MATICS | | | HIGHWAY 7B | | | |
| TOOSAMY DATE | 4 | BUS STOPS AT E | BROADWAY ST | INTE | RSECTION | |
| ACMILLAN DATE 2024-04-28 | SCALE 0 1 | 1.100 5 | PROJECT NUMBER | REG | DRAWING NUMBER | REV |
| J. BORCH DATE 2024-04-28 Y. KE DATE 2024-04-28 | | 1:100 5m | 13234-0001 | 1 | R1-1149-1003 | |




| <u>2.827</u> 3.042 | L100 | LINE | | | | | | | | L200 و | LINE | | | | |
|-----------------------|--------------------|------|---------|-----|--------|----|--------|----|-------|------------------|------|---------|-----|-----|----|
| Л | 2.10% | | E E | | | | | | | | | | | | |
| | EX. EOP WHITF I | | WHITE L | | YELLOW | | YELLOW | | WHITE | WHITE | | EX. EOP | | | |
| | | | | | | | | | | | | | | | |
| | 102 | +90 | 2 4 | 4 6 | 8 | 10 | 12 | 14 | 16 | 18 2 | 0 2 | 2 2 | 4 2 | 6 2 | 28 |

| <u>2.667</u> 3.075 | L100 | LINE | | | | | | | | | L200 و | LINE | | | | |
|-----------------------|------|------|-----------|-----|-----------|----|----|-----------|-----|----------|------------------|------|---------|-----|-----|---|
| <u></u> | | | | | L Z | | | | | | | | | | | |
| EX. EOP- | | | WHITE LIN | | YELLOW LI | | | Yellow Li | | WHITE LI | WHITE | | EX. EOP | | | |
| | | | | | | | | | | | | | | | | |
| _ | 102 | +80 | 2 4 | - 6 | 8 | 10 | 12 | 2 1 | 4 1 | 6 1 | 8 2 | 0 2 | 2 2 | 4 2 | 6 2 | 8 |

| <u>2.897</u> 3.069 | L100 | LINE | | | | | | | | L200 ل و | INE | | | | |
|-----------------------|-------|------|-------------|-----|--------|----|--------|----|-------|-------------|-----|---------|------|-----|---|
| 2.375 | | | L N L | | / LINE | | | | | | | | | | |
| EX. EO | WHITE | | WHITE | | YELLOW | | YELLOW | | WHITE | WHITE | | EX. EOP | | | |
| | 102 | +70 | 2 4 | . 6 | 8 | 10 | 12 | 14 | 16 | 18 20 | 22 | 2 2 | 4 20 | 6 2 | 8 |

| | L100 | | | | | | | | | | L200 و | LINE | <u>22.741</u> 3.088 | | | |
|-----|-------|-----|----------|------|--------------|--------|-----|---------|----|-------|-----------|------|------------------------|-----|-----|----|
| 61% | | | LE LE | | DW LINE | | | DW LINE | | | | | Л | | | |
| | WHITE | | WHITE | EXIS | STING GROUND | (TYP.) | | AELLO | | WHITE | WHITE | | EX. E | | | |
| | 102 | +60 | 2 4 | - 6 | 5 8 | 1 | D 1 | 2 | 14 | 16 | 18 2 | 20 2 | 2 2 | 4 2 | 6 2 | 28 |

| | L100 | | | | | | L200 | LINE | | | 6 | |
|-----------------------|------------|----------|---|------------------------|---|-----------------------------|-------------------|------------------------------------|------------------------|------------------------------------|---|----------------------|
| 3.042 | 10% | | | | | | | | | | 4 | |
| EX. EOP | | | WHITE LINE | YELLOW LINE | YELLOW LINE | WHITE | WHITE LINE | | EX. EOP | | 2 | |
| | | | | | | | | | | | | |
| -2 | 102 | +90 2 | 4 | 6 8 10 | 0 12 14 | 16 | 18 2 | 0 2 | 2 2 | 4 2 | | 2 4 30 |
| | | | | | | | | | | | _ | 4 |
| <u>2.667</u> 3.075 | L100 | | | | | | L200 و | LINE | | | 6 | |
| <u>/2.01%</u> | | | Щ Ц | | | | | | | | 4 | |
| EX. EOP- | WHITE LINE | | WHITE | YELLOW LI | YELLOW LIT | WHITE LIN | WHITE LIN | | EX. EOP | | 2 | |
| | | | | | | | | | | | 0 | |
| -2 | | +80 | 4 | 6 8 10 | D 12 14 | 16 | 18 2 | 0 2 | 2 2 | 4 2 | | 2 4 ³⁰ |
| | | · * | , | ŢŢ | , <u></u> , <u>_</u> _, <u>_</u> , <u>_</u> , <u>_</u> _, <u>_</u> , <u>_</u> , <u>_</u> , <u>_</u> _, <u>_</u> , | .1- | Z | 2 | 2 | | | 4_0 |
| 3.069 | L100 4 | | | | | | L200 و | LINE | | | 6 | |
| <u>/2.</u> 37% | | | | | | Щ. | | | | | 4 | |
| | WHITE LINI | | WHITE LIN | LELLOW LIN | LELLOW L | WHITE | WHITE LIN | | EX. EOP | | 2 | |
| | | | | | | | | | | | 0 | |
| -2 | | +70 | 4 | 6 8 10 | 0 12 14 | 16 | 18 2 | 0 2 | 2 2 | 4 2 | 6 28 | |
| | | . 4 | ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, | Υ | | . ' ` | <u> </u> | Z | <u> </u> | <u>.</u> Ζ | | 4 ³⁰ |
| | L100 | | | | | | L200 و | LINE | <u>22.741</u> 3.088 | | 6 | |
| 1% | | | | | | | | 2.32% | | | 4 | |
| | WHITE LINE | | WHITE | | | WHITE | WHITE LIN | | EX. EOP- | | 2 | |
| | | | | EXISTING GROUND (TYP.) | | | | | | | 0 | |
| -2 | | +60 | 4 | 6 8 10 |) 12 14 | 16 | 18 2 | 0 2 | 2 2 | 4 2 | 6 28 | 2 4 ³⁰ |
| · · · | RE | EVISIONS | | NAME | | | DDUTIOU | M | NISTRY | OF TRA | NSPORTATIC | |
| | | | | | | A PHILE | BRITISH COLUMB | ΙA | AND SOL | INFRAS' JTH COAS | TRUCTURE ST REGION IG AND GEOMATI | |
| | | | | | | CAD FILENAME FILE NUMBEF | E1000_X-SEC | <u>-178_</u> BROADWA 1961.0518. | QUALIT | DESIGNED Y CONTROL ASSURANCE | R. MOOTOOSAN I. MACMILLA J. BOR(| <u>an</u> d |
| | | | | | | PLOT DATE | | 2024-07- | - | DRAWN | | <u>ke</u> d |



| 2.982 2.968 | L100 (| | | | | | | | | | | | | | | |
|----------------|-----------|-----|------------|-----|------------|------|----|-----------|-----|-------|-----------|-----|---------|-----|-----|----|
| | 2.18% | | Ц Ц | | L L | | | | | | | | | | | |
| | EX. EOP- | | WHITE LINE | | LELLOW LIN | | | YELLOW LI | | WHITE | WHITE LIN | | EX. EOP | | | |
| | | | | | | | | | | | | | | | | |
| _ | 103 | +30 | 2 4 | 4 (| 6 8 | 3 10 | 1: | 2 1 | 4 1 | 6 1 | 8 2 | 0 2 | 2 2 | 4 2 | 6 2 | 28 |

| <u>3.030</u> 2.974 | L100 | | | | | | | | | L200 ا و | INE | | | | |
|-----------------------|------|-----|------------|---|-------------|----|-------------|----|------------|-------------|---------|----|----|------|---|
| | | | WHITE LINE | | AELLOW LINE | | YELLOW LINE | | WHITE LINE | WHITE LINE | EX. EOP | | | | |
| | | | | | | | | | | | | | | | |
| - | 103 | +20 | 2 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 20 |) 22 | 24 | 26 | 6 28 | 8 |

| L100 | | | | | | | | L200 LINE و | | | |
|---------|-----|-------|-------------|----|------------|----|-----------|----------------|---------|-------|------|
| 2.54% | | | | | | | | | | | |
| EX. EOP | | MHITE | XELLOW LINE | | KELLOW LIN | | WHITE LIN | WHITE LIN | EX. EOP | | |
| | | | | | | | | | | | |
| 103 | +10 | 4 | 6 8 | 10 | 12 | 14 | 16 1 | 8 20 | 22 | 24 26 | 6 28 |


| 3.002 | L100 | LINE | | | | | | | | | L200 و | LINE | | | | |
|------------|---------|------|------------|----------|---------------|---|------|-----------|-----------|----|-----------|------|----------|-----|-----|---|
| <u>八</u> ; | .26% | | | | | | | | | ļ | | | | | | |
| | EX. EOP | | WHITE LINE | | YELLOW LI | | | Yellow LI | MHITE LIN | | WHITE LIN | | EX. EOP- | | | |
| | | | | EXISTING | GROUND (TYP.) | | | | | | | | | | | |
| _ | 103 | +00 | 2 4 | - 6 | \$ 8 | 1 | O 1: | 2 14 | H 16 | 18 | 2 | 0 2 | 2 2 | 4 2 | 6 2 | 8 |

| REVISIONS | NAME | | | VISTRY OF TRA | NSPORTATION | | Γ |
|-----------|------|--------------|-------------------------|-------------------|---------------------|------------|---|
| | | Alanno (| BRITISH COLUMBIA | AND INFRAST | U U | | |
| | | | | SOUTH COAS | T REGION | | |
| | | | HIGH | | G AND GEOMATICS | - | |
| | | | | DEGLONED | R. MOOTOOSAMY DATE | 2024 04 28 | 1 |
| | | | | DESIGNED | R. MOOTOOSAMIT DATE | 2024-04-20 | |
| | | CAD FILENAME | 1000_X-SEC_H7B_BROADWAY | QUALITY CONTROL | I. MACMILLAN DATE | 2024-04-28 | L |
| | | FILE NUMBER | 1961.0518.07 | QUALITY ASSURANCE | J. BORCH DATE | 2024-04-28 | S |
| | | PLOT DATE _ | 2024-07-12 | DRAWN | Y. KE DATE | 2024-04-28 | |
| | | | | | | | |

| 6 | |
|--|--|
| | |
| 4 | |
| | |
| | |
| 2 | |
| | |
| 0 | |
| | |
| -2 | |
| 2 | |
| 70 | |
| <u> </u> | |
| | |
| 6 | |
| | |
| | |
| 4 | |
| | |
| 2 | |
| | |
| | |
| | |
| | |
| -2 | |
| | |
| -4-30 | |
| | |
| 6 | |
| 5 | |
| | |
| 4 | |
| | |
| 2 | |
| | |
| | |
| 0 | |
| | |
| -2 | |
| | |
| -4 30 | |
| | |
| | |
| | |
| | |
| | |
| | |
| 2 | |
| | |
| | |
| 0 | |
| | |
| -2 | |
| | |
| | |
| <u> </u> | |
| | |
| ATION E | DESIGN SECTIONS |
| | |
| MATICS | HIGHWAY 7B BUS STOPS AT BROADWAY ST INTERSECTION |
| OOSAMY DATE2024-04-28 | |
| ACMILLAN DATE <u>2024-04-28</u> J. BORCH DATE <u>2024-04-28</u> | SCALE 0 1 1:100 5m PROJECT NUMBER REG DRAWING NUMBER REV |
| Y. KE DATE2024-04-28 | 13234-0001 1 R1-1149-1005 |



-6-




| RE | VISIONS | NAME | | | | | MIN | ISTRY OF TR | ΛΝΩΡΩΡΤΑ |
|----|---------|------|--|------|--------------|---------------------|--------------|----------------------------|----------|
| | | | | | | British Columbia | | AND INFRAS | |
| | | | | | | | HIGH | SOUTH COA WAY ENGINEERI | |
| | | | | | | | | DESIGNED | R. MOOTO |
| | | | | | CAD FILENAME | 1000_X-SEC_H7B | BROADWAY | QUALITY CONTROL | I. MAC |
| | | | | | FILE NUMBER | | 1961.0518.07 | QUALITY ASSURANCE | J. |
| | | | | | PLOT DATE | | 2024-07-12 | DRAWN | |
| | | • | | | • | | | • | |

| | | | | | | | | | | | 6 |
|---|-----------|-----|---------|------------------------|--------|----|-------|-------|------|-------|----|
| | L100 ۵ | | | | | | | | | | |
| 2 | .23% | | | | | | | | | | 4 |
| | | | LE LINE | | | | | | ЕОР | | 2 |
| | EX. | | LIHM | XELLO | AELLON | | WHITE | MHITE | EX. | | 0 |
| | | | | EXISTING GROUND (TYP.) | | | | | | | -2 |
| | 103 | +40 | | 6 8 - | 10 12 | 14 | 16 1 | 8 20 | 22 2 | 24 26 | |

| <u>2.901</u> 2.984 | L100 ۹ | LINE | | | | | | | | | | | | | | 6 | |
|-----------------------|-----------|------|------------|-----|-------------|-----|-----|-------------|-----|------------|--------------|-----|---------|-----|-----|------|---|
| 2% | 2.48% | | WHITE LINE | | YELLOW LINE | | | Yellow Line | | WHITE LINE | MHITF INF | | EX. EOP | | | 2 | |
| | | | | | | | | | | | | | | | | -2- | |
| _ | 103 | +50 | 2 4 | 4 6 | 5 6 | 3 1 | 0 1 | 2 1 | 4 1 | 6 1 | 8 2 | 0 2 | 2 2 | 4 2 | 6 2 | 8 30 | 0 |

| | | - | | | | | | | |
|-----------|----------------------|---------|---|----------|------|--------------------------|------|----------------|-----|
| ΓΙΟΝ | | | | | DESI | GN SECTIO | SNC | S | |
| ATICS | | | | BUS STOP | | HIGHWAY 7B ROADWAY ST | INTE | RSECTION | |
| OSAMY DA | TE 2024-04-28 | | | | | | | | |
| MILLAN DA | TE 2024-04-28 | | | | | | | | |
| BORCH DA | TE <u>2024-04-28</u> | SCALE 0 | 1 | 1:100 | 5m | PROJECT NUMBER | REG | DRAWING NUMBER | REV |
| Y.KE DA | TE 2024-04-28 | | | | | 13234-0001 | 1 | R1-1149-1006 | |
| | | 1 | | | | | 1 | | 1 |

-4



SYSTEMS


| | L200 LINE | | | | | | | | | | | | |
|---|-----------|-----------------------|------------|------|----|----|----|------|------|------|-----|-----|---|
| | Ę | 012 | | P | | | | | | | | | |
| | | <u>2.600</u> 3.234 | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | 1.82% | 5/ <u>2%</u> 2 | <u>%</u> | | | | | | | | | | |
| | | \exists \searrow | | | | | | | | | | | |
| | <u>*</u> | | $\sqrt{1}$ | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | * | | \ | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | 201+70 | | | | | | | | | | | | |
| _ | 2 0 | 2 4 | 6 | 8 10 | 12 | 14 | 16 | 18 2 | 20 2 | 22 2 | 4 2 | 6 2 | 8 |

| | L200 | LINE | | | | | | | | | | | | | | |
|---|------|--------|----------------|----|-----|-----|--------|-----|-----|---|------|-----|------|-----|------|----|
| | | | 2.600 3.258 | | | | ₽ ₽ | | | | | | | | | |
| | | 1.47% | 2% | 2% | | | | | | | | | | | | |
| | L | | | | | | | | | | | | | | | |
| | - | | EOF . | | | | | | | | | | | | | |
| | | | Ĕ | | N T | | | | | | | | | | | |
| | 201 | +60 | | | | | | | | | | | | | | |
| _ | 2 (|)) | 2 4 | 4 | 6 8 | 3 1 | 0 1 | 2 1 | 4 1 | 6 | 18 2 | 0 2 | 22 2 | 4 2 | 26 2 | 28 |

| | L200 LINE | 2.600 3.262 | | | | PL | | | | | | | | | |
|---|-----------|----------------|---------------|----------|----|----|-----|-----|-----|------|-----|-----|-----|-----|---|
| | 1.36% | 2% | 2% | | | | | | | | | | | | |
| | Ц Ц | | | | | | | | | | | | | | |
| | | - do | \mathcal{A} | <u> </u> | | | | | | | | | | | |
| | | EX. E | | | | | | | | | | | | | |
| | 201+50 | | | | | | | | | | | | | | |
| : | 2 | 2 4 | 4 6 | 8 | 10 | 1 | 2 1 | 4 1 | 6 1 | 18 2 | 0 2 | 2 2 | 4 2 | 6 2 | 8 |

| RANSPO | ISTRY OF TRA | BRITISH MIN | | NAME | EVISIONS | |
|----------|-------------------|-------------------------|--------------|------|----------|--|
| STRUC | AND INFRAS | COLUMBIA | | | | |
| | SOUTH COAS | | | | | |
| RING AND | WAY ENGINEERI | HIGH | | | | |
|) R | DESIGNED | | | | | |
| L | QUALITY CONTROL | 1000_X-SEC_H7B_BROADWAY | CAD FILENAME | | | |
| E | QUALITY ASSURANCE | 1961.0518.07 | FILE NUMBER | | | |
| N | DRAWN _ | 2024-07-12 | PLOT DATE _ | | | |

| -6 | | | | | | | |
|--|-----------|-----------|------|------------------------------|----------|----------------|-----|
| | | | | | | | |
| -4 | | | | | | | |
| | | | | | | | |
| _2 | | | | | | | |
| | | | | | | | |
| -0 | | | | | | | |
| | | | | | | | |
| -2 30 | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 6 | | | | | | | |
| | | | | | | | |
| -4 | | | | | | | |
| | | | | | | | |
| 2 | | | | | | | |
| _ | | | | | | | |
| 0 | | | | | | | |
| 0 | | | | | | | |
| -2 30 | | | | | | | |
| <u>-</u> Z | | | | | | | |
| | | | | | | | |
| 6 | | | | | | | |
| | | | | | | | |
| _4 | | | | | | | |
| 4 | | | | | | | |
| | | | | | | | |
| -2 | | | | | | | |
| | | | | | | | |
| 0 | | | | | | | |
| 70 | | | | | | | |
| <u>3</u> 0 | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 6 | | | | | | | |
| | | | | | | | |
| 4 | | | | | | | |
| | | | | | | | |
| -2 | | | | | | | |
| | | | | | | | |
| 0 | | | | | | | |
| | | | | | | | |
| -2-30 | | | | | | | |
| | 1 | | | | | | |
| TION | | D | ESIC | GN SECTIO | ONS | 6 | |
| | | | F | IIGHWAY 7B | | | |
| ATICS | - | BUS STOPS | | ROADWAY ST | INTE | RSECTION | |
| DSAMY DATE 2024-04-28 MILLAN DATE 2024-04-28 | | | I | | | | |
| BORCH DATE 2024-04-28 Y. KE DATE 2024-04-28 | SCALE 0 1 | 1:100 | 5m | PROJECT NUMBER 13234-0001 | REG 1 | DRAWING NUMBER | REV |
| | <u> </u> | | | | | | |
| | | | | | | | |



| L200 | LINE | | | | | | | | | | | | | | |
|------|-------|----------------|-------|---------------|--------|-----|-----|-----|---|------|------|------|------|-----|----|
| (| | 3.488 3.174 | | | P P | | | | | | | | | | |
| | 1.61% | с Л | 2% 2% | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | EOP | \rightarrow | | | | | | | | | | | |
| | MHI | | EX. | | | | | | | | | | | | |
| | +10 | | | | | | | | | | | | | | |
| -2 | P 2 | 2 | 4 6 | 5 8 | 3 1 | 0 1 | 2 1 | 4 1 | 6 | 18 2 | 20 2 | 22 2 | 24 2 | 6 2 | 28 |


| L200 LINE | | | | | | | | | | | | | |
|-----------|------------------------------|------------------------------|----|------|----|------|-----|------------|-----|------|-----|------|----|
| Ψ I | <u>2.910</u> <u>3.197</u> | | F_ | | | | | | | | | | |
| | 3.1 | | P | | | | | | | | | | |
| 1.68% | | 5 2% | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | EOP. | | | | | | | | | | | | |
| | | $\langle \downarrow \lambda$ | | | | | | | | | | | |
| M- | EX | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 202+00 | | | | | | | | | | | | | |
| | | | | | 1 | | c 1 | . . | | | | | |
| Ζ Ψ | 4 4 | φ | φ | 10 1 | 12 | 4 10 | 6 1 | 8 2 | 0 2 | 22 2 | 4 2 | 26 2 | 28 |

| L200 LINE | | | | | | | | | | | | | | |
|-----------|-----------------------|-----|-------------|-----|-----|--------|-----|----------------|------|------|------|---|------|----|
| | <u>2.618</u> 3.222 | | | Æ | | | | | | | | | | |
| | | | | P- | | | | | | | | | | |
| 1.60% | ∏ 2% | 2% | | | | \sim | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | EOP | | | | | | | | | | | | | |
| F 1 | | 7 | | | | | | | | | | | | |
| × × | ШX | | \setminus | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 201+90 | | | | | | | | | | | | | | |
| 201130 | | | | | | | | | | | | | | |
| 2 Ø 2 | 2. 4 | ↓ 6 | 8 | 5 1 | 0 1 | 2 1 | 4 1 | 6 ⁻ | 18 2 | 20 2 | 22 2 | 4 | 26 2 | 28 |
| | | | | | | | | | | | | | | |

| TRANS | ISTRY OF TR | DEPETICI MIN | | | NAME | EVISIONS |
|---------|-------------------|--------------------------------|--------------|---|------|----------|
| ASTRU | AND INFRAS | BRITISH COLUMBIA | | | | |
| | SOUTH COA | | | | | |
| ERING A | WAY ENGINEERI | HIGH | | | | |
| | DESIGNED | | | | | |
| | QUALITY CONTROL | LENAME 1000 X-SEC H7B BROADWAY | CAD FILENAME |] | | |
| | QUALITY ASSURANCE | IUMBER 1961.0518.07 | FILE NUMBER |] | | |
| WN | DRAWN_ | DT DATE 2024-07-12 | PLOT DATE |] | | |

| 4 | | | | | | |
|---|-----------|----------------|------------------------------|----------|--------------------------------|-----|
| 2 | | | | | | |
| -0 | | | | | | |
| -2 30 | | | | | | |
| | | | | | | |
| -6 | | | | | | |
| -4 | | | | | | |
| | | | | | | |
| | | | | | | |
| 0 | | | | | | |
| 30 | | | | | | |
| -6 | | | | | | |
| | | | | | | |
| | | | | | | |
| 2 | | | | | | |
| 0 | | | | | | |
| -2 ³⁰ | | | | | | |
| | | | | | | |
| 6 | | | | | | |
| 4 | | | | | | |
| | | | | | | |
| | | | | | | |
| 0 | | | | | | |
| 30 | | | | | | |
| TION | | DESI | IGN SECTIO | ONS | | |
| ATICS | - | BUS STOPS AT E | HIGHWAY 7B BROADWAY ST | INTEF | RSECTION | |
| DATE 2024-04-28 MILLAN DATE 2024-04-28 BORCH DATE 2024-04-28 Y.KE DATE 2024-04-28 | SCALE 0 1 | 1:100 5m | PROJECT NUMBER 13234-0001 | REG 1 | drawing number R1-1149-1008 | REV |
| | 1 | | | | | |

| ≯p | |
|---|---|
| ₹. | |
| Ň | |
| M | |
| B_BROAD | |
| ٣ | |
| 17E | |
| EC_H7I | |
| Ы | |
| ပ | |
| × | |
| g | |
| ğ | |
| ~ | |
| Suc | |
| cti | |
| Š | |
| Ğ | 2 |
| esi. | |
| ð | |
| õ | |
| 8 | |
| 2 | |
| ō | |
| Icti | |
| مرار | |
| 2 | |
| je | 2 |
| Ī | |
| p | |
| 2 | |
| Ř | |
| 2 | |
| <u>i</u> | 2 |
| Ω. | |
| ö | |
| -Design | |
| T | |
| T | - |
| \07\D- | - |
| \07\D- | - |
| \07\D- | - |
| 1\0518\07\D- | - |
| 1\0518\07\D- | - |
| 1\0518\07\D- | |
| 1\0518\07\D- | |
| SUR\1961\0518\07\D- | |
| SUR\1961\0518\07\D- | - |
| amv U:\Projects_SUR\1961\0518\07\D- | - |
| amv U:\Projects_SUR\1961\0518\07\D- | - |
| SUR\1961\0518\07\D- | - |
| amv U:\Projects_SUR\1961\0518\07\D- | - |
| rmootoosamy U:\Projects_SUR\1961\0518\07\D- | - |
| rmootoosamy U:\Projects_SUR\1961\0518\07\D- | - |
| rmootoosamy U:\Projects_SUR\1961\0518\07\D- | - |
| rmootoosamy U:\Projects_SUR\1961\0518\07\D- | - |
| rmootoosamy U:\Projects_SUR\1961\0518\07\D- | - |
| 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | - |
| 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | - |
| 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | |
| 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | |
| 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | |
| 324-07-12 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | |
| 4-07-12 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | |
| 2024-07-12 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | |
| 2024-07-12 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | |
| : 2024-07-12 2:17:36 PM rmootoosamy U:\Projects_SUR\1961\0518\07\D- | |



| | | | | FINISHED GROUND (TYP.) |
|--------------------|---------------------------|---------------|-------------|------------------------------|
| <u>3.054</u> | L100 _Q LINE | | L200 LINE | |
| | | | | |
| EX. EOP WHITE L | MHITE | EX. EO | WHITE WHITE | |
| -28 -26 -24 - | 22 -20 -18 -16 -14 | -12 -10 -8 -6 | 202+20 | 8 10 12 14 16 18 20 22 24 26 |

| | <u>25.815</u> 3.045 | | L100 LINE | | | | | | L200 | 3.100 3.100 | | P. | | | | | | |
|-------|------------------------|-----------|-----------|----------|--------|---------|---------|------|----------|----------------|---------|-----|--------|------|-------|----|-------|----|
| 4 | 2.00% 2.00% 2.31% | | <u>ц</u> | | | | | | | 2.33% | 2% 2% | | | | | | | |
| 2 | EX. EOP | WHITE LIN | MHITE LIN | WHITE L | | EX. EOP | EX. EOP | | WHITE | WHITE WHITE | EX. EOP | | | | | | | |
| -30_2 | -28 -26 -2 | 24 –22 | -20 - | 18 –16 – | 14 -12 | -10 | -8 | -6 - | 4 -2 202 | +30 | 4 6 | 8 1 | 0 12 1 | 4 16 | 18 20 | 22 | 24 26 | 28 |

| REVISIONS | NAME | BRITISH | MINISTRY OF TRA | NSPORTATION | DESIGN SECTIONS | | | | | |
|-----------|------|---|----------------------------------|--|---|----------|--------------------|----------------|-----|--|
| | | COLUMBIA | AND INFRAST | | | DE3 | IGN SECTIONS |) | | |
| | | | SOUTH COAS HIGHWAY ENGINEERIN | | HIGHWAY 7B BUS STOPS AT BROADWAY ST INTERSECTION | | | | | |
| | | | DESIGNED | R. MOOTOOSAMY DATE 2024-04- | | | | | | |
| | | CAD FILENAME <u>1000_X-SEC_H7B_BR</u> FILE NUMBER <u>196</u> | OADWAY QUALITY CONTROL | I. MACMILLAN DATE 2024-04- J. BORCH DATE 2024-04- | | 1:100 5m | PROJECT NUMBER REG | DRAWING NUMBER | REV | |
| | | PLOT DATE20 | 024-07-12 DRAWN_ | Y. KE DATE2024-04- | -28 | | 13234-0001 1 | R1-1149-1009 | | |





