



PS-001 Series
Page 1



PS-001-xxx
Page 1



PS-001-Ta
Page 2



PS-001-Tb
Page 2



PS-001-Tcx
Page 3



PS-001-Td Series
Page 3



PS-001-Te
Page 4



PS-001-2 Series
Page 4



PS-001-2Ta Series
Page 5



PS-002 Series
Page 5



PS-002-xxx Series
Page 6



PS-003-L Series
Page 6



PS-003-R Series
Page 7



PS-004 Series
Page 7



PS-005-L Series
Page 8



PS-005-R Series
Page 8



PS-006 Series
Page 9



PS-006 Tabs
Pages 9 & 10



PS-008 Series
Page 10



PS-008 Tab
Page 11



PS-009 Series
Page 11



PS-010 Series
Page 12



PS-011-L Series
Pages 12



PS-011-R Series
Page 12



PS-012-L Series
Page 13



PS-012-R Series
Page 13



PS-014-D Series
Page 14



PS-014-L Series
Page 14



PS-014-R Series
Page 15



PS-015-1 Series
Page 15



PS-015-3 Series
Page 16



PS-015-4 Series
Page 16



PS-015-5 Series
Page 17



PS-015-8 Series
Page 17



PS-015-9 Series
Page 18



PS-016 Series
Page 18



PS-017 Series
Page 19



PS-019-1a
Page 19



PS-019-1b Series
Page 20



PS-019-1c Series
Page 20



PS-019-2a
Page 21



PS-019-2b Series
Page 21



PS-019-2c Series
Page 22



PS-019-3
Page 22



PS-020-1
Page 23



PS-020-2
Page 23



PS-020-3
Page 24



PS-020-4
Page 24



PS-020-5
Page 25



PS-020-6
Page 25



PS-020-5
Page 26



PS-020-6
Page 26



PS-021
Page 27



PS-026 Series
Page 27



PS-030-1 Series
Page 28



PS-030-2 Series
Page 28



PS-032 Series
Page 29



PS-034 Series
Page 29



PS-050 Series
Page 30



PS-052 Series
Page 30



PS-054 Series
Page 31



PS-056 Series
Page 31



PS-060 Series
Page 32



PS-066 Series
Page 32

Sign Item Number	Description	Page
PS-001	School Area Ahead symbol	1
PS-001-x	School Area Ahead symbol	1
PS-001-xxx	School Zone (School Kids and Pedestrian Crosswalk) - Overhead Sign	1
PS-001-Ta	30 km/h 8 AM-5 PM School Days tab	2
PS-001-Tb	30 km/h tab	2
PS-001-Tcx	50 km/h When Children on Highway tab	3
PS-001-Td	No Passing tab	3
PS-001-Tdx	No Passing tab	3
PS-001-Te	Sunburst School Zone Hours Tab	4
PS-001-2	School Zone Ends Symbol	4
PS-001-2x	School Zone Ends Symbol	4
PS-001-2Ta	School Zone Ends Tab	5
PS-001-2Tax	School Zone Ends Tab	5
PS-002	Warning Diamond - Pedestrian Crosswalk Ahead symbol	5
PS-002-x	Warning Diamond - Pedestrian Crosswalk Ahead symbol	5
PS-002-xxx	Oversized Warning - Pedestrian Crosswalk Ahead symbol Prepare to Stop	6
PS-003-L	Pedestrian Crosswalk symbol - left	6
PS-003-Lx	Pedestrian Crosswalk symbol - left	6
PS-003-R	Pedestrian Crosswalk symbol - right	7
PS-003-Rx	Pedestrian Crosswalk symbol - right	7
PS-004	Warning Diamond - School Crosswalk Ahead symbol	7
PS-004-x	Warning Diamond - School Crosswalk Ahead symbol	7
PS-005-L	School Crosswalk symbol - left	8
PS-005-Lx	School Crosswalk symbol - left	8
PS-005-R	School Crosswalk symbol - right	8
PS-005-Rx	School Crosswalk symbol - right	8
PS-006	Warning Diamond - Playground Area Ahead symbol	9
PS-006-x	Warning Diamond - Playground Area Ahead symbol	9
PS-006-Ta	30 km/h tab	9
PS-006-Tb	No Passing tab	10
PS-006-Tbx	No Passing tab	10
PS-008	Warning Diamond - School Bus Stop Ahead symbol	10
PS-008-Ta	() m tab	11
PS-009	Do Not Pass School Bus symbol When Lights Flashing	11
PS-010	Warning Diamond - School Bus Turn Ahead	12
PS-011-Lu	No Roller Blading symbol - left	12
PS-011-L	No Roller Blading symbol - left	12

Sign Item Number	Description	Page
PS-011-Ru	No Roller Blading symbol - right	12
PS-011-R	No Roller Blading symbol - right	12
PS-012-Lu	Pedestrian Prohibited symbol - left	13
PS-012-L	Pedestrian Prohibited symbol - left	13
PS-012-Ru	Pedestrian Prohibited symbol - right	13
PS-012-R	Pedestrian Prohibited symbol - right	13
PS-014-D	Pedestrians Use Signal DOUBLE ARROWS	14
PS-014-L	Pedestrians Use Signal LEFT ARROW	14
PS-014-R	Pedestrians Use Signal RIGHT ARROW	15
PS-015-1D	Signal Push Button to Walk symbol DOUBLE ARROW	15
PS-015-1L	Signal Push Button to Walk symbol LEFT ARROW	15
PS-015-1R	Signal Push Button to Walk symbol RIGHT ARROW	15
PS-015-3L	Activate Crossing Warning Lights - Cross With Caution - left	16
PS-015-3R	Activate Crossing Warning Lights - Cross With Caution - right	16
PS-015-4D	Signal Push Button to Cross symbol - START CROSSING - DON'T START - DON'T CROSS - DOUBLE ARROW	16
PS-015-4L	Signal Push Button to Cross symbol - START CROSSING - DON'T START - DON'T CROSS - LEFT ARROW	16
PS-015-4R	Signal Push Button to Cross symbol - START CROSSING - DON'T START - DON'T CROSS - RIGHT ARROW	16
PS-015-5D	Signal Push Button to Cross symbol - START CROSSING - DON'T START - TIME REMAINING - DON'T CROSS - DOUBLE ARROW	17
PS-015-5L	Signal Push Button to Cross symbol - START CROSSING - DON'T START - TIME REMAINING - DON'T CROSS - LEFT ARROW	17
PS-015-5R	Signal Push Button to Cross symbol - START CROSSING - DON'T START - TIME REMAINING - DON'T CROSS - RIGHT ARROW	17
PS-015-8L	Cross Only on Signal - LEFT ARROW	17
PS-015-8R	Cross Only on Signal - RIGHT ARROW	17
PS-015-9L	Activate Tunne Lights - LEFT ARROW	18
PS-015-9R	Activate Tunne Lights - RIGHT ARROW	18
PS-016	Pedestrian symbol Freeway Crossing Use (Name) Road or (Name) Road	18
PS-017	Walk on Left Facing Traffic	19
PS-019-1a	For use at staged ped crossings	19
PS-019-1b	For use at staged ped crossings	20
PS-019-1c	For use at staged ped crossings	20
PS-019-2a	For use at staged ped crossings	21
PS-019-2b	For use at staged ped crossings	21
PS-019-2c	For use at staged ped crossings	22
PS-019-3	For use at 2nd stage of pedestrian crossing	22

Sign Item Number	Description	Page
PS-020-1	Pedestrian Overpass	23
PS-020-2	Pedestrian Underpass	23
PS-020-3	Pedestrians use overpass, left right arrows	24
PS-020-4	Pedestrians use underpass, left right arrows	24
PS-020-5	Pedestrians use overpass, ahead arrow	25
PS-020-6	Pedestrians use underpass, ahead arrow	25
PS-020-7	Pedestrians use overpass, diagonal arrows	26
PS-020-8	Pedestrians use underpass, diagonal arrows	26
PS-021	Diagonal Crossing OK	27
PS-026-u	Watch For Bikes	27
PS-026	Watch For Bikes	27
PS-030-1u	No Diving symbol	28
PS-030-1	No Diving symbol	28
PS-030-2u	No Diving or Jumping from Bridge	28
PS-030-2	No Diving or Jumping from Bridge	28
PS-032-u	Climbing on Bridge Prohibited	28
PS-032	Climbing on Bridge Prohibited	29
PS-034	No Fishing or Loitering on Bridge	29
PS-050-u	No Dog Allowed symbol	30
PS-050	No Dog Allowed symbol	30
PS-052	No Dog Allowed symbol Designation text	30
PS-054	Dog Walking Permitted symbol Dog Walk LEFT and/or RIGHT ARROW Options	31
PS-056	Dog Walk Owners Must Clean-up & Leash Their Dogs	31
PS-060	Danger Shock Hazard This Site is Monitored No Trespassing MoT	32
PS-066	Stay Behind Chain	32

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001	600 x 600	9	STOE	Local Road / Low Speed
PS-001-x	750 x 750	9	STOE	Arterial or Expressway

Ext. Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001-xxx	2440 x 1220	9	STSE	Local Road / Low Speed to Expressway

NOTE: PS-001 within sign shall be ASTM Type 9 Fluorescent Yellow-Green

0.081 Aluminum



PS-001

PS-001-Ta



NOTE:

State Hours when ordering. Variable message denoted by outlined text “8” and “5”. Actual is solid black.

Provincial Standard is “8 am - 5 pm” but may be reviewed and discussed when alternative times are proposed by a local School Board.

Any alternative time changes must be agreed to by the Ministry’s local district representative.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001-Ta	450 x 600	9	STOE	Local Road / Low Speed



PS-001

PS-001-Tb



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001-Tb	450 x 450	9	STSE	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001-Tcx	600 x 600	9	STOE	Arterial or Expressway


NOTE: For exclusive use ONLY as a tab for PS-001-x.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001-Td	450 x 200	9	STOE	Arterial
PS-001-Tdx	600 x 300	9	STOE	Expressway

0.081 Aluminum



MANUFACTURING NOTE:

State Hours when ordering. Variable message denoted by outlined text “8” and “5”. Actual is solid black.


Provincial Standard is “8 am - 5 pm” but may be reviewed and discussed when alternative times are proposed by a local School Board.

Any alternative time changes must be agreed to by the Ministry’s local district representative.

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001-Te	600 x 300	9	STOE	Local Road / Low Speed

USE NOTE: Not for initial installation. May be added temporarily if need for better compliance is determined. Period of use to be a maximum of one school year, after which tab should be removed.

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001-2	600 x 600	3	STOE	Local Road / Low Speed
PS-001-2x	750 x 750	3	STOE	Arterial or Expressway


NOTE: “School Zone Ends” signs may be placed as a standalone sign facing traffic and located immediately across from “School Zone Begins” sign, and/or on the back of the “School Zone Begins” signs.

When placed on the back of the “School Zone Begins” signs, the signs used should match each other’s Sign Size and Shape so one set of signs does not stick out beyond the other.


0.081 Aluminum




PS-001-2Ta



PS-001-2Tax






Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-001-2Ta	450 x 600	9	STOE	Local Road / Low Speed
PS-001-2Tax	600 x 600	9	STOE	Arterial or Expressway

NOTE: "School Zone Ends" signs may be placed as a standalone sign facing traffic and located immediately across from "School Zone Begins" sign, and/or on the back of the "School Zone Begins" signs.

When placed on the back of the "School Zone Begins" signs, the signs used should match each other's Sign Size and Shape so one set of signs does not stick out beyond the other.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-002	600 x 600	9	-	Local Road / Low Speed
PS-002-x	750 x 750	9	-	Arterial or Expressway

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-002-xxx	2440 x 1220	9	STOE	Local Road / Low Speed to Expressway

0.081 Aluminum



For **overhead** applications, use **ASTM type 9**

For **side-mount** applications, use **ASTM type 3**

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-003-L	600 x 750	see above	-	Local Road / Low Speed
PS-003-Lx	900 x 1200	see above	-	Arterial or Expressway

0.081 Aluminum



For **overhead** applications, use **ASTM type 9**

For **side-mount** applications, use **ASTM type 3**

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-003-R	600 x 750	see above	-	Local Road / Low Speed
PS-003-Rx	900 x 1200	see above	-	Arterial or Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-004	600 x 600	9	STOE	Local Road / Low Speed
PS-004-x	750 x 750	9	STOE	Arterial

0.081 Aluminum



For **overhead**
applications,
use **ASTM type 9**

For **side-mount**
applications,
use **ASTM type 3**

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-005-L	600 x 750	see above	STOE	Local Road / Low Speed
PS-005-Lx	900 x 1200	see above	STOE	Arterial

0.081 Aluminum



For **overhead**
applications,
use **ASTM type 9**

For **side-mount**
applications,
use **ASTM type 3**

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-005-R	600 x 750	see above	STOE	Local Road / Low Speed
PS-005-Rx	900 x 1200	see above	STOE	Arterial

0.081 Aluminum



PS-006
For Use With:



PS-006-Ta



PS-006-Tb



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-006	600 x 600	9	-	Local Road / Low Speed
PS-006-x	750 x 750	9	-	Arterial

Note: Sign colours updated to Black on Florescent Green.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-006-Ta	450 x 450	9	STSE	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-006-Tb	450 x 200	9	-	Local Road / Low Speed
PS-006-Tbx	600 x 300	9	STOE	Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-008	750 x 750	9	STSE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-008-Ta	600 x 300	9	STSE	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-009	900 x 1200	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-010	750 x 750	9	w	Local Road / Low Speed or Arterial

0.081 Aluminum



PS-011-Lu
PS-011-L



PS-011-Ru
PS-011-R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-011-u Series	450 x 450	1	STOE	Pedestrian
PS-011 Series	600 x 600	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-012-Lu	450 x 450	1	-	Pedestrian
PS-012-L	600 x 600	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-012-Ru	450 x 450	1	-	Pedestrian
PS-012-R	600 x 600	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-014-D	300 x 450	1	-	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-014-L	300 x 450	1	-	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-014-R	300 x 450	1	-	Pedestrian

0.081 Aluminum



PS-015-1D




PS-015-1L



PS-015-1R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-015-1	130 x 200	1	STOE	Static / Pedestrian

0.081 Aluminum



PS-015-3L



PS-015-3R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-015-3	130 x 300	1	STOE	Static / Pedestrian

0.081 Aluminum



PS-015-4D




PS-015-4L




PS-015-4R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-015-4	200 x 325	1	STOE	Static / Pedestrian


0.081 Aluminum



PS-015-5D




PS-015-5L




PS-015-5R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-015-5	200 x 400	1	STOE	Static / Pedestrian

0.081 Aluminum



PS-015-8L



PS-015-8R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-015-8	130 x 200	1	STOE	Static / Pedestrian

0.081 Aluminum




PS-015-9L



PS-015-9R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-015-9	130 x 200	1	STOE	Static / Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-016	450 x 600	1	STOE	Pedestrian

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-017	450 x 600	1	-	Pedestrian

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-019-1a	300 x 300	1	STOE	Static / Pedestrian

0.081 Aluminum



Ps-019-1b-D



Ps-019-1b-L



Ps-019-1b-R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-019-1b	200 x 375	1	STOE	Static / Pedestrian

0.081 Aluminum



Ps-019-1c-D



Ps-019-1c-L



Ps-019-1c-R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-019-1c	200 x 400	1	STOE	Static / Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-019-2a	300 x 300	1	STOE	Static / Pedestrian

0.081 Aluminum



Ps-019-2b-D



Ps-019-2b-L



Ps-019-2b-R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-019-2b	200 x 375	1	STOE	Static / Pedestrian

0.081 Aluminum



Ps-019-2c-D



Ps-019-2c-L



Ps-019-2c-R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-019-2c	200 x 400	1	STOE	Static / Pedestrian

0.081 Aluminum



Ps-019-3-D



Ps-019-3-L



Ps-019-3-R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-019-3	130 x 200	1	STOE	Static / Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-020-1	300 x 450	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-020-2	300 x 450	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-020-3	300 x 600	1	STOE	Pedestrian

*NOTE: When ordering, specify the appropriate arrow direction.
(Arrows are presented in outlines on the record as they are variables)*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-020-4	300 x 600	1	STOE	Pedestrian

*NOTE: When ordering, specify the appropriate arrow direction.
(Arrows are presented in outlines on the record as they are variables)*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-020-5	300 x 600	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-020-6	300 x 600	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-020-7	300 x 600	1	STOE	Pedestrian

*NOTE: When ordering, specify the appropriate arrow direction.
(Arrows are presented in outlines on the record as they are variables)*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-020-8	300 x 600	1	STOE	Pedestrian

*NOTE: When ordering, specify the appropriate arrow direction.
(Arrows are presented in outlines on the record as they are variables)*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-021	300 x 450	1	STOE	Static / Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-026-u	450 x 450	1	STOE	Pedestrian
PS-026	600 x 600	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-030-1u	300 x 300	1	STOE	Pedestrian
PS-030-1	450 x 450	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-030-2u	300 x 450	1	STOE	Pedestrian
PS-030-2	450 x 600	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-032-u	450 x 300	1	STOE	Pedestrian
PS-032	600 x 450	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-034	300 x 450	1	-	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-050-u	300 x 300	1	STOE	Pedestrian
PS-050	450 x 450	1	STOE	Pedestrian or Rest Area Parking Lot

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-052	300 x 450	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-054	300 x 450	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-056	300 x 450	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-060	600 x 450	1	STOE	Pedestrian

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
PS-066	900 x 300	1	STOE	Pedestrian (Inland Ferry)

NOTE: Found ONLY on-board inland ferry boats.