

ROUNABOUT SECTION INTRODUCTORY NOTE

Custom Roundabout Sign Ordering


Custom Roundabout Guide Signs (*samples shown below*) require a sign record. Submit a *Custom Sign Design Request* order form H 0172-1 (available as an INSERT in this catalogue and online at the Ministry intranet site at <http://gww.th.gov.bc.ca/forms/search.aspx>) to the Provincial Sign Program. Refer to the INTRODUCTION for further information on Custom Sign ordering.



Rb-G-503 Series examples



Rb-R-500-1 Series
Page 1




Rb-R-500-2 Series
Page 1



Rb-R-500-3 Series
Page 2



Rb-R-500-4 Series
Page 2



Rb-R-500-5 Series
Page 3




Rb-R-500-6 Series
Page 3



Rb-R-502 Tab
Page 4



Rb-R-504 Tabs
Page 4



Rb-R-510 Series
Page 5



Rb-R-510 Tabs
Page 5



Rb-W-500 Series
Page 6



Rb-W-500 Tabs
Pages 6 & 7



Rb-W-501 Series
Page 7



Rb-W-501 Tab
Page 8

Custom Roundabout Signs




Rb-G-503 Series examples

See *Custom Roundabout Guide Sign Ordering* (ROUNDBOUT SECTION INTRODUCTORY NOTE).

Sign Item Number	Description	Page
Rb-R-500-1	B&W single Chevron	1
Rb-R-500-2	B&W double Chevron	1
Rb-R-500-3	B&W triple Chevron	2
Rb-R-500-4	B&W Urban Roundabout triple Chevron	2
Rb-R-500-5	B&W Urban Roundabout quadruple Chevron	3
Rb-R-500-6	B&W Urban Roundabout triple Chevron - broad arrows	3
Rb-R-502-T	Yield to Traffic in Roundabout	4
Rb-R-504-TL	DOWN LEFT ANGLED ARROW	4
Rb-R-504-TR	DOWN RIGHT-ANGLED ARROW	4
Rb-R-510	Roundabout Double Lane Use diagram Left Lane & Right Lane	5
Rb-R-510-L1	Left Lane Use symbol Series for Rb-R-510 THRU & LEFT ARROWS	5
Rb-R-510-L2	Left Lane Use symbol Series for Rb-R-510 LEFT ARROW	5
Rb-R-510-L3	Left Lane Use symbol Series for Rb-R-510 THRU ARROW	5
Rb-R-510-R1	Right Lane Use symbol Series for Rb-R-510 THRU & RIGHT ARROWS	5
Rb-R-510-R2	Right Lane Use symbol Series for Rb-R-510 THRU ARROW	5
Rb-R-510-R3	Right Lane Use symbol Series for Rb-R-510 RIGHT ARROW	5
Rb-R-510-Ta	Roundabout	5
Rb-R-510-Tb	Get in Lane	5
Rb-W-500	Roundabout symbol	6
Rb-W-500-Ta	Roundabout tab	6
Rb-W-500-Tb	() km/h tab	7
Rb-W-501	Truck Turning Trailer Hazard to Motorists symbol	7
Rb-W-501-T	Do Not Drive Beside Trucks in Roundabout	8


0.081 Aluminum



See T-Circ T-07/05

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-500-1	600 x 600	9	-	Roundabout / Low Speed

0.081 Aluminum




See T-Circ T-07/05

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-500-2	1060 x 600	9	-	Roundabout / Low Speed

0.081 Aluminum


See T-Circ T-07/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-500-3	1500 x 600	9	-	Roundabout (see NOTE)

NOTE: May be used on all roundabouts. Primarily used on numbered highways and/or un-numbered highways/roadways that serve as arterials.


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-500-4	1200 x 400	9	RTE	Roundabout (see NOTE)

NOTE: For use on urban multi-lane and single-lane roundabouts found on un-numbered highways/roadways with 50 km/h–70 km/h approach speeds.

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-500-5	1600 x 400	9	RTE	Roundabout (see NOTE)

NOTE: For use on urban multi-lane and single-lane roundabouts found on un-numbered highways/roadways with 50 km/h–70 km/h approach speeds.

0.081 Aluminum

See T-Circ T-07/05




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-500-6	1800 x 300	9	RTE	Roundabout (see NOTE)

NOTE: For use on urban single-lane roundabouts found on un-numbered highways/roadways with ≤ 50 km/h approach speeds.

0.081 Aluminum

See T-Circ T-07/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-502-T	750 x 300	9	-	Roundabout / Low Speed

NOTE: For use as tab under R-002 Yield Sign.

0.081 Aluminum

See T-Circ T-07/05



Rb-R-504-TL



Rb-R-504-TR




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-504-Tabs	600 x 450	9	RTE	Roundabout / Low Speed


NOTE: For use as tabs under R-002 Yield Sign.


0.081 Aluminum


See T-Circ T-07/05

LEFT LANE options:


b-R-510-L1 


b-R-510-L2 


b-R-510-L3 



RIGHT LANE option:

Rb-R-510-R1 

Rb-R-510-R2 


Rb-R-510-R3 

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-510	900 x 1200	3	-	Roundabout / Low Speed


NOTE: Specify individual lane option numbers when placing order. Additional custom lane configuration options may be developed via RTE direction.

0.081 Aluminum


See T-Circ T-07/05



Rb-R-510-Ta



Rb-R-510-Tb




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-R-510-Tabs	900 x 300	3	RTE	Roundabout / Low Speed

NOTE: Rb-R-510-Tabs are intended to be placed on top of parent RB-R-510 as illustrated.

0.081 Aluminum

See T-Circ T-07/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-W-500	900 x 900	9	-	Roundabout / Low Speed

0.081 Aluminum

See T-Circ T-07/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-W-500-Ta	750 x 300	9	-	Roundabout / Low Speed

0.081 Aluminum

See T-Circ T-07/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-W-500-Tb	750 x 750	9	RTE	Roundabout / Low Speed

0.081 Aluminum

See T-Circ T-07/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-W-501	900 x 900	9	RTE	Roundabout / Low Speed

0.081 Aluminum

See T-Circ T-07/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
Rb-W-501-T	750 x 450	9	RTE	Roundabout / Low Speed

0.081 Aluminum

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application