



WR-001 Series
Page 1



WR-002 Series
Page 1



WR-002 Tabs
Pages 2



WR-100 Arrow Tab Series
Page 3



WR-V20 Series
Page 3



WR-V20 Overlays
Page 4



WR-V60 Series
Page 4




WR-V60 Overlays
Page 5


Sign Item Number	Description	Page
WR-001-u	Wine Route Wine Grapes symbol	1
WR-001	Wine Route Wine Grapes symbol	1
WR-001-x	Wine Route Wine Grapes symbol	1
WR-002u	Winery Wine Grapes symbol	1
WR-002	Winery Wine Grapes symbol	1
WR-002x	Winery Wine Grapes symbol	1
WR-002-Tau	(Business Name) tab	2
WR-002-Ta	(Business Name) tab	2
WR-002-Ta	(Business Name) tab	2
WR-002-Tbu	(Business Name) tab	2
WR-002-Tb	(Business Name) tab	2
WR-002-Tbx	(Business Name) tab	2
WR-100-1u	AHEAD ARROW tab	3
WR-100-1	AHEAD ARROW tab	3
WR-100-1x	AHEAD ARROW tab	3
WR-100-2u	() km AHEAD ARROW tab	3
WR-100-2	() km AHEAD ARROW tab	3
WR-100-2x	() km AHEAD ARROW tab	3
WR-100-3u	DOUBLE ARROW tab	3
WR-100-3	DOUBLE ARROW tab	3
WR-100-3x	DOUBLE ARROW tab	3
WR-100-4	LEFT/RIGHT ARROW tab	3
WR-100-4x	LEFT/RIGHT ARROW tab	3
WR-100-5u	() km LEFT ARROW tab	3
WR-100-5	() km LEFT ARROW tab	3
WR-100-5x	() km LEFT ARROW tab	3
WR-100-6u	LEFT ANGLED ARROW tab	3
WR-100-6	LEFT ANGLED ARROW tab	3
WR-100-6x	LEFT ANGLED ARROW tab	3
WR-100-7u	() km LEFT ANGLED ARROW tab	3
WR-100-7	() km LEFT ANGLED ARROW tab	3
WR-100-7x	() km LEFT ANGLED ARROW tab	3
WR-100-8u	() km RIGHT ARROW tab	3
WR-100-8	() km RIGHT ARROW tab	3
WR-100-8x	() km RIGHT ARROW tab	3
WR-100-9u	RIGHT ANGLED ARROW tab	3

Sign Item Number	Description	Page
WR-100-9	RIGHT ANGLED ARROW tab	3
WR-100-9x	RIGHT ANGLED ARROW tab	3
WR-100-10u	() km RIGHT ANGLED ARROW tab	3
WR-100-10	() km RIGHT ANGLED ARROW tab	3
WR-100-10x	() km RIGHT ANGLED ARROW tab	3
WR-100-11u	()00 m tab	3
WR-100-11	()00 m tab	3
WR-100-11x	()00 m tab	3
WR-100-12u	() km tab	3
WR-100-12	() km tab	3
WR-100-12x	() km tab	3
WR-V20	Wineries 2 (Business Name) panels (Distance/Directional) ARROWS	3
WR-V20-OL-A	(Business Name) panel (Distance km) AHEAD ARROW overlay	4
WR-V20-OL-L	(Business Name) panel (Distance km) LEFT ARROW overlay	4
WR-V20-OL-R	(Business Name) panel (Distance km) RIGHT ARROW overlay	4
WR-V60	Wineries 4 (Business Name) panels (Distance/Directional) ARROWS	4
WR-V60-OL-A	(Business Name) panel (Distance km) AHEAD ARROW overlay	5
WR-V60-OL-L	(Business Name) panel (Distance km) LEFT ARROW overlay	5
WR-V60-OL-R	(Business Name) panel (Distance km) RIGHT ARROW overlay	5

0.081 Aluminum




For Use With:




WR-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-001-u	450 x 600	1	DMT	Local Road / Low Speed
WR-001	600 x 750	1	DMT	Arterial
WR-001-x	750 x 900	1	DMT	Expressway

0.081 Aluminum



For Use With:



WR-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-002-u	450 x 600	1	DMT	Local Road / Low Speed
WR-002	600 x 750	1	DMT	Arterial
WR-002-x	750 x 900	1	DMT	Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-002-Tau	450 x 220	1	DMT	Local Road / Low Speed
WR-002-Ta	600 x 300	1	DMT	Arterial
WR-002-Tax	750 x 400	1	DMT	Expressway

NOTE: Outlines show location of variables, please specify name.


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-002-Tbu	450 x 300	1	DMT	Local Road / Low Speed
WR-002-Tb	600 x 400	1	DMT	Arterial
WR-002-Tbx	750 x 450	1	DMT	Expressway

NOTE: Outlines show location of variables, please specify name.

0.081 Aluminum




WR-100-9u / WR-100-9
WR-100-9x WR-100-10u / WR-100-10
WR-100-10x WR-100-11u / WR-100-11
WR-100-11x WR-100-12u / WR-100-12
WR-100-12x

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-100-u Tabs	450 x 220	1	DMT	Local Road / Low Speed
WR-100 Tabs	600 x 300	1	DMT	Arterial
WR-100-x Tabs	750 x 300	1	DMT	Expressway

NOTE: Provide the individual tab number by size when placing order / outlines show location of variables.

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-V20	1525 x 1830	1	DMT	Arterial or Expressway

NOTE: Utilize overlay series WR-V20-OL / outlines show location of variables.

0.081 Aluminum



WR-V20-OL-A



WR-V20-OL-L



WR-V20-OL-R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-V20 Overlays	1220 x 450	1	DMT	Arterial or Expressway

NOTE: For use on WR-V20 parent sign / outlines show location of variables.

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-V60	3660 x 2440	1	DMT	Arterial or Expressway

NOTE: Utilize overlay series WR-V60-OL / outlines show location of variables.

0.081 Aluminum



WR-V60-OL-A



WR-V60-OL-L



WR-V60-OL-R

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
WR-V60 Overlays	1525 x 600	1	DMT	Arterial or Expressway

NOTE: For use on WR-V60 parent sign / outlines show location of variables.