

LOGGED/DWN. TS/TS CKD. DATE OF INVEST. April 12, 1993 JOB NO. VE-50284

| HYDROCARBON VAPOUR CONCENTRATION (PPM) | DEPTH (m) | SOIL SYMBOL | DRILL TYPE | CONDITION | SAMPLE TYPE | OTHER TESTS | |
|---|--------------|-------------|---|-----------|-------------|-------------|-----|
| | | | SOIL DESCRIPTION | | | N | |
| 200 400 600 800 1000 1200 | | | Sonic Vibratory Core | | | | |
| | | | DATUM Pavement surface | | | | |
| | | | SURFACE ELEVATION | | | | |
| | 0.5 | | PAVEMENT | | | | |
| | | | GRAVEL - coarse, clean, grey, slight hydrocarbon odour, wet | | Core | | S-7 |
| | 1.0 | | | | | | |
| | 1.5 | | SAND - fine-grained, silty, moderate hydrocarbon odour | | Core | | S-8 |
| | 2.0 | | | | | | |
| | 2.5 | | | | | | |
| | 3.0 | | SILTY - peaty, no hydrocarbon odour | | Core | | S-9 |
| | 3.5 | | | | | | |
| | 4.0 | | END OF HOLE | | | | |
| | 4.5 | | | | | | |
| | | | <p>Note: This borehole was advanced through approximately 0.3 m of ponded water on the surface. The entire core was retrieved in one pull with the hole cased. Borehole was backfilled with bentonite chips and concrete.</p> | | | | |