



NEXT
Environmental Inc.

Borehole Log: BH601

Project No.: ABO010203.04

Logged By: SM

Project: DSI Step 3

Client: Benedet Properties (Victoria Dr.) Ltd.

Location
of Borehole: North Wall

Site Address: 540 Victoria Drive, Vancouver, BC

SUBSURFACE PROFILE				SAMPLE / BOREHOLE COMPLETION					
Depth	Symbol	Description	Depth/Elev.	Sample ID	Type	Lab	ppmv	Borehole Completion	Depth
							0 250 500		
							0 50 100		
0		Ground Surface	0.00						0
1		<div style="border: 1px solid black; padding: 5px;"> Borehole drilled after former on-Site building was removed. Start of borehole below former basement grade. </div>							1
2									2
3									3
4									4
5									5
6									6
7				2.26					
8		SAND AND GRAVEL Medium brown SAND and GRAVEL, medium to coarse, loose, moist		601-1			2		8
9									9
10				601-2/3			2		10
11									11
12			3.44						12
13		Sandy SILT Medium brown fine Sandy SILT, hard, moist		601-4			1		13
14									14
15									15
16				601-5	Y		1		16
17			5.25						17
18		SILTY CLAY Medium grey SILTY SAND, trace medium to coarse gravel, hard, moist							18
19				601-6	Y		1		19
20									20

Drilled By: Blue Max Drilling
 Drill (Sample) Method: Sonic
 Drill Date: March 15, 2016
 Depth to Water (below top) (m): 1.01

Top of Pipe (top)
 Well Elevation (m): 33.714
 Surface Grade Elevation (m): 33.541
 Groundwater
 Analysis: Yes
 Sheet: 1 of 2



NEXT
Environmental Inc.

Borehole Log: BH601

Project No.: ABO010203.04

Logged By: SM

Project: DSI Step 3

Client: Benedet Properties (Victoria Dr.) Ltd.

Location
of Borehole: North Wall

Site Address: 540 Victoria Drive, Vancouver, BC

SUBSURFACE PROFILE				SAMPLE / BOREHOLE COMPLETION					
Depth	Symbol	Description	Depth/Elev.	Sample ID	Type	Lab	ppmv 0 250 500 % LEL 0 50 100	Borehole Completion	Depth
21									21
22				601-7			1		22
23	7		7.13						23
24		SANDSTONE Medium grey SANDSTONE, loose, dry	7.28						24
25		COAL Black COAL seam, coarse to fine, loose, dry		601-8		Y	1		25
26	8								26
27		SANDSTONE Medium grey SANDSTONE, loose, dry							27
28									28
29	9	End of Borehole	8.96						29
30									30
31									31
32									32
33	10								33
34									34
35									35
36	11								36
37									37
38									38
39	12								39
40									40

Drilled By: Blue Max Drilling
 Drill (Sample) Method: Sonic
 Drill Date: March 15, 2016
 Depth to Water
 (below top) (m): 1.01

Top of Pipe (top)
 Well Elevation (m): 33.714
 Surface Grade Elevation (m): 33.541
 Groundwater
 Analysis: Yes
 Sheet: 2 of 2