

MONITORING WELL ID: Typical Borehole Log



Well Type: Monitoring Well

Project Location: 4641 Byrne Road, Burnaby, BC

Drilling Contractor: Badger Daylighting Ltd.

Drilling Equipment/Method: Hydrovac

Well Location:

Project Name/No.: 11309

Client:

Engineer/Geologist:

Drill Date: August 13, 2016

Page: 1 of 1

Depth (ft/m)	Symbol	Soil / Sediment Description	Sample Type	% Recovery	Sample Analyzed	Sample ID	Headspace (PID)	Well Construction	Remarks
							ppm 0 500 1000 1500 2000		
0		Ground Surface							
0 - 1		CONCRETE							
1 - 3		SAND and GRAVEL Grey, SAND and GRAVEL (fill). Odours and/or staining were not observed.						PVC Casing Flushmount and Concrete	
3 - 10		PEAT and WOOD DEBRIS PEAT and WOOD DEBRIS. Wet, odours and/or staining were not observed. Becoming predominantly peat at 2.0 mBGL.						Bentonite Well Screen and 10/20 Silica Sand	
10 - 14		SAND and SILT Grey, silty SAND / sandy SILT. Wet, odours and/or staining were not observed.						Slough	
14		End of Hole							
15 - 20		<div style="border: 1px solid red; padding: 5px; color: red;"> Any use which a third party makes of this document, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. CSAP/MOE/Keystone Environmental Ltd. are not responsible for any use or modification of this document. CSAP/MOE/Keystone Environmental Ltd. accept no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions taken based on this document. </div>							

Date of Water Level: **October 18, 2016**
 Water Level (from TOC): **1.100 m**

Well-Borehole Diameter: **0.15 m**
 Well Casing Diameter: **0.05 m**
 Well Casing Material: **Schedule 40 PVC**
 Well Screen Slot Size: **0.025 cm**

Depth of Well (TOC): **2.96 m**