

|   |                           |                   |
|---|---------------------------|-------------------|
| PROJECT: MADEIRA PARK CHEVRON   | TPC: 28.155 m             | BOREHOLE NO: BH23 |
| LOCATION: PENDER HARBOUR, BRITISH COLUMBIA  | GRADE: 27.655 m           | JOB NO: 10-3375   |
| CLIENT: CHEVRON CANADA LIMITED  | COMPLETION DATE: 94/12/13 | DRILL: AUGER/ODEX |
| SAMPLE TYPE <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> SHELBY <input checked="" type="checkbox"/> SPLIT SPOON <input type="checkbox"/> CORE <input type="checkbox"/> DISTURBED <input type="checkbox"/> NO RECOVERY     |                           |                   |
| BACKFILL TYPE <input checked="" type="checkbox"/> BENTONITE <input type="checkbox"/> PEA GRAVEL <input type="checkbox"/> SLOUGH <input type="checkbox"/> GROUT <input checked="" type="checkbox"/> DRILL CUTTINGS <input type="checkbox"/> SAND |                           |                   |

| DEPTH(m) | SOIL DESCRIPTION  | SAMPLE TYPE | VAP. CONCENTRATION                          |  | SOIL SYMBOL | SLOTTED PIEZOMETER | ADDITIONAL NOTES | DEPTH(ft) |
|----------|---|-------------|---|--|-------------|--------------------|------------------|-----------|
|          |   |             | ▲ VAP. CONCENTRATION ppm<br>100 200 300 400 | ● VAP. CONCENTRATION %LEL<br>20 40 60 80 |             |                    |                  |           |
| 0        | SAND and GRAVEL (FILL) - brown, some organics, dry<br>- some boulders, some cobbles, trace concrete below 0.3 m |             |   |  |             |                    | Bentonite        | 0         |
| 1        |   |             |   |  |             |                    |                  | 5         |
| 2        |   |             |   |  |             |                    |                  | 10        |
| 3        |   |             |   |  |             |                    |                  | 15        |
| 4        |   |             |   |  |             |                    |                  | 20        |
| 5        |   |             |   |  |             |                    |                  | 25        |
| 6        | - wet below 5.5 m   |             |   |  |             |                    |                  | 30        |
| 7        |   |             |   |  |             |                    |                  | 35        |
| 8        | SAND - gray, trace gravel, trace silt, wet  |             |   |  |             |                    | Silica Sand      | 40        |
| 9        |   |             |   |  |             |                    |                  | 45        |
| 10       | END OF HOLE at 9.4 m  |             |   |  |             |                    |                  | 50        |
| 11       | Monitoring piezometer installed to 9.1 m  |             |   |  |             |                    |                  | 55        |
| 12       | Screened interval from 1.2 m to 9.1 m   |             |   |  |             |                    |                  | 60        |

O'Connor Associates  
Langley, B.C.

LOGGED BY: JTB/CB  
REVIEWED BY: RBM  
DRAWING NO: A-23