

# MONITORING WELL ID: Typical BH Log



Well Type: Groundwater and Soil Vapour Monitoring Wells

Project Location: 285 East 10th Avenue Vancouver, BC

Drilling Contractor: Uniwide Drilling Co. Ltd.

Drilling Equipment/Method: Solid Stem Auger, Hollow Stem Auger

Well Location: Adjacent to the central UST

Project Name/No.:

Client:

Engineer/Geologist:

Drill Date: June 26, 2015

Page: 1 of 1

Depth (ft/m)	Symbol	Soil / Sediment Description	Sample Type	% Recovery	Sample Analyzed	Sample ID	Headspace (PID)		Elevation (m)	Well Construction	Remarks
							0	ppm			
		Ground Surface									
1		<b>Silty SAND</b> Light brown, fine grained silty SAND. Dense, dry, odours and staining were not observed.									
2		Any use which a third party makes of this document, or any reliance on or decision to be made based on it, are the responsibility of such third parties. CSAP/MOE are not responsible for any use or modification of this document. CSAP/MOE accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions taken based on this document.			N	MW15-17 (0.6)		5.0			
4				N	MW15-17 (1.2)		0.0				
6					Y	MW15-17 (1.8)/DUP P		0.0			
9					N	MW15-17 (2.7)		0.0			
11					N	MW15-17 (3.4)		0.0			
14					N	MW15-17 (4.3)		5.0			
16		<b>SANDSTONE</b> Greyish brown to grey, fine to medium grained weathered SANDSTONE. Very dense, dry to moist, odours and staining were not observed.  Lithified sandstone lense at approximately 4.0 to 4.2 mbg.			N	MW15-17 (4.9)		5.0			
19					N	MW15-17 (5.8)		0.0			
20		End of Hole									

Co-ordinates: n/a

Date of Water Level: June 30, 2015

Water Level (from TOC): 3.895 m

Surveyed Water Elevation (m): n/a

Well-Borehole Diameter: 15 cm

Well Casing Diameter: 5.1 cm, 2 cm

Well Casing Material: PVC, nylon tubing

Well Screen Slot Size: 0.25 cm

Depth of Well (TOC): 6.188 m

Well Elevation (TOC): n/a

Well Elevation (Ground): n/a

Datum: n/a