

CLIENT: BELVEDERE DEV. & INV. GROUP INC. DRILLING CONTRACTOR: SANDWELL PROJECT No.: V6-134
 LOCATION: 510 DOYLE AVENUE, KELOWNA, B.C. DRILLING METHOD: HOLLOW STEM AUGER DIAMETER: 200 mm BOREHOLE No.: 96-2

SAMPLE TYPE: CORE SPLIT SPOON SHELBY DISTURBED NO RECOVERY

ELEV. - DEPTH (m)	SOIL DESCRIPTION	STRATIGRAPHY PLOT	SAMPLE TYPE	SAMPLE NUMBER	SOIL VAPOUR CONCENTRATION (ppm)				WATER LEVEL	MONITORING WELL INSTALLATION
					10	100	1000	10000		
0	Asphalt to 0.1 m. SAND and GRAVEL (FILL). Black sandy SILT, moist, compact, no hydrocarbon odour.			2-1						
1	Light brown fine SAND, moist, compact, no hydrocarbon odour.			2-2						
2				2-3						
3	Grey coarse SAND and GRAVEL, saturated compact, no hydrocarbon odour.			2-4						
3.5	End of borehole @ 3.5 m.									
4										
5										
6										
7										
8										
9										

- LEGEND**
- road box
 - 50 mm # PVC pipe
 - 50 mm # slotted PVC pipe
 - bentonite chips
 - bentonite grout
 - silica sand backfill
 - concrete seal
 - slough
 - cuttings backfill



GROUND SURFACE ELEVATION (m): N/A DATE DRILLED: 1996-04-23
 TOP OF CASING ELEVATION (m): N/A LOGGED BY: M.J.T. SHEET 1 OF 1

PLOTTED 12/16/04 10:05:31