

CLIENT: SHELL CANADA PRODUCTS LIMITED		DRILLING CONTRACTOR: UNIWIIDE DRILLING		PROJECT No.: R12-274
LOCATION: 435 BRUNETTE AVE., NEW WESTMINSTER, BC		DRILLING METHOD: SOLID STEM AUGER	DIAMETER: 150 mm	BOREHOLE No.: 99-3
BOREHOLE LOG		PLOTTED: 19990323.0735 CAD FILE No.: 2274W9-3 AJK		SAMPLE TYPE: <input type="checkbox"/> CORE <input checked="" type="checkbox"/> SPLIT SPOON <input type="checkbox"/> SHELBY <input checked="" type="checkbox"/> DISTURBED <input type="checkbox"/> NO RECOVERY

DEPTH (m)	SOIL DESCRIPTION	STRATIGRAPHY PLOT	SAMPLE TYPE	SAMPLE NUMBER	SOIL VAPOUR CONCENTRATION (ppm)			WATER LEVEL	MONITORING WELL INSTALLATION
					10	100	1000		
0	SAND (FILL), medium grained, trace gravel, brownish grey, moist.								
1	PEAT, some wood fragments, fibrous, dark brown, moist to wet.								
2			<input checked="" type="checkbox"/>	99-3-1					
3									
4	SAND, fine grained, some silt, greenish-grey, saturated.		<input checked="" type="checkbox"/>	99-3-2					
5	SILT, some clay, greyish green, some mottling, stiff, damp to moist.								
5	End of borehole at 5.5 m.		<input checked="" type="checkbox"/>	99-3-3					
6									
7									
8									
9									

LEGEND

- road box
- 50 mm ϕ PVC pipe
- 50 mm ϕ slotted PVC pipe
- bentonite seal
- cuttings
- silica sand backfill
- concrete seal
- slough
- bentonite grout

	GROUND SURFACE ELEVATION (m): 10.097	DATE DRILLED: 1999 02 15
	TOP OF CASING ELEVATION (m): 9.983	OBSERVED WATER LEVEL: 1999 02 18
		LOGGED BY: KLL
		SHEET <u>1</u> OF <u>1</u>