

Log of Monitoring Well: MW14-12



Project Name/No: 1521-002.02

Drilling Company: McRae's/On-Track

Client: Jawl Properties

Drilling Method: Auger

Date Drilled: June 3 and 4, 2014

Logged by: RM

Site Location: Victoria, BC

Sheet: 1 of 2

SUBSURFACE PROFILE			SAMPLE					Backfill details	
Depth	Symbol	Description	Depth/Elev (m)	Sample ID	Analysed Y,N	Sample Type	Vapour		LEL
							ppm		%
0		Ground Surface	0.00						
0		ASPHALT AND CONCRETE	0.00						
1		SANDY SILT Light brown with brown lenses, 'firm' to 'stiff'	-0.30 0.30	MW14-12-1	N	G			
2									
3									
4		SILT Light brown with grey lenses, 'stiff'	-1.22 1.22	MW14-12-2	N	G			
5									
6									
7									
8				MW14-12-3	N				
9									
10									
11				14-12-4/12-5	N				
12									
13									
14									
15									

Well location: Douglas Street	Well casing diameter: 0.05 m	Depth of well (TOC): 6.88 m
Depth to water level (TOC): 2.94 m	Well casing material: Schedule 40 PVC	Well Elevation (TOC): 17.37 m
Date of water level: June 24, 2014	Well screen slot size: 10 Slot	Ground Elevation: 17.42 m
Borehole diameter: 0.15 m	Well screen interval (bgs): 5.49 - 7.01 m	

Log of Monitoring Well: MW14-12



Project Name/No: 1521-002.02

Drilling Company: McRae's/On-Track

Client: Jawl Properties

Drilling Method: Auger

Date Drilled: June 3 and 4, 2014

Logged by: RM

Site Location: Victoria, BC

Sheet: 2 of 2

SUBSURFACE PROFILE			SAMPLE					Backfill details	
Depth	Symbol	Description	Depth/Elev (m)	Sample ID	Analysed Y,N	Sample Type	Vapour ppm 0 250 500		LEL % 0 50 100
16	5			MW14-12-6	N	▲			<p>Soil vapour probe from 1.8 - 2.0 m</p>
17			-5.33 5.33						
18		CLAYEY SILT Grey, 'stiff', moist.		MW14-12-7	Y	▲			
19	6								
20									
21									
22		SAND AND GRAVEL Brown, 'dense', wet, till-like	-6.71 6.71	MW14-12-8	Y	▲			
23	7								
24									
25		End of Log	-7.62 7.62						
26	8								
27									
28									
29	9								
30									

Well location: Douglas Street

Well casing diameter: 0.05 m

Depth of well (TOC): 6.88 m

Depth to water level (TOC): 2.94 m

Well casing material: Schedule 40 PVC

Well Elevation (TOC): 17.37 m

Date of water level: June 24, 2014

Well screen slot size: 10 Slot

Ground Elevation: 17.42 m

Borehole diameter: 0.15 m

Well screen interval (bgs): 5.49 - 7.01 m