



## Monitoring and reporting on progress towards greenhouse gas emissions reduction targets


2010 GHG Emissions Sources (Total for this Community)




2010 GHG Emissions Sources (Total for BC)




GHG Emissions Comparisons for this Community




2010 Total Emissions by Fuel Type



2010 Building Emissions by Subsector



2010 On-Road Transportation Emissions by Vehicle Class



## Central Okanagan Regional District Unincorporated Areas 2010 Community Energy and Emissions Inventory

*Monitoring and reporting on progress towards greenhouse gas emissions reduction targets*

### Core Items

On-Road Transportation		2007					2010				
		Connections	Consumption	Avg VKT (km)	Energy (GJ)	CO2e (t)	Connections	Consumption	Avg VKT (km)	Energy (GJ)	CO2e (t)
Small Passenger Cars	Hybrid			19,200	67	5			21,500	102	7
	Gasoline	1,716	2,613,112 L	16,500	91,458	6,213	1,821	2,784,429 L	16,500	97,455	6,252
	Diesel Fuel	78	127,646 L	24,700	4,890	348	75	114,485 L	23,700	4,384	305
Large Passenger Cars	Hybrid			24,900	251	17	19	24,655 L	25,000	862	54
	Gasoline	1,018	1,851,848 L	16,600	64,815	4,401	1,007	1,879,028 L	16,500	65,766	4,218
	Diesel Fuel	10	14,356 L	15,000	550	39			14,400	356	25
	Other Fuel			15,200	46	3					
Light Trucks, Vans, SUVs	Hybrid			23,900	138	10			25,900	599	38
	Gasoline	2,860	7,682,220 L	19,800	268,877	18,378	3,220	8,748,197 L	19,900	306,187	19,829
	Diesel Fuel	173	446,993 L	15,300	17,119	1,217	117	324,800 L	19,100	12,439	858
	Other Fuel	25	53,670 L	13,100	1,358	82	16	29,514 L	11,600	746	47
Commercial Vehicles	Gasoline	281	915,603 L	21,600	32,046	2,153	349	1,151,304 L	21,800	40,295	2,575
	Diesel Fuel	469	2,066,690 L	25,700	79,154	5,560	594	2,856,541 L	28,400	109,406	7,459
	Other Fuel	12	31,768 L	12,800	804	49			13,000	573	35
Tractor Trailer Trucks	Gasoline								23,900	27	2
	Diesel Fuel	92	1,552,860 L	53,100	59,474	4,178	103	1,756,721 L	41,400	67,281	4,588
Motorhomes	Gasoline	83	234,189 L	19,400	8,196	548	90	251,004 L	19,600	8,784	559
	Diesel Fuel	68	258,410 L	19,900	9,898	695	80	318,831 L	19,900	12,211	832
	Other Fuel			19,700	241	14			19,800	57	3
Motorcycles, Mopeds	Gasoline	152	36,257 L	5,300	1,268	84	204	57,157 L	6,200	2,001	126
Buses	Gasoline			18,000	436	30	13	30,976 L	17,200	1,084	70
	Diesel Fuel			31,600	784	55			18,400	767	52
<b>Totals</b>		<b>7,037</b>	<b>17,885,622 L</b>	<b>19,017</b>	<b>641,870</b>	<b>44,079</b>	<b>7,708</b>	<b>17,885,622 L</b>	<b>19,330</b>	<b>731,382</b>	<b>47,934</b>

## Central Okanagan Regional District Unincorporated Areas 2010 Community Energy and Emissions Inventory

### Monitoring and reporting on progress towards greenhouse gas emissions reduction targets

Buildings		2007				2010			
		Connections	Consumption	Energy (GJ)	CO2e (t)	Connections	Consumption	Energy (GJ)	CO2e (t)
Residential	Wood	N/A	302,744 GJ	302,744	6,134	N/A	291,401 GJ	291,401	5,904
	Heating Oil	N/A	40,924 GJ	40,924	2,885	N/A	39,391 GJ	39,391	2,694
	Propane	N/A	72,174 GJ	72,174	4,403	N/A	69,470 GJ	69,470	4,238
	Natural Gas	4,206	283,185 GJ	283,185	14,205	845	54,184 GJ	54,184	2,718
	Electricity	6,792	73,567,009 kWh	264,841	1,099	6,908	77,109,391 kWh	277,594	1,167
Commercial/Small-Medium Industrial	Natural Gas	407	136,078 GJ	136,078	6,826	5	0 GJ	0	0
	Electricity	673	39,936,749 kWh	143,772	868	870	48,499,606 kWh	174,598	1,096
<b>Totals</b>		<b>12,078</b>		<b>1,243,718</b>	<b>36,420</b>	<b>8,628</b>		<b>906,638</b>	<b>17,817</b>

Solid Waste		2007				2010			
		Connections	Consumption	Energy (GJ)	CO2e (t)	Connections	Consumption	Energy (GJ)	CO2e (t)
Community Solid Waste	Solid Waste	0	14,011 t	N/A	7,166	0	14,132 t	N/A	8,199
<b>Totals</b>		<b>0</b>			<b>7,166</b>	<b>0</b>			<b>8,199</b>

### Memo Items

Buildings		2007				2010			
		Connections	Consumption	Energy (GJ)	CO2e (t)	Connections	Consumption	Energy (GJ)	CO2e (t)
Large Industrial	Natural Gas	6	0 GJ	0	0				
<b>Totals</b>		<b>6</b>			<b>0</b>	<b>0</b>			

## Central Okanagan Regional District Unincorporated Areas 2010 Community Energy and Emissions Inventory

*Monitoring and reporting on progress towards greenhouse gas emissions reduction targets*

### Totals for Transportation, Buildings and Solid Waste

Fuel Type	2007 (Population: 16,577)			2010 (Population: 20,258)		
	Consumption	Energy (GJ)	CO2e (t)	Consumption	Energy (GJ)	CO2e (t)
Hybrid	0 L	456	32	24,655 L	1,563	99
Gasoline	13,333,229 L	467,096	31,807	14,902,095 L	521,599	33,631
Diesel Fuel	4,466,955 L	171,869	12,092	5,371,378 L	206,844	14,119
Other Fuel	85,438 L	2,449	148	29,514 L	1,376	85
Wood	302,744 GJ	302,744	6,134	291,401 GJ	291,401	5,904
Heating Oil	40,924 GJ	40,924	2,885	39,391 GJ	39,391	2,694
Propane	72,174 GJ	72,174	4,403	69,470 GJ	69,470	4,238
Natural Gas	419,263 GJ	419,263	21,031	54,184 GJ	54,184	2,718
Electricity	113,503,758 kWh	408,613	1,967	125,608,997 kWh	452,192	2,263
Solid Waste	14,011 t	0	7,166	14,132 t	0	8,199
<b>Grand Totals</b>		<b>1,885,588</b>	<b>87,665</b>		<b>1,638,020</b>	<b>73,950</b>

*Monitoring and reporting on progress towards greenhouse gas emissions reduction targets*

**Supporting Indicators**

No new supporting indicator data have been provided in the 2010 reports. Work is currently underway to produce a complete second round of data for the indicators below in the 2012 reports (available in 2014). In the interim, we are including the same supporting indicator data that was provided in the 2007 reports. Feedback is requested on all supporting indicators; please contact us directly at

**Housing Type - Private dwellings by structural type**

Housing type is important for reducing building-related GHG emissions and energy consumption. A trend toward fewer single family dwellings indicates an increase in residential density, which is known to reduce transportation-related GHG emissions.

	1996		2001		2006	
	Units	%	Units	%	Units	%
Single Detached House	8,755	19	10,685	75	10,980	68
Semi-Detached House	380	1	595	4	700	4
Row House	220	0	265	2	365	2
Apartment, Duplex	325	1	275	2	770	5
Apartment, 5 storeys or higher	15	0	0	0	5	0
Apartment, under 5 storeys	460	1	665	5	765	5
Other Single Attached House	15	0	10	0	20	0
Movable Dwelling	1,950	4	1,830	13	2,615	16

**Commute to Work - Employed labour force - by mode of commute**

An increase in the number of people choosing to walk, cycle and use transit reduces GHG emissions. More compact, complete, connected communities should see an increase in the use of these transportation modes.

	1996		2001		2006	
	Units	%	Units	%	Units	%
Car, Truck, Van as Driver	12,000	88	12,775	86	15,140	85
Car, Truck, Van as Passenger	790	6	875	6	1,440	8
Public Transit	145	1	420	3	475	3
Walked	345	3	445	3	465	3
Bicycle	185	1	130	1	100	1
Motorcycle	40	0	40	0	85	0
Taxicab	5	0	5	0	0	0
Other Method	80	1	195	1	185	1

**Parks and Protected Greenspace**

Parks and protected greenspaces are important for the protection and enhancement of community carbon sinks.

	2009	
	Units	%
National Parks	0	0
Provincial Parks / Protected Areas	28,629	11
Local Parks	318	0
Agricultural Land Reserve	12,587	5
Other land use	216,671	84
Total Parks and Protected Area	28,946	11
Total Land Area	258,205	100

\* Total is net of Indian Reserves  
\*\* Quantity of parkland may be underestimated

**Residential Density**

Increasing residential densities is known to reduce vehicle use resulting in fewer transportation-related GHG emissions. There are many additional benefits from more compact development.

	2009	
	Units	%
National Parks	0	0
Provincial Parks / Protected Areas	28,629	11
Local Parks	318	0
Agricultural Land Reserve	12,587	5
Other land use	216,671	84
Total Parks and Protected Area	28,946	11
Total Land Area	258,205	100

\* Net of Crown land, parks, Indian Reserves, water features, airports, ALR, waste disposal site

**Central Okanagan Regional District Unincorporated Areas**  
**2010 Community Energy and Emissions Inventory**  
*Monitoring and reporting on progress towards greenhouse gas emissions reduction targets*

This page  
intentionally left  
blank

### Supporting Indicators Under Consideration

Work is currently underway to produce a complete second round of supporting indicators for the 2012 reports (available in 2014). These reports will new data for the five supporting indicators included in the 2007 and 2010 Reports:

- **Housing Type:** Private dwellings by structural type
- **Commute to Work:** Employed labour force - by mode of commute
- **Commute Distance**
- **Residential Density**
- **Parks and Protected Greenspace**

And in addition, the 2012 reports we are working to be able to include:

- **Proximity to Transit**
- **Building Energy Intensity**
- **Building Floor Space**
- **Waste Diversion**

We are continuing to work towards reporting on even more supporting indicators in the future including:

- **Proximity to Services** (e.g. destinations such as grocery store, school, other retail etc.)
- **Transit Ridership**
- **Water Use**
- **Impervious Surface Cover:** % change in impervious surface cover
- **Tree Canopy Cover:** % change in tree canopy cover
- **District Energy:** # and energy output (e.g. buildings connected, energy consumed in GJ or kWh) of district energy systems by energy type e.g. renewable or non-renewable)
- **On-Site Renewable Energy:** # and energy output (in GJ or kWh) from households producing and/or consuming on-site renewable heat (e.g. biomass, solar thermal, geo-exchange) and/or electrical (e.g. solar photovoltaic, small wind, small scale hydro) energy
- **Energy Recovery** from waste energy (GJ or kWh) recovered from waste (e.g. from landfill gas, sewage treatment, industrial operations, farm)

Please give us feedback by contacting us directly at [CEEIRPT@gov.bc.ca](mailto:CEEIRPT@gov.bc.ca)

Many local governments have been undertaking a significant amount of climate action in both the corporate and community-wide spheres, as demonstrated in both the public reports from the Climate Action Revenue Incentive Program (CARIP) <http://www.cscd.gov.bc.ca/lgd/greencommunities/carip.htm>, and on the <http://toolkit.bc.ca> website. These two resources may be helpful to those who are interested in learning from other BC local governments. The toolkit also contains additional information and resources including decision-support/planning frameworks and tools for undertaking actions to reduce GHG emissions and energy consumption.

## **This is your local government's 2010 Community Energy and Emissions Inventory (CEEI) Report**

### **What is a CEEI Report?**

CEEI Reports are a result of a multi-agency effort to provide a province-wide solution to assist local governments in BC to track and report on community-wide energy consumption and greenhouse gas (GHG) emissions as well as supporting indicators every two years. CEEI Reports are one of the many resources available through the Climate Action Toolkit (<http://www.toolkit.bc.ca>), a web-based service provided through the ongoing collaboration between UBCM and the Province.

### **Why does my local government need a CEEI Report?**

A community energy and GHG emissions inventory can be a valuable tool that helps local governments plan and implement GHG and energy management strategies, while at the same time strengthening broader sustainability planning at the local level. CEEI reports fulfill local governments' Climate Action Charter commitment to measure and report their community's GHG emissions profile, establish a base year inventory for local governments to consider as they develop targets, policies, and actions related to BC's Local Government Act requirements, fulfill Milestone One requirements for those local government members of the Federation of Canadian Municipalities' (FCM's) Partners in Climate Protection (PCP) program, as well as supporting local government efforts to monitor progress towards Regional Growth Strategy objectives.

### **A first in North America!**

CEEI is a first in North America and a first step for BC communities. The 2010 CEEI Reports are based on best available province-wide data. The accuracy and detail of CEEI reports will continue to improve to meet increasing local and provincial government information needs. Improvements have been made from the original draft 2007 CEEI Reports posted in Spring 2009. These include estimates for residential heating oil, propane and wood use, breaking out small from large industrial buildings, including updated land-use change and new agricultural sectors as 'memo items'. Following the 2010 CEEI Reports, inventories will be generated every two years, and will continue to improve as government information needs, international protocols and new data sources emerge.

### **For More Information**

The full list of all BC local government 2010 CEEI Reports, User Guide, Technical Methods and Guidance Document, and additional information on the Supporting Indicators are available at: <http://www.env.gov.bc.ca/cas/mitigation/ceei/index.html> For guidance on target setting and community actions, go to <http://www.toolkit.bc.ca> and <http://www.cd.gov.bc.ca/lgd/greencommunities/targets.htm>

### **We Need Your Feedback**

To continue to guide us on CEEI, please take the time to contact us directly at [CEEIRPT@gov.bc.ca](mailto:CEEIRPT@gov.bc.ca)

### **Notice to the Reader**

This CEEI Report uses information from a variety of sources to estimate GHG emissions. While the methodologies, assumptions and data used are intended to provide reasonable estimates of greenhouse gas emissions, the information presented in this report may not be appropriate for all purposes. The Province of BC and the data providers do not provide any warranty to the user or guarantee the accuracy or reliability of the data contained in this report. The user accepts responsibility for the ultimate use of such data. We need your help to make these reports better,