

---

# Index

## A

- Acid
  - addition 193
  - hydrochloric acid 194
  - injection 175
  - phosphoric acid 194
  - selection 194
  - sulfuric and sulfurous acid 194
  - titration 194
- Air relief 116
- Algae
  - algacides 176
  - biocides 176
  - chlorination 176
  - control 176
  - copper sulphate 176
  - growth 175
- Allowable depletion 26, 263
- Application efficiency 20, 248
- Application rate 256
- Availability coefficient 13, 14
- Available water storage
  - capacity 13, 14

## B

- Backflow preventor 116, 227
- Backpressure 226
- Backsiphonage 226
- Bacteria 177
  - bacterial slimes 177
  - iron bacteria 177
  - manganese bacteria 177
  - sulphur bacteria 178
- Base Plant Scheduling 258

## C

- Calcium 77
- Calcium – magnesium ratio 77
- Chemical treatment 175
- Chemical injection
  - degree of hazard 226
  - injector 227
  - precautions 227
- Chemigation 228
- Chlorination 185, 187
  - calcium hypochlorite 189
  - chlorine gas 189, 192
  - chlorine injection 190
  - chlorine levels 189
  - continuous treatment 187
  - injection rate 190
  - intermittent treatment 188
  - sodium hypochlorite 189, 190
  - superchlorination 188
- Climatic moisture deficit 219
- Clogging 149
  - bridge network 151
  - chemical precipitates 150
  - organic material 149
  - particulate matter 150
- Copper sulphate 175
- Crop
  - berry 65
  - crop coefficient factor 16
  - effective rooting depth 13
  - high density double row 66
  - maturity 11
  - nursery 69
  - plant water requirement 11, 13
  - rooting depth 12
  - tree fruits 65
  - vegetables 63, 65
  - vine 65

## D

- Disk filters 162
  - backflush 162
- Distribution uniformity 21, 42, 37
- Discharge exponent 30, 31, 52

## E

- Effective soil water storage 13
- Effective rooting depth 14
- Efficiency of application 38
- Electrical resistance blocks 213
- Emission uniformity 21, 36
- Emitter
  - discharge measurement 43
  - discharge exponent 30, 31, 52
  - field installation 63
  - greenhouse installation 141
  - laminar flow 28
  - line source 50, 249
  - linear tape 50
  - manufacturer's variance coefficient 50
  - microtube systems 28, 137
  - operating pressure 45
  - orifice size 49, 151, 152, 154
  - performance 30
  - placement 61
  - point source 53, 66, 257
  - pressure compensating 29
  - pressure effects 33, 34
  - selection 49
  - uniformity 30
  - spray emitter 55, 67
  - temperature effects 33
  - turbulent flow 27
  - vortex 29
  - wetting pattern 61
- Evapotranspiration
  - peak evapotranspiration 6, 11
  - reference evapotranspiration 252

**F**

- Fertigation 225
- Fertilizers 178
  - injection rates 242
  - liquid fertilizers 235
  - selection 234
  - solid fertilizers 234
  - solubility 234
  - solutions 235
  - suspensions 235
- Filters
  - automatic flush 158
  - disc 162
  - mesh 151, 153
  - sand designation 152
  - sand media 164
  - screen 158
- Filtration 149
- Flow meter 115
- Flow rate
  - measurements 43, 47
- Flushing manifold
  - design 109
  - flushing flow rate 108
  - system flushing 113
- Friction loss 87, 119

**G**

- Greenhouse irrigation 129
  - annual water requirement 136
  - cucumber 133
  - crop water requirements 129
  - lateral 144
  - overdrain requirements 131
  - peak consumptive usage 131
  - peppers 135
  - scheduling 129
  - storage requirements 136
  - tomato 134
  - water costs 137

**H**

- Header line 95, 144
- Herbicides 227

**I**

- Injectors 228
  - injector pumps 232
  - piston-operated pumps 232
  - ratio feeders 230
  - turbine water-driven injector 233
  - venturi 228
- Insecticides 227
- Iron oxide 184, 185
- Irrigation requirements 9
- Irrigation scheduling 209
  - atmometer 217
  - class a pan 216
  - climatic moisture deficit 219
  - electrical resistance blocks 213
  - evaporimeters 216
  - hand feel 210
  - irrigation interval 221
  - tensiometers 211
  - water budgets 216
  - watermark 213

**L**

- Laminar flow 28
- Landscape 247
  - deep rooted plants 266
  - shallow rooted plants 265
- Landscape drip
  - application rate 256
  - climate efficiency 248, 250
  - crop species factor 248
  - emitters per plant 256
  - irrigation interval 265
  - maximum operating time 263
  - plant canopy 249
  - plant root zone area 249
  - plant water requirements 248
- Landscape water requirements
  - coefficient method 252
  - density factor 254
  - evapotranspiration 252
  - landscape coefficient 252, 254
  - microclimate factor 255
  - reference evapotranspiration 252
  - species factor 254
- Lateral
  - design 81, 82, 87
  - friction loss 81, 87
  - multiple pipe sizes 87
  - single pipe size 87
  - specific discharge rate 87
  - wall thickness 82

- Leaching requirement 19
  - leaching factor 20
- Linear tape 50
  - laterals per zone 84
  - orifice spacing 83
  - selection 85
- Lower quarter distribution
  - uniformity 45, 47

**M**

- Mainline 119
  - mainline pipe size 121
- Manifold 95
- Manganese oxide 185
- Meteorological data 216
- Microsprinkler 1, 56
- Mulches 63

**N**

- Nitrate 77

**P**

- Peak irrigation requirement 209
- Pipe
  - aluminum 120
  - polyethylene 120
  - polyvinyl chloride 120
  - steel 120
- Precipitates 178
  - bicarbonate 179
  - calcium 178
  - calcium carbonate 179
  - chlorine treatment 185, 187
  - ferric oxide 184
  - hydrogen sulfide 184
  - iron oxide 185
  - magnesium carbonate 178, 179
  - manganese oxides 178
  - manganese sulfides 178, 184
  - saturation index 181
- Pressure
  - gravity feed 127
  - measurements 47
- Pressure gauge 115
- Pressure regulating valve 119

- Pressure regulator 115  
 Pressure relief valve 116  
 Pressure variation 40  
 Pump 122  
   best efficiency point 122  
   capacity 122  
   centrifugal pump 122  
   efficiency 122  
   friction head 124  
   pressure head 124  
   pump horsepower 124  
   static discharge head 124  
   static suction head 122, 124  
   submersible pumps 123  
   total dynamic head 124  
   total dynamic suction lift 122  
   turbine 123
- R**
- Reservoirs  
   settling time 156
- S**
- Salinity 77, 204  
   crop effects 205  
   drip system management 207  
   sodium adsorption ratio 204  
   total dissolved solids 206
- Salinization  
   salt crystallizing 71  
   salt build-up 73
- Sand media filters 164  
   automatic backflush operation 171  
   backflush adjustments 170  
   backflush mode 165  
   crushed granite 172  
   crushed silica 172  
   epoxy underdrain 166  
   filtration capacity 164  
   filtration mode 165  
   installation 168  
   mean effective media 171  
   sand media selection 171  
   sizing 172  
   underdrain maintenance 167  
   uniformity coefficient 171  
   underdrain 166
- Sand separators 157  
 Saturation index 181
- Screen filter  
   manual flush 158  
   screen open area 161  
   screen surface area 161  
   thrufflush screen filter 160
- Single size submain 98  
 Slimes 178  
 Sodium adsorption ratio 77, 204, 200
- Soil**  
   allowable depletion 26, 263  
   available soil moisture 26, 263  
   effective soil water storage 12  
   field capacity 25  
   permanent wilting point 26  
   soil clods 76  
   soil holding capacity 223  
   soil texture 24  
   soil water storage factor 13
- Soil moisture**  
   capillary moisture 25  
   gravitational water 25  
   hygroscopic moisture 25  
   location 214  
   measurement location 210
- Specific discharge rate 291  
 Submain 95  
   multiple submain pipe 100  
   numerous outlets 98
- Subsurface system**  
   crushing 76  
   depth of burial 73  
   gopher strikes 78  
   insects 78  
   line spacing 75  
   orifice orientation 72  
   root intrusion 78  
   vacuum ingestion 78
- System monitoring 175
- T**
- Tensiometers 211  
 Trickle system  
   design requirement 22  
   drip emitter system 1  
   installation 50  
   line source systems 50, 53  
   linear tape system 1, 50, 74  
   maximum duration of  
     application 61  
     maximum operating time 5  
     peak system flow 5  
   point source systems 53, 66
- spray emitter system 1, 55, 67  
 subsurface emitter 60, 71  
 system maintenance 175  
 system monitoring 175  
 total system operating time 95  
 Turbulent flow 27
- U**
- Uniplot 291
- V**
- Vacuum ingestion 178
- W**
- Water**  
   lateral movement 55, 58, 257
- Water analysis**  
   anions 200  
   cations 200  
   electrical conductivity 200  
   nitrate nitrogen 200  
   suspended solids 200
- Water pH 180  
 Water quality 49, 199, 201  
 Water treatment  
   algae 149  
   bicarbonate 193  
   calcium 193  
   carbonate 193  
   magnesium 193  
   water analysis 197
- Z**
- Zone 87, 91  
   allowable zone friction loss 92  
   allowable zone pressure  
     variation 90  
   automatic zone control 118  
   operating time 87, 91, 94  
   zone control valve 118  
   zone flow rate 91, 94, 175

