




**Average monthly sea lice counts on farmed Atlantic Salmon
(1 year or less in seawater) located in
BCMAL subzone 2.3**




**Average monthly sea lice counts on farmed Atlantic Salmon
(greater than 1 year in seawater) located in
BCMAL subzone 2.3**




**Average monthly sea lice counts on farmed Atlantic Salmon
(1 year or less in seawater) located in
BCMAL subzone 2.4**




**Average monthly sea lice counts on farmed Atlantic Salmon
(greater than 1 year in seawater) located in
BCMAL subzone 2.4**




**Average monthly sea lice counts on farmed Atlantic Salmon
(1 year or less in seawater) located in
BCMAL subzone 3.1**




**Average monthly sea lice counts on farmed Atlantic Salmon
(greater than 1 year in seawater) located in
BCMAL subzone 3.1**




**Average monthly sea lice counts on farmed Atlantic Salmon
(1 year or less in seawater) located in
BCMAL subzone 3.2**




**Average monthly sea lice counts on farmed Atlantic Salmon
(greater than 1 year in seawater) located in
BCMAL subzone 3.2**




**Average monthly sea lice counts on farmed Atlantic Salmon
(1 year or less in seawater) located in
BCMAL subzone 3.3**




**Average monthly sea lice counts on farmed Atlantic Salmon
(greater than 1 year in seawater) located in
BCMAL subzone 3.3**




**Average monthly sea lice counts on farmed Atlantic Salmon
(1 year or less in seawater) located in
BCMAL subzone 3.4**



**Average monthly sea lice counts on farmed Atlantic Salmon
(greater than 1 year in seawater) located in
BCMAL subzone 3.4**



**Average monthly sea lice counts on farmed Atlantic Salmon
(1 year or less in seawater) located in
BCMAL subzone 3.5**



**Average monthly sea lice counts on farmed Atlantic Salmon
(greater than 1 year in seawater) located in
BCMAL subzone 3.5**

