



Babine Business Area  
 Species of Management Concern and At Risk Ecological Communities - Focus Lists  
 2025-01-02

Category	Common Name	Scientific Name	Reason for Inclusion as Focus Species
<b>Amphibians</b>	Coastal Tailed Frog	<i>Ascaphus truei</i>	High Risk Rank
	Western Toad	<i>Anaxyrus boreas</i>	Actively managed by BCTS
<b>Birds</b>	Bald Eagle	<i>Haliaeetus leucocephalus</i>	Species Identified in <i>Wildlife Act</i>
	Bank Swallow	<i>Riparia riparia</i>	Federal regulatory nest protection
	Barn Swallow	<i>Hirundo rustica</i>	Federal regulatory nest protection
	Common Nighthawk	<i>Chordeiles minor</i>	Actively managed by BCTS
	Great Blue Heron, herodias subspecies	<i>Ardea herodias herodias</i>	Species Identified in <i>Wildlife Act</i> and <i>Migratory Birds Regulations</i>
	Long-billed Curlew	<i>Numenius americanus</i>	Identified Wildlife Species
	American Goshawk, atricapillus subspecies	<i>Accipiter atricapillus atricapillus</i>	Actively managed by BCTS
	Osprey	<i>Pandion haliaetus</i>	Species Identified in <i>Wildlife Act</i>
	Peregrine Falcon, anatum subspecies	<i>Falco peregrinus anatum</i>	Species Identified in <i>Wildlife Act</i>
	Pileated Woodpecker	<i>Dryocopus pileatus</i>	Species Identified in <i>Migratory Birds Regulations</i>
<b>Mammals</b>	Black Bear	<i>Ursus americanus</i>	Actively managed by BCTS
	Caribou (Northern Mountain Population)	<i>Rangifer tarandus pop. 15</i>	High Risk Rank
	Fisher - Columbian Population	<i>Pekania pennanti pop. 5</i>	High Risk Rank
	Grizzly Bear	<i>Ursus arctos</i>	Identified Wildlife Species
	Little Brown Myotis	<i>Myotis lucifugus</i>	Actively managed by BCTS
	Moose	<i>Alces alces</i>	Identified Wildlife Species
	Mountain Goat	<i>Oreamnos americanus</i>	Identified Wildlife Species
	Northern Myotis	<i>Myotis septentrionalis</i>	Actively managed by BCTS
	Wolverine, luscus subspecies	<i>Gulo gulo luscus</i>	Actively managed by BCTS
<b>Ray-finned fishes</b>	Bull Trout	<i>Salvelinus confluentus</i>	Actively managed by BCTS
<b>Lichens</b>	Cryptic paw	<i>Nephroma occultum</i>	High Risk Rank
	Mountain crab-eye	<i>Acroscyphus sphaerophoroides</i>	High Risk Rank
<b>Vascular Plant</b>	Whitebark pine	<i>Pinus albicaulis</i>	Actively managed by BCTS



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

Common Name	Scientific Name	Realm / Group / Class	BEC Subzone- var/ site series	BC List (Red/Blue)
amabilis fir - western redcedar / devil's club Moist Submaritime	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Oplopanax horridus</i> Moist Submaritime	Coniferous Forest	CWHms1/06; CWHms2/06; CWHws1/06	Blue
amabilis fir - western redcedar / oak fern	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Gymnocarpium dryopteris</i>	Coniferous Forest	CWHms1/04; CWHms2/04; CWHws1/04; CWHws2/04	Blue
amabilis fir - western redcedar / oak fern	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Gymnocarpium dryopteris</i>	Coniferous Forest	CWHms1/04; CWHms2/04; CWHws1/04; CWHws2/04	Blue
Bebb's willow / bluejoint reedgrass	<i>Salix bebbiana</i> / <i>Calamagrostis canadensis</i>	Swamp Wetland Class	BGxw1/Ws03; SBSdk/Ws03	Blue
Bebb's willow / bluejoint reedgrass	<i>Salix bebbiana</i> / <i>Calamagrostis canadensis</i>	Swamp Wetland Class	BGxw1/Ws03; SBSdk/Ws03	Blue
black cottonwood - red alder / salmonberry	<i>Populus trichocarpa</i> - <i>Alnus rubra</i> / <i>Rubus spectabilis</i>	Broadleaf Forest or Middle Bench Flood Class	CDFmm/08; CWHdm/09; CWHds1/09; CWHds2/09; CWHmm1/09; CWHms1/08; CWHms2/08; CWHvm1/10; CWHwm/06; CWHws1/08; CWHws2/08; CWHxm1/09; CWHxm2/09	Blue
black cottonwood - red alder / salmonberry	<i>Populus trichocarpa</i> - <i>Alnus rubra</i> / <i>Rubus spectabilis</i>	Broadleaf Forest or Middle Bench Flood Class	CDFmm/08; CWHdm/09; CWHds1/09; CWHds2/09; CWHmm1/09; CWHms1/08; CWHms2/08; CWHvm1/10; CWHwm/06; CWHws1/08; CWHws2/08; CWHxm1/09; CWHxm2/09	Blue



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

black cottonwood - subalpine fir / devil's club	<i>Populus trichocarpa</i> - <i>Abies lasiocarpa</i> / <i>Oplodianax horridus</i>	Broadleaf Forest or Middle Bench Flood Class	ICHmc1/Fm03; ICHmc2/Fm03; ICHvc/Fm03; ICHwc/06; ICHwc/Fm03; SBSvk/Fm03	Blue
black cottonwood - subalpine fir / devil's club	<i>Populus trichocarpa</i> - <i>Abies lasiocarpa</i> / <i>Oplodianax horridus</i>	Broadleaf Forest or Middle Bench Flood Class	ICHmc1/Fm03; ICHmc2/Fm03; ICHvc/Fm03; ICHwc/06; ICHwc/Fm03; SBSvk/Fm03	Blue
black spruce / buckbean / peat- mosses	<i>Picea mariana</i> / <i>Menyanthes trifoliata</i> / <i>Sphagnum</i> spp.	Bog Wetland Class	ICHmc2/Wb11; ICHmw3/Wb11; ICHvk2/Wb11; ICHwk3/Wb11; SBSdw2/Wb11; SBSmc2/Wb11; SBSwk1/Wb11	Blue
black spruce / buckbean / peat- mosses	<i>Picea mariana</i> / <i>Menyanthes trifoliata</i> / <i>Sphagnum</i> spp.	Bog Wetland Class	ICHmc2/Wb11; ICHmw3/Wb11; ICHvk2/Wb11; ICHwk3/Wb11; SBSdw2/Wb11; SBSmc2/Wb11; SBSwk1/Wb11	Blue
black spruce / creeping- snowberry / peat- mosses	<i>Picea mariana</i> / <i>Gaultheria hispidula</i> / <i>Sphagnum</i> spp.	Bog Wetland Class	SBPSmc/Wb01; SBSdk/09; SBSdk/Wb01; SBSmw/Wb01	Blue
black spruce / creeping- snowberry / peat- mosses	<i>Picea mariana</i> / <i>Gaultheria hispidula</i> / <i>Sphagnum</i> spp.	Bog Wetland Class	SBPSmc/Wb01; SBSdk/09; SBSdk/Wb01; SBSmw/Wb01	Blue
black spruce / skunk cabbage / peat-mosses	<i>Picea mariana</i> / <i>Lysichiton americanus</i> / <i>Sphagnum</i> spp.	Coniferous Forest or Swamp Wetland Class	ICHmc2/Ws09; ICHvk2/Ws09; SBSvk/Ws09; SBSwk1/Ws09	Blue
buckbean - slender sedge	<i>Menyanthes trifoliata</i> - <i>Carex lasiocarpa</i>	Fen Wetland Class	CDFmm/Wf06; CWHws1/Wf06; ICHwk1/Wf06; IDFdc/Wf06; IDFdk2/Wf06; SBSdk/Wf06	Blue



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

buckbean - slender sedge	<i>Menyanthes trifoliata</i> - <i>Carex lasiocarpa</i>	Fen Wetland Class	CDFmm/Wf06; CWHws1/Wf06; ICHwk1/Wf06; IDfdc/Wf06; IDfck2/Wf06; SBSdk/Wf06	Blue
common spike-rush Herbaceous Vegetation	<i>Eleocharis palustris</i> Herbaceous Vegetation	Marsh Wetland Class or Estuarine Marsh Class	BGxw2/Wm04; CDFmm/Wm04; CWH/Wm04; ESSFdv/Wm04; ESSFdv1/; ESSFdv2/Wm04; IDfxm/Wm04; SBSdk/Wm04; SBSmk2/Wm04	Blue
common spike-rush Herbaceous Vegetation	<i>Eleocharis palustris</i> Herbaceous Vegetation	Marsh Wetland Class or Estuarine Marsh Class	SBSdk/Wm04; SBSmk2/Wm04; BGxw2/Wm04; CDFmm/Wm04; CWH/Wm04; ESSFdv/Wm04; ESSFdv1/; ESSFdv2/Wm04; IDfxm/Wm04	Blue
Douglas-fir - hybrid white spruce / thimbleberry	<i>Pseudotsuga menziesii</i> - <i>Picea engelmannii</i> x <i>glauca</i> / <i>Rubus parviflorus</i>	Coniferous Forest	SBSdh1/06; SBSdw1/06; SBSmh/01; SBSmh/05; SBSmh/06; SBSvk/03; SBSwk3/03; SBSwk3a/01; SBSwk3a/03	Blue
Douglas-fir - hybrid white spruce / thimbleberry	<i>Pseudotsuga menziesii</i> - <i>Picea engelmannii</i> x <i>glauca</i> / <i>Rubus parviflorus</i>	Coniferous Forest	SBSdh1/06; SBSdw1/06; SBSmh/01; SBSmh/05; SBSmh/06; SBSvk/03; SBSwk3/03; SBSwk3a/01; SBSwk3a/03	Blue
Douglas-fir - lodgepole pine / clad lichens	<i>Pseudotsuga menziesii</i> - <i>Pinus contorta</i> / <i>Cladonia spp.</i>	Coniferous Forest	SBSdw1/02; SBSdw2/02; SBSdw3/02; SBSmh/02; SBSmh/03	Blue
Douglas-fir / red-stemmed feathermoss - step moss	<i>Pseudotsuga menziesii</i> / <i>Pleurozium schreberi</i> - <i>Hylocomium splendens</i>	Coniferous Forest	IDfdk3/05; IDfdk4/07; IDfxm/05; IDfxm/06; SBSdk/04	Blue
Douglas-fir / red-stemmed feathermoss - step moss	<i>Pseudotsuga menziesii</i> / <i>Pleurozium schreberi</i> - <i>Hylocomium splendens</i>	Coniferous Forest	IDfdk3/05; IDfdk4/07; IDfxm/05; IDfxm/06; SBSdk/04	Blue



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

Drummond's willow / bluejoint reedgrass	<i>Salix drummondiana / Calamagrostis canadensis</i>	Low Bench Flood Class	MSdk/FI05; MSdk1/; MSdk2/; MSdm1/FI05; MSmw2/FI05; SBPSdc/FI05; SBSdk/FI05; SBSdw3/FI05	Blue
Drummond's willow / bluejoint reedgrass	<i>Salix drummondiana / Calamagrostis canadensis</i>	Low Bench Flood Class	MSdk/FI05; MSdk1/; MSdk2/; MSdm1/FI05; MSmw2/FI05; SBPSdc/FI05; SBSdk/FI05; SBSdw3/FI05	Blue
few-flowered spike-rush / hook-mosses	<i>Eleocharis quinqueflora / Drepanocladus</i> spp.	Fen Wetland Class	ESSFmc/Wf09; ESSFxc/Wf09; ESSFxc3/; ESSFxcv1/Wf09; MSdm2/Wf09; MSxv/Wf09; SBPSxc/Wf09; SBSmc2/Wf09	Blue
few-flowered spike-rush / hook-mosses	<i>Eleocharis quinqueflora / Drepanocladus</i> spp.	Fen Wetland Class	ESSFmc/Wf09; ESSFxc/Wf09; ESSFxc3/; ESSFxcv1/Wf09; MSdm2/Wf09; MSxv/Wf09; SBPSxc/Wf09; SBSmc2/Wf09	Blue
glaucous bluegrass Herbaceous Vegetation	<i>Poa glauca</i> ssp. <i>rupicola</i> Herbaceous Vegetation	Alpine	BAFA	Blue
glaucous bluegrass Herbaceous Vegetation	<i>Poa glauca</i> ssp. <i>rupicola</i> Herbaceous Vegetation	Alpine	BAFA	Blue
Hudson Bay clubrush / rusty hook-moss	<i>Trichophorum alpinum / Scorpidium revolvens</i>	Fen Wetland Class	SBSmc2/Wf10; SBSmk2/Wf10	Red
Hudson Bay clubrush / rusty hook-moss	<i>Trichophorum alpinum / Scorpidium revolvens</i>	Fen Wetland Class	SBSmc2/Wf10; SBSmk2/Wf10	Red
hybrid white spruce - paper birch / devil's club	<i>Picea engelmannii</i> x <i>glauca</i> - <i>Betula papyrifera / Oplopanax horridus</i>	Coniferous Forest	ICHmc2/54; SBSmh/07	Blue



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

hybrid white spruce / hardhack - prickly rose	<i>Picea engelmannii x glauca / Spiraea douglasii - Rosa acicularis</i>	Coniferous Forest	SBSdw3/06	Blue
lodgepole pine - black spruce / red-stemmed feathermoss	<i>Pinus contorta - Picea mariana / Pleurozium schreberi</i>	Coniferous Forest	SBPSdc/04; SBSdw2/07; SBSdw3/05	Blue
lodgepole pine / black huckleberry / reindeer lichens	<i>Pinus contorta / Vaccinium membranaceum / Cladina spp.</i>	Coniferous Forest	SBSmk2/00; SBSvk/09; SBSwk1/02; SBSwk2/02; SBSwk3/02	Blue
lodgepole pine / black huckleberry / reindeer lichens	<i>Pinus contorta / Vaccinium membranaceum / Cladina spp.</i>	Coniferous Forest	SBSmk2/00; SBSvk/09; SBSwk1/02; SBSwk2/02; SBSwk3/02	Blue
lodgepole pine / common juniper / rough-leaved ricegrass	<i>Pinus contorta / Juniperus communis / Oryzopsis asperifolia</i>	Coniferous Forest	SBSdk/02	Blue
lodgepole pine / common juniper / rough-leaved ricegrass	<i>Pinus contorta / Juniperus communis / Oryzopsis asperifolia</i>	Coniferous Forest	SBSdk/02	Blue
lodgepole pine / few-flowered sedge / peat-mosses	<i>Pinus contorta / Carex pauciflora / Sphagnum spp.</i>	Bog Wetland Class	ESSFmc/Wb10; ESSFwc3/Wb10; ICHwk2/Wb10; SBSmc2/Wb10	Blue
lodgepole pine / few-flowered sedge / peat-mosses	<i>Pinus contorta / Carex pauciflora / Sphagnum spp.</i>	Bog Wetland Class	ESSFmc/Wb10; ESSFwc3/Wb10; ICHwk2/Wb10; SBSmc2/Wb10	Blue
lodgepole pine / kinnikinnick	<i>Pinus contorta / Arctostaphylos uva-ursi</i>	Coniferous Forest	CWHws1/02; CWHws2/02	Red



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

lodgepole pine / kinnikinnick	<i>Pinus contorta</i> / <i>Arctostaphylos uva-ursi</i>	Coniferous Forest	CWHws1/02; CWHws2/02	Red
MacCalla's willow / beaked sedge	<i>Salix maccalliana</i> / <i>Carex utriculata</i>	Swamp Wetland Class	ESSFdv/Ws05; ESSFdv1/; ESSFdv2/Ws05; ESSFxc/Ws05; ESSFxc3/; IDFdc/Ws05; IDFdk1/Ws05; IDFdk3/Ws05; IDFdk4/Ws05; MSdm1/Ws05; SBPSmk/Ws05; SBPSxc/Ws05; SBSdh1/Ws05; SBSdk/Ws05	Blue
MacCalla's willow / beaked sedge	<i>Salix maccalliana</i> / <i>Carex utriculata</i>	Swamp Wetland Class	ESSFdv/Ws05; ESSFdv1/; ESSFdv2/Ws05; ESSFxc/Ws05; ESSFxc3/; IDFdc/Ws05; IDFdk1/Ws05; IDFdk3/Ws05; IDFdk4/Ws05; MSdm1/Ws05; SBPSmk/Ws05; SBPSxc/Ws05; SBSdh1/Ws05; SBSdk/Ws05	Blue
mountain alder / red-osier dogwood / lady fern	<i>Alnus incana</i> / <i>Cornus sericea</i> / <i>Athyrium filix-femina</i>	Low Bench Flood Class	ICHmc2/FI02; ICHvc/52; ICHvc/FI02; ICHwc/52; ICHwc/FI02; ICHwk1/FI02; ICHwk4/FI02; SBSdk/FI02; SBSmk2/FI02; SBSvk/FI02; SBSwk1/FI02	Blue
mountain alder / red-osier dogwood / lady fern	<i>Alnus incana</i> / <i>Cornus sericea</i> / <i>Athyrium filix-femina</i>	Low Bench Flood Class	ICHmc2/FI02; ICHvc/52; ICHvc/FI02; ICHwc/52; ICHwc/FI02; ICHwk1/FI02; ICHwk4/FI02; SBSdk/FI02; SBSmk2/FI02; SBSvk/FI02; SBSwk1/FI02	Blue
narrow-leaved cotton-grass - shore sedge	<i>Eriophorum angustifolium</i> - <i>Carex limosa</i>	Fen Wetland Class	ESSFdc1/Wf13; ESSFdc3/Wf13; ESSFmc/Wf13; ESSFmw/Wf13; ESSFwc2/Wf13; ESSFxc/Wf13; ESSFxc3/; MSdm1/Wf13; SBSwk2/Wf13	Blue



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

narrow-leaved cotton-grass - shore sedge	<i>Eriophorum angustifolium</i> - <i>Carex limosa</i>	Fen Wetland Class	ESSFdc1/Wf13; ESSFdc3/Wf13; ESSFmc/Wf13; ESSFmw/Wf13; ESSFwc2/Wf13; ESSFxc/Wf13; ESSFxc3/; MSdm1/Wf13; SBSwk2/Wf13	Blue
Sandberg's bluegrass - slender wheatgrass	<i>Poa secunda</i> ssp. <i>secunda</i> - <i>Elymus trachycaulus</i>	Grassland Class	ESSFmc; SBSdk/82; SBSmc2	Red
Sandberg's bluegrass - slender wheatgrass	<i>Poa secunda</i> ssp. <i>secunda</i> - <i>Elymus trachycaulus</i>	Grassland Class	ESSFmc; SBSdk/82; SBSmc2	Red
saskatoon / slender wheatgrass	<i>Amelanchier alnifolia</i> / <i>Elymus trachycaulus</i>	Grassland Brushland Class	ESSFmc; ESSFwv; ICHmc1; ICHmc2; SBSdk/81; SBSmc2	Red
saskatoon / slender wheatgrass	<i>Amelanchier alnifolia</i> / <i>Elymus trachycaulus</i>	Grassland Brushland Class	ESSFmc; ESSFwv; ICHmc1; ICHmc2; SBSdk/81; SBSmc2	Red
scheuchzeria / peat-mosses	<i>Scheuchzeria palustris</i> / <i>Sphagnum</i> spp.	Bog Wetland Class	ICHmc2/Wb12; ICHmk3/Wb12; SBSdw3/Wb12; SBSmc2/Wb12; SBSvk/Wb12	Blue
scheuchzeria / peat-mosses	<i>Scheuchzeria palustris</i> / <i>Sphagnum</i> spp.	Bog Wetland Class	ICHmc2/Wb12; ICHmk3/Wb12; SBSdw3/Wb12; SBSmc2/Wb12; SBSvk/Wb12	Blue





Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

shore sedge - buckbean / hook-mosses	<i>Carex limosa - Menyanthes trifoliata / Drepanocladus spp.</i>	Fen Wetland Class	BWBSdk/Wf08; BWBSmk/Wf08; ESSFwc3/Wf08; ESSFxc/Wf08; ESSFxc3/; ESSFyv1/Wf08; MSdc1/Wf08; MSdc3/Wf08; MSdm3/Wf08; MSdm3w/Wf08; MSmw1/Wf08; MSxk/Wf08; MSxk2/; MSxk3/; MSxv/Wf08; SBPSdc/Wf08; SBSdk/Wf08; SBSmc2/Wf08; SBSmk2/Wf08; SBSwk1/Wf08	Blue
shore sedge - buckbean / hook-mosses	<i>Carex limosa - Menyanthes trifoliata / Drepanocladus spp.</i>	Fen Wetland Class	BWBSdk/Wf08; BWBSmk/Wf08; ESSFwc3/Wf08; ESSFxc/Wf08; ESSFxc3/; ESSFyv1/Wf08; MSdc1/Wf08; MSdc3/Wf08; MSdm3/Wf08; MSdm3w/Wf08; MSmw1/Wf08; MSxk/Wf08; MSxk2/; MSxk3/; MSxv/Wf08; SBPSdc/Wf08; SBSdk/Wf08; SBSmc2/Wf08; SBSmk2/Wf08; SBSwk1/Wf08	Blue
shore sedge - buckbean / peat-mosses	<i>Carex limosa - Menyanthes trifoliata / Sphagnum spp.</i>	Bog Wetland Class	CWHws1/Wb13; CWHws2/Wb13; ICHmc1/Wb13; ICHvc/Wb13; ICHwk2/Wb13; SBSmk1/Wb13	Blue
shore sedge - buckbean / peat-mosses	<i>Carex limosa - Menyanthes trifoliata / Sphagnum spp.</i>	Bog Wetland Class	CWHws1/Wb13; CWHws2/Wb13; ICHmc1/Wb13; ICHvc/Wb13; ICHwk2/Wb13; SBSmk1/Wb13	Blue
Sitka sedge / peat-mosses	<i>Carex sitchensis / Sphagnum spp.</i>	Fen Wetland Class	CWHvh2/Wf51; CWHvm1/Wf51; CWHvm2/Wf51; CWHwh1/Wf51; CWHwm/Wf51; CWHws2/Wf51; ICHvc/Wf51; ICHwc/Wf51; MHmm1/Wf51	Red



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

Sitka sedge / peat-mosses	<i>Carex sitchensis</i> / <i>Sphagnum</i> spp.	Fen Wetland Class	CWHvh2/Wf51; CWHvm1/Wf51; CWHvm2/Wf51; CWHwh1/Wf51; CWHwm/Wf51; CWHws2/Wf51; ICHvc/Wf51; ICHwc/Wf51; MHmm1/Wf51	Red
Sitka spruce / salmonberry Wet Submaritime 1	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Wet Submaritime 1	Coniferous Forest or Highbench Flood	CWHws1/07	Red
Sitka spruce / salmonberry Wet Submaritime 2	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Wet Submaritime 2	Coniferous Forest	CWHws2/07	Blue
Sitka spruce / salmonberry Wet Submaritime 2	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Wet Submaritime 2	Coniferous Forest	CWHws2/07	Blue
Sitka willow - Pacific willow / skunk cabbage	<i>Salix sitchensis</i> - <i>Salix lasiandra</i> var. <i>lasiandra</i> / <i>Lysichiton americanus</i>	Swamp Wetland Class	CDFmm/Ws51; CWH/Ws51; ICH/Ws51	Blue
Sitka willow - Pacific willow / skunk cabbage	<i>Salix sitchensis</i> - <i>Salix lasiandra</i> var. <i>lasiandra</i> / <i>Lysichiton americanus</i>	Swamp Wetland Class	CDFmm/Ws51; CWH/Ws51; ICH/Ws51	Blue



Babine Business Area  
 Species of Management Concern and At Risk Ecological Communities - Focus Lists  
 2025-01-02

slender sedge / common hook- moss	<i>Carex lasiocarpa</i> / <i>Drepanocladus aduncus</i>	Fen Wetland Class	BWBSdk/Wf05; BWBSmk/Wf05; ICHdk/Wf05; ICHmc1/Wf05; ICHmc2/Wf05; ICHmw1/Wf05; ICHmw3/Wf05; ICHvk1/Wf05; ICHwk1/Wf05; ICHwk2/Wf05; IDFdk1/Wf05; IDFdk3/Wf05; IDFdk4/Wf05; IDFdm2/Wf05; IDFXc/Wf05; MSdk/Wf05; MSdk1/; MSdk2/; MSdm1/Wf05; MSdm2/Wf05; MSdm3/Wf05; MSdm3w/Wf05; SBPSdc/Wf05; SBPSmk/Wf05; SBPSxc/Wf05; SBSdk/Wf05; SBSmc2/Wf05; SBSmk1/Wf05; SBSwk1/Wf05	Blue
slender sedge / common hook- moss	<i>Carex lasiocarpa</i> / <i>Drepanocladus aduncus</i>	Fen Wetland Class	BWBSdk/Wf05; BWBSmk/Wf05; ICHdk/Wf05; ICHmc1/Wf05; ICHmc2/Wf05; ICHmw1/Wf05; ICHmw3/Wf05; ICHvk1/Wf05; ICHwk1/Wf05; ICHwk2/Wf05; IDFdk1/Wf05; IDFdk3/Wf05; IDFdk4/Wf05; IDFdm2/Wf05; IDFXc/Wf05; MSdk/Wf05; MSdk1/; MSdk2/; MSdm1/Wf05; MSdm2/Wf05; MSdm3/Wf05; MSdm3w/Wf05; SBPSdc/Wf05; SBPSmk/Wf05; SBPSxc/Wf05; SBSdk/Wf05; SBSmc2/Wf05; SBSmk1/Wf05; SBSwk1/Wf05	Blue



Babine Business Area  
 Species of Management Concern and At Risk Ecological Communities - Focus Lists  
 2025-01-02

swamp horsetail - beaked sedge	<i>Equisetum fluviatile</i> - <i>Carex utriculata</i>	Marsh Wetland Class	BGxh2/Wm02; BWBSdk/Wm02; BWBSmk/Wm02; ESSFmw/Wm02; ICHmk4/Wm02; ICHmw3/Wm02; ICHwk4/Wm02; IDFdC/Wm02; IDFdK5/Wm02; IDFdM2/Wm02; IDFxk/Wm02; MSdc2/Wm02; MSdk/Wm02; MSdm3/Wm02; MSdm3w/Wm02; MSdw/Wm02; MSmw2/Wm02; MSxk/Wm02; MSxk2/ MSxk3; MSxv/Wm02; PPdh2/Wm02; SBPSdc/Wm02; SBPSmk/Wm02; SBPSxc/Wm02; SBSdk/Wm02; SBSdw3/Wm02; SBSmk2/Wm02; SBSwk1/Wm02	Blue
swamp horsetail - beaked sedge	<i>Equisetum fluviatile</i> - <i>Carex utriculata</i>	Marsh Wetland Class	BGxh2/Wm02; BWBSdk/Wm02; BWBSmk/Wm02; ESSFmw/Wm02; ICHmk4/Wm02; ICHmw3/Wm02; ICHwk4/Wm02; IDFdC/Wm02; IDFdK5/Wm02; IDFdM2/Wm02; IDFxk/Wm02; MSdc2/Wm02; MSdk/Wm02; MSdm3/Wm02; MSdm3w/Wm02; MSdw/Wm02; MSmw2/Wm02; MSxk/Wm02; MSxk2/ MSxk3; MSxv/Wm02; PPdh2/Wm02; SBPSdc/Wm02; SBPSmk/Wm02; SBPSxc/Wm02; SBSdk/Wm02; SBSdw3/Wm02; SBSmk2/Wm02; SBSwk1/Wm02	Blue



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

tamarack / low birch / bluejoint reedgrass - sedges / peat-mosses	<i>Larix laricina / Betula pumila / Calamagrostis canadensis - Carex spp. / Sphagnum spp.</i>	Forested Fen Wetland Class	SBSdw2; SBSdw3	Red
tufted clubrush / golden star-moss	<i>Trichophorum cespitosum / Campyllum stellatum</i>	Fen Wetland Class	BWBSdk/Wf11; ESSFdc1/Wf11; ESSFdc2/Wf11; ESSFdc3/Wf11; ESSFdv/Wf11; ESSFdv1/; ESSFdv2/Wf11; ESSFwc2/Wf11; ESSFwc3/Wf11; ESSFwk1/Wf11; ESSFxc/Wf11; ESSFxc3/; ICHmc2/Wf11; ICHmw1/Wf11; ICHmw3/Wf11; ICHvk1/Wf11; MSdm2/Wf11; SBSdk/Wf11; SBSwk1/Wf11	Blue
tufted clubrush / golden star-moss	<i>Trichophorum cespitosum / Campyllum stellatum</i>	Fen Wetland Class	BWBSdk/Wf11; ESSFdc1/Wf11; ESSFdc2/Wf11; ESSFdc3/Wf11; ESSFdv/Wf11; ESSFdv1/; ESSFdv2/Wf11; ESSFwc2/Wf11; ESSFwc3/Wf11; ESSFwk1/Wf11; ESSFxc/Wf11; ESSFxc3/; ICHmc2/Wf11; ICHmw1/Wf11; ICHmw3/Wf11; ICHvk1/Wf11; MSdm2/Wf11; SBSdk/Wf11; SBSwk1/Wf11	Blue
western hemlock - lodgepole pine / red-stemmed feathermoss	<i>Tsuga heterophylla - Pinus contorta / Pleurozium schreberi</i>	Coniferous Forest	CWHws1/03; CWHws2/03	Blue
western hemlock - lodgepole pine / red-stemmed feathermoss	<i>Tsuga heterophylla - Pinus contorta / Pleurozium schreberi</i>	Coniferous Forest	CWHws1/03; CWHws2/03	Blue
western hemlock / cloudberry / peat-mosses	<i>Tsuga heterophylla / Rubus chamaemorus / Sphagnum spp.</i>	Bog Wetland Class	ICHmc2/Wb04; ICHvc/Wb04; ICHwc/Wb04	Red



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
2025-01-02

western hemlock / kinnikinnick / clad lichens	<i>Tsuga heterophylla</i> / <i>Arctostaphylos uva-ursi</i> / <i>Cladonia</i> spp.	Coniferous Forest	ICHmc1/02; ICHmc2/02	Blue
western hemlock / kinnikinnick / clad lichens	<i>Tsuga heterophylla</i> / <i>Arctostaphylos uva-ursi</i> / <i>Cladonia</i> spp.	Coniferous Forest	ICHmc1/02; ICHmc2/02	Blue
western redcedar - Sitka spruce / skunk cabbage	<i>Thuja plicata</i> - <i>Picea sitchensis</i> / <i>Lysichiton americanus</i>	Coniferous Forest or Swamp Wetland Class	CDFmm/Ws54; CWHdm/12; CWHdm/Ws54; CWHds1/12; CWHds1/Ws54; CWHds2/12; CWHds2/Ws54; CWHmm1/12; CWHmm1/Ws54; CWHms1/11; CWHms1/Ws54; CWHms2/11; CWHms2/Ws54; CWHvh1/13; CWHvh1/Ws54; CWHvh2/13; CWHvh2/Ws54; CWHvm1/14; CWHvm1/Ws54; CWHvm2/Ws54; CWHwh1/12; CWHwh1/Ws54; CWHwh2/06; CWHwh2/Ws54; CWHws1/11; CWHws1/Ws54; CWHws2/Ws54; CWHxm1/Ws54; CWHxm2/Ws54	Blue
whitebark pine / clad lichens - curly heron's-bill moss	<i>Pinus albicaulis</i> / <i>Cladonia</i> spp. - <i>Dicranum fuscescens</i>	Coniferous Forest	ESSFmk/02; ESSFmk/03	Blue
whitebark pine / clad lichens - curly heron's-bill moss	<i>Pinus albicaulis</i> / <i>Cladonia</i> spp. - <i>Dicranum fuscescens</i>	Coniferous Forest	ESSFmk/02; ESSFmk/03	Blue
western hemlock / devil's club - black gooseberry	<i>Tsuga heterophylla</i> / <i>Oplopanax horridus</i> - <i>Ribes lacustre</i>	Coniferous Forest	ICHmc1/04	Blue



Babine Business Area  
Species of Management Concern and At Risk Ecological Communities - Focus Lists  
*2025-01-02*