

Group	Category	Common Name	Scientific Name	Reason for Inclusion as Focus Species
Animals	amphibians	Coastal Tailed Frog	<i>Ascaphus truei</i>	High Risk Rank
Animals	amphibians	Western Toad	<i>Anaxyrus boreas</i>	Actively managed by BCTS
Animals	birds	Bald Eagle	<i>Haliaeetus leucocephalus</i>	Species Identified in <i>Wildlife Act</i>
Animals	birds	Bank Swallow	<i>Riparia riparia</i>	Federal regulatory nest protection
Animals	birds	Barn Swallow	<i>Hirundo rustica</i>	Federal regulatory nest protection
Animals	birds	Common Nighthawk	<i>Chordeiles minor</i>	Actively managed by BCTS
Animals	birds	Great Blue Heron, herodias subspecies	<i>Ardea herodias herodias</i>	Species Identified in <i>Wildlife Act</i> and <i>Migratory Birds Regulations</i>
Animals	birds	Long-billed Curlew	<i>Numenius americanus</i>	Identified Wildlife Species
Animals	birds	American Goshawk, atricapillus subspecies	<i>Accipiter atricapillus atricapillus</i>	Actively managed by BCTS
Animals	birds	Osprey	<i>Pandion haliaetus</i>	Species Identified in <i>Wildlife Act</i>
Animals	birds	Peregrine Falcon, anatum subspecies	<i>Falco peregrinus anatum</i>	Species Identified in <i>Wildlife Act</i>
Animals	birds	Pileated Woodpecker	<i>Dryocopus pileatus</i>	Species Identified in <i>Migratory Birds Regulations</i>
Animals	mammals	Black Bear	<i>Ursus americanus</i>	Actively managed by BCTS
Animals	mammals	Caribou (Northern Mountain Population)	<i>Rangifer tarandus pop. 15</i>	High Risk Rank
Animals	mammals	Fisher - Columbian Population	<i>Pekania pennanti pop. 5</i>	High Risk Rank
Animals	mammals	Grizzly Bear	<i>Ursus arctos</i>	Identified Wildlife Species
Animals	mammals	Little Brown Myotis	<i>Myotis lucifugus</i>	Actively managed by BCTS
Animals	mammals	Moose	<i>Alces alces</i>	Identified Wildlife Species
Animals	mammals	Mountain Goat	<i>Oreamnos americanus</i>	Identified Wildlife Species
Animals	mammals	Northern Myotis	<i>Myotis septentrionalis</i>	Actively managed by BCTS
Animals	mammals	Wolverine	<i>Gulo gulo</i>	Actively managed by BCTS
Animals	ray-finned fishes	Bull Trout	<i>Salvelinus confluentus</i>	Actively managed by BCTS
Plants	Lichen	cryptic paw	<i>Nephroma occultum</i>	High Risk Rank
Plants	Lichen	mountain crab-eye	<i>Acrosyphus sphaerophoroides</i>	High Risk Rank
Plants	Vascular Plant	whitebark pine	<i>Pinus albicaulis</i>	Actively managed by BCTS

Natural Resource District	Common Name	Scientific Name	BEC Subzone- var/ site series	BC List (Red/Blue)	Reason for Inclusion or Non-Inclusion as Focus Species
Nadina, Skeena Stikine	Sitka sedge / peat-mosses	<i>Carex sitchensis</i> / <i>Sphagnum</i> spp.	CWHvh2/Wf51; CWHvm1/Wf51; CWHvm2/Wf51; CWHwh1/Wf51; CWHwm/Wf51; CWHws2/Wf51; ICHvc/Wf51; ICHwc/Wf51; MHmm1/Wf51	Red	High Risk Rank
Nadina, Skeena Stikine	few-flowered spike-rush / hook-mosses	<i>Eleocharis quinqueflora</i> / <i>Drepanocladus</i> spp.	ESSFmc/Wf09; ESSFxc/Wf09; ESSFxc3/; ESSFvx1/Wf09; MSdm2/Wf09; MSxv/Wf09; SBPSxc/Wf09; SBSmc2/Wf09	Blue	High Risk Rank
Nadina	tamarack / low birch / bluejoint reedgrass - sedges / peat-mosses	<i>Larix laricina</i> / <i>Betula pumila</i> / <i>Calamagrostis canadensis</i> - <i>Carex</i> spp. / <i>Sphagnum</i> spp.	SBSdw2; SBSdw3	Red	High Risk Rank
Nadina, Skeena Stikine	lodgepole pine / kinnikinnick	<i>Pinus contorta</i> / <i>Arctostaphylos uva-ursi</i>	CWHws1/02; CWHws2/02	Red	High Risk Rank
Nadina, Skeena Stikine	Sandberg's bluegrass - slender wheatgrass	<i>Poa secunda</i> ssp. <i>secunda</i> - <i>Elymus trachycaulus</i>	ESSFmc; SBSdk/82; SBSmc2	Red	High Risk Rank
Nadina, Skeena Stikine	black cottonwood - red alder / salmonberry	<i>Populus trichocarpa</i> - <i>Alnus rubra</i> / <i>Rubus spectabilis</i>	CDFmm/08; CWHdm/09; CWHds1/09; CWHds2/09; CWHmm1/09; CWHms1/08; CWHms2/08; CWHvm1/10; CWHwm/06; CWHws1/08; CWHws2/08; CWHxm1/09; CWHxm2/09	Blue	High Risk Rank
Nadina, Skeena Stikine	Hudson Bay clubrush / rusty hook-moss	<i>Trichophorum alpinum</i> / <i>Scorpidium revolvens</i>	SBSmc2/Wf10; SBSmk2/Wf10	Red	High Risk Rank
Skeena Stikine	Sitka spruce / salmonberry Wet Submaritime 1	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i>	CWHws1/07	Red	High Risk Rank
Skeena Stikine	western redcedar - Sitka spruce / skunk cabbage	<i>Thuja plicata</i> - <i>Picea sitchensis</i> / <i>Lysichiton americanus</i>	CDFmm/Ws54; CWHdm/12; CWHdm/Ws54; CWHds1/12; CWHds1/Ws54; CWHds2/12; CWHds2/Ws54; CWHmm1/12; CWHmm1/Ws54; CWHms1/11; CWHms1/Ws54; CWHms2/11; CWHms2/Ws54; CWHvh1/13; CWHvh1/Ws54; CWHvh2/13; CWHvh2/Ws54; CWHvm1/14; CWHvm1/Ws54; CWHvm2/Ws54; CWHwh1/12; CWHwh1/Ws54; CWHwh2/06; CWHwh2/Ws54; CWHws1/11; CWHws1/Ws54; CWHws2/Ws54; CWHxm1/Ws54; CWHxm2/Ws54	Blue	High Risk Rank
Nadina, Skeena Stikine	amabilis fir - western redcedar / oak fern	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Gymnocarpium dryopteris</i>	CWHms1/04; CWHms2/04; CWHws1/04; CWHws2/04	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina	hybrid white spruce / hardhack - prickly rose	<i>Picea engelmannii</i> x <i>glauca</i> / <i>Spiraea douglasii</i> - <i>Rosa acicularis</i>	SBSdw3/06	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina, Skeena Stikine	Sitka spruce / salmonberry Wet Submaritime 2	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i>	CWHws2/07	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina, Skeena Stikine	whitebark pine / clad lichens - curly heron's-bill moss	<i>Pinus albicaulis</i> / <i>Cladonia</i> spp. - <i>Dicranum fuscescens</i>	ESSFmk/02; ESSFmk/03	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina, Skeena Stikine	lodgepole pine / common juniper / rough-leaved ricegrass	<i>Pinus contorta</i> / <i>Juniperus communis</i> / <i>Oryzopsis asperifolia</i>	SBSdk/02	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina	lodgepole pine - black spruce / red-stemmed feathermoss	<i>Pinus contorta</i> - <i>Picea mariana</i> / <i>Pleurozium schreberi</i>	SBPSdc/04; SBSdw2/07; SBSdw3/05	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina, Skeena Stikine	lodgepole pine / black huckleberry / reindeer lichens	<i>Pinus contorta</i> / <i>Vaccinium membranaceum</i> / <i>Cladonia</i> spp.	SBSmk2/00; SBSvk/09; SBSwk1/02; SBSwk2/02; SBSwk3/02	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina, Skeena Stikine	black cottonwood - subalpine fir / devil's club	<i>Populus trichocarpa</i> - <i>Abies lasiocarpa</i> / <i>Oplonanax horridus</i>	ICHmc1/Fm03; ICHmc2/Fm03; ICHvc/Fm03; ICHwc/06; ICHwc/Fm03; SBSvk/Fm03	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina, Skeena Stikine	Douglas-fir - hybrid white spruce / thimbleberry	<i>Pseudotsuga menziesii</i> - <i>Picea engelmannii</i> x <i>glauca</i> / <i>Rubus parviflorus</i>	SBSdh1/06; SBSdw1/06; SBSmh/01; SBSmh/05; SBSmh/06; SBSvk/03; SBSwk3/03; SBSwk3a/01; SBSwk3a/03	Blue	Medium Risk Rank AND in a forested ecosystem.
Nadina	Douglas-fir - lodgepole pine / clad lichens	<i>Pseudotsuga menziesii</i> - <i>Pinus contorta</i> / <i>Cladonia</i> spp.	SBSdw1/02; SBSdw2/02; SBSdw3/02; SBSmh/02; SBSmh/03	Blue	Medium Risk Rank AND in a forested ecosystem.

Nadina, Skeena Stikine	Douglas-fir / red-stemmed feathermoss - step moss	<i>Pseudotsuga menziesii</i> / <i>Pleurozium schreberi</i> - <i>Hylocomium splendens</i>	IDFdk3/05; IDFdk4/07; IDFxM/05; IDFxM/06; SBSdk/04	Blue	Medium Risk Rank AND in a forested ecosystem.	
Nadina, Skeena Stikine	Sitka willow - Pacific willow / skunk cabbage	<i>Salix sitchensis</i> - <i>Salix lasiandra</i> var. <i>lasiandra</i> / <i>Lysichiton americanus</i>	CDFmm/Ws51; CWH/Ws51; ICH/Ws51	Blue	Medium Risk Rank AND in a forested ecosystem.	
Nadina, Skeena Stikine	western hemlock / kinnikinnick / clad lichens	<i>Tsuga heterophylla</i> / <i>Arctostaphylos uva-ursi</i> / <i>Cladonia</i> spp.	ICHmc1/02; ICHmc2/02	Blue	Medium Risk Rank AND in a forested ecosystem.	
Nadina, Skeena Stikine	western hemlock - lodgepole pine / red-stemmed feathermoss	<i>Tsuga heterophylla</i> - <i>Pinus contorta</i> / <i>Pleurozium schreberi</i>	CWHws1/03; CWHws2/03	Blue	Medium Risk Rank AND in a forested ecosystem.	
Skeena Stikine	amabilis fir - western redcedar / devil's club Moist Submaritime	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Oplopanax horridus</i> Moist Submaritime	CWHms1/06; CWHms2/06; CWHws1/06	Blue	Medium Risk Rank AND in a forested ecosystem.	
Skeena Stikine	hybrid white spruce - paper birch / devil's club	<i>Picea engelmannii</i> x <i>glauca</i> - <i>Betula papyrifera</i> / <i>Oplopanax horridus</i>	ICHmc2/54; SBSmh/07	Blue	Medium Risk Rank AND in a forested ecosystem.	
Skeena Stikine	black spruce / skunk cabbage / peat-mosses	<i>Picea mariana</i> / <i>Lysichiton americanus</i> / <i>Sphagnum</i> spp.	ICHmc2/Ws09; ICHvk2/Ws09; SBSvk/Ws09; SBSwk1/Ws09	Blue	Medium Risk Rank AND in a forested ecosystem.	
AREC below for consideration during road building or development and maintenance of log handling facilities						Realm / Group / Class
Nadina, Skeena Stikine	saskatoon / slender wheatgrass	<i>Amelanchier alnifolia</i> / <i>Elymus trachycaulus</i>	ESSFmc; ESSFw; ICHmc1; ICHmc2; SBSdk/81; SBSmc2	Red	AREC with a Medium Risk Rank AND in a non-forested ecosystem which may be disturbed by road building or development and maintenance of log handling facilities	Grassland Brushland Class
Skeena Stikine	western hemlock / cloudberry / peat-mosses	<i>Tsuga heterophylla</i> / <i>Rubus chamaemorus</i> / <i>Sphagnum</i> spp.	ICHmc2/Wb04; ICHvc/Wb04; ICHwc/Wb04	Red	AREC with a Medium Risk Rank AND in a non-forested ecosystem which may be disturbed by road building or development and maintenance of log handling facilities	Bog Wetland Class

2024-08-30