



Species of Management Concern
Focus List
 DCK, DSQ, DSC Areas
 2023-08-17

Category	Common Name	Scientific Name	Reason for Inclusion or Non-Inclusion as Focus Species
Amphibians	Coastal Giant Salamander	<i>Dicamptodon tenebrosus</i>	High Risk Rank
	Coastal Tailed Frog	<i>Ascaphus truei</i>	High Risk Rank
	Northern Red-legged Frog	<i>Rana aurora</i>	Identified Wildlife Species in 1 or more BCTS Business Areas
	Oregon Spotted Frog	<i>Rana pretiosa</i>	Actively managed by BCTS
	Western Toad	<i>Anaxyrus boreas</i>	Actively managed by BCTS
Birds	Ancient Murrelet	<i>Synthliboramphus antiquus</i>	Identified Wildlife Species in 1 or more BCTS Business Areas
	Bald Eagle	<i>Haliaeetus leucocephalus</i>	Species Identified in Wildlife Act
	Barn Swallow	<i>Hirundo rustica</i>	Actively managed by BCTS
	Common Nighthawk	<i>Chordeiles minor</i>	Actively managed by BCTS
	Great Blue Heron, fannini subspecies	<i>Ardea herodias fannini</i>	Species Identified in Wildlife Act
	Marbled Murrelet	<i>Brachyramphus marmoratus</i>	High Risk Rank
	Northern Goshawk, laingi subspecies	<i>Accipiter gentilis laingi</i>	High Risk Rank
	Olive-sided Flycatcher	<i>Contopus cooperi</i>	High Risk Rank
	Osprey	<i>Pandion haliaetus</i>	Species Identified in Wildlife Act
	Peregrine Falcon, anatum subspecies	<i>Falco peregrinus anatum</i>	Species Identified in Wildlife Act
	Peregrine Falcon, pealei subspecies	<i>Falco peregrinus pealei</i>	Species Identified in Wildlife Act
	Spotted Owl	<i>Strix occidentalis</i>	High Risk Rank
	Pileated Woodpecker	<i>Dryocopus pileatus</i>	On Schedule 1 of Migratory Birds Regulation
Western Screech-Owl, kennicottii subspecies	<i>Megascops kennicottii kennicottii</i>	High Risk Rank	
Gastropods	Oregon Forestsnail	<i>Allogona townsendiana</i>	High Risk Rank
Insects	Dun Skipper	<i>Euphyes vestris</i>	Actively managed by BCTS
	Johnson's Hairstreak	<i>Callophrys johnsoni</i>	High Risk Rank
Mammals	Black Bear	<i>Ursus americanus</i>	Actively managed by BCTS
	Fisher - Columbian Population	<i>Pekania pennanti pop. 5</i>	High Risk Rank
	Grizzly Bear	<i>Ursus arctos</i>	Identified Wildlife Species in 1 or more BCTS Business Areas
	Fringed Myotis	<i>Myotis thysanodes</i>	Identified Wildlife Species in 1 or more BCTS Business Areas
	Little Brown Myotis	<i>Myotis lucifugus</i>	Actively managed by BCTS
	Moose	<i>Alces alces</i>	Identified Wildlife Species in 1 or more BCTS Business Areas
	Mountain Beaver	<i>Aplodontia rufa</i>	High Risk Rank
	Mountain Goat	<i>Oreamnos americanus</i>	Identified Wildlife Species in 1 or more BCTS Business Areas
	Pacific Water Shrew	<i>Sorex bendirii</i>	High Risk Rank
	Roosevelt Elk	<i>Cervus elaphus roosevelti</i>	Identified Wildlife Species in 1 or more BCTS Business Areas
	Southern Red-backed Vole, occidentalis subspecies	<i>Myodes gapperi occidentalis</i>	High Risk Rank
Wolverine, luscus subspecies	<i>Gulo gulo luscus</i>	Actively managed by BCTS	
Fish	Bull Trout	<i>Salvelinus confluentus</i>	Actively managed by BCTS
	Bull Trout - South Coast Population	<i>Salvelinus confluentus pop. 28</i>	Actively managed by BCTS
	Cutthroat Trout, clarkii subspecies	<i>Oncorhynchus clarkii clarkii</i>	Actively managed by BCTS
Reptiles	Painted Turtle - Pacific Coast Population	<i>Chrysemys picta pop. 1</i>	High Risk Rank
Bryophyte	Roell's brotherella	<i>Brotherella roellii</i>	High Risk Rank
	Silver hair moss	<i>Fabronia pusilla</i>	High Risk Rank
Lichen	Bottlebrush frost	<i>Physconia detersa</i>	High Risk Rank
	Considerable gingerbread	<i>Pannaria rubiginosa</i>	High Risk Rank
	Cryptic paw	<i>Nephroma occultum</i>	High Risk Rank
	Flaking tarpaper	<i>Collema flaccidum</i>	High Risk Rank
	Mountain crab-eye	<i>Acrosyphus sphaerophoroides</i>	High Risk Rank
	Oldgrowth lung	<i>Lobaria silvae-veteris</i>	High Risk Rank
Vascular Plant	Cascade rockcress	<i>Boechea cascadenis</i>	High Risk Rank
	Mountain holly fern	<i>Polystichum scopulinum</i>	High Risk Rank
	Near navarretia	<i>Navarretia propinqua</i>	High Risk Rank
	Phantom orchid	<i>Cephalanthera austiniiae</i>	High Risk Rank
	Tall bugbane	<i>Actaea elata var. elata</i>	High Risk Rank
	Whitebark pine	<i>Pinus albicaulis</i>	Actively managed by BCTS



At-Risk Ecological Communities Focus List
 DCK, DSQ, DSC Areas
 2023-08-17

This list was copied from Master AREC Data June 2023, filtered to Chinook and excluded Haida Gwaii, then filtered to only Focus List = Y or TBD

Natural Resource District	Common Name	Scientific Name	Realm / Group / Class	BEC Subzone- var/ site series
Chilliwack	amabilis fir - Sitka spruce / devil's club	<i>Abies amabilis</i> - <i>Picea sitchensis</i> / <i>Oplapanax horridus</i>	Coniferous Forest	CWHvm1/08; CWHvm2/08
Chilliwack	amabilis fir - western redcedar / oak fern	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Gymnocarpium dryopteris</i>	Coniferous Forest	CWHms1/04; CWHms2/04; CWHws1/04; CWHws2/04
Chilliwack	amabilis fir - western redcedar / devil's club Moist Submaritime	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Oplapanax horridus</i> Moist Submaritime	Coniferous Forest	CWHms1/06; CWHms2/06; CWHws1/06
Chilliwack	amabilis fir - western redcedar / salmonberry Very Wet Maritime	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Rubus spectabilis</i> Very Wet Maritime	Coniferous Forest	CWHvm1/07; CWHvm2/07
Chilliwack	grand fir / dull Oregon-grape	<i>Abies grandis</i> / <i>Mahonia nervosa</i>	Coniferous Forest	CDfmm/04
Chilliwack	grand fir / three-leaved foamflower	<i>Abies grandis</i> / <i>Tiarella trifoliata</i>	Coniferous Forest	CDfmm/06
Chilliwack	subalpine fir - whitebark pine / common juniper	<i>Abies lasiocarpa</i> - <i>Pinus albicaulis</i> / <i>Juniperus communis</i>	Coniferous Forest	ESSFdv/03; ESSFdv1/
Chilliwack	subalpine fir / white-flowered rhododendron / sitka valerian	<i>Abies lasiocarpa</i> / <i>Rhododendron albiflorum</i> / <i>Valeriana sitchensis</i>	Coniferous Forest	ESSFdc1/04; ESSFdc2/07
Chilliwack	subalpine fir / black huckleberry / ragged-mosses	<i>Abies lasiocarpa</i> / <i>Vaccinium membranaceum</i> / <i>Brachythecium</i> spp.	Coniferous Forest	ESSFdv/04; ESSFdv1/
Chilliwack	red alder / slough sedge [black cottonwood]	<i>Alnus rubra</i> / <i>Carex obnupta</i> [<i>Populus trichocarpa</i>]	Broadleaf Forest or Swamp Wetland Class	CDfmm/14
Chilliwack	red alder / skunk cabbage	<i>Alnus rubra</i> / <i>Lysichiton americanus</i>	Swamp Wetland Class	CDfmm/Ws52
Chilliwack	red alder / salmonberry / common horsetail	<i>Alnus rubra</i> / <i>Rubus spectabilis</i> / <i>Equisetum arvense</i>	Low Bench Flood Class	CDfmm/09; CDfmm/FI51; CWHvh1/10; CWHvh1/FI51; CWHvh2/10; CWHvh2/FI51; CWHwh1/09; CWHwh1/FI51
Chilliwack	arbutus / hairy manzanita	<i>Arbutus menziesii</i> / <i>Arctostaphylos columbiana</i>	Broadleaf Forest	CDfmm/00; CWHxm1/00
Chilliwack	northern wormwood - red fescue / grey rock-moss	<i>Artemisia campestris</i> - <i>Festuca rubra</i> / <i>Racomitrium canescens</i>	Beachland Class	CDfmm
Chilliwack	water birch / roses	<i>Betula occidentalis</i> / <i>Rosa</i> spp.	Low Bench Flood Class	BG/Ff01; BGxh1/FI07; BGxh3/FI07; BGxw2/FI07; IDF/Ff01; IDFxh1/FI07; PP/Ff01; PPxh1/FI07; PPxh1a/FI07; PPxh2/FI07
Chilliwack	seacoast bulrush Alkali Marsh	<i>Bolboschoenus maritimus</i> var. <i>paludosus</i> Alkali Marsh	Marsh Wetland Class	BGxh2/Wm11; BGxw1/Wm11; CDfmm/Wm11; IDFdk1/Wm11; IDFxh2/Wm11; IDFxm/Wm11; PPxh1/Wm11; PPxh2/Wm11
Chilliwack	slender sedge - white beak-rush	<i>Carex lasiocarpa</i> - <i>Rhynchospora alba</i>	Fen Wetland Class	CDfmm/Wf53; CWHdm/Wf53; CWHmm1/Wf53; CWHmm2/Wf53; CWHxm1/Wf53; CWHxm2/Wf53
Chilliwack	Lyngbye's sedge herbaceous vegetation	<i>Carex lyngbyei</i> Herbaceous Vegetation	Estuarine Marsh Class	CDfmm/Em05; CWH/Em05
Chilliwack	large-headed sedge Herbaceous Vegetation	<i>Carex macrocephala</i> Herbaceous Vegetation	Beachland Class	CDfmm/00; CWHvh1/00; CWHwh1; CWHxm1
Chilliwack	Sitka sedge - Pacific water-parsley	<i>Carex sitchensis</i> - <i>Oenanthe sarmentosa</i>	Marsh Wetland Class	CWHdm/Wm50; CWHvh2/Wm50; CWHwm/Wm50; CWHxm1/Wm50
Chilliwack	Sitka sedge / peat-mosses	<i>Carex sitchensis</i> / <i>Sphagnum</i> spp.	Fen Wetland Class	CWHvh2/Wf51; CWHvm1/Wf51; CWHvm2/Wf51; CWHwh1/Wf51; CWHwm/Wf51; CWHws2/Wf51; ICHvc/Wf51; ICHwc/Wf51; MHmm1/Wf51
Chilliwack	tufted hairgrass - Henderson's checker-mallow	<i>Deschampsia cespitosa</i> - <i>Sidalcea hendersonii</i>	Estuarine Marsh Class	CWHxm1/00
Chilliwack	tufted hairgrass Community	<i>Deschampsia cespitosa</i> Community	Alkaline/Saline Meadow Class or Marsh Wetland Class	MSxv/Gs04; SBPSdc/Gs04; SBPSxc/Gs04; SBPSxc/W3
Chilliwack	tufted hairgrass - meadow barley	<i>Deschampsia cespitosa</i> ssp. <i>beringensis</i> - <i>Hordeum brachyantherum</i>	Estuarine Meadow Class	CDfmm/Ed01; CWH/Ed01
Chilliwack	alkali saltgrass - foxtail barley	<i>Distichlis spicata</i> - <i>Hordeum jubatum</i>	Alkaline/Saline Meadow Class	BGxh1/Ga01; BGxw2/Ga01; IDFdk1/Ga01; IDFdk3/Ga01; IDFdk4/Ga01; IDFdm2/Ga01; IDFxh1/Ga01; IDFxh1a/Ga01; IDFxh2/Ga01; IDFxh2a/Ga01; IDFxm/Ga01; MSxk2/Ga01; PPdh2/Ga01; PPxh1/Ga01; PPxh1a/Ga01; PPxh2/Ga01
Chilliwack	seashore saltgrass - Pacific swampfire	<i>Distichlis spicata</i> - <i>Sarcocornia pacifica</i>	Estuarine Marsh Class	CDfmm/Em03; CWHxm1/Em03
Chilliwack	three-way sedge	<i>Dulichium arundinaceum</i> Herbaceous Vegetation	Marsh Wetland Class	CDfmm/Wm51; CWHmm1/Wm51; CWHxm2/Wm51; ICHwk1/Wm51
Chilliwack	few-flowered spike-rush / hook-mosses	<i>Eleocharis quinqueflora</i> / <i>Drepanocladus</i> spp.	Fen Wetland Class	ESSFmc/Wf09; ESSFxc/Wf09; ESSFxc3/; ESSFxc1/Wf09; MSdm2/Wf09; MSxv/Wf09; SBPSxc/Wf09; SBSmc2/Wf09

This list was copied from Master AREC Data June 2023, filtered to Chinook and excluded Haida Gwaii, then filtered to only Focus List = Y or TBD

Natural Resource District	Common Name	Scientific Name	Realm / Group / Class	BEC Subzone- var/ site series
Chilliwack	rough fescue - (bluebunch wheatgrass) - yarrow - clad lichens	<i>Festuca campestris</i> - (<i>Pseudoroegneria spicata</i>) - <i>Achillea borealis</i> - <i>Cladonia</i> spp.	Grassland Class	BGxh2/06; BGxh2/Gg10; BGxh2/Gg12; BGxw1/06; BGxw1/Gg10; BGxw1/Gg12; ESSFxc2/Gg12; ESSFxc3/Gg12; IDFd1/Gg10; IDFd1/Gg12; IDFd1a/91; IDFd5/Gg10; IDFd5/Gg12; IDFdm1/Gg12; IDFdm2/Gg10; IDFdm2/Gg12; IDFxh1/Gg10; IDFxh1/Gg12; IDFxh2/Gg10; IDFxh2/Gg12; IDFxh2a/91; IDFxh4/; IDFxk/Gg10; IDFxk/Gg12; MSdk1/Gg12; MSdw/Gg12; MSxk2/Gg12; MSxk3/Gg12; PPh2/Gg15; PPxh2/00; PPxh2/Gg10; PPxh2/Gg12; PPxh3/Gg10
Chilliwack	Idaho fescue - bluebunch wheatgrass - silky lupine - junegrass	<i>Festuca idahoensis</i> - <i>Pseudoroegneria spicata</i> - <i>Lupinus sericeus</i> - <i>Koeleria macrantha</i>	Grassland Class	BGxh1/Gg11; BGxh1/Gg13; BGxh2/Gg11; ESSFmh/Gg11; ICHdw4/Gg11; ICHxw/Gg11; IDFd1/Gg11; IDFd1/Gg13; IDFdm1/Gg11; IDFdm1/Gg13; IDFxh1/Gg11; IDFxh1/Gg13; IDFxh1a/91; IDFxh2/Gg13; IDFxh4/Gg11; IDFxh4/Gg13; MSdm1/Gg11; MSdm2/Gg11; PPh1/Gg11; PPh1/Gg13; PPxh1/Gg11; PPxh1/Gg13; PPxh2/Gg13; PPxh3/Gg11; PPxh3/Gg13
Chilliwack	Roemer's fescue - junegrass	<i>Festuca roemeri</i> - <i>Koeleria macrantha</i>	Grassland Class	CDFmm/00; CWHxm1/00
Chilliwack	northern mannagrass Fen	<i>Glyceria borealis</i> Fen	Fen Wetland Class	CWHvh2; ESSFdv; ESSFdv1/; MSxv; SBPSxc
Chilliwack	arctic rush - Alaska plantain	<i>Juncus arcticus</i> - <i>Plantago macrocarpa</i>	Estuarine Meadow Class	CDFmm/Ed03; CWH/Ed03
Chilliwack	Baltic rush - field sedge	<i>Juncus balticus</i> - <i>Carex praegracilis</i>	Alkaline/Saline Meadow Class	BG/Gs03; BGxh2/Gs03; IDFd1/Gs03; IDFd2/Gs03; IDFd3/Gs03; IDFd3/W3; IDFd4/Gs03; IDFdm1/Gs03; IDFdm2/Gs03; IDFdw/Gs03; IDFxh4/Gs03; IDFxh/Gs03; PP/Gs03; PPh2/Gs03; PPxh3/Gs03; SBPSdc/Gs03; SBPSxc/Gs03; SBPSxc/W2
Chilliwack	common juniper / bluebunch wheatgrass	<i>Juniperus communis</i> / <i>Pseudoroegneria spicata</i>	Krummholz Class - Subalpine Shrub Group	ESSFdc2/02; MSdm2/02
Chilliwack	dune wildrye - beach pea	<i>Leymus mollis</i> ssp. <i>mollis</i> - <i>Lathyrus japonicus</i>	Beachland Class	CDFmm; CWHdm; CWHds1; CWHms2; CWHvh1; CWHvh2; CWHvm1; CWHwh1; CWHwm; CWHws1; CWHxm1; CWHxm2
Chilliwack	tiny mousetail - montias - Macoun's meadow-foam	<i>Myosurus minimus</i> - <i>Montia</i> spp. - <i>Limnanthes macounii</i>	Vernal Pool Class	CDFmm/00
Chilliwack	sweet gale / Sitka sedge	<i>Myrica gale</i> / <i>Carex sitchensis</i>	Fen Wetland Class	CDFmm/Wf52; CWHmm1/Wf52; CWHmm2/Wf52; CWHvh2/Wf52; CWHwm/Wf52; CWHxm1/Wf52; CWHxm2/Wf52
Chilliwack	hybrid white spruce / horsetails / leafy mosses	<i>Picea engelmannii</i> x <i>glauca</i> / <i>Equisetum</i> spp. / <i>Mnium</i> spp.	Coniferous Forest or Swamp Wetland Class	ICHdk/09; ICHdk/Ws07; ICHmc2/07; ICHmc2/Ws07; ICHmk2/06; ICHmk2/Ws07; ICHvc/06; ICHvc/Ws07; ICHwc/08; ICHwc/Ws07; IDFdc/06; IDFd1/06; IDFd2/06; IDFd3/09; IDFd3/Ws07; IDFd4/10; IDFd4/Ws07; IDFdm2/07; IDFdm2/Ws07; IDFxh1/09; IDFxh1/Ws07; MSdc2/08; MSdc2/Ws07; MSdk/06; MSdk/Ws07; MSdm2/07; MSdm2/Ws07; MSdv/09; MSdv/Ws07; MSxk/09; MSxk2/; MSxk3/; MSxv/08; MSxv/Ws07; SBPSdc/08; SBPSdc/Ws07; SBPSmc/06; SBPSmc/Ws07; SBPSmk/07; SBPSmk/Ws07; SBSdk/07; SBSdk/Ws07; SBSdw1/09; SBSdw1/Ws07; SBSdw3/09; SBSdw3/Ws07; SBSmc1/08; SBSmc1/Ws07; SBSmc2/10b; SBSmc2/11; SBSmc2/Ws07; SBSmc3/08; SBSmc3/Ws07; SBSmk1/09; SBSmk1/Ws07; SBSmk2/06; SBSmk2/Ws07; SBSmw/09; SBSmw/Ws07; SBSwk1/09; SBSwk1/Ws07; SBSwk2/06; SBSwk2/Ws07
Chilliwack	hybrid white spruce / black gooseberry	<i>Picea engelmannii</i> x <i>glauca</i> / <i>Ribes lacustre</i>	Coniferous Forest	MSdc1/04; MSdc2/07; MSdm1/06
Chilliwack	hybrid white spruce / black gooseberry - devil's club	<i>Picea engelmannii</i> x <i>glauca</i> / <i>Ribes lacustre</i> - <i>Oopanax horridus</i>	Coniferous Forest	MSdm2/06
Chilliwack	Sitka spruce / salmonberry Dry	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Dry	Coniferous Forest or Highbench Flood	CWHdm/08; CWHds1/08
Chilliwack	Sitka spruce / salmonberry Moist Submaritime	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Moist Submaritime	Coniferous Forest or Highbench Flood	CWHms1/07; CWHms2/07
Chilliwack	Sitka spruce / salmonberry Very Dry Maritime	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Very Dry Maritime	Coniferous Forest or Highbench Flood	CWHxm1/08; CWHxm2/08
Chilliwack	Sitka spruce / salmonberry Very Wet Maritime	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Very Wet Maritime	Coniferous Forest or Highbench Flood	CWHvm1/09
Chilliwack	whitebark pine / junegrass	<i>Pinus albicaulis</i> / <i>Koeleria macrantha</i>	Coniferous Forest	ESSFdv/02; ESSFdv1/
Chilliwack	lodgepole pine / common juniper - falsebox	<i>Pinus contorta</i> / <i>Juniperus communis</i> - <i>Paxistima myrsinites</i>	Coniferous Forest	ESSFdc2/03

This list was copied from Master AREC Data June 2023, filtered to Chinook and excluded Haida Gwaii, then filtered to only Focus List = Y or TBD

Natural Resource District	Common Name	Scientific Name	Realm / Group / Class	BEC Subzone- var/ site series
Chilliwack	lodgepole pine / Pacific rhododendron	<i>Pinus contorta / Rhododendron macrophyllum</i>	Coniferous Forest	IDFww/00
Chilliwack	lodgepole pine / peat-mosses CDFmm	<i>Pinus contorta / Sphagnum</i> spp. CDFmm	Bog Wetland Class	CDFmm/10
Chilliwack	lodgepole pine / peat-mosses Very Dry Maritime	<i>Pinus contorta / Sphagnum</i> spp. Very Dry Maritime	Bog Wetland Class	CWHxm1/11; CWHxm2/11
Chilliwack	lodgepole pine / birch-leaved spirea / pinegrass	<i>Pinus contorta / Spiraea betulifolia / Calamagrostis rubescens</i>	Coniferous Forest	MSdc1/03
Chilliwack	trembling aspen / Pacific crab apple / slough sedge	<i>Populus tremuloides / Malus fusca / Carex obnupta</i>	Swamp Wetland Class	CDFmm/00; CWHxm1
Chilliwack	black cottonwood - red alder / salmonberry	<i>Populus trichocarpa - Alnus rubra / Rubus spectabilis</i>	Broadleaf Forest or Middle Bench Flood Class	CDFmm/08; CWHdm/09; CWHds1/09; CWHds2/09; CWHmm1/09; CWHms1/08; CWHms2/08; CWHvm1/10; CWHwm/06; CWHws1/08; CWHws2/08; CWHxm1/09; CWHxm2/09
Chilliwack	black cottonwood - Douglas fir / Douglas maple - common snowberry	<i>Populus trichocarpa - Pseudotsuga menziesii / Acer glabrum - Symphoricarpos albus</i>	Middle Bench Flood Class	BGxh1/Fm05; BGxh3/Fm05; BGxw1/Fm05; BGxw2/Fm05; IDFdC/Fm05; IDFdK1/Fm05; IDFdK2/Fm05; IDFmw1/Fm05; IDFww1/Fm05; IDFxc/Fm05; IDFxh1/Fm05; IDFxh2/Fm05
Chilliwack	black cottonwood / Sitka willow	<i>Populus trichocarpa / Salix sitchensis</i>	Broadleaf Forest or Low Bench Flood Class	CWHdm/10; CWHds1/09; CWHmm1/10; CWHms/09; CWHvm1/11; CWHwm/07; CWHws/09; CWHxm1/10; CWHxm2/10
Chilliwack	black cottonwood / Sitka willow - thimbleberry	<i>Populus trichocarpa / Salix sitchensis - Rubus parviflorus</i>	Broadleaf Forest or Middle Bench Flood Class	CWHms1/09; CWHms2/09
Chilliwack	black cottonwood / willows Dry Submaritime	<i>Populus trichocarpa / Salix</i> spp. Dry Submaritime	Broadleaf Forest or Middle Bench Flood Class	CWHds1/10; CWHds2/10
Chilliwack	black cottonwood / common snowberry - roses	<i>Populus trichocarpa / Symphoricarpos albus - Rosa</i> spp.	Broadleaf Forest or Middle Bench Flood Class	ICHdw1/Fm01; ICHmk4/Fm01; ICHxw/Fm01; IDFdm1/Fm01; IDFdm2/Fm01; IDFdW/Fm01; IDFmw1/Fm01; IDFmw2/Fm01; IDFww/Fm01; IDFxc/Fm01; IDFxh1/Fm01; IDFxh2/Fm01; IDFxh4/Fm01; IDFxk/Fm01; MSdk1/Fm01; PPdh2/Fm01; PPxh1/Fm01; PPxh2/Fm01; PPxh3/Fm01; BGxh1/Fm01; BGxh2/Fm01; BGxh3/Fm01; BGxw1/Fm01; BGxw2/Fm01
Chilliwack	Douglas-fir / Douglas maple / Hooker's fairybells	<i>Pseudotsuga menziesii / Acer glabrum / Prosartes hookeri</i>	Coniferous Forest	CWHds1/04; CWHds2/04; IDFww/04
Chilliwack	Douglas-fir - arbutus	<i>Pseudotsuga menziesii - Arbutus menziesii</i>	Coniferous Forest	CDFmm/02
Chilliwack	Douglas-fir / dull Oregon-grape	<i>Pseudotsuga menziesii / Mahonia nervosa</i>	Coniferous Forest	CDFmm/01
Chilliwack	Douglas-fir / Alaska oniongrass	<i>Pseudotsuga menziesii / Melica subulata</i>	Coniferous Forest	CDFmm/03
Chilliwack	Douglas-fir - lodgepole pine / kinnikinnick Dry Submaritime	<i>Pseudotsuga menziesii - Pinus contorta / Arctostaphylos uva-ursi</i> Dry Submaritime	Coniferous Forest	CWHds1/02; CWHds2/02
Chilliwack	Douglas-fir - lodgepole pine / kinnikinnick Moist Submaritime	<i>Pseudotsuga menziesii - Pinus contorta / Arctostaphylos uva-ursi</i> Moist Submaritime	Coniferous Forest	CWHms1/02; CWHms2/02
Chilliwack	Douglas-fir - ponderosa pine / pinegrass	<i>Pseudotsuga menziesii - Pinus ponderosa / Calamagrostis rubescens</i>	Coniferous Forest	IDFdC/03; IDFdK2/03; IDFxc/01; IDFxc/05; IDFxh1/01; IDFxh2/01; IDFxh2/05
Chilliwack	Douglas-fir - ponderosa pine / bluebunch wheatgrass	<i>Pseudotsuga menziesii - Pinus ponderosa / Pseudoroegneria spicata</i>	Coniferous Forest	IDFxc/02; IDFxc/03; IDFxh1/02; IDFxh2/02; IDFxh2/03; IDFxw/04
Chilliwack	Douglas-fir - ponderosa pine / bluebunch wheatgrass - pinegrass	<i>Pseudotsuga menziesii - Pinus ponderosa / Pseudoroegneria spicata - Calamagrostis rubescens</i>	Coniferous Forest	IDFdC/02; IDFdK2/02; IDFdm1/03; IDFxc/04; IDFxh1/03; IDFxh2/04; IDFxw/02
Chilliwack	Douglas-fir / sword fern	<i>Pseudotsuga menziesii / Polystichum munitum</i>	Coniferous Forest	CWHdm/04; CWHxm1/04; CWHxm2/04
Chilliwack	Douglas-fir - western redcedar / beaked hazelnut	<i>Pseudotsuga menziesii - Thuja plicata / Corylus cornuta</i>	Coniferous Forest	IDFww/01
Chilliwack	Douglas-fir - western hemlock / salal Dry Maritime	<i>Pseudotsuga menziesii - Tsuga heterophylla / Gaultheria shallon</i> Dry Maritime	Coniferous Forest	CWHdm/03; CWHxm1/03; CWHxm2/03
Chilliwack	Douglas-fir - western hemlock / falsebox	<i>Pseudotsuga menziesii - Tsuga heterophylla / Paxistima myrsinities</i>	Coniferous Forest	CWHds1/03; CWHds2/03; CWHms1/03; CWHms2/03
Chilliwack	Nuttall's alkaligrass - foxtail barley	<i>Puccinellia nuttalliana - Hordeum jubatum</i>	Alkaline/Saline Meadow Class	BGxh2/Ga02; BGxh2/Gs02; BGxw1/Ga02; BGxw1/Gs02; BGxw2/Ga02; BGxw2/Gs02; IDFdK1/Ga02; IDFdK1/Gs02; IDFdK3/Ga02; IDFdK3/Gs02; IDFdK4/Ga02; IDFdK4/Gs02; IDFdm2/Ga02; IDFdm2/Gs02; IDFdW/Ga02; IDFxh1/Ga02; IDFxh1/Gs02; IDFxh1a/Ga02; IDFxh1a/Gs02; IDFxh2/Ga02; IDFxh2/Gs02; IDFxm/Ga02; IDFxm/Gs02; PPxh1/Ga02; PPxh1/Gs02; PPxh1a/Ga02; PPxh1a/Gs02; PPxh2/Ga02; PPxh2/Gs02; SBPSxc/Ga02; SBPSxc/Gs02
Chilliwack	Garry oak - bigleaf maple - cherries	<i>Quercus garryana - Acer macrophyllum - Prunus</i> spp.	Broadleaf Forest	CWHds1/00
Chilliwack	Garry oak / California brome	<i>Quercus garryana / Bromus carinatus</i>	Broadleaf Forest	CDFmm/00; CWHxm1/00
Chilliwack	Garry oak / oceanspray	<i>Quercus garryana / Holodiscus discolor</i>	Broadleaf Forest	CDFmm/00
Chilliwack	Pacific rhododendron / Oregon wintergreen / clad lichens	<i>Rhododendron macrophyllum / Gaultheria ovatifolia / Cladonia</i> spp.	Grassland Brushland Class	IDFww/00

This list was copied from Master AREC Data June 2023, filtered to Chinook and excluded Haida Gwaii, then filtered to only Focus List = Y or TBD

Natural Resource District	Common Name	Scientific Name	Realm / Group / Class	BEC Subzone- var/ site series
Chilliwack	beaked ditch-grass Herbaceous Vegetation	<i>Ruppia maritima</i> Herbaceous Vegetation	Estuarine Marsh Class	CDFmm/Em01; CWH/Em01
Chilliwack	Sitka willow - Pacific willow / skunk cabbage	<i>Salix sitchensis</i> - <i>Salix lasiandra</i> var. <i>lasiandra</i> / <i>Lysichiton americanus</i>	Swamp Wetland Class	CDFmm/Ws51; CWH/Ws51; ICH/Ws51
Chilliwack	American glasswort - sea-milkwort	<i>Sarcocornia pacifica</i> - <i>Lysimachia maritima</i>	Estuarine Marsh Class	CDFmm/Em02; CWH/Em02
Chilliwack	Henderson's checker-mallow Tidal Marsh	<i>Sidalcea hendersonii</i> Tidal Marsh	Estuarine Marsh Class	CWHxm1/00
Chilliwack	western redcedar / vanilla-leaf	<i>Thuja plicata</i> / <i>Achlys triphylla</i>	Coniferous Forest	CDFmm/12
Chilliwack	western redcedar / slough sedge	<i>Thuja plicata</i> / <i>Carex obnupta</i>	Coniferous Forest or Swamp Wetland Class	CWHdm/15; CWHxm1/15; CWHxm2/15
Chilliwack	western redcedar / black twinberry	<i>Thuja plicata</i> / <i>Lonicera involucrata</i>	Coniferous Forest	CWHdm/14; CWHxm1/14; CWHxm2/14
Chilliwack	Western Redcedar / Osoberry	<i>Thuja plicata</i> / <i>Oemleria cerasiformis</i>	Coniferous Forest	CDFmm/13
Chilliwack	western redcedar / devil's club	<i>Thuja plicata</i> / <i>Oplapanax horridus</i>	Coniferous Forest	CWHds1/07; CWHds2/07
Chilliwack	western redcedar - hybrid white spruce / black twinberry / soft-leaved sedge	<i>Thuja plicata</i> - <i>Picea engelmannii</i> x <i>glauca</i> / <i>Lonicera involucrata</i> / <i>Carex disperma</i>	Coniferous Forest	IDFdc/07; IDFdk2/07
Chilliwack	western redcedar - Sitka spruce / skunk cabbage	<i>Thuja plicata</i> - <i>Picea sitchensis</i> / <i>Lysichiton americanus</i>	Coniferous Forest or Swamp Wetland Class	CDFmm/Ws54; CWHdm/12; CWHdm/Ws54; CWHds1/12; CWHds1/Ws54; CWHds2/12; CWHds2/Ws54; CWHmm1/12; CWHmm1/Ws54; CWHms1/11; CWHms1/Ws54; CWHms2/11; CWHms2/Ws54; CWHvh1/13; CWHvh1/Ws54; CWHvh2/13; CWHvh2/Ws54; CWHvm1/14; CWHvm1/Ws54; CWHvm2/Ws54; CWHwh1/12; CWHwh1/Ws54; CWHwh2/06; CWHwh2/Ws54; CWHws1/11; CWHws1/Ws54; CWHws2/Ws54; CWHxm1/Ws54; CWHxm2/Ws54
Chilliwack	western redcedar / sword fern - skunk cabbage	<i>Thuja plicata</i> / <i>Polystichum munitum</i> - <i>Lysichiton americanus</i>	Coniferous Forest or Swamp Wetland Class	CDFmm/11; CDFmm/Ws53; CWHdm/Ws53; CWHxm1/12; CWHxm1/Ws53; CWHxm2/12; CWHxm2/Ws53
Chilliwack	western redcedar / sword fern Dry Maritime	<i>Thuja plicata</i> / <i>Polystichum munitum</i> Dry Maritime	Coniferous Forest	CWHdm/05
Chilliwack	western redcedar / sword fern Very Dry Maritime	<i>Thuja plicata</i> / <i>Polystichum munitum</i> Very Dry Maritime	Coniferous Forest	CWHxm1/05; CWHxm2/05
Chilliwack	western redcedar - Douglas-fir / vine maple	<i>Thuja plicata</i> - <i>Pseudotsuga menziesii</i> / <i>Acer circinatum</i>	Coniferous Forest	CWHds1/05; CWHds2/05
Chilliwack	western redcedar - Douglas-fir / red-osier dogwood	<i>Thuja plicata</i> - <i>Pseudotsuga menziesii</i> / <i>Cornus stolonifera</i>	Coniferous Forest	IDFmw1/05; IDFxc/07; IDFxh2/07
Chilliwack	western redcedar - Douglas-fir / Oregon beaked-moss	<i>Thuja plicata</i> - <i>Pseudotsuga menziesii</i> / <i>Kindbergia oregana</i>	Coniferous Forest	CDFmm/05
Chilliwack	western redcedar / salmonberry	<i>Thuja plicata</i> / <i>Rubus spectabilis</i>	Coniferous Forest	CWHdm/13; CWHxm1/13; CWHxm2/13
Chilliwack	western redcedar / common snowberry	<i>Thuja plicata</i> / <i>Symphoricarpos albus</i>	Coniferous Forest or Highbench Flood	CDFmm/07
Chilliwack	western redcedar / three-leaved foamflower Dry Maritime	<i>Thuja plicata</i> / <i>Tiarella trifoliata</i> Dry Maritime	Coniferous Forest	CWHdm/07
Chilliwack	western redcedar / three-leaved foamflower Very Dry Maritime	<i>Thuja plicata</i> / <i>Tiarella trifoliata</i> Very Dry Maritime	Coniferous Forest	CWHxm1/07; CWHxm2/07
Chilliwack	western redcedar - western hemlock / sword fern	<i>Thuja plicata</i> - <i>Tsuga heterophylla</i> / <i>Polystichum munitum</i>	Coniferous Forest	CWHmm1/04; CWHmm2/04; CWHvm1/04; CWHvm2/04
Chilliwack	western hemlock - amabilis fir / step moss	<i>Tsuga heterophylla</i> - <i>Abies amabilis</i> / <i>Hylacomium splendens</i>	Coniferous Forest	CWHms1/01; CWHms2/01
Chilliwack	western hemlock - amabilis fir / deer fern	<i>Tsuga heterophylla</i> - <i>Abies amabilis</i> / <i>Struthiopteris spicant</i>	Coniferous Forest	CWHvm1/06; CWHvm2/06
Chilliwack	western hemlock / vine maple - falsebox	<i>Tsuga heterophylla</i> / <i>Acer circinatum</i> - <i>Paxistima myrsinites</i>	Coniferous Forest	IDFww/05
Chilliwack	western hemlock / flat-moss	<i>Tsuga heterophylla</i> / <i>Buckiella undulata</i>	Coniferous Forest	CWHdm/01
Chilliwack	western hemlock / queen's cup	<i>Tsuga heterophylla</i> / <i>Clintonia uniflora</i>	Coniferous Forest	CWHds1/06; CWHds2/06
Chilliwack	western hemlock - Douglas-fir / electrified cat's-tail moss Dry Submaritime 1	<i>Tsuga heterophylla</i> - <i>Pseudotsuga menziesii</i> / <i>Hylacomiaadelphus triquetrus</i> Dry Submaritime 1	Coniferous Forest	CWHds1/01
Chilliwack	western hemlock - Douglas-fir / Oregon beaked-moss	<i>Tsuga heterophylla</i> - <i>Pseudotsuga menziesii</i> / <i>Kindbergia oregana</i>	Coniferous Forest	CWHxm1/01; CWHxm2/01
Chilliwack	western hemlock - western redcedar / salal Very Wet Maritime	<i>Tsuga heterophylla</i> - <i>Thuja plicata</i> / <i>Gaultheria shallon</i> Very Wet Maritime	Coniferous Forest	CWHvm1/03; CWHvm2/03
Chilliwack	western hemlock - western redcedar / deer fern	<i>Tsuga heterophylla</i> - <i>Thuja plicata</i> / <i>Struthiopteris spicant</i>	Coniferous Forest	CWHdm/06; CWHxm1/06; CWHxm2/06
Sunshine Coast	amabilis fir - Sitka spruce / devil's club	<i>Abies amabilis</i> - <i>Picea sitchensis</i> / <i>Oplapanax horridus</i>	Coniferous Forest	CWHvm1/08; CWHvm2/08
Sunshine Coast	amabilis fir - western redcedar / oak fern	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Gymnocarpium dryopteris</i>	Coniferous Forest	CWHms1/04; CWHms2/04; CWHws1/04; CWHws2/04
Sunshine Coast	amabilis fir - western redcedar / devil's club Moist Submaritime	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Oplapanax horridus</i> Moist Submaritime	Coniferous Forest	CWHms1/06; CWHms2/06; CWHws1/06
Sunshine Coast	amabilis fir - western redcedar / salmonberry Moist Maritime 1	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Rubus spectabilis</i> Moist Maritime 1	Coniferous Forest	CWHmm1/07
Sunshine Coast	amabilis fir - western redcedar / salmonberry Very Wet Maritime	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Rubus spectabilis</i> Very Wet Maritime	Coniferous Forest	CWHvm1/07; CWHvm2/07

This list was copied from Master AREC Data June 2023, filtered to Chinook and excluded Haida Gwaii, then filtered to only Focus List = Y or TBD

Natural Resource District	Common Name	Scientific Name	Realm / Group / Class	BEC Subzone- var/ site series
Sunshine Coast	amabilis fir - western redcedar / three-leaved foamflower Moist Maritime 1	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Tiarella trifoliata</i> Moist Maritime 1	Coniferous Forest	CWHmm1/05
Sunshine Coast	grand fir / dull Oregon-grape	<i>Abies grandis</i> / <i>Mahonia nervosa</i>	Coniferous Forest	CDFmm/04
Sunshine Coast	grand fir / three-leaved foamflower	<i>Abies grandis</i> / <i>Tiarella trifoliata</i>	Coniferous Forest	CDFmm/06
Sunshine Coast	red alder / slough sedge [black cottonwood]	<i>Alnus rubra</i> / <i>Carex obnupta</i> [<i>Populus trichocarpa</i>]	Broadleaf Forest or Swamp Wetland Class	CDFmm/14
Sunshine Coast	red alder / skunk cabbage	<i>Alnus rubra</i> / <i>Lysichiton americanus</i>	Swamp Wetland Class	CDFmm/Ws52
Sunshine Coast	red alder / salmonberry / common horsetail	<i>Alnus rubra</i> / <i>Rubus spectabilis</i> / <i>Equisetum arvense</i>	Low Bench Flood Class	CDFmm/09; CDFmm/FI51; CWHvh1/10; CWHvh1/FI51; CWHvh2/10; CWHvh2/FI51; CWHwh1/09; CWHwh1/FI51
Sunshine Coast	arbutus / hairy manzanita	<i>Arbutus menziesii</i> / <i>Arctostaphylos columbiana</i>	Broadleaf Forest	CDFmm/00; CWHxm1/00
Sunshine Coast	northern wormwood - red fescue / grey rock-moss	<i>Artemisia campestris</i> - <i>Festuca rubra</i> / <i>Racomitrium canescens</i>	Beachland Class	CDFmm
Sunshine Coast	seacoast bulrush Alkali Marsh	<i>Bolboschoenus maritimus</i> var. <i>paludosus</i> Alkali Marsh	Marsh Wetland Class	BGx2/Wm11; BGxw1/Wm11; CDFmm/Wm11; IDFdk1/Wm11; IDFxh2/Wm11; IDFxm/Wm11; PPxh1/Wm11; PPxh2/Wm11
Sunshine Coast	slender sedge - white beak-rush	<i>Carex lasiocarpa</i> - <i>Rhynchospora alba</i>	Fen Wetland Class	CDFmm/Wf53; CWHdm/Wf53; CWHmm1/Wf53; CWHmm2/Wf53; CWHxm1/Wf53; CWHxm2/Wf53
Sunshine Coast	Lyngbye's sedge herbaceous vegetation	<i>Carex lyngbyei</i> Herbaceous Vegetation	Estuarine Marsh Class	CDFmm/Em05; CWH/Em05
Sunshine Coast	large-headed sedge Herbaceous Vegetation	<i>Carex macrocephala</i> Herbaceous Vegetation	Beachland Class	CDFmm/00; CWHvh1/00; CWHwh1; CWHxm1
Sunshine Coast	Sitka sedge - Pacific water-parsley	<i>Carex sitchensis</i> - <i>Oenanthe sarmentosa</i>	Marsh Wetland Class	CWHdm/Wm50; CWHvh2/Wm50; CWHwm/Wm50; CWHxm1/Wm50
Sunshine Coast	Sitka sedge / peat-mosses	<i>Carex sitchensis</i> / <i>Sphagnum</i> spp.	Fen Wetland Class	CWHvh2/Wf51; CWHvm1/Wf51; CWHvm2/Wf51; CWHwh1/Wf51; CWHwm/Wf51; CWHws2/Wf51; ICHvc/Wf51; ICHwc/Wf51; MHmm1/Wf51
Sunshine Coast	tufted hairgrass - Henderson's checker-mallow	<i>Deschampsia cespitosa</i> - <i>Sidalcea hendersonii</i>	Estuarine Marsh Class	CWHxm1/00
Sunshine Coast	tufted hairgrass - meadow barley	<i>Deschampsia cespitosa</i> ssp. <i>beringensis</i> - <i>Hordeum brachyantherum</i>	Estuarine Meadow Class	CDFmm/Ed01; CWH/Ed01
Sunshine Coast	seashore saltgrass - Pacific swampfire	<i>Distichlis spicata</i> - <i>Sarcocornia pacifica</i>	Estuarine Marsh Class	CDFmm/Em03; CWHxm1/Em03
Sunshine Coast	three-way sedge	<i>Dulichium arundinaceum</i> Herbaceous Vegetation	Marsh Wetland Class	CDFmm/Wm51; CWHmm1/Wm51; CWHxm2/Wm51; ICHwk1/Wm51
Sunshine Coast	Roemer's fescue - junegrass	<i>Festuca roemeri</i> - <i>Koeleria macrantha</i>	Grassland Class	CDFmm/00; CWHxm1/00
Sunshine Coast	arctic rush - Alaska plantain	<i>Juncus arcticus</i> - <i>Plantago macrocarpa</i>	Estuarine Meadow Class	CDFmm/Ed03; CWH/Ed03
Sunshine Coast	dune wildrye - beach pea	<i>Leymus mollis</i> ssp. <i>mollis</i> - <i>Lathyrus japonicus</i>	Beachland Class	CDFmm; CWHdm; CWHds1; CWHms2; CWHvh1; CWHvh2; CWHvm1; CWHwh1; CWHwm; CWHws1; CWHxm1; CWHxm2
Sunshine Coast	tiny mousetail - montias - Macoun's meadow-foam	<i>Myosurus minimus</i> - <i>Montia</i> spp. - <i>Limnanthes macounii</i>	Vernal Pool Class	CDFmm/00
Sunshine Coast	sweet gale / Sitka sedge	<i>Myrica gale</i> / <i>Carex sitchensis</i>	Fen Wetland Class	CDFmm/Wf52; CWHmm1/Wf52; CWHmm2/Wf52; CWHvh2/Wf52; CWHwm/Wf52; CWHxm1/Wf52; CWHxm2/Wf52
Sunshine Coast	Sitka spruce / salmonberry Dry	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Dry	Coniferous Forest or Highbench Flood	CWHdm/08; CWHds1/08
Sunshine Coast	Sitka spruce / salmonberry Moist Submaritime	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Moist Submaritime	Coniferous Forest or Highbench Flood	CWHms1/07; CWHms2/07
Sunshine Coast	Sitka spruce / salmonberry Very Dry Maritime	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Very Dry Maritime	Coniferous Forest or Highbench Flood	CWHxm1/08; CWHxm2/08
Sunshine Coast	Sitka spruce / salmonberry Very Wet Maritime	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Very Wet Maritime	Coniferous Forest or Highbench Flood	CWHvm1/09
Sunshine Coast	lodgepole pine / peat-mosses CDFmm	<i>Pinus contorta</i> / <i>Sphagnum</i> spp. CDFmm	Bog Wetland Class	CDFmm/10
Sunshine Coast	lodgepole pine / peat-mosses Very Dry Maritime	<i>Pinus contorta</i> / <i>Sphagnum</i> spp. Very Dry Maritime	Bog Wetland Class	CWHxm1/11; CWHxm2/11
Sunshine Coast	shore pine / common juniper - hairy manzanita	<i>Pinus contorta</i> var. <i>contorta</i> / <i>Juniperus communis</i> - <i>Arctostaphylos columbiana</i>	Coniferous Forest	CWHxm1/00
Sunshine Coast	trembling aspen / Pacific crab apple / slough sedge	<i>Populus tremuloides</i> / <i>Malus fusca</i> / <i>Carex obnupta</i>	Swamp Wetland Class	CDFmm/00; CWHxm1
Sunshine Coast	black cottonwood - red alder / salmonberry	<i>Populus trichocarpa</i> - <i>Alnus rubra</i> / <i>Rubus spectabilis</i>	Broadleaf Forest or Middle Bench Flood Class	CDFmm/08; CWHdm/09; CWHds1/09; CWHds2/09; CWHmm1/09; CWHms1/08; CWHms2/08; CWHvm1/10; CWHwm/06; CWHws1/08; CWHws2/08; CWHxm1/09; CWHxm2/09
Sunshine Coast	black cottonwood / Sitka willow	<i>Populus trichocarpa</i> / <i>Salix sitchensis</i>	Broadleaf Forest or Low Bench Flood Class	CWHdm/10; CWHds/10; CWHmm1/10; CWHms/09; CWHvm1/11; CWHwm/07; CWHws/09; CWHxm1/10; CWHxm2/10

This list was copied from Master AREC Data June 2023, filtered to Chinook and excluded Haida Gwaii, then filtered to only Focus List = Y or TBD

Natural Resource District	Common Name	Scientific Name	Realm / Group / Class	BEC Subzone- var/ site series
Sunshine Coast	black cottonwood / Sitka willow - thimbleberry	<i>Populus trichocarpa / Salix sitchensis - Rubus parviflorus</i>	Broadleaf Forest or Middle Bench Flood Class	CWHms1/09; CWHms2/09
Sunshine Coast	black cottonwood / willows Dry Submaritime	<i>Populus trichocarpa / Salix</i> spp. Dry Submaritime	Broadleaf Forest or Middle Bench Flood Class	CWHds1/10; CWHds2/10
Sunshine Coast	Douglas-fir / Douglas maple / Hooker's fairybells	<i>Pseudotsuga menziesii / Acer glabrum / Prosartes hookeri</i>	Coniferous Forest	CWHds1/04; CWHds2/04; IDFww/04
Sunshine Coast	Douglas-fir - arbutus	<i>Pseudotsuga menziesii - Arbutus menziesii</i>	Coniferous Forest	CDFmm/02
Sunshine Coast	Douglas-fir / dull Oregon-grape	<i>Pseudotsuga menziesii / Mahonia nervosa</i>	Coniferous Forest	CDFmm/01
Sunshine Coast	Douglas-fir / Alaska oniongrass	<i>Pseudotsuga menziesii / Melica subulata</i>	Coniferous Forest	CDFmm/03
Sunshine Coast	Douglas-fir - lodgepole pine / kinnikinnick Dry Submaritime	<i>Pseudotsuga menziesii - Pinus contorta / Arctostaphylos uva-ursi</i> Dry Submaritime	Coniferous Forest	CWHds1/02; CWHds2/02
Sunshine Coast	Douglas-fir - lodgepole pine / kinnikinnick Moist Submaritime	<i>Pseudotsuga menziesii - Pinus contorta / Arctostaphylos uva-ursi</i> Moist Submaritime	Coniferous Forest	CWHms1/02; CWHms2/02
Sunshine Coast	Douglas-fir - lodgepole pine / reindeer lichens	<i>Pseudotsuga menziesii - Pinus contorta / Cladina</i> spp.	Coniferous Forest	CWHxm2/02
Sunshine Coast	Douglas-fir / sword fern	<i>Pseudotsuga menziesii / Polystichum munitum</i>	Coniferous Forest	CWHdm/04; CWHxm1/04; CWHxm2/04
Sunshine Coast	Douglas-fir - western hemlock / salal Dry Maritime	<i>Pseudotsuga menziesii - Tsuga heterophylla / Gaultheria shallon</i> Dry Maritime	Coniferous Forest	CWHdm/03; CWHxm1/03; CWHxm2/03
Sunshine Coast	Douglas-fir - western hemlock / salal Moist Maritime	<i>Pseudotsuga menziesii - Tsuga heterophylla / Gaultheria shallon</i> Moist Maritime	Coniferous Forest	CWHmm1/02; CWHmm2/02
Sunshine Coast	Douglas-fir - western hemlock / falsebox	<i>Pseudotsuga menziesii - Tsuga heterophylla / Paxistima myrsinities</i>	Coniferous Forest	CWHds1/03; CWHds2/03; CWHms1/03; CWHms2/03
Sunshine Coast	Garry oak - arbutus	<i>Quercus garryana - Arbutus menziesii</i>	Broadleaf Forest	CDFmm/00
Sunshine Coast	Garry oak / California brome	<i>Quercus garryana / Bromus carinatus</i>	Broadleaf Forest	CDFmm/00; CWHxm1/00
Sunshine Coast	Garry oak / oceanspray	<i>Quercus garryana / Holodiscus discolor</i>	Broadleaf Forest	CDFmm/00
Sunshine Coast	beaked ditch-grass Herbaceous Vegetation	<i>Ruppia maritima</i> Herbaceous Vegetation	Estuarine Marsh Class	CDFmm/Em01; CWH/Em01
Sunshine Coast	Sitka willow - Pacific willow / skunk cabbage	<i>Salix sitchensis - Salix lasiandra</i> var. <i>lasiandra / Lysichiton americanus</i>	Swamp Wetland Class	CDFmm/Ws51; CWH/Ws51; ICH/Ws51
Sunshine Coast	American glasswort - sea-milkwort	<i>Sarcocornia pacifica - Lysimachia maritima</i>	Estuarine Marsh Class	CDFmm/Em02; CWH/Em02
Sunshine Coast	Henderson's checker-mallow Tidal Marsh	<i>Sidalcea hendersonii</i> Tidal Marsh	Estuarine Marsh Class	CWHxm1/00
Sunshine Coast	western redcedar / vanilla-leaf	<i>Thuja plicata / Achlys triphylla</i>	Coniferous Forest	CDFmm/12
Sunshine Coast	western redcedar / slough sedge	<i>Thuja plicata / Carex obnupta</i>	Coniferous Forest or Swamp Wetland Class	CWHdm/15; CWHxm1/15; CWHxm2/15
Sunshine Coast	western redcedar / black twinberry	<i>Thuja plicata / Lonicera involucrata</i>	Coniferous Forest	CWHdm/14; CWHxm1/14; CWHxm2/14
Sunshine Coast	Western Redcedar / Osoberry	<i>Thuja plicata / Oemleria cerasiformis</i>	Coniferous Forest	CDFmm/13
Sunshine Coast	western redcedar / devil's club	<i>Thuja plicata / Oplopanax horridus</i>	Coniferous Forest	CWHds1/07; CWHds2/07
Sunshine Coast	western redcedar - Sitka spruce / skunk cabbage	<i>Thuja plicata - Picea sitchensis / Lysichiton americanus</i>	Coniferous Forest or Swamp Wetland Class	CDFmm/Ws54; CWHdm/12; CWHds1/12; CWHds2/12; CWHds2/Ws54; CWHmm1/12; CWHmm1/Ws54; CWHms1/11; CWHms1/Ws54; CWHms2/11; CWHms2/Ws54; CWHvh1/13; CWHvh1/Ws54; CWHvh2/13; CWHvh2/Ws54; CWHvm1/14; CWHvm1/Ws54; CWHvm2/Ws54; CWHwh1/12; CWHwh1/Ws54; CWHwh2/06; CWHwh2/Ws54; CWHws1/11; CWHws1/Ws54; CWHws2/Ws54; CWHxm1/Ws54; CWHxm2/Ws54
Sunshine Coast	western redcedar / sword fern - skunk cabbage	<i>Thuja plicata / Polystichum munitum - Lysichiton americanus</i>	Coniferous Forest or Swamp Wetland Class	CDFmm/11; CDFmm/Ws53; CWHdm/Ws53; CWHxm1/12; CWHxm1/Ws53; CWHxm2/12; CWHxm2/Ws53
Sunshine Coast	western redcedar / sword fern Dry Maritime	<i>Thuja plicata / Polystichum munitum</i> Dry Maritime	Coniferous Forest	CWHdm/05
Sunshine Coast	western redcedar / sword fern Very Dry Maritime	<i>Thuja plicata / Polystichum munitum</i> Very Dry Maritime	Coniferous Forest	CWHxm1/05; CWHxm2/05
Sunshine Coast	western redcedar - Douglas-fir / vine maple	<i>Thuja plicata - Pseudotsuga menziesii / Acer circinatum</i>	Coniferous Forest	CWHds1/05; CWHds2/05
Sunshine Coast	western redcedar - Douglas-fir / Oregon beaked-moss	<i>Thuja plicata - Pseudotsuga menziesii / Kindbergia oregana</i>	Coniferous Forest	CDFmm/05
Sunshine Coast	western redcedar / salmonberry	<i>Thuja plicata / Rubus spectabilis</i>	Coniferous Forest	CWHdm/13; CWHxm1/13; CWHxm2/13
Sunshine Coast	western redcedar / common snowberry	<i>Thuja plicata / Symphoricarpos albus</i>	Coniferous Forest or Highbench Flood	CDFmm/07
Sunshine Coast	western redcedar / three-leaved foamflower Dry Maritime	<i>Thuja plicata / Tiarella trifoliata</i> Dry Maritime	Coniferous Forest	CWHdm/07
Sunshine Coast	western redcedar / three-leaved foamflower Very Dry Maritime	<i>Thuja plicata / Tiarella trifoliata</i> Very Dry Maritime	Coniferous Forest	CWHxm1/07; CWHxm2/07
Sunshine Coast	western redcedar - western hemlock / sword fern	<i>Thuja plicata - Tsuga heterophylla / Polystichum munitum</i>	Coniferous Forest	CWHmm1/04; CWHmm2/04; CWHvm1/04; CWHvm2/04

This list was copied from Master AREC Data June 2023, filtered to Chinook and excluded Haida Gwaii, then filtered to only Focus List = Y or TBD

Natural Resource District	Common Name	Scientific Name	Realm / Group / Class	BEC Subzone- var/ site series
Sunshine Coast	western hemlock - amabilis fir / step moss	<i>Tsuga heterophylla</i> - <i>Abies amabilis</i> / <i>Hylocomium splendens</i>	Coniferous Forest	CWHms1/01; CWHms2/01
Sunshine Coast	western hemlock - amabilis fir / pipecleaner moss	<i>Tsuga heterophylla</i> - <i>Abies amabilis</i> / <i>Rhytidiopsis robusta</i>	Coniferous Forest	CWHmm1/01; CWHmm2/01
Sunshine Coast	western hemlock - amabilis fir / deer fern	<i>Tsuga heterophylla</i> - <i>Abies amabilis</i> / <i>Struthiopteris spicant</i>	Coniferous Forest	CWHvm1/06; CWHvm2/06
Sunshine Coast	western hemlock - amabilis fir / deer fern Moist Maritime	<i>Tsuga heterophylla</i> - <i>Abies amabilis</i> / <i>Struthiopteris spicant</i> Moist Maritime	Coniferous Forest	CWHmm1/06; CWHmm2/06
Sunshine Coast	western hemlock / flat-moss	<i>Tsuga heterophylla</i> / <i>Buckiella undulata</i>	Coniferous Forest	CWHdm/01
Sunshine Coast	western hemlock / queen's cup	<i>Tsuga heterophylla</i> / <i>Clintonia uniflora</i>	Coniferous Forest	CWHds1/06; CWHds2/06
Sunshine Coast	western hemlock - Douglas-fir / electrified cat's-tail moss Dry Submaritime 1	<i>Tsuga heterophylla</i> - <i>Pseudotsuga menziesii</i> / <i>Hylocomiadadelphus triquetrus</i> Dry Submaritime 1	Coniferous Forest	CWHds1/01
Sunshine Coast	western hemlock - Douglas-fir / Oregon beaked-moss	<i>Tsuga heterophylla</i> - <i>Pseudotsuga menziesii</i> / <i>Kindbergia oregana</i>	Coniferous Forest	CWHxm1/01; CWHxm2/01
Sunshine Coast	western hemlock - western redcedar / salal Moist Maritime 1	<i>Tsuga heterophylla</i> - <i>Thuja plicata</i> / <i>Gaultheria shallon</i> Moist Maritime 1	Coniferous Forest	CWHmm1/03
Sunshine Coast	western hemlock - western redcedar / salal Very Wet Maritime	<i>Tsuga heterophylla</i> - <i>Thuja plicata</i> / <i>Gaultheria shallon</i> Very Wet Maritime	Coniferous Forest	CWHvm1/03; CWHvm2/03
Sunshine Coast	western hemlock - western redcedar / deer fern	<i>Tsuga heterophylla</i> - <i>Thuja plicata</i> / <i>Struthiopteris spicant</i>	Coniferous Forest	CWHdm/06; CWHxm1/06; CWHxm2/06
Sea to Sky	amabilis fir - Sitka spruce / devil's club	<i>Abies amabilis</i> - <i>Picea sitchensis</i> / <i>Oplapanax horridus</i>	Coniferous Forest	CWHvm1/08; CWHvm2/08
Sea to Sky	amabilis fir - western redcedar / oak fern	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Gymnocarpium dryopteris</i>	Coniferous Forest	CWHms1/04; CWHms2/04; CWHws1/04; CWHws2/04
Sea to Sky	amabilis fir - western redcedar / devil's club Moist Submaritime	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Oplapanax horridus</i> Moist Submaritime	Coniferous Forest	CWHms1/06; CWHms2/06; CWHws1/06
Sea to Sky	amabilis fir - western redcedar / salmonberry Very Wet Maritime	<i>Abies amabilis</i> - <i>Thuja plicata</i> / <i>Rubus spectabilis</i> Very Wet Maritime	Coniferous Forest	CWHvm1/07; CWHvm2/07
Sea to Sky	subalpine fir - whitebark pine / common juniper	<i>Abies lasiocarpa</i> - <i>Pinus albicaulis</i> / <i>Juniperus communis</i>	Coniferous Forest	ESSFdv/03; ESSFdv1/
Sea to Sky	subalpine fir / black huckleberry / ragged-mosses	<i>Abies lasiocarpa</i> / <i>Vaccinium membranaceum</i> / <i>Brachythecium</i> spp.	Coniferous Forest	ESSFdv/04; ESSFdv1/
Sea to Sky	arbutus / hairy manzanita	<i>Arbutus menziesii</i> / <i>Arctostaphylos columbiana</i>	Broadleaf Forest	CDFmm/00; CWHxm1/00
Sea to Sky	water birch / roses	<i>Betula occidentalis</i> / <i>Rosa</i> spp.	Low Bench Flood Class	BG/FF01; BGxh1/FI07; BGxh3/FI07; BGxw2/FI07; IDF/FF01; IDFxh1/FI07; PP/FF01; PPxh1/FI07; PPxh1a/FI07; PPxh2/FI07
Sea to Sky	slender sedge - white beak-rush	<i>Carex lasiocarpa</i> - <i>Rhynchospora alba</i>	Fen Wetland Class	CDFmm/Wf53; CWHdm/Wf53; CWHmm1/Wf53; CWHmm2/Wf53; CWHxm1/Wf53; CWHxm2/Wf53
Sea to Sky	Lyngbye's sedge herbaceous vegetation	<i>Carex lyngbyei</i> Herbaceous Vegetation	Estuarine Marsh Class	CDFmm/Em05; CWH/Em05
Sea to Sky	large-headed sedge Herbaceous Vegetation	<i>Carex macrocephala</i> Herbaceous Vegetation	Beachland Class	CDFmm/00; CWHvh1/00; CWHwh1; CWHxm1
Sea to Sky	Sitka sedge - Pacific water-parsley	<i>Carex sitchensis</i> - <i>Oenanthe sarmentosa</i>	Marsh Wetland Class	CWHdm/Wm50; CWHvh2/Wm50; CWHwm/Wm50; CWHxm1/Wm50
Sea to Sky	Sitka sedge / peat-mosses	<i>Carex sitchensis</i> / <i>Sphagnum</i> spp.	Fen Wetland Class	CWHvh2/Wf51; CWHvm1/Wf51; CWHvm2/Wf51; CWHwh1/Wf51; CWHwm/Wf51; CWHws2/Wf51; ICHvc/Wf51; ICHwc/Wf51; MHmm1/Wf51
Sea to Sky	tufted hairgrass - Henderson's checker-mallow	<i>Deschampsia cespitosa</i> - <i>Sidalcea hendersonii</i>	Estuarine Marsh Class	CWHxm1/00
Sea to Sky	tufted hairgrass Community	<i>Deschampsia cespitosa</i> Community	Alkaline/Saline Meadow Class or Marsh Wetland Class	MSxv/Gs04; SBPSdc/Gs04; SBPSxc/Gs04; SBPSxc/W3
Sea to Sky	tufted hairgrass - meadow barley	<i>Deschampsia cespitosa</i> ssp. <i>beringensis</i> - <i>Hordeum brachyantherum</i>	Estuarine Meadow Class	CDFmm/Ed01; CWH/Ed01
Sea to Sky	seashore saltgrass - Pacific swampfire	<i>Distichlis spicata</i> - <i>Sarcocornia pacifica</i>	Estuarine Marsh Class	CDFmm/Em03; CWHxm1/Em03
Sea to Sky	Roemer's fescue - junegrass	<i>Festuca roemeri</i> - <i>Koeleria macrantha</i>	Grassland Class	CDFmm/00; CWHxm1/00
Sea to Sky	northern mannagrass Fen	<i>Glyceria borealis</i> Fen	Fen Wetland Class	CWHvh2; ESSFdv; ESSFdv1/; MSxv; SBPSxc
Sea to Sky	arctic rush - Alaska plantain	<i>Juncus arcticus</i> - <i>Plantago macrocarpa</i>	Estuarine Meadow Class	CDFmm/Ed03; CWH/Ed03
Sea to Sky	dune wildrye - beach pea	<i>Leymus mollis</i> ssp. <i>mollis</i> - <i>Lathyrus japonicus</i>	Beachland Class	CDFmm; CWHdm; CWHds1; CWHms2; CWHvh1; CWHvh2; CWHvm1; CWHwh1; CWHwm; CWHws1; CWHxm1; CWHxm2
Sea to Sky	sweet gale / Sitka sedge	<i>Myrica gale</i> / <i>Carex sitchensis</i>	Fen Wetland Class	CDFmm/Wf52; CWHmm1/Wf52; CWHmm2/Wf52; CWHvh2/Wf52; CWHwm/Wf52; CWHxm1/Wf52; CWHxm2/Wf52
Sea to Sky	hybrid white spruce / black gooseberry	<i>Picea engelmannii</i> x <i>glauca</i> / <i>Ribes lacustre</i>	Coniferous Forest	MSdc1/04; MSdc2/07; MSdm1/06
Sea to Sky	Sitka spruce / salmonberry Dry	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Dry	Coniferous Forest or Highbench Flood	CWHdm/08; CWHds1/08
Sea to Sky	Sitka spruce / salmonberry Moist Submaritime	<i>Picea sitchensis</i> / <i>Rubus spectabilis</i> Moist Submaritime	Coniferous Forest or Highbench Flood	CWHms1/07; CWHms2/07

