

| fip_attribute_name | short_description | page |
|--------------------------------|--|-------------|
| activity_cd | history activity code | 1 |
| activity_sub_cd | insect or disease disturbance code | 3 |
| activity_year_1 | earliest year of activity | 7 |
| activity_year_2 | latest year of activity | 8 |
| age_class_cd | age class at reference year | 9 |
| age_range_maximum | maximum age | 10 |
| age_range_minimum | minimum age | 11 |
| agricultural_land_reserve_cd | agriculture land reserve | 12 |
| air_crown_closure_pct | crown closure | 13 |
| aspect_cd | aspect | 14 |
| attack_level | damage severity | 15 |
| attribute_cd | history attribute codes | 16 |
| bgc_phase | biogeoclimatic phase | 17 |
| bgc_subzone | biogeoclimatic subzone | 18 |
| bgc_variant | biogeoclimatic variant | 19 |
| bgc_zone | biogeoclimatic zone | 20 |
| blank1 | n/a | 21 |
| card_source_cd | forest cover data entry type | 22 |
| coast_interior_cd | coast/interior code | 23 |
| compartent_letter | inventory compartment letter | 24 |
| compartment | inventory compartment | 25 |
| crown_closure_class | crown closure class | 26 |
| culmination_mai_pri_lvl | culmination mean annual increment - primary utilization | 27 |
| culmination_mai_sec_lvl | culmination mean annual increment - secondary utilization | 28 |
| data_srce_class_cd | data source class code | 29 |
| data_srce_orign_cd | data source origin | 30 |
| dbh_limit_cd | dbh limit | 31 |
| development_plan | development plan | 32 |
| disturbance_cd | disturb | 33 |
| disturbance_percentage_cd | partial disturbance percentage | 34 |
| edatopic_moist_cd | edatopic code | 35 |
| edatopic_nutrnt_cd | edatopic code | 36 |
| elevation | elevation | 37 |
| esa_category1_cd | environmentally sensitive area code - high sensitivity | 38 |
| esa_category2_cd | environmentally sensitive area code - moderate sensitivity | 39 |
| esa_wildlife_cd | esa wildlife species code | 40 |
| fish_area | fisheries area | 41 |
| fiz_code | forest inventory zone | 42 |
| for_cover_layer_cd | stand layer | 43 |
| for_cover_rank_cd | rank or importance of layer | 44 |
| forest_cover_polygon_id | forest cover polygon number | 45 |
| forest_district | forest district | 46 |
| graphics_date | graphics creation date | 47 |
| graphics_version | graphics version number | 48 |
| grid_area | utm grid area | 49 |
| grid_no | utm grid number | 50 |
| growth_type_group | growth type group | 51 |
| hay_cutting_no | hay cutting number | 52 |
| height_class_cd | height class at reference year | 53 |
| hist_class_site_cd | historical site class | 54 |
| hist_class_special_site_cd | historical special site class code | 55 |
| history_cnt | number of history records | 56 |
| history_layer | stand layer to which history record applies | 57 |
| history_reference | history reference indicator | 58 |
| inoperability_ind | inoperability code | 59 |
| input_date | data input date | 60 |
| inventory_region | inventory region | 61 |
| inventory_type_group_number | inventory type group | 62 |
| inventory_type_group_source_cd | inventory type group origin | 64 |
| last_edit_date | last fip edit date | 65 |
| last_error_check_date | last fip error check date | 66 |
| last_error_check_version | last error check version | 67 |
| last_fipupdate_date | last fipupdate date | 68 |

FIP Data Dictionary version 2.0
November 1997

| | | |
|----------------------------------|--|-----|
| last_fipupdate_version | last fipupdate version - version record | 69 |
| layer_cnt | number of layer records | 70 |
| management_zone | management zone | 71 |
| mapsheet_id | forest cover map number | 72 |
| mean_diameter_pri_util_lvl | mean stand diameter - primary utilization level | 73 |
| mean_diameter_sec_util_lvl | mean stand diameter - secondary utilization level | 74 |
| non_forest_description | non-forest description | 75 |
| non_productive_cd | basic class | 76 |
| non_productive_forest_descriptor | non-productive descriptor | 77 |
| nts_map_number | nts/bcgs adjoining map number | 78 |
| opening_number | silviculture opening number | 79 |
| operability_cd | operability | 80 |
| ownership_cd | ownership | 81 |
| ownership_character_cd | ownership character | 82 |
| pest_severity_cd | degree or insect or disease infestation | 83 |
| planning_cell | planning cell | 84 |
| plantation_species_1 | plantation species - leading species | 85 |
| plantation_species_2 | plantation species - second species | 86 |
| polygon_area | forest polygon area | 87 |
| polygon_region | forest region | 88 |
| pri_util_lvl_cd | primary utilization level | 89 |
| projected_age | projected age | 90 |
| projected_age_class_cd | projected age class | 91 |
| projected_ba_pri_lvl | basal area - primary utilization projected | 92 |
| projected_ba_sec_lvl | basal area - secondary utilization projected | 93 |
| projected_date | data projection date | 94 |
| projected_height | projected height | 95 |
| projected_height_class_cd | projected height class | 96 |
| projected_stocking_class_cd | projected stocking class | 97 |
| projected_type_id | projected type identity | 98 |
| provincial_forest | provincial forest | 99 |
| provincial_forest_ind | provincial forest sub code | 100 |
| range_community_type_no | range community type number | 101 |
| range_pasture_cd | range pasture | 102 |
| range_type_no | range type number | 103 |
| range_unit_nbr | range unit | 104 |
| rec_activity_cd | recreation activity | 105 |
| rec_feature_cd | recreation feature | 106 |
| rec_feature_sig | recreation feature significance | 107 |
| rec_mgmt_cd | recreation management code | 108 |
| rec_mgmt_class | recreation management class | 109 |
| rec_ros | recreation opportunity spectrum | 110 |
| record_type_cd | record type indicator | 111 |
| recreation_polygon_no | recreation polygon number | 112 |
| reference_year | reference year | 113 |
| result_area | resultant area | 114 |
| resultant_cnt | number of resultant records | 115 |
| resultant_ind | resultant record indicator | 116 |
| resultant_no | resultant number | 117 |
| road_area | road area | 118 |
| sec_util_lvl_cd | secondary utilization level | 119 |
| secondary_element_cd | secondary layers for cc records | 120 |
| secondary_element_spp_cd | secondary element species | 121 |
| separator_char | activity separator character | 122 |
| site_class_5m | 5 metre site classes | 123 |
| site_index | site index | 124 |
| site_index_estimated | estimated site index | 125 |
| site_index_estimated_source_cd | estimated site index source | 126 |
| slope | slope | 127 |
| soil_unit | soil unit | 128 |
| special_cruise_number | public sustained yield unit | 129 |
| special_cruise_number_code | public sustained yield unit block | 130 |
| stand_age | stand age at reference year | 131 |
| stand_ba_pri_lvl | basal area - primary utilization at reference year | 132 |

FIP Data Dictionary version 2.0
November 1997

| | | |
|-------------------------------|--|-----|
| stand_ba_sec_lvl | basal area - secondary utilization at reference year | 133 |
| stand_establishment_year | year of stand establishment | 134 |
| stand_height | stand height at reference year | 135 |
| stems_per_hectare | stems per hectare | 136 |
| stock_range_nbr | stock range | 137 |
| stocking_class_cd | stocking class at reference year | 138 |
| stocking_class_source_cd | stocking class source code | 139 |
| tree_species_cd_1 | species composition - leading species | 140 |
| tree_species_cd_2 | species composition - second species | 142 |
| tree_species_cd_3 | species composition - third species | 144 |
| tree_species_cd_4 | species composition - fourth species | 146 |
| tree_species_cd_5 | species composition - fifth species | 147 |
| tree_species_cd_6 | species composition - sixth species | 148 |
| tree_species_pct_1 | percent species composition - leading species | 149 |
| tree_species_pct_2 | percent species composition - second species percent | 150 |
| tree_species_pct_3 | percent species composition - third species percent | 151 |
| tree_species_pct_4 | percent species composition - fourth species percent | 152 |
| tree_species_pct_5 | percent species composition - fifth species percent | 153 |
| tree_species_pct_6 | percent species composition - sixth species percent | 154 |
| tsa_number | timber supply area number | 155 |
| tsb_number | timber supply block | 156 |
| type_identity_reference | type identity at reference year | 157 |
| update_date | update date | 158 |
| update_reference_year | update reference year | 159 |
| vol_per_ha_spp_1_pri_util_lvl | leading species volume per hectare - primary utilization | 160 |
| vol_per_ha_spp_1_sec_util_lvl | leading species volume per hectare - secondary utilization | 161 |
| vol_per_ha_spp_2_pri_util_lvl | second species volume per hectare - primary utilization | 162 |
| vol_per_ha_spp_2_sec_util_lvl | second species volume per hectare - secondary utilization | 163 |
| vol_per_ha_spp_3_pri_util_lvl | third species volume per hectare - primary utilization | 164 |
| vol_per_ha_spp_3_sec_util_lvl | third species volume per hectare - secondary utilization | 165 |
| vol_per_ha_spp_4_pri_util_lvl | fourth species volume per hectare - primary utilization | 166 |
| vol_per_ha_spp_4_sec_util_lvl | fourth species volume per hectare - secondary utilization | 167 |
| vol_per_ha_spp_5_pri_util_lvl | fifth species volume per hectare - primary utilization | 168 |
| vol_per_ha_spp_5_sec_util_lvl | fifth species volume per hectare - secondary utilization | 169 |
| vol_per_ha_spp_6_pri_util_lvl | sixth species volume per hectare - primary utilization | 170 |
| vol_per_ha_spp_6_sec_util_lvl | sixth species volume per hectare - secondary utilization | 171 |
| volume_adjustment_factor | volume adjustment factor | 172 |
| well_spaced_stems | well spaced stems per hectare | 173 |
| wildlife_cd | wildlife code | 174 |
| woodcost | wood delivery cost | 175 |

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History
Attribute: Activity_CD
Alias: Activity_CD

Forestry Term: History Activity Code

Description: A code describing the historical activity (e.g. Wildfire, Juvenile Spacing, Fertilization, etc.) that occurred in the specified layer of the stand.

Content: 2 position 1 character alpha code designating the history or silviculture activity

Default: Must have value

Permitted Values: A - Animal damage (general) DI
 B - Wildlife DI
 BE - Escaped burn (DI)
 BG - Ground fire (DI)
 BR - Range burn (DI)
 BW - Wildlife burn (DI)
 D - Diseases (general) (DI)
 F - Flooding (DI)
 I - Insects (general) (DI)
 K - Fume Kill (DI)
 L - Logging (DI)
 L - Logging (partial disturbance) (DI)
 N - Non-Biological (abiotic) injuries (DI)
 R - Site rehabilitation (DI)
 S - Slide or Avalanche (DI)
 T - Treatment injuries (general) (DI)
 U - Damage (cause unknown) (DI)
 V - Problem vegetation (DI)
 W - Windthrow (DI)
 B - Broadcast burn (SI)
 C - Chemical (SI)
 G - Grass Seeded (SI)
 H - Hand preparation (SI)
 M - Mechanical scarification (SI)
 MS - Mechanical scarification & spot burn (SI)
 RB - Range management burn (SI)
 S - Spot burn (SI)
 W - Windthrow (SI)
 F - Fertilization (ST)
 H - Hack and Squirt (ST)
 J - Juvenile spacing (ST)
 M - Mistletoe control (ST)
 P - Pruning (ST)
 R - Conifer release (ST)
 S - Sanitation spacing (ST)
 T - Commercial Thinning (ST)
 W - Brushing and Weeding (ST)

Use: Used in conjunction with the History Attribute Code to uniquely describe the historical events that have occurred in a specified layer of the stand. This historical information is used to provide summaries of causes of disturbance and silvicultural activities. When undertaking summaries, care should be taken to check all layers. Components of the Activity code are placed on a labelled map.

Linkage: Activity_sub_cd, Attribute_cd

Format: Record type: History
 Field: 7
 Type: Character

Width: 2
Dec:
Position: 21: 22

Related Attribute: Attribute_cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: History

Attribute: Activity_Sub_Cd

Alias: Insect_Disease_Cd

Forestry Term: Insect or Disease Distur

Description: A code indicating the type of insect or disease that has caused a disturbance in the stand's history. Stands with a disturbance caused by insects or disease can be further described by the type of insect or disease.

Content: 2 character alpha code indicating species of insect or type of disease responsible for disturbance.

Default: Blank

Permitted Values: Animal Damage (general)

- B - Bear
- C - Cattle
- D - Deer
- E - Elk
- H - Hare or Rabbit
- M - Moose
- P - Porcupine
- S - Squirrel
- V - Vole
- X - Birds
- Z - Beaver

Diseases (general)

- 1 - Dwarf Mistletoes
- 2 - Roots Rots
- 3 - Foliage Diseases
- 4 - Rusts
- 01 - Dwarf Mistletoes
- 02 - Roots Rots
- 03 - Foliage Diseases
- 04 - Rusts
- A - Foliages Diseases (general)
- AF - Broom Rusts
- B - Brooming (Non-Mistletoe)
- BF - Fir Broom Rust
- BS - Spruce Broom Rust
- D - Stem Rots (general)
- DA - Armillaria
- DC - Laminated, Cedar Strain Only
- DE - Rust-Red Stringy Rot
- DF - Brown Crumbly Rot
- DI - Tomentosus
- DL - Laminated (not cedar strain)
- DN - Annosus
- DP - Red Ring Rot
- DS - Schweinitzii Butt Rot
- DT - Aspen Trunk Rot
- F - Foliage Diseases (general)
- FB - Larce Needle Blight
- FD - Douglas-fir Needle Cast
- FE - Elythroderma Needle Cast
- FL - Lophodermelia (Pine) Needle Cast
- FM - Larch Needle Cast
- FP - Fir Needle Blight (Fir-fireweed Rust)
- FR - Red Band Needle (Blight) Cast
- L - Leader and Branch Dieback (general)
- LD - Derma Canker

LL - Leader Dieback
 LP - Phomopsis Canker
 LR - Branch Dieback
 LS - Sydowia (Sclerophoma) Tip Dieback
 LV - Aspen-poplar Twig Blight
 M - Dwarf Mistletoe (general)
 MF - Douglas-fir Dwarf Mistletoe
 MH - Hemlock Dwarf Mistletoe
 ML - Larch Dwarf Mistletoe
 MP - Lodgepole Pine Dwarf Mistletoe
 P - Bark Disease (general)
 R - Root Disease (general)
 RA - Amarillaria Root Disease
 RB - Black Stain Root Disease
 RC - Laminated Root Rot, Cedar Strain
 RL - Laminated Root Rot, not Cedar Strain
 RN - Annosus Root Rot
 RR - Rhizina Root Disease
 RT - Tomentosus Root Rot
 S - Stem Diseases (general)
 SA - Atropellis Canker (Lodgepole Pine)
 SB - White Pine Blister Rust
 SC - Comandra Blister Rust
 SG - Western Gall Rust
 SN - Aspen Cankers (Cystopora Canker)
 SN - Aspen Cankers (Hypoxlon Canker)
 SN - Aspen Cankers (Cryptospheria Canker)
 SN - Aspen Cankers (Target Canker)
 SN - Aspen Cankers (Ceratozystis Canker)
 SN - Aspen Cankers (Sooty Bark Canker Canker)
 SS - Stalactiform Blister Rust
 SX - Exploding Canker of Douglas-fir and Interior Spruces

Insects (general)

1 - Western Blackheaded Budworm
 2 - Black Army Cutworm
 3 - Douglas-fir Tussock Moth
 4 - Forest Tent Caterpillar
 5 - Gypsy Moth
 6 - Greenstriped Forest Looper
 7 - Larch Casebearer
 8 - Larch Sawfly
 9 - Western False Hemlock Looper
 01 - Western Blackheaded Budworm
 02 - Black Army Cutworm
 03 - Douglas-fir Tussock Moth
 04 - Forest Tent Caterpillar
 05 - Gypsy Moth
 06 - Greenstriped Forest Looper
 07 - Larch Casebearer
 08 - Larch Sawfly
 09 - Western False Hemlock Looper
 10 - Western Hemlock Looper
 11 - Western Spruce Budworm
 12 - Douglas-Fir Beetle
 13 - Mountain Pine Beetle
 14 - Spruce Beetle
 15 - Balsam Woolly Aphid
 16 - Cooley Spruce Gall Adelgid
 17 - White Pine Weevil
 A - Aphids (general)
 AB - Balsam Woolly Adelgid
 AC - Gian Conifer Aphid
 AG - Colley Spruce Gall Adelgid
 AS - Green Spruce Aphid
 B - Bark Beetles (general)
 BB - Western Balsam Bark Beetle
 BD - Douglas-fir Beetle
 BI - Engraver Beetle
 BM - Mountain Pine Beetle

BP - Twig Beetle and Others
 BS - Spruce Beetle
 BT - Red Turpentine Beetle
 BW - Western Pine Beetle
 D - Defoliations (general)
 DA - Black Army Cutworm
 DC - Larch Casebearer
 DD - Loper (Deciduous)
 DE - Eastern Spruce Budworm
 DF - Forest Tent Caterpillar
 DG - Greenstriped Forest Looper
 DH - Western Blackheaded Budworm
 DM - Gypsy Moth
 DN - Birch Leaf Miner
 DP - Larch Sawfly
 DR - Red Alder Sawfly
 DS - Conifer Sawfly
 DT - Douglas-fir Tussock Moth
 DU - Satin Moth
 DV - Variegated Cutworm
 DW - Western Aspen Tortrix
 DZ - Western False Hemlock Looper
 M - Mite Damage (general)
 S - Shoot Insects (general)
 SB - Western Cedar Borer
 SE - European Pine Shoot Moth
 SG - Gouty Pitch Midge
 SP - Pitch Nodule Moths
 SQ - Sequoia Pitch Moth
 SS - Western Pine Shoot Borer
 W - Weevils (general)
 WC - Steremnius Root Collar Weevil
 WM - Magdalis Species
 WP - Lodgepole Pine Terminal Weevil
 WS - White Pine (Spruce) Weevil
 WW - Warren's Root Collar Weevil
 WY - Cylindrocopturus Weevil
 WZ - Yosemite Bark Weevil

Non-Biological (abiotic) Injuries

B - Wildfire
 D - Drought
 F - Flooding
 G - Frost (general)
 GC - Frost Crack
 GH - Frost Heaved
 GK - Shoot/Bud Frost Kill
 Hv - Hail
 K - Fume Kill
 L - Lightning
 N - Road Salt
 R - Redbelt
 S - Slide
 W - Windthrow
 WS - Windthrow-soil failure
 WT - Windthrow-treatment or harvest related
 X - Scarring/rubbing
 Y - Snow or Ice (including Snow Press)
 Z - Sunscald

treatment Injuries (general)

C - Chemical
 L - Logging
 M - Mechanical
 P - Planting
 PM - Poor Planting Microsite
 R - Pruning
 T - Thinning or Spacing

Damage (cause Unknown)

A - Atypical Growth
B - Breakage (Dead or Broken Top)
C - Crown Symptoms (Chlorotic)
F - Fluted Butt
G - Gails
K - Fork or Pronounced Crook
L - Leaning
M - Multiple Leaders
R - Brooming
S - Basal Sweep

Problem Vegetation
H - Herbaceous Competition
P - Vegetation Press
S - Shrub Competition
T - Tree Competition

Use: Used in combination with attribute code and activity code to define the causative factor and extent of disturbance due to specific insects and diseases.

Linkage: Activity_cd

Format: Record type: History
Field: 11
Type: Character
Width: 2
Dec:
Position: 28: 29

Related Attribute: Attribute_cd, Activity_cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: History

Attribute: Activity_Year_1

Alias: Activity_Year_1

Forestry Term: Earliest Year of Activity

Description: The first, or only year, in which the historical activity occurred.

Content: 2 character numeric code indicating earliest year

Default: Blank

Permitted Values: <blank> No recorded
01 to present year

Use: Used to identify the year in which the historical activity within a specific layer of the stand started. Used in conjunction with Activity Year 2 to determine the time frame in which the historical activity occurred.

Linkage: May form part of age range with Activity_year_2

Format: Record Type: History
Field Name:
Field: 8
Type: Numeric
Width: 2
Dec:
Position: 22: 24

Related Attribute: Activity_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History
Attribute: Activity_Year_2
Alias: Activity_Year_2

Forestry Term: Last Year of Activity
 Description: The last year in which the historical activity occurred. A blank field indicates that the activity started and completed in the first year of activity (e.g. in Activity year 1).
 Content: 2 character numeric code indicating the latest year of c
 Default: Blank
 Permitted Values: <blank> Not recorded
 01 to present
 Use: Used to identify the year in which the historical activity within a specific layer of the stand was completed. Used in conjunction with Activity year 1 to determine the time frame in which the historical activity occurred.
 Linkage: May form part of age range with Act_Yr1.
 Format: Record type: History
 Field: 10
 Type: Numeric
 Width: 2
 Dec:
 Position: 26: 27
 Related Attribute: Activity_Year_1, Attribute_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
 Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Age_Class_Cd
Alias: Age_Class_Cd

Forestry Term: Age Class at Reference
 Description: A code indicating the age class of the stand at the reference year. Age classes are intervals, or ranges, of ages into which trees, forests, stands, or forest types are divided into for classification and use.
 Content: 1 character numeric code between indicating age class
 Default: Must have value
 Permitted Values: 0 Stand age 0
 1 Stand age 1 to 20 years
 2 Stand age 21 to 40 years
 3 Stand age 41 to 60 years
 4 Stand age 61 to 80 years
 5 Stand age 81 to 100 years
 6 Stand age 101 to 120 years
 7 Stand age 121 to 140 years
 8 Stand age 141 to 250 years
 9 Stand age 251 + years
 Use: Used with Projected Age Class to summarize age class movements following projection.
 Linkage: May be calculated from Stand_Age; may be used to calculate Stand_Age (CC records). May be used to determine maturity in forest stands, i.e. Typid 1 and 2.
 Format: Record Type: Layer
 Field Name:
 Field: 39
 Type: Numeric
 Width: 1
 Dec:
 Position: 160:160
 Related Attribute: Stand_age

References: Ministry of Forests, Resources Inventory Branch

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Age_Range_Maximum
Alias: Age_Range_Maximum

Forestry Term: Maximum Age
Description: The age of the oldest component of an uneven-aged stand at the reference year.
Content: 3 character numeric value holding age in years of oldest component of an uneven-aged stand
Default: 0 years
Permitted Values: 295 years
Use: Used to identify uneven-aged stands and, if uneven-aged, to determine the maximum or oldest age of the trees in the layer.
Linkage: Stand_age and Age_Class_Cd
Format: Record type: Layer
Field: 41
Type: Numeric
Width: 3
Dec: 1
Position: 164: 166
Related Attribute: Stand_Age

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Age_range_Minimum
Alias: Age_range_Minimum

Forestry Term: Minimum Age
Description: The age of the youngest component of an uneven-aged stand at the reference year.
Content: 3 character numeric value holding age in years of youngest component of an uneven-aged stand
Default: 0 years
Permitted Values: 25 years
Use: Used to identify uneven-aged stands and, if uneven-aged, to determine the minimum or youngest age of the trees in the layer.
Linkage: Stand_Age and Age_Class_Cd
Format: Record type: Layer
Field: 40
Type: Numeric
Width: 3
Dec:
Position: 161: 163
Related Attribute: Stand_Age

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Agricultural_Land_Reserve_Cd
Alias: Agricultural_Land_Reserve

Forestry Term: Agricultural Land Reserv
 Description: The Agricultural Land Reserve designation (s) that fall within the forest cover polygon. Agricultural Land Reserves (ALR) are areas designated as having a high agricultural value. An ALR designation does not preclude the management of the land for forest production. These Reserves are defined under Sections 1 and 8 of the Agricultural Land Commission Act.
 Content: 2 character numeric code indicating presence of ALR
 Default: 01 Unreported
 Permitted Values: 00 No Agricultural Land Reserve (No A.L.R.)
 01 Unreported (out of Province)
 88 Agricultural Land Reserve (A.L.R.)
 Use: Used to indicate the area of the polygon located within a Agricultural Land Reserve. Used to identify land with a high agricultural value.
 Linkage: None
 Format: Record Type: Resultant
 Field Name:
 Field: 22
 Type: Numeric
 Width: 2
 Dec:
 Position: 66: 67
 Related Attribute: Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps
 Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Air_Crown_Closure_Pct

Alias: Crown_Closure_Air

Forestry Term: Crown Closure

Description: The percentage crown closure in the stand as assessed from aerial photos. Crown closure is base on the amount of ground area covered by the green crowns (i.e. vertical projection).

Content: 3 character numeric value holding crown closure expressed

Default: 0 %

Permitted Values: 0 to 100

Use: Used as an indirect measure of stand density in Growth Models. Growth models are used to calculate stand volumes and diameters.

Linkage: Used to calculate crown_closure_class and in volume and diameter calculation

Format: Record Type: Layer
 Field Name:
 Field: 49
 Type: Numeric
 Width: 3
 Dec:
 Position: 181:183

Related Attribute: vol_per_ha_spp_1_pri_util_lvl to vol_per_ha_spp_6_util_lvl, mean_diameter_pri_util_lvl, mean_diameter_sec_util_lvl

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Aspect_cd
Alias: Azimuth

Forestry Term: Aspect
 Description: The direction(s) towards which the slope of the land in the polygon faces. Aspect is a measure of the orientation or exposure of an area by means of compass points (e.g. 180 degrees - south).
 Content: Azimuth
 Default: Blank
 Permitted Values: <blank> 0 to 360
 Use: Used in conjunction with other attributes for trees species selection for reforestation.
 Linkage: None
 Format: Record Type: Resultant
 Field Name:
 Field: 38
 Type: Character
 Width: 3
 Dec:
 Position: 108:110
 Related Attribute: Elevation, Slope, Result_Area

References: Ministry of Forests, Resources Inventory Branch, FRGIS Selection

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Attack_Level
Alias: Infestation_Degree

Forestry Term: Damage Severity
Description: Quantitative description of damage severity induced through various biotic or abiotic agents such as insects, diseases, mammals or weather (damaging agents).
Content: 3 character numeric code
Default: 0
Permitted Values: Note: Currently being address in consultation with Forest Health.
Use: Not currently in use.
Linkage: None
Format: Record Type: Resultant
Field Name:
Field: 53
Type: Numeric
Width: 3
Dec:
Position: 162:164
Related Attribute: None

References: None

Agency Responsible: Ministry of Forests, Silviculture Branch, Forest Health

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: History

Attribute: **Attribute_cd**

Alias: **Attribute_cd**

Forestry Term: History Attribute Codes

Description: A code describing the type of stand history described in this record. History types include the presence of some type of Disturbance, and broad based silvicultural activities such as site preparation, stand tending, and plantation.

Content: 2 character alpha code designating history Attribute

Default: Blank

Permitted Values: <blank>
DI - Disturbance
SI - Site Preparation
ST - Stand tending
PL - Plantation

Use: Used in conjunction with the History Activity Code and History Activity Sub Code to describe the type of activity (e.g. fire, logging) which has taken place in a particular stand. This historical information is used to provide summaries of causes of disturbances and silvicultural activities. When undertaking summaries, care should be taken to check all layers in the stand.

Linkage: Activity_cd, Activity_sub_cd

Format: Record type: History
Field: 6
Type: Character
Width: 2
Dec:
Position: 19: 20

Related Attribute: Activity_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: BGC_Phase

Alias: BGC_Phase

Forestry Term: Biogeoclimatic Phase

Description: The Biogeoclimatic Phase(s) that fall within the polygon. A biogeoclimatic Phase is a code that accommodates the variation, resulting from local relief, in the regional climate of the biogeoclimatic subzones and variant.

Content: 1 character alpha code

Default: Blank

Permitted Values: p

Use: Used to indicate the area of the polygon located within a Biogeoclimatic Phase. Used in stocking, tree species selection, and seed transfer guidelines.

Linkage: None

Format: Record Type: Resultant
 Field Name:
 Field: 46
 Type: Character
 Width: 1
 Dec:
 Position: 140:140

Related Attribute: BGC_Zone, BGC_Subzone, BGC_Variant, BGC_Blank, Result_Area

References: Ministry of Forests, Research Branch

Agency Responsible: Ministry of Forests, Research Branch, District/Region

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: BGC_Subzone

Alias: BGC_Subzone

Forestry Term: Biogeoclimatic Subzone

Description: The Biogeoclimatic Subzone(s) that fall within the forest cover polygon. A Biogeoclimatic Subzone is a subdivision of the Biogeoclimatic Zone. The subdivision is based on the floristic differences in the zonal ecosystem with sequences influenced primarily by regional climate.

Content: 2 character alpha code holding biogeoclimatic subzone

Default: --

Permitted Values: -- not assigned;
dx

Use: Used to indicate the area of the polygon that falls within a biogeoclimatic subzone. Used in: stocking, tree species selection, and se transfer guidelines, area and volume summaries, biodiversity studies, old growth studies, and statistical reports.

Linkage: None

Format: Record Type: Resultant
Field Name:
Field: 44
Type: Character
Width: 2
Dec:
Position: 137:138

Related Attribute: BGC_Zone, BGC_Variant, BGC_Phase, BGC_Blank, Result_Area

References: Ministry of Forests, Research Branch

Agency Responsible: Ministry of Forests, Research Branch, District/Region

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: BGC_Variant
Alias: BGC_Variant

Forestry Term: Biogeoclimatic Variant
 Description: The Biogeoclimatic Variant(s) that fall within the forest cover polygon. A Biogeoclimatic Variant is a division of the Biogeoclimatic Zone and Subzone. The division reflects the differences in species cover and vigour of the plant species.
 Content: 1 character numeric code holding biogeoclimatic variant
 Default: -
 Permitted Values: - not assigned;
 1 to 5
 Use: Used to indicate the area of the polygon that falls within a biogeoclimatic subzone. Used in: stocking, tree species selection, and se transfer guidelines, area and volume summaries, biodiversity studies, old growth studies, and statistical reports.
 Linkage: None
 Format: Record Type: Resultant
 Field Name:
 Field: 45
 Type: Character
 Width: 1
 Dec:
 Position: 139:139
 Related Attribute: BGC_Zone, BGC_Subzone, BGC_Phase, BGC_Blank, Result_Area

References: Ministry of Forests, Research Branch Ecology Section

Agency Responsible: Ministry of Forests, Branch/Region

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: BGC_Zone

Alias: BGC_Zone

Forestry Term: Biogeoclimatic Zone

Description: The Biogeoclimatic Zone(s) that fall within the forest cover polygon. A Biogeoclimatic Zone is a geographic area with a broad homogeneous macroclimate that influences the development of vegetation and soil.

Content: 4 character alpha code holding biogeoclimatic zone

Default: Z999

Permitted Values: IDF-
ESSF

Use: Used to indicate the area of the polygon located within a biogeoclimatic zone. Used in Free to Grow Assessments.

Linkage: None

Format: Record Type: Resultant
Field Name:
Field: 43
Type: Character
Width: 4
Dec:
Position: 133:136

Related Attribute: BGC_Subzone, BGC_Variant, BGC_Phase, BGC_Blank, Result_Area

References: Ministry of Forests, Research Branch Ecology Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Blank1

Alias: Blank1

Forestry Term: N/A

Description: This field is blank.

Content: Blank

Default: blank

Permitted Values: <blank>

Use: May be utilized as a user defined field.

Linkage: None

Format: Record type: Layer
Field: 8
Type: Character
Width: 1
Dec:
Position: 23: 23

Related Attribute: None

References: None

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Polygon
Attribute: **Card_source_cd**
Alias: **Card_source**

Forestry Term: Forest Cover data Entry
Description: Code describing the input source of the forest cover information. The original source of the data impacts data resolution/accuracy.
Content: 2 character alpha code indicating data input source.
Default: Must have value
Permitted Values: CC Direct label Entry. Mylar Conversion (class data)
 CF Detailed Forest Cover Entry -)Original FS810 Form)
 CD Detailed Forest Cover Entry - (Later FS810 Form)
 FA Detailed Forest Cover Entry - (FS810A Form)
Use: Defines the resolution /accuracy of the data
Linkage: Affects resolution/accuracy of height, age and site and consequently affects volume, MAI, etc.
Format: Record Type: Polygon
 Field Name:
 Field: 10
 Type: Character
 Width: 2
 Dec:
 Position: 40: 41
Related Attribute: Stand_age, Stand_height, Stocking_class_source_cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Coast_Interior_CD

Alias: IC_IND

Forestry Term: Coast/Interior Code

Description: A code indicating that the stand is located in the coast or interior region of the Province. The coast region is defined as the mainland west of the Cascade and coast mountains, including the off-shore islands. Forest Inventory Zones (FIZ) A to C are included in the Coast region. The interior reign is defined as the mainland east of the Cascade and coast mountains. Forest Inventory Zones (FIZ) D to L are included in the Interior Region

Content: 1 character alpha code designating coast or interior

Default: must have value

Permitted Values: I Interior (FIZ D, E, F, G, H, I, J, K and L)
C Coast (FIZ A, B, C)

Use: The coast or interior classification is used in determining stand volumes and utilization levels.

Linkage: Used in calculation of site_index_estimated and stand_height, projected_height. Linked to pri_util_lvl_cd and sec_util_lvl_cd. Linked indirectly to calculation of volumes and diameters.

Format: Record Type: Polygon
Field Name:
Field: 13
Type: Character
Width: 1
Dec:
Position: 54: 54

Related Attribute: pri_util_lvl_cd, sec_util_lvl_cd, special_cruise_number, special_cruise_number_code, vol_per_ha_spp_1_priv_util_lvl to vol_per_ha_spp_6_sec_util_lvl, mean_diameter_pri_util_lvl, mean_diameter_sec_util_lvl, site_index_estimated_source_cd, site_index, Fiz_code

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Glossary of Terms

Agency Responsible: Ministry of Forests, Resource Inventory Branch/District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Compartment_Letter

Alias: Compartment_Letter

Forestry Term: Inventory Compartment

Description: The compartment letter (s) that fall within the forest cover polygon. Compartment letter is a geographic subdivision of an inventory compartment. Compartment letter only applies to some inventory compartments (e.g. only in inventory regions 1, 3, 5, 6, 7, 9, 10, 11, 56). Compartment Letter is also part of the reference key for identifying the geographic location of all inventory compartment and inventory region form the key to identifying inventory samples.

Content: 1 character alpha code holding compartment letter

Default: Blank

Permitted Values: <blank> No compartment Letter
A
B, etc

Use: Used to indicate the area of the polygon that is located within a compartment letter. Used in conjunction with inventory region to assign FIZ zones. Also used for defining area boundaries for area and volume summaries.

Linkage: None

Format: Record type: Resultant
Field: 15
Type: Character
Width: 1
Dec:
Position: 47: 47

Related Attribute: Inventory_Region, Compartment, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory Branch, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Compartment
Alias: Compartment

Forestry Term: Inventory Compartment
 Description: The inventory compartment (s) that fall within the forest cover polygon. Inventory compartments are a geographic subdivision of an inventory region, usually defining a watershed or part thereof. Inventory compartment is also part of the reference key for identifying the geographic location of all inventory branch samples. Inventory compartment, along with compartment letter and inventory region form the key to identifying inventory samples.
 Content: A 3 digit numeric code between 1 and 206 with 999 being used for areas outside the Province.
 Default: 999 designates areas outside of the Province
 Permitted Values: 1 to 206 999 defines areas outside the Province.
 Use: Used to indicate the area of the polygon that is located within an inventory compartment. Used in conjunction with inventory region to assign Fiz zones. Also used for defining area boundaries for area and volume summaries.
 Linkage: Used with Inventory_Region to derive Fiz_code.
 Format: Record type: Resultant
 Field: 14
 Type: Numeric
 Width: 3
 Dec:
 Position: 44: 46
 Related Attribute: Inventory_Region, Fiz_code, Result_area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory Branch, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Crown_Closure_Class

Alias: Crown_Closure_Class

Forestry Term: Crown_Closure_Class

Description: A code indicating the crown closure class of the stand. Crown closure classes are intervals, or ranges, of crown closures into which stands or forest types are divided into for classification and use.

Content: 2 character numeric code designating crown closure class

Default: 0

Permitted Values: 0 0 - 5 % crown closure
 1 6 - 15 % crown closure
 2 16 - 25 % crown closure
 3 26 - 35 % crown closure
 4 36 - 45 % crown closure
 5 46 - 55 % crown closure
 6 56 - 65 % crown closure
 7 66 - 75 % crown closure
 8 76 - 85 % crown closure
 9 86 - 95 % crown closure
 10 96 - 100 % crown closure

Use: Used in the application of Growth Models to adjust volume based stand density. Also used for the estimation of understory productivity.

Linkage: Calculated using crown_closure_air. Used as an index to a table lookup for stocking_class_cd.

Format: Record Type: Layer
 Field Name:
 Field: 68
 Type: Numeric
 Width: 2
 Dec:
 Position: 225:226

Related Attribute: air_crown_closure_pct

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Culmination_Mai_Pri_Lvl

Alias: Culmination_Mai_Pri_Lvl

Forestry Term: Culmination Mean Annu

Description: The maximum annual increment in stand volume at the primary utilization level. Culmination MAI is determined net decay only and only for TYPID's 1, 2, 3, 4, 5 and 9.

Content: 4 character numeric value holding culmination MAI

Default: 0.0

Permitted Values: 8.2 m3/yr/ha

Use: Used to determine rotation age and long run sustained yield (LRSY)

Linkage: Calculated using site_index, culmination age and coefficients based on inventory_type_group_source_cd, fiz_code and pri_util_lvl_cd

Format: Record Type: Layer
Field Name:
Field: 70
Type: Numeric
Width: 4
Dec: 1
Position: 228:231

Related Attribute: coast_interior_cd, tree_species_cd_1, tree_species_cd_2, site_index

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section.

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Culmination_Mai_Sec_Lvl

Alias: Culmination_Mai_Sec_Lvl

Forestry Term: Culmination Mean Annu

Description: The maximum annual increment in stand volume at the secondary utilization level. Culmination MAI is determined net decay only and only for TYPID's 1, 2, 3 ,4, 5 and 9.

Content: 4 character numeric value holding culmination MAI

Default: 0.0

Permitted Values: 7.9 m3/yr/ha

Use: Used to determine rotation age and long run sustained yield (LRSY)

Linkage: Calculated using site_index, culmination age and coefficients based on inventory_type_group_source_cd, fiz_code and pri_util_lvl_cd

Format: Record Type: Layer
Field Name:
Field: 71
Type: Numeric
Width: 4
Dec: 1
Position: 232:235

Related Attribute: coast_interior_cd, tree_species_cd_1, tree_species_cd_2, site_index

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section.

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Data_Srce_Class_Cd
Alias: Data_Srce_Class_Cd

Forestry Term: Data Source Class Code
 Description: A layer identifying the method of data collection for this layer (e.g. Air Photo Interpretation, Air Calls, Valuation Cruise Plot, etc.)
 Content: 2 character numeric code designating method of data
 Default: Must have value
 Permitted Values: 0 - Photo interpretation
 1 - Air call (air observation without 70 mm photography)
 2 - Classification from low-level fixed base, 70mm photography
 3 - Phase 1 photo sample
 4 - Ground call, 1 points
 5 - Standard fixed-radius sample (pre 1979), productivity sample
 6 - Phase 2 or phase 3 sample
 7 - Silvicultural Surveys - stocking, survival, free-growing, pre-stand tending.
 8 - Ground observation with measurement
 9 - Research plot (s)
 10 - Silviculture treatment record - a record that summarizes the modified stand structure following an activity or treatment such as planting, juvenile spacing, brushing and weeding, conifer release, seed tree control, sanitation spacing, rehabilitation or commercial thinning.
 12 - Disturbance - an area recently disturbed by fire, logging, wind throw or insects, that is classified as NSR, and that has no source of information, other than the type and year of the disturbance.
 13 - Managed stand sample
 14 - Ground call, 2 or more points
 15 - Ground traversed boundary requiring photo confirmation
 71 - Silviculture Surveys - Free Growing
 72 - Silviculture Surveys - Conditional Free Growing
 73 - Silviculture Surveys - Not Free Growing
 74 - Silviculture Surveys - Pre-Stand Tending
 Use: Identifies the sampling methods used to collect the layer information. The sampling method used, impacts the accuracy (e.g. confidence interval) and hence the reliability of the data.
 Linkage: Linked to all stand attributes
 Format: Record Type: Layer
 Field Name:
 Field: 7
 Type: Numeric
 Width: 2
 Dec:
 Position: 21: 22
 Related Attribute: Data_src_orgn_cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
 Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Data_Srce_Orign_Cd

Alias: Data_Srce_Orign_Cd

Forestry Term: Data Source Origin

Description: A code describing the source of the polygon attributes and label, including species, age, and height. For example, the data source may be from an adjacent polygon with a similar stand history, or from an artificial type boundary such as a road or power line.

Content: 1 character numeric code indicating the data source

Default: Must have value

Permitted Values: 0 - No qualification necessary (data source occurs within forest cover type)
 1 - Artificial type boundary; neat line, double-line power line, road, etc, administration boundary
 2 - Adjacent but disconnected forest cover type with a similar history of stand development
 3 - Adjacent type islands sharing a common boundary with a similar history of common stand development
 4 - Data source was destroyed by a disturbance both still applies to the undisturbed portion of the original type.

Use: Implies reliability of the polygon label.

Linkage: None

Format: Record Type: Layer
 Field Name:
 Field: 9
 Type: Numeric
 Width: 1
 Dec:
 Position: 24: 24

Related Attribute: Data_srce_class_cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Dbh_limit_cd
Alias: Minimum_dbh

Forestry Term: Dbh_limit
 Description: A code indicating the minimum diameter breast height (dbh) for measuring trees (i.e. stems) in the field sample. For example, a code 3 indicates that stems were measured if they have a dbh greater than or equal to 7.5 cm.
 Content: 1 character numeric code reflecting the minimum diameter
 Default: 0
 Permitted Values: 1 - less than or equal to 0.0 cm diameter breast height
 2 - Greater than or equal to 0.0 cm diameter breast height but less than 7.5 cm dbh
 3 - All stems greater than or equal to 7.5 cm diameter breast height
 4 - All stems greater than or equal to 12.5 cm diameter breast height
 5 - All stems greater than or equal to 17.5 cm diameter breast height
 6 - All stems greater than or equal to 22.5 cm diameter breast height
 7 - All stems greater than or equal to 27.5 cm diameter breast height
 Use: Indicates diameter limits used in the sample established within the stand
 Linkage: None.
 Format: Record Type: Layer
 Field Name:
 Field: 69
 Type: Numeric
 Width: 1
 Dec:
 Position: 227:227
 Related Attribute: Data_srce_class_cd, Stems_per_hectare

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section.

Agency Responsible: Ministry of Forests, Resource Inventory Branch, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Development_Plan
Alias: Development_Plan

Forestry Term: Development Plan
Description: The file reference of the development plan for the area within the polygon. Not currently in use.
Content: 2 character numeric code
Default: 0
Permitted Values:
Use: Not in use
Linkage: None
Format: Record Type: Resultant
Field Name:
Field: 49
Type: Numeric
Width: 2
Dec:
Position: 152:153
Related Attribute: None

References: None
Agency Responsible: None

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Disturbance_Cd
Alias: Disturbance_Type

Forestry Term: Disturb
Description: Type of disturbance agent which follows Forest Health damage incidence codes.
Content: 3 character alpha code
Default: Blank (subject to revision)
Permitted Values:
Use: Not in use
Linkage: None
Format: Record Type: Resultant
Field Name:
Field: 54
Type: Character
Width: 3
Dec:
Position: 165:167
Related Attribute: None

References: None

Agency Responsible: Ministry of Forests, Silviculture Branch, Forest Health

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History
Attribute: Disturbance_Percentage_Cd
Alias: Degree_of_Disturbance

Forestry Term: Partial Disturbance Perc
 Description: A code describing the percentage of area in a stand layer that has been disturbed. The code is only used when the disturbance is between 1 and 99 percent.
 Content: 1 character numeric code indicating percent of disturbance
 Default: Blank
 Permitted Values: <blank>
 1 to 9 Percent disturbance
 1 = 1 - 15 %
 2 = 16-25 %
 3 = 26-35 %
 4 = 36-45%, etc
 Use: May be used to reduce stand volumes.
 Linkage: None
 Format: Record type: History
 Field: 13
 Type: Character
 Width: 1
 Dec:
 Position: 31: 31
 Related Attribute: Attribute_Cd, Activity_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
 Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Edatorpic_Moist_Cd

Alias: BGC_Blank

Forestry Term: Edatopic Code

Description: The Edatopic code(s) that fall within the polygon. An Edatopic code gives the Edatopic Grid Location of the soil in the polygon. The Edatopic Grid is based on soil moisture and nutrient regimes.

Content: 9 character alpha code

Default: Blank

Permitted Values:

Use: Used to indicate the area of the polygon located within an Edatopic Code. Used in stocking, tree species selection, and seed transfer guidelines.

Linkage: None

Format: Record Type: Resultant
 Field Name:
 Field: 47
 Type: Character
 Width: 9
 Dec:
 Position: 141:149

Related Attribute: BGC_Zone, BGC_Subzone, BGC_Variant, BGC_Phase, Result_area

References: Ministry of Forests, Research Branch Ecology Section

Agency Responsible: Ministry of Forests, Research Branch/Region

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Edatopic_Nutrnt_cd
Alias: BGC_Blank

Forestry Term: Edatopic Code
 Description: The Edatopic code(s) that fall within the polygon. An Edatopic code gives the Edatopic Grid Location of the soil in the polygon. The Edatopic Grid is based on soil moisture and nutrient regimes.
 Content: 9 character alpha code
 Default: Blank
 Permitted Values:
 Use: Used to indicate the area of the polygon located within an Edatopic Code. Used in stocking, tree species selection, and seed transfer guidelines.
 Linkage: None
 Format: Record Type: Resultant
 Field Name:
 Field: 47
 Type: Character
 Width: 9
 Dec:
 Position: 141:149
 Related Attribute: BGC_Zone, BGC_Subzone, BGC_Variant, BGC_Phase, Result_area

References: Ministry of Forests, Research Branch Ecology Section
 Agency Responsible: Ministry of Forests, Research Branch/Region

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Elevation
Alias: Elevation

Forestry Term: Elevation
 Description: The elevation(s), relative to the mean sea level, of the land contained within the polygon.
 Content: Elevation in metres
 Default: <blank>
 Permitted Values: <blank>
 -500 to 4100
 Use: Used in conjunction with other attributes for such things as slope calculations and tree species selection for reforestation.
 Linkage: None
 Format: Record Type: Resultant
 Field Name:
 Field: 36
 Type: Numeric
 Width: 4
 Dec:
 Position: 101:104
 Related Attribute: Slope, Aspect_cd, Result_Area

References: Ministry of Forests, Resources Inventory Branch, FRGIS Selection

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Polygon
Attribute: ESA_Category1_Cd
Alias: Environment_Sensitive_Area_1

Forestry Term: Environmentally Sensitiv

Description: Code indicating that this forest cover polygon has a HIGH environmental sensitivity and is not normally available for sustained timber production. Polygons assigned a HIGH ESA class are either very environmentally sensitive, or are deemed valuable for other resources such as recreation, wildlife, etc. Up to 3 categories of High sensitivity are allowed.

Content: 3 character alpha code holding ESA category

Default: Blank

Permitted Values: If designated 1 is not noted, it is implied

| | |
|---------------------|--|
| Soil | S SA SAH SAP SAR SAW SP SPH SPR SPW SH SHR SHW SR SRW SW |
| Snow Avalanche | A AP APH APW AH AHR AHW AR ARW AW |
| Forest Regeneration | P PH PHR PHW PR PRW PW |
| Water | H HR HRW HW |
| Recreation | R RW |
| Wildlife | W |

Use: Used to identify areas of high environmental sensitivity. ESA's are used extensively in determining the Contributing Land Base for Timber Supply Analyses.

Linkage: Linked to ESA_Wildlife_cd

Format: Record Type: Polygon
 Field Name:
 Field: 7
 Type: Character
 Width: 2
 Dec:
 Position: 31: 33

Related Attribute: Esa_Category2_Cd, ESA_Wildlife_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Environmentally Sensitive Areas

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Polygon
Attribute: ESA_Category2_Cd
Alias: Environment_Sensitive_Area_2

Forestry Term: Environmentally Sensitiv

Description: Code indicating that this forest cover polygon has a MODERATE environmental sensitivity and is not normally available for sustained timber production. Polygons assigned a MODERATE ESA class are either moderately environmentally sensitive, or are deemed sensitive for other resources such as recreation, wildlife, etc. Up to 3 categories of High sensitivity are allowed.

Content: 3 character alpha holding ESA category

Default: Blank

Permitted Values:

| | |
|---------------------|--|
| Soil | S SA SAH SAP SAR SAW SP SPH SPR SPW SH SHR SHW SR SRW SW |
| Snow Avalanche | A AP APH APW AH AHR AHW AR ARW AW |
| Forest Regeneration | P PH PHR PHW PR PRW PW |
| Water | H HR HRW HW |
| Recreation | R RW |
| Wildlife | W |

Use: Used to identify areas of high environmental sensitivity. ESA's are used extensively in determining the Contributing Land Base for Timber Supply Analyses.

Linkage: Linked to ESA_Wildlife_cd

Format: Record Type: Polygon
 Field Name:
 Field: 8
 Type: Character
 Width: 3
 Dec:
 Position: 34: 36

Related Attribute: Esa_Category1_Cd, ESA_Wildlife_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Environmentally Sensitive Areas

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Polygon
Attribute: ESA_Wildlife_Cd
Alias: Environmental_Sensitive_Wildlife

Forestry Term: ESA Wildlife Species Co
 Description: Code describing the wildlife species, family or presence of endangered or threatened species. This code is tied to the ESA Category Codes and is only relevant when the forest cover polygon is assigned a Wildlife, "W", related sensitivity. Up to 3 families, genera, species or presence of endangered or threatened species are allowed.
 Content: 3 character alpha code designating the wildlife species
 Default: Blank
 Permitted Values: B - Bear
 C - Caribou
 D - Deer
 E - Elk
 F - Fish
 G - Goat
 M - Moose
 O - Birds
 S - Sheep
 T - Endangered or threatened species
 Use: Used in special summaries designed to further classify the ESA wildlife designation.
 Linkage: Linked to the ESA_Category1_Cd and ESA_Category2_CD designations.
 Format: Record Type: Polygon
 Field Name:
 Field: 9
 Type: Character
 Width: 3
 Dec:
 Position: 37: 39
 Related Attribute: Esa_Category1_Cd, Esa_Category2_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Environmentally Sensitive Areas
 Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Fish_area
Alias: Fish_area

Forestry Term: Fisheries Area
Description: The area in the polygon that is removed from the productive forest land base because it is used to protect fish habitat. This area is usually a buffer area along waterways.
Content: 4 character numeric code holding fisheries area (ha) hectare
Default: 0.0
Permitted Values: 19.5 ha
Use: Used to remove (subtract) area from the contributing land base that is allocated to protecting fish habitats. This land is not available for timber harvesting.
Linkage: None
Format: Record Type: Resultant
Field Name:
Field: 20
Type: Numeric
Width: 5
Dec: 1
Position: 60: 64
Related Attribute: Result_area

References: Ministry of Forest, Resources Inventory Branch, FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Fiz_code

Alias: Fiz_code

Forestry Term: Forest Inventory Zone

Description: The Forest Inventory Zones(s) (FIZ) that fall within the forest cover polygon. FIZ zones were developed to provide a broadly based ecological classification of the forest land in British Columbia. FIZ zones closely follow the early Biogeoclimatic zones developed by Dr. Krajina. The province of BC is split into 12 FIZ zones.

Content: 1 character alpha code holding FIZ (A to L)

Default: Must have value

Permitted Values: A to L

Use: Used to indicate the area of the polygon located within a FIZ zone. Used in conjunction with Public Sustained Yield Unit to assign stand volumes.

Linkage: FIZ_code is assigned using a table lookup based on inventory_region, compartment. Fiz_code is used as index to coefficients for calculating all volumes, diameters, MAI's and basal areas.

Format: Record type: Resultant
 Field: 12
 Type: Character
 Width: 1
 Dec:
 Position: 41: 41

Related Attribute: Coast_interior_cd, Inventory_region, Compartment, Result_area

References: Ministry of Forest, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: For_Cover_Layer_Cd
Alias: For_Cover_Layer_Cd

Forestry Term: Stand Layer
 Description: A code that uniquely identifies each layer, or horizontal stratum, in a stand. Each layer is normally characterized as a distinct canopy containing a common forest cover structure with timber of similar ages and heights. Layers are assigned from the tallest layer downward. Veteran or Silviculture layers are the exception, and are assigned a separate layer code. In order for a stand to be classified as multi-layered, there must be two or more distinct canopies. Stands without distinctly different canopies are classified as having a single layer, this can include all aged stands.
 Content: 1 character alpha code designating layer
 Default: Must have value
 Permitted Values: 1 Layer 1
 2 Layer 2
 3 Layer 3
 S Silviculture
 V Veteran
 Use: Use layer code is used to identify the position and type of layers comprising a stand.
 Linkage: The rank assigned to the layer indicates its importance.
 Format: Record type: Layer
 Field: 5
 Type: Character
 Width: 1
 Dec:
 Position: 15: 15
 Related Attribute: For_Cover_Rank_cd, History_Layer

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: For_Cover_Rank_Cd
Alias: For_Cover_Rank_Cd

Forestry Term: Rank or Importance of L
 Description: A code indicating the importance of each layer in the stand. Each layer in a multi-layered stand is assigned a rank code indicating the relative importance of that layer. The layer assigned Rank 1 in multi-layer stands is the most important layer. Volumes are calculated for Rank 1 stands only. Rank assignment is based on Regional guidelines.
 Content: 1 character numeric value indicating the importance of the layer
 Default: Blank
 Permitted Values: 1 Rank 1, most important layer
 2 Rank 2, second most important layer
 3 Rank 3, third most important layer
 Use: Defines the importance of the layer. Only Rank 1 layers are used when summarizing the land base for Timber Supply Analyses
 Linkage: Allowable Layer values are rank related; Volumes are only calculated for Rank 1 stands.
 Format: Record type: Layer
 Field: 4
 Type: Character
 Width: 1
 Dec:
 Position: 14: 14
 Related Attribute: For_Cover_Layer_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Silviculture, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: History, Layer, Polygon, Resultant
Attribute: Forest_Cover_Polygon_ID
Alias: Forest_Cover_Polygon_ID

Forestry Term: Forest Cover Polygon N
Description: A unique identification number assigned to each forest cover type. Each forest cover type is assigned a polygon number between 1 and 2999.
Content: 4 character numeric value holding forest cover polygon number
Default: Must have value
Permitted Values: Numeric value between 1 and 2999
Use: Identifies the polygon for which the information in this record type refers to.
Linkage: Allows cross-referencing of the same forest cover polygon among Polygon, Layer, History and Resultant records
Format: Record Type: History, Layer, Polygon, Resultant
Field Name:
Field: 3
Type: Numeric
Width: 4
Dec:
Position: 10: 13
Related Attribute: Mapsheet_id, Record_type_cd, Opening_number

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Forest_District
Alias: Forest_District

Forestry Term: Forest District
 Description: The Forest District(s) that fall within the forest cover polygon. The forest District is an administrative unit within a Forest Region. The boundary defines the area administered by the local District Office. Codes are no unique; as a result, they must be used in conjunction with the Forest Region code.
 Content: 1 character alpha code designating the District within the respective Forest Region. Codes are not.
 Default: z - Areas of non-ineres such as National Parks
 Permitted Values: Z - Areas of no-interest
 A - Chilliwack Forest Region 31
 A - Lakes Forest Region 32
 Use: Used to indicate the area of the polygon that is located within a Forest District. Used to determine area under administration of a local District Office within a particular Forest Region.
 Linkage: None.
 Format: Record Type: Resultant
 Field Name:
 Field: 21
 Type: Character
 Width: 3
 Dec:
 Position: 65: 65
 Related Attribute: Forest_Region, Result_area

References: Ministry of Forest, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps
 Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Version
Attribute: Graphics_Date
Alias: Graphics_Date

Forestry Term: Graphics Creation Date
Description: The date the resultant information contained in the graphics Design File was created.
Content: 11 character alpha code holding year, month, and day
Default: Must have value
Permitted Values: 19991-Dec-25
Use: Provides information on the creation date of the Graphics Design File
Linkage: None
Format: Record type: Version
Field: 3
Type: Character
Width: 11
Dec:
Position: 10: 20
Related Attribute: None

References: Ministry of Forest, Resources Inventory Branch, Resource Inventory Section
Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Version
Attribute: Graphics_Version
Alias: Graphics_Version

Forestry Term: Graphics Version Numb
Description: The version number of the mapsheet. Must correspond with the version number found on Level 2 of the corresponding Graphic Design File
Content: 3 character numeric code holding version number
Default: Must have value
Permitted Values: 004 - Version 4
Use: Forest cover and geographic information are collected and stored at different intervals. Version numbers are used to check that the two information sets correspond to each other (i.e., derived jointly)
Linkage: None
Format: Record type: Version
Field: 4
Type: Character
Width: 3
Dec:
Position: 21: 23
Related Attribute: None

References: Ministry of Forest, Resources Inventory Branch, FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Grid_Area
Alias: Grid_Area

Forestry Term: UTM Grid Area
Description: The area of the UTM Grid Number that falls within the Neat Lines of the mapsheet.
Content: 5 character numeric value holding UTM grid area
Default: Must have value, the maximum value is 40
Permitted Values: 400.0 ha
276.1 ha - UTM grid falls across neat line (s)
Use: Used to balance map areas and in UTM grid based summaries.
Linkage: Polygon_Area
Format: Record type: Resultant
Field: 9
Type: Numeric
Width: 5
Dec: 1
Position: 29: 33
Related Attribute: Grid_No, Mapsheet_Id, Result_Area

References: Ministry of Forests, Resources Inventory Branch, FRGIS Section
Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Grid_No
Alias: Grid_No

Forestry Term: UTM Grid Number
 Description: The numeric code of the UTM Grid or grids that lies within the forest cover polygon. UTM Grids are 2000m by 2000m square grids found on the mapsheet. The Grid Number is defined by the first 3 numbers of the easting, and first 4 numbers on the northing of the south west corner of the grid. Grid origin is on even 2000 metre UTM positions. For example, a value of 5266048 implies that the easting has a value of 526 and a northing of 6048
 Content: 7 character numeric code designating UTM grid position
 Default: Must have value
 Permitted Values: 5265048
 Use: Used to indicate the area of the polygon that is located within a UTM Grid. The UTM Grids allow the user to define areas of interest where a "low resolution" boundary is acceptable for area, volume, and other summaries.
 Linkage: None
 Format: Record type: Resultant
 Field: 8
 Type: Numeric
 Width: 7
 Dec:
 Position: 22: 28
 Related Attribute: Grid_Area, Mapsheet_Id, Result_Area

References: Ministry of Forests, Resources Inventory Branch, FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Growth_Type_Group_Letter
Alias: Growth_Type_Group_Letter

Forestry Term: Growth Type Group

Description: A code designating the species composition (i.e. growth type) of the stand. The growth type is a grouping/summary of inventory type group values. The 42 inventory type groups are grouped into 17 growth types which area assigns a code from A to Q

Content: 1 character alpha code between A to Q

Default: Blank

Permitted Values:

| Letter Code | ITG Code | Description |
|-------------|----------|---------------------------------------|
| ===== | | |
| A | 1 | Fd |
| | 8 | Fd Deciduous |
| B | 2 | FdCw and FdYc |
| | 3 | FdH |
| | 4 | FdS |
| | 5 | FdPI |
| C | 6 | FdPy |
| | 32 | Py |
| | 7 | FdL |
| D | 27 | Pw |
| | 33 | LFd |
| | 34 | L |
| | 9 | Cw or Yc |
| E | 10 | CwFd, CwL, CwPy, CwPw, CwPI, Cw Decid |
| | 11 | CwH |
| | 12 | H |
| F | 17 | H Decid |
| | 13 | HFd, HL, Hpy, HPw, HPI |
| | 14 | HCw |
| G | 15 | HB |
| | 16 | HS |
| | 18 | B |
| | 19 | BH |
| H | 20 | BS, BFd, BPw, BPI, BL, Bpy, B Decid |
| | 21 | S |
| | 22 | SFd, SL, SPw, Spy |
| I | 23 | SH, SCw, Syc |
| | 24 | SB |
| | 25 | SPI |
| J | 26 | Sdecid |
| | 28 | Sdecid |
| K | 29 | PI or Pa |
| | 30 | PIS, PIB, PIL, PIPw |
| | 31 | PI Decid |
| L | 37 | D Conif |
| | 41 | At Conif |
| | 38 | Dr Decid |
| M | 39 | Mb |
| | 40 | E |
| | 35 | AcConif |
| N | 36 | AcDecid |

Use: Most applications use inventory type group as an indicator of species composition. Growth Type Group, however, will provide smaller tables than inventory type group in area and volume summaries. Growth type group should

be used when fewer species composition groupings are sufficient and/or required.

Linkage: Based on a table lookup using Tree_species_cd_1 and optionally tree_species_cd_2

Format: Record type: Layer
 Field: 67
 Type: Character
 Width: 1
 Dec:
 Position: 224: 224

Related Attribute: Tree_species_cd_1, Tree_species_cd_2

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Hay_Cutting_No

Alias: Hay_Cutting_No

Forestry Term: Hay cutting number

Description: No longer in use by Range.

Content: N/A

Default: Blank

Permitted Values:

Use: No longer used.

Linkage: None

Format: Record type: Resultant
 Field: 39
 Type: Numeric
 Width: 4
 Dec:
 Position: 111: 114

Related Attribute: None

References: None

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Height_Class_Cd
Alias: Height_Class_Cd

Forestry Term: Height Class at Referen
Description: A code indicating the height class of the stand at the reference year. Height classes represent intervals into which the range of tree or stand heights are subdivided for classification and use.
Content: 1 character numeric value between 0 to 8 indicating height
Default: Must have value
Permitted Values: 0.0 m
1 0.1 - 10.4 m
2 10.5 - 19.4 m
3 19.5 - 28.4 m
4 28.5 - 37.4 m
5 37.5 - 46.4 m
6 46.5 - 55.4 m
7 55.5 - 64.4 m
8 64.5+ m
Use: Used to determine height class changes due to projection.
Linkage: May be calculated using Stand_Height; may be used to calculate Stand_height.
Format: Record type: Layer
Field: 45
Type: Numeric
Width: 1
Dec:
Position: 174: 174
Related Attribute: Stand_Height

References: Ministry of Forest, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Hist_Class_Site_Cd

Alias: Hist_Class_S

Forestry Term: Historical Site Class

Description: A code for the site class (e.g. stand productivity) at the time of classification. This is a derived field based on the height and age of the leading species. Retained for historical purposes only.

Content: 1 character alpha code indicating historic site class

Default: Blank

Permitted Values: <blank> No site class
 G - Good Site
 M - Medium Site
 P - Poor Site
 L - Low Site

Use: Used to determine the site class value of the stand at the time of classification

Linkage: Historically used in calculation of Site_index

Format: Record type: Layer
 Field: 47
 Type: Character
 Width: 1
 Dec:
 Position: 179: 179

Related Attribute: Hist_Class_Special_Site_Cd, Site_Index, Site_Index_Estimated, Site_Class_5m

References: Ministry of Forest, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Hist_Class_Special_Site_Cd
Alias: Hist_Class_SS

Forestry Term: Historical Special Site CI
 Description: A code indicating that the old site class of the stand, based on stand age and height, does not reflect the productive capacity of the land due to masking by external agents or to a high degree of variability between heights and ages. This special site classification is based on an assessment of physical and biological factors. Used for historical purposes only.
 Content: 1 character alpha code indicating special site class
 Default: Blank
 Permitted Values: <blank>
 G - Good
 M - Medium
 P - Poor
 L - Low
 Use: Used in Timber Supply Analyses and Local Resource Use Plans (LRUPs) to determine Long Run Sustained Yield (LRSY).
 Linkage: Historically used in calculation of Site_index
 Format: Record type: Layer
 Field: 48
 Type: Character
 Width: 1
 Dec:
 Position: 180: 180
 Related Attribute: Hist_Class_Site_Cd, Site_Index, Site_Index_Estimate, Site_Class_5m

References: Ministry of Forest, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Polygon
Attribute: History_Cnt
Alias: History_Cnt

Forestry Term: Number of History Recor
Description: The number of History records that are stored in the FIP file for the particular polygon being described. Indicates that events in the stand's history have been recorded.
Content: 2 character numeric value indicating the number of History records per polygon.
Default: Must have value, may be 0
Permitted Values: 0 to 99
Use: Used to ensure that users accessing FIP file information process the correct number of history records for the stand.
Linkage: Links to History records
Format: Record type: Polygon
Field: 21
Type: Numeric
Width: 2
Dec:
Position: 75: 76
Related Attribute: Record_Type_Cd

References: Ministry of Forests, Resources Inventory Branch FRGIS Section

Agency Responsible: Ministry of Forests, Silviculture, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History
Attribute: History_Layer
Alias: For_Cover_Layer_Cd

Forestry Term: Stand Layer to Which Hi
 Description: The stand layer to which the history record applies.
 Content: 1 character alpha code designating respective layer
 Default: 1
 Permitted Values: 1 Layer 1
 2 Layer 2
 3 Layer 3
 S Silviculture
 V Veteran
 Use: Identifies the layer to which history information applies
 Linkage: History information relates to Stand data with matching layer
 Format: Record type: History
 Field: 4
 Type: Character
 Width: 1
 Dec:
 Position: 14: 14
 Related Attribute: For_Cover_Rank_Cd, Hist_Cnt

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: History_Reference

Alias: History_Reference

Forestry Term: History Reference Indica

Description: A code indicating that there are History Record (s) for this layer within the FIP file.

Content: 1 character numeric code indicating presence of history

Default: Blank

Permitted Values: <blank> No History record (s)
1 History records exist.

Use: Used to detect the presence of History Records

Linkage: Points to existence of one or more history records.

Format: Record type: Layer
Field: 54
Type: Character
Width: 1
Dec:
Position: 196: 196

Related Attribute: All History Record Attribute Fields

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Polygon
Attribute: Inoperability_Ind
Alias: Inoperability_Cd

Forestry Term: Inoperability Code
Description: A code defining areas (i.e. stands) containing merchantable timber that cannot be harvested economically using current technology. For example, stands may not be harvestable because of some physical barrier such as a hanging valley, or because an area contains small patches of overmature timber surrounded by large areas of young stands. Inoperability was originally an ESA designation, but is now a separate attribute referring specifically to the harvesting economics of the stand. This code is distinctly different from the Operability Code found in the Resultant Record Type.
Content: 1 character alpha code holding inoperability code
Default: blank
Permitted Values: <blank> implied operable
 I Inoperable
Use: Used extensively in determining the contributing land base for timber supply analyses
Linkage: None
Format: Record type: Polygon
 Field: 16
 Type: Character
 Width: 1
 Dec:
 Position: 59: 59
Related Attribute: None (indirect ESA_Category1_cd, ESA_Category2_cd)

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification/ESA

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Input_Date

Alias: Input_Date

Forestry Term: Data Input Date

Description: The date the forest cover information was entered into the Provincial Data Base.

Content: 6 character numeric code holding year, month and day

Default: Must have value

Permitted Values: 911230

Use: Used to determine the date of file processing.

Linkage: Determines projection period, the longer the projection period the greater the data uncertainty.

Format: Record Type: Polygon
 Field Name:
 Field: 11
 Type: Numeric
 Width: 6
 Dec:
 Position: 42: 47

Related Attribute: Projected_Date

References: Ministry of Forests, Resources Inventory Branch, FRGIS Selection

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Inventory_Region

Alias: Inventory_Region

Forestry Term: Inventory Region

Description: The Inventory Region (s) that fall within the forest cover polygon. Inventory Regions are an administrative and planning level boundary used to subdivide the Province into 88 units. Inventory Region is also part of the reference key for identifying the geographic location of all inventory branch samples. Inventory region, along with inventory compartment and compartment letter, form the key to identifying the inventory samples.

Content: 2 character numeric code between 1 and 88 with 99 benign used for areas outside the Province.

Default: 99

Permitted Values: 1 to 88 Valid Inventory Regions
99 Areas outside the Province

Use: Used to indicate the area of the polygon that is located within an inventory region. Used in conjunction with inventory compartment to assign FIZ zones. Also used for defining area boundaries for area and volume summaries.

Linkage: Used with compartment to derive fiz_code

Format: Record type: Resultant
Field: 13
Type: Numeric
Width: 2
Dec:
Position: 42: 43

Related Attribute: Compartment, Fiz_Code, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Inventory_Type_Group_Number

Alias: Inventory_Type_Group_Number

Forestry Term: Inventory Type Group

Description: The designation of species composition by one of 42 type groups, each being a unique combination of pure or mixed species.

Content: 2 character numeric code indicating inventory type group

Default: 0

| ITG Code | Name | First Species | Second Species | Examples |
|----------|---------|---------------|-------------------------------|------------------------|
| 1 | Fd | FD > 80% | Any | Fd, FdPw, FdPwClw |
| 2 | FdCw | Fd | Cw or Yc | FdCw, FdYc, FdCwH |
| 3 | FdH | Fd | H or B | FdH, FdB, FdHCw |
| 4 | FdS | Fd | S | FdS, FdSB, FdSH |
| 5 | FdPI | Fd | PI | FdPI, FdPIH, FdPIPy |
| 6 | FdPy | Fd | Py | FdPy, FdPyL, FdPyPI |
| 7 | FdL | Fd | L, Pw | FdL, FdLPy, FdPwS |
| 8 | FdDecid | Fd | Decid | FdDr, FdMb, FdAc |
| 9 | Cw | Cw?Yc > 80% | Any | Cw, Yc, CwYc, CwPI |
| 10 | CwFd | Cw/Yc | Fd, L, Py, Pw PI or Dec | CwFd, CwL, YcFd |
| 11 | CwH | Cw/Yc | H, B, or S | CwH, CwB, CwS, YcH |
| 12 | H | H > 80% | Any | H, HPw, HPI, HPIYc |
| 13 | HFd | H | Fd, L, Py, Pw or PI | HFd, HL, HFdCw |
| 14 | HCw | H | Cw or Yc | HCw, Hyc, HCwYc |
| 15 | HB | H | B | HB, HBS, HBCw |
| 16 | HS | H | S | HS, HSB, HSAC |
| 17 | Hdecid | H | Decid | Hac, HDr, HACB |
| 18 | B | B > 80% | Any | B, BFd, BPw, BPI |
| 19 | BH | B | H, Cw, or Yc | BH, BCw, Byc, BHCw |
| 20 | BS | B | S, Fd, Pw, PI L, Py or dec | BS, PSPI, PSAt |
| 21 | S | S > 80% | Any | S, Syc, SPw |
| 22 | SFd | S | Fd, L, Pw or Py | SFd, SL, Spy, SFdB |
| 23 | SH | S | H, Cw or Yc | SH, SCw, SHAC |
| 24 | SB | S | B | SB, SBAC, SBH |
| 25 | SPI | S | PI | SPI, SPIB, SPIFd |
| 26 | Sdecid | S | Decid | Sat, Sac, SAcB |
| 27 | Pw | Pw | Any | Pw, PwFd, PwCwH |
| 28 | PI | PI/Pa > 80% | Any | PI, Pa, PIPa, PaPI |
| 29 | PIFd | PI | Fd, Pw, L, or Py | PIFd, PIPy, PIL, PIFdH |
| 30 | PIS | PI | S, B, H, Cw, or Yc | PIS, PIB, PIH, PIBS |
| 31 | PIDecid | PI | Decid | PIAt |
| 32 | Py | Py | Any | Py, PyFd, PyL, PyPI |
| 33 | LFd | L <= 80% | Fd | LFd, LFdPy |
| 34 | L | L | Any (Fd when L >80%) | L, LPy, LPI, LPyFd |
| 35 | AcConif | Ac | Conif | AcS, Ach |
| 36 | AcDecid | Ac | Decid | DrFd, DrCwH |
| 38 | DrDecid | Dr | Decid | Dr, DrMb |
| 39 | DrDecid | Dr | Decid | Dr, DrMb, MbFd |
| 40 | E | E | Any | E, Eat, ES |
| 41 | AtConif | At | Conif | AtPI, AtS, AtFd |

42 AtDecid At Decid At, AtAc

Use: Inventory Type Group (ITG) is used extensively in: area, volume, and other summaries where it is not necessary to summarize data by individual species, and determining the Supply Analyses and Local Resource Use Plans (LRUPs). The inventory type group is also used to provide a reference species for determining site index for productive forest land currently without commercial forest cover. For example, NSR prescribed for planting with Douglas fir would be assigned an ITG code of 1.

Linkage: Based on a table lookup using tree_species_cd_1 and optionally tree_species_cd_2 (if it is a major species). Used in the calculation of stocking_class_cd and as an index to volume calculation coefficients.

Format: Record type: Layer
 Field: 66
 Type: Numeric
 Width: 2
 Dec:
 Position: 222: 223

Related Attribute: Tree_Species_Cd_1, Tree_Species_Cd_2

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Inventory_Type_Group_Source_Cd

Alias: Inventory_Type_Group_Source_Cd

Forestry Term: Inventory Type Group Or

Description: A code describing the origin of the Inventory Type Group (ITG) number required for stands classified as NSR or NC

Content: 1 character alpha code indicating origin of Inventory

Default: Blank

Permitted Values: <blank> N/A
 S Silviculture
 H Historical - Previous Stand
 D Default - For Data Base roll-over only (NSR with no species if Interior, PL is assigned (ITG = 28) if Coast, Hemlock is assigned (ITG = 12)
 A Adjacent Stand

Use: Used to identify the source of the Inventory Type Group assignment.

Linkage: None

Format: Record type: Layer
 Field: 43
 Type: Character
 Width: 1
 Dec:
 Position: 169: 169

Related Attribute:

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Version

Attribute: Last_Edit_Date

Alias: Last_Edit_Date

Forestry Term: Last Fip Edit Date

Description: Last date that the FIP file was modified using the data entry processing system.

Content: 10 character alpha code holding year

Default: Last edit date

Permitted Values: 1991123110

Use: Provides information on the date of the last FIP file modification.

Linkage: None

Format: Record type: Version
Field: 5
Type: Character
Width: 10
Dec:
Position: 24: 33

Related Attribute: None

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Version

Attribute: Last_Error_Check_Date

Alias: Last_Error_Check_Date

Forestry Term: Last FIP ERROR Check

Description: The date the FIP file was last checked using the FIP Validity Checking process. This process validates such attributes as:

Type Identity,
Age,
Height,
Stocking Class,
Species, Species Percents, Species Totals,
Reference Year, etc.

Content: 10 character alpha code holding year, month, day and hour

Default: Blank

Permitted Values: 1991123110
1991 representing year
12 representing month
01 representing day
10 representing hour

Use: Indicates that the file has been checked for validity and gives the date the validity check too place.

Linkage: None

Format: Record type: Version
Field: 8
Type: Character
Width: 10
Dec:
Position: 48: 57

Related Attribute: Last_Edit_Date

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Version

Attribute: Last_Error_Check_Version

Alias: Last_Error_Check_Version

Forestry Term: Last Error Check Versio

Description: Identifies the version of the error checking (validation) software used for validating FIP attributes as an aid to change management for the database and related applications.

| Specifically | Position | Meaning |
|--------------|----------|-----------------|
| | 58-59 | Release number |
| | 60 | . (period) |
| | 61-63 | Release version |
| | 61-62 | numeric |
| | 63 | alpha |

Content: 6 character alpha code designating version of error checking software.

Default: must have value

Permitted Values: 2.01a

Use: identifies version of error checking used during FIP file processing.

Linkage: None

Format: Record type: Version
Field: 9
Type: Character
Width: 6
Dec:
Position: 58: 63

Related Attribute: None

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Version
Attribute: Last_Fipupdate_Date
Alias: Last_Fipupdate_Date

Forestry Term: Last Fipupdate Date
Description: The date the FIP file was last updated as part of the FIP completion process. More specifically, the date that the FIP file had the FIPUPDATE process (i.e. completion, projection, and volume processes) run against it.
Content: 8 character alpha code holding year, month and day.
Default: Must have value
Permitted Values: 1991231
Use: Indicates the date of completion of the FIP file.
Linkage: None
Format: Record type: Version
Field: 6
Type: Character
Width: 8
Dec:
Position: 34: 41
Related Attribute: None

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section
Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Version

Attribute: Last_Fipupdate_Version

Alias: Last_Fipupdate_Version

Forestry Term: Last Fipupdate Version -

Description: Identifies the version of Fipupdate software used for completion and projection of the FIP attributes as an aid to change management for the database and related applications.

| | | |
|--------------|----------|-----------------|
| Specifically | Position | Meaning |
| | 42-43 | Release number |
| | 44 | . (period) |
| | 45-47 | Release version |

Content: 6 character alpha code designating version e.g. 6.2 b

Default: must have value

Permitted Values: 6.2 b

Use: Identifies version of Fipupdate used during Fip file processing

Linkage: None

Format: Record type: Version
Field: 7
Type: Character
Width: 6
Dec:
Position: 42: 47

Related Attribute: None

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Layer_Cnt

Alias: Layer_Cnt

Forestry Term: Number of Layer Record

Description: The number of Layer records (each layer in the stand is described in a separate record) for the particular polygon being described.

Content: 1 character numeric value indicating the number of stand layers.

Default: Must have value

Permitted Values: 1 - 5 (3 layers + Silviculture + Veteran)

Use: Used to ensure that users accessing FIP file information process the correct number of layers in the stand.

Linkage: Links to Layer records.

Format: Record type: Polygon
 Field: 20
 Type: Numeric
 Width: 1
 Dec:
 Position: 74: 74

Related Attribute: Record_type_Cd

References: Ministry of Forests, Resources Inventory Branch FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory District/Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Management_Zone
Alias: Management_Zone

Forestry Term: Management Zone
 Description: Originally included to allow designation of management zones. No longer in use.
 Content: 1 character alpha code
 Default: 0
 Permitted Values:
 Use: Not in use
 Linkage: None
 Format: Record type: Resultant
 Field: 52
 Type: Character
 Width: 1
 Dec: 1
 Position: 161: 161
 Related Attribute: None

References: None
 Agency Responsible: None

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: History, Layer, Polygon, Resultant, Ver

Attribute: Mapsheet_id

Alias: Mapsheet_id

Forestry Term: Forest Cover map Numb

Description: Identifies the Forest Cover Map corresponding to the FIP file. It is the British Columbia Geographic System's (BCGS) Key Reference Number of the forest cover map. The mapsheet must commonly used is the 6' x 12' BCGS mapsheet.

Content: 8 character alpha code holding BCGS map number

Default: Must have a value

Permitted Values: The identifier in this case is eight long and is made up of:
 Position 2-4 Mapsheet Grid
 NTS or BCGS. Values are 82, 83, 92, 93, 94, 102, 103, 104, 114
 5 Mapsheet Letter
 BCGS/NTS letter. Values are A - P, and W.
 6-8 Mapsheet Square
 BCGS Number or NTS Number and letter. BCGS number values are 1 -100, and
 nts number values are 1-16 with NTS letter values A-H, and W.
 9 Mapsheet Quad and identifier for 3' x 6' (1:10,000 scale) mapsheets.
 E.g. 082G002 - 6' x 12' minute map sheet

Use: Identifies the mapsheet containing the corresponding Forest Cover Map.

Linkage: Appears on all records

Format: Record Type: History, Layer, Polygon, Resultant
 Field Name:
 Field: 2
 Type: Character
 Width: 8
 Dec:
 Position: 2: 9

Related Attribute: Record_type_cd

References: Ministry of Environment, Lands and Parks Surveys and Resource Mapping Branch, Standard System of Mapping for British Columbia

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Mean_Diameter_Pri_Util_Lvl
Alias: Mean_Diameter_Pri_Util_Lvl

Forestry Term: Mean Stand Diameter -
 Description: The quadratic mean stand diameter (breast height), at the projection date, based on the primary utilization level. Calculated for Rank 1 stands only, Typid 1 through 3.
 Content: 5 character numeric value holding quadratic mean stand diameter
 Default: 0.0 cm
 Permitted Values: 29.5 cm
 Use: Used to provide an estimate of product piece size.
 Linkage: Stand Diameter is calculated using projected_age and site_index, with coefficients based on fiz_code and inventory_type_group_source_cd. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd
 Format: Record type: Layer
 Field: 34
 Type: Numeric
 Width: 5
 Dec: 1
 Position: 145: 149
 Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_1, Tree_Species_Pct_1, Site_Index, Projected_age

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section
 Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Mean_Diameter_Sec_Util_Lvl
Alias: Mean_Diameter_Sec_Util_Lvl

Forestry Term: Mean Stand Diameter -
 Description: The quadratic mean stand diameter (breast height), at the projection date, based on the secondary utilization level. Calculated for Rank 1 stands only, Typid 1 through 3.
 Content: 5 character numeric value holding quadratic mean stand diameter
 Default: 0.0 cm
 Permitted Values: 29.5 cm
 Use: Used to provide an estimate of product piece size.
 Linkage: Stand Diameter is calculated using projected_age and site_index, with coefficients based on fiz_code and inventory_type_group_source_cd. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd
 Format: Record type: Layer
 Field: 35
 Type: Numeric
 Width: 5
 Dec: 1
 Position: 150: 154
 Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_1, Tree_Species_Pct_1, Site_Index, Projected_age

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Non_Forest_Descriptor

Alias: Non_Forest_Descriptor

Forestry Term: Non-Forest Descriptor

Description: A classification code indicating that the forest cover type is not currently forested, but is capable of supporting commercial forests. The Non-Forest Descriptor is distinctly different from the Non-Productive Descriptor found in the Polygon Record. The Non-Forest Descriptor indicates that the forest cover polygon is potentially productive, but is not currently supporting commercial forests, whereas the Non-Productive Descriptor indicates that the stand is not capable of supporting commercial forests.

Content: 5 character alpha holding the abbreviation for Non-Forest

Default: blank

Permitted Values: NCBR Non-commercial brush
 NC Non-commercial
 NSR Not sufficiently restocked
 NTA No Typing available

Use: Used to define land that is not currently forested but is capable of supporting commercial forest. It is also used to determine potential areas for silviculture treatment and to determine the net land base for Timber Supply Analyses.

Linkage: Type_Identity_Ref and Projected_Type_Id may be determined by Non_Forest_Descriptor.

Format: Record type: Layer
 Field: 6
 Type: Character
 Width: 5
 Dec:
 Position: 16: 20

Related Attribute: Type_Identity_Reference, Projected_Tye_Id, Tree_Species_Cd_1 to Tree_Species_Cd_6, Tree_Species_Pct_1 to Tree_Species_Pct_6

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Non_Productive_Cd

Alias: Basic_Class

Forestry Term: Basic Class

Description: A unique numeric code that references the classes or type of non-productive areas.

Content: 2 Character numeric code designating non-productive type code

Default: Zero

| Permitted Values: | Non Productive Code | Non Productive Description | Description |
|-------------------|---------------------|----------------------------|--|
| | ===== | ===== | ===== |
| | 01 | Ice | Icefield |
| | 02 | A | Alpine |
| | 03 | R | Rock |
| | 06 | GR | Gravel Pit |
| | 07 | Sand | Sand |
| | 09 | CL | Clay Bank |
| | 10 | AF | Alpine Forest (with species etc.) |
| | 11 | NPBR | Non-Productive Brush |
| | 12 | NP | Non-Productive / Non Productive Forest |
| | 13 | NPBU | Non-Productive Burn |
| | 15 | L | Lake |
| | 16 | Tide | Tidal Flat |
| | 18 | G | Gravel Bar |
| | 25 | Riv | River |
| | 26 | Mud | Mud |
| | 35 | S | Swamp (completed file) |
| | 42 | C | Clearing |
| | 50 | U | Roads |
| | 54 | U | Urban |
| | 60 | P | Hayfield |
| | 62 | M | Meadow |
| | 63 | OR | Open Range |
| | 64 | NA | Non-Applicable (salt water) |

Use: used in summaries based on non-productive land types. Also used in the generation of colour theme maps.

Linkage: Calculated based on Non_productive_Forest_Descriptor. Used to establish both Type_Identity_Reference and Projected_Type_ID

Format: Record Type: Polygon
 Field Name:
 Field: 6
 Type: Numeric
 Width: 2
 Dec:
 Position: 29: 30

Related Attribute: Non_Productive_Forest_Descriptor, Type_Identity_Reference, Projected_Type_Id

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory Branch/District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Non_Productive_Forest_Descriptor

Alias: Non_Productive_Forest_Descriptor

Forestry Term: Non-Productive Descript

Description: A classification code describing land, water or wetland that is incapable of supporting commercial forests. A Non-Productive descriptor does not imply that the land is unproductive for other valuable resources, such as wildlife, fisheries, recreation, etc. The Non-Productive classification is one of the major classes in the Forest Classification System.

Content: 5 character alpha code holding the abbreviation of the non-productive descriptor

Default: Blank

Permitted Values: NTA - No Typing Available
Ice - Icefield
A - Alpine
R - Rock
GR - Gravel Pit
Sand - Sand
CL - Clay Bank
AF - Alpine Forest (with Species etc.)
NPBR - Non-Productive Brush
NP - Non-Productive
NP - Non-Productive Forest (with species etc.)
NPBU - Non-Productive Burn
L - Lake
TIDE - Tidal Flat
G - Gravel Bar
RIV - River
MUD - Mud Flat
S - Swamp (muskeg)
C - Clearing
U - Roads
U - Urban
P - Hayfield
M - Meadow
OR - Open Range
NA - Non-Applicable (salt water)

Use: Used to provide area summaries and statistics for various classes of non-productive areas.

Linkage: Non_Productive_Cd is determined based on this field.

Format: Record type: Polygon
Field: 5
Type: Character
Width: 5
Dec:
Position: 24: 28

Related Attribute: Non_Productive_Cd, Type_Identity_Reference, Projected_Type_Id

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: NTS_Map_Number

Alias: BGC_GR

Forestry Term: NTS/BCGS Adjoining M

Description: National topographic system (NTS): of mapping, a geographic system under which Canada is divided into numbered primary quadrangles each 4 degrees latitude by 8 degrees longitude.

Holds the adjoining or adjacent NTS or BCGS map number from which the history component was derived. Normally only used where data attributes are derived from the adjacent or adjoining mapsheet.

Content: 7 character alpha code referencing NTS or BCGS map number

Default: blank

Permitted Values: 082G003 (BCGS) or 094G12H (NTS)

Use: Provides a cross-reference to the original NTS or BCGS mapsheet.

Linkage: Relate to data contained on History records.

Format: Record type: Polygon
Field: 19
Type: Character
Width: 7
Dec:
Position: 67: 73

Related Attribute: Mapsheet_Id, Opening_Number

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: History
Attribute: Opening_Number
Alias: Opening_Number

Forestry Term: Silviculture Opening Nu
Description: A unique number assigned to each opening in the forest caused by a disturbance (e.g. fire, logging, etc.)
Content: Numeric value 0 to 9999
Default: 0
Permitted Values: 2 - opening number 2
Use: Identifies Silviculture Opening Number and provides a cross-reference to the Silviculture Data Base (s)
Linkage: None
Format: Record type: History
Field: 5
Type: Numeric
Width: 4
Dec:
Position: 15: 18
Related Attribute: Mapsheet_Id, Forest_Cover_Polygon_Id

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Operability_Cd

Alias: Operability_Cd

Forestry Term: Operability

Description: A code describing the operability or inoperability of an area based on the presents or absence or physical barrier or other limitations.

Content: 1 character alpha code indicating operability

Default: N Unreported

Permitted Values: N - Unreported
I - Inoperable
A - Operable in some areas the operability code has been expanded to include operability by harvest method, for example in the North Coast TSA. Users should check with Districts.

Use: Used to indicate the area of the polygon that is operable. It is used extensively in determining the Operable Land Base for Timber Supply Analyses.

Linkage: Linkage by Forest Region

Format: Record type: Resultant
Field: 28
Type: Character
Width: 1
Dec:
Position: 84: 84

Related Attribute: Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Ownership_Cd
Alias: Ownership_Cd

Forestry Term: Ownership

Description: A code indicating the ownership and administrative responsibility for the land contained within the polygon. The major classes of ownership and administrative responsibility include:

- Crown Grants - Private Administration (Codes in the 40's series);
- Federal Lands - Federal Administration (Codes in the 50's series);
- Crown Lands - Provincial Administration (Codes in the 60's series);
- Crown and Private Lands - Private and/or Provincial Administration (Codes in the 70's series);
- Crown and Private Lands - Local Administration (Codes in the 80's series);
- Crown Lands - Provincial Administration under active lease or permit (Codes in the 90's series)

Content: 2 character numeric code for ownership

Default: 1 Unreported ownership

Permitted Values: 01 - Area of Non-Interest Ownership Status unreported
 40 - Private - Crown Grant
 50 - Federal Reserve
 51 - National Park
 52 - Indian Reserve
 53 - Military Reserve
 54 - Dominion Government Block
 60 - Crown Ecological Reserve
 62 - Crown Forest Management Unit (T.S.A., P.S.Y.U) or Crown Timber Agreement Lands
 63 - Crown Provincial Park Class A
 64 - Crown Provincial Park Class B
 65 - Crown Provincial Park Class C (Park Board)
 66 - Crown Provincial Park Class C (No Board)
 67 - Crown Provincial Park equivalent or Reserve
 68 - Crown Wilderness area within Provincial Forest
 69 - Crown Miscellaneous reserves
 70 - Crown Active Timber Licence in a TSA or TFL
 72 - Crown and Private Schedule "A" and Schedule "B" Lands
 74 - Crown and Private timber alienated in watershed
 75 - Crown Christmas tree permit
 76 - Crown and Private TFL where statue unreported
 77 - Crown and Private Woodlot Licence
 78 - Crown community pasture, Prince George SSA
 81 - Crown and Private under Municipal administration
 90 - Crown grazing lease
 99 - Crown misc. lease (Fairground, R&G Club site, recreation cottage site).

Use: Used to identify the ownership of the land within a polygon. Used in conjunction with Ownership Character to determine the land that contribute to the Forest Land Base. Conversely, it can be used to define land that is protected because it is located in a National Park, Ecological Reserves, etc.

Linkage: None

Format: Record type: Resultant
 Field: 16
 Type: Numeric
 Width: 2
 Dec:
 Position: 48: 49

Related Attribute: Ownership_Character_Cd, Provincial_Forest, Provincial_Forest_Sub_Cd, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Ownership_Character_Cd

Alias: Ownership_Character_Cd

Forestry Term: Ownership Character

Description: A code indicating whether or not a given area is available for long-term integrated resource management. For example, land in a National Park, Ecological Reserve, etc. is not available for long-term integrated resource management.

Content: 1 character alpha code designating availability of land for long term integrated resource management

Default: N - Land not available for long-term integrated

Permitted Values: A - Schedule "A" land - Tree Farm Licence
 B - Schedule "B" land - Tree Farm Licence
 C - Land available for long-term integrated resource management
 N - Land not available for long-term integrated resource management Applied to land outside of the Province and areas of non-interest.

Use: Used in conjunction with Ownership Code to determine land that contributes to the forest land base.

Linkage: None

Format: Record type: Resultant
 Field: 17
 Type: Character
 Width: 1
 Dec:
 Position: 50: 50

Related Attribute: Ownership_Cd, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory, District/ Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History
Attribute: Pest_Severity_cd
Alias: Degree_of_Infestation

Forestry Term: Degree of Insect or dise
 Description: A code describing the severity of a pest's (insect or disease) attack on the stand.
 Content: 1 character numeric code indicating severity
 Default: Blank
 Permitted Values: <blank>
 1 - Light
 2 - Moderate
 3 - Heavy
 4 - Past Occurrence
 Use: Used to provide the area of infestation by broad severity classes. May be used to apply volume adjustments.
 Linkage: None
 Format: Record Type: History
 Field Name:
 Field: 12
 Type: Character
 Width: 1
 Dec:
 Position: 30: 30
 Related Attribute: Attribute_cd, Activity_cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Planning_Cell

Alias: Planning_Cell

Forestry Term: Planning Cell

Description: The Planning Cell (s) that fall within the forest cover polygon. A Planning Cell is an area designated for planning and management purposes.

Content: 4 character code designating Planning Cell

Default: Z999

Permitted Values: Z999 - Unreported
C012 - Valid Planning Cell

Use: used to indicate the area of the polygon located within a Planning Cell. Used extensively for allocation of the forest resource including defining operating areas, net-downs, harvest scheduling, etc.

Linkage: None

Format: Record type: Resultant
Field: 27
Type: Character
Width: 4
Dec:
Position: 80: 83

Related Attribute: Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History
Attribute: Plantation_Species_1
Alias: Plantation_Species_1

Forestry Term: Plantation Species - Lea
 Description: The leading species planted in the stand. The genus, species, and subspecies are described.
 Content: 3 character alpha commercial species code. Normally 2 characters in first 2 positions.
 Default: Blank
 Permitted Values: PI - Lodgepole Pine
 Use: Defines the leading species planted and is used in area/plantation summaries.
 Linkage: None
 Format: Record type: History
 Field: 14
 Type: Character
 Width: 3
 Dec:
 Position: 32: 34
 Related Attribute: Attribute_Cd, Activity_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
 Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History
Attribute: Plantation_Species_2
Alias: Plantation_Species_2

Forestry Term: Plantation Species - Sec
 Description: The second species planted in the stand. The genus, species, and subspecies are described.
 Content: 3 character alpha commercial species code. Normally 2 characters in first 2 positions.
 Default: Blank
 Permitted Values: S Spruce
 Use: Defines the leading species planted and is used in area/plantation summaries.
 Linkage: None
 Format: Record type: History
 Field: 15
 Type: Character
 Width: 3
 Dec:
 Position: 35: 37
 Related Attribute: Attribute_Cd, Activity_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
 Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Polygon_Area

Alias: Polygon_Area

Forestry Term: Forest Polygon Area

Description: Total area, in hectares, of the forest cover polygon. The total area should be equal to the sum of the areas for all resultants in that polygon.

Content: 10 character numeric value holding polygon area

Default: Must have value

Permitted Values: 207.240 - area in hectares

Use: To obtain the size, or area of a polygon. For example, it is used to determine the total area on the mapsheet that has been classified as a particular forest cover type. When dealing with subsets of a polygon (e.g. resultants), resultant areas should be used.

Linkage: Linked to resultant areas, resultant areas must sum to polygon area.

Format: Record type: Polygon
 Field: 4
 Type: Numeric
 Width: 10
 Dec: 3
 Position: 14: 23

Related Attribute: Result_area

References: Ministry of Forest, Resources Inventory Branch, FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Forest_Region
Alias: Region

Forestry Term: Forest Region
 Description: The Forest Region(s) that fall within the forest cover polygon. Forest Regions are administrative areas that divide the province into six regions: Vancouver, Prince George, Prince Rupert, Kamloops, Nelson, and the Cariboo. These regions have been established.
 Content: 2 character numeric code designating Forest Region
 Default: 99 - Areas of on-interest
 Permitted Values: 31 - Vancouver
 32 - Prince Rupert
 33 - Kamloops
 34 - Prince George
 35 - Nelson
 36 - Cariboo
 99 Area of non-interest
 Use: Used to indicate the area of the polygon located (i.e. administered) within a Forest Region
 Linkage: None
 Format: Record type: Resultant
 Field: 29
 Type: Character
 Width: 2
 Dec:
 Position: 85: 86
 Related Attribute: Forest_District, Result_area

References: Ministry of Forest, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps
 Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Polygon
Attribute: Pri_Util_Lvl_Cd
Alias: Pri_Util_Lvl_Cd

Forestry Term: Primary Utilization Level
Description: The utilization level defines the stump height and top diameter, inside bark, between which the volume of individual trees are determined. The primary level of utilization refers to the "highest" or "closest" use of the individual trees in determining stand volumes for Timber Supply Analyses. For example, volumes per hectare in the Interior Region, include trees with a stump inside bark diameter of 12.5 cm or greater (utilization code '04'). Attributes that are used to determine volumes by different utilization levels include:

 stump height,
 stump inside bark diameter,
 top inside bar diameter,
 main stem taper
Content: 2 character numeric code indicating one of 2 possible utilization levels
Default: Must have value
Permitted Values: 04 - 12.5 cm + inside bark diameter at 30 cm stump height to a 10 cm inside bark top diameter. Primary utilization level for Interior stands

 08 - 17.5 cm + inside bark diameter at 30 cm stump height to a 10 cm inside bark top diameter. Primary utilization level for Coast stands
Use: Used to determine volumes per hectare for data summaries and reporting, as well as determining volumes per hectare for Timber Supply Analyses.
Linkage: Determined by Coast_Interior_Cd field; Linked to volume and diameter assignment.
Format: Record type: Polygon
 Field: 14
 Type: Numeric
 Width: 2
 Dec:
 Position: 55: 56
Related Attribute: Vol_Per_Ha_Spp_1_Pri_Util_Lvl to Vol_Per_Ha_Spp_6_Pri_Util_Lvl, Mean_Diameter_Pri_Util_Lvl, Culmination_Mai_Pri_Lvl, Stand_Ba_Pri_Lvl, Projected_Ba_Pri_Lvl, Coast_Interior_Cd

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section
Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Projected_Age

Alias: Projected_Age

Forestry Term: Projected Age

Description: The age of the layer at the year of projection. The projected age is calculated by adding the projection period (i.e. the difference between projection date and reference year) to the stand age at reference year.

Content: 3 character numeric value holding projected age in years.

Default: 0 years

Permitted Values: 178 years old

Use: Projected Stand Age is use in:
 - any area, volume, or other summaries based on age or class,
 - determining the contributing land base in Timber Supply Analyses
 - forecasting and scheduling short term wood supply and determining when timber will be coming on stream
 - determining Old Growth, and
 - conducting Biodiversity Analyses

Linkage: Projected age is calculated using stand_age, reference_year and projected_date. T is used in the calculation of al volumes and diameter values. IT is also used in the calculation of projected_stocking_class_cd, projected_height and projected_age_class_cd

Format: Record type: Layer
 Field: 56
 Type: Numeric
 Width: 3
 Dec:
 Position: 199:201

Related Attribute: Stand_Age, Projected_Date, Reference_Year

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Projected_Age_Class_Cd
Alias: Projected_Age_Class_Cd

Forestry Term: Projected Age Class
Description: A code indicating the age class of the stand at the year of projection. Age classes are intervals, or ranges, of ages into which trees, forests, stands, or forest types are divided into for classification and use.
Content: 1 character numeric code indicating projected age class
Default: 0
Permitted Values:

- 1 Stand age 1 to 20 years
- 2 Stand age 21 to 40 years
- 3 Stand age 41 to 60 years
- 4 Stand age 61 to 80 years
- 5 Stand age 81 to 100 years
- 6 Stand age 101 to 120 years
- 7 Stand age 121 to 140 years
- 8 Stand age 141 to 250 years
- 9 Stand age 251 + years

Use: Used extensively in :

- producing area and volume summaries by projected age classes,
- determining land base net-downs for Timber Supply Analyses, and
- identifying Old Growth stands.

Linkage: Projected_Age_Class_Cd is calculated based on Projected_Age
Format:

- Record type: Layer
- Field: 59
- Type: Numeric
- Width: 1
- Dec:
- Position: 207:207

Related Attribute: Stand_Age, Projected_Date, Reference_Year

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Projected_Ba_Pri_Lvl
Alias: Projected_Ba_Pri_Lvl

Forestry Term: Basal Area - Primary Util
Description: Basal Area, in square metres per hectare, of all trees above the primary utilization level at the Year of Projection. The basal Area is based on the outside bark cross section at breast height.
Content: 5 character numeric value holding basal area.
Default: 0.0
Permitted Values: 30.4 m2
Use: Planned input for Growth Models
Linkage: Calculated using Projected_age, site_index, and coefficients based on inventory_type_group_source_cd, fiz_code and Pri_Util_Lvl_cd. Multiplied by table-lookup of stems/ha.
Format: Record Type: Layer
 Field Name:
 Field: 74
 Type: Numeric
 Width: 2
 Dec: 1
 Position: 246:250
Related Attribute: Coast_interior_cd, Tree_species_Cd_1, Tree_species_Cd_2, Site_index, Projected_age, Crown_closure_air

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section.

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Projected_Ba_Sec_Lvl
Alias: Projected_Ba_Sec_Lvl

Forestry Term: Basal Area - Secondary
 Description: Basal Area, in square metres per hectare, of all trees above the secondary utilization level at the Year of Projection. The basal Area is based on the outside bark cross section at breast height.
 Content: 5 character numeric value holding basal area.
 Default: 0.0
 Permitted Values: 29.1 m2
 Use: Planned input for Growth Models
 Linkage: Calculated using Projected_age, site_index, and coefficients based on inventory_type_group_source_cd, fiz_code and Pri_Util_Lvl_cd. Multiplied by table-lookup of stems/ha.
 Format: Record Type: Layer
 Field Name:
 Field: 75
 Type: Numeric
 Width: 5
 Dec: 1
 Position: 251:255
 Related Attribute: Coast_interior_cd, Tree_species_Cd_1, Tree_species_Cd_2, Site_index, Projected_age, Crown_closure_air

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section.

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Projected_Date

Alias: Projected_Date

Forestry Term: Data Projection Date

Description: The date to which time dependent stand information is projected. Attributes that are projected to a future date include:
 - Age;
 - Age Class;
 - Height Class;
 - Type Identity;
 - Stocking Class, etc.

Content: 6 character numeric code holding year, month and day

Default: Must have value

Permitted Values: 910101

Use: Used to determine the date to which time dependent variables in the stand have been projected. All maps within a project area should be projected t the same date.

Linkage: Linked to all projected values including: prj_age, prj_hgt, prj_typed, prj_agecl, prj_hgtcl and prj_stkcl. Affects volumes, MAI and basal area, etc.

Format: Record Type: Polygon
 Field Name:
 Field: 12
 Type: Numeric
 Width: 6
 Dec:
 Position: 48: 53

Related Attribute: input_date

References: Ministry of Forests, Resources Inventory Branch, FRGIS Selection

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Projected_Height

Alias: Projected_Height

Forestry Term: Projected Height

Description: The height of the layer at the year of projection. The projected height is determined by applying the projected age to various site index functions for the leading commercial species:

- an ecologically based site index is used (e.g. mid-point of site class) for young stands (i.e. projected age less than 30 years)
- site index functions are used to determine projected height for older stands (i.e. projected age greater than, or equal to 30 years)

Content: Height in metres

Default: 0.0 m

Permitted Values: 29.5 m

Use: Projected Stand Height is used in determining net-downs for Timber Supply Analysis, and producing area and volume summaries by height ranges which do not conform to defined height classes (e.g. ad-hoc height ranges).

Linkage: Projected Height is calculated using projected_age and site_index and coefficients based on tree_species_cd_1 and coast_interior_cd. Projected height is used to calculate projected_height_class_cd.

Format: Record type: Layer
Field: 57
Type: Numeric
Width: 4
Dec: 1
Position: 202:205

Related Attribute: Stand_Age, Projected_Date, Reference_Year, Site_Index, Tree_Species_Cd_1

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Projected_Height_Class_Cd
Alias: Projected_Height_Class_Cd

Forestry Term: Projected Height Class
 Description: A code indicating the height class of the stand at the year of projection. Height classes are intervals, or ranges, of heights into which trees or stand heights are divided into for classification and use.
 Content: 1 character numeric code between 0 and 9 indicating projected height class
 Default: 0
 Permitted Values: 0 0 m 1 > 0.0 - 10.4 m
 1 0.1 - 10.4 m
 2 10.5 - 19.4 m
 3 19.5 - 28.4 m
 4 28.5 - 37.4 m
 5 37.5 - 46.4 m
 6 46.5 - 55.4 m
 7 55.5 - 64.4 m
 8 64.5 +
 Use: Used extensively in determining net-downs for Timber Supply Analyses, and producing area and volume summaries by projected age classes
 Linkage: Projected_Height_Class_cd is calculated based on Projected_Height
 Format: Record type: Layer
 Field: 60
 Type: Numeric
 Width: 1
 Dec:
 Position: 208:208
 Related Attribute: Stand_Age, Projected_Date, Reference_Year, Site_Index

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Projected_Stocking_Class_Cd

Alias: Projected_Stocking_Class_Cd

Forestry Term: Projected Stocking Clas

Description: A code describing the stocking class of the later at the year of projection. Stocking Class is determined based on the leading commercial species and/or the size (diameter) and number of stems per hectare.

Content: 1 character alpha code indicating projected stocking class

Default: Blank

Permitted Values: <blank> N/A
0 Immature stands

R Immature/Mature Stands:
Disturbed 26 to 75% area or volume

1 Mature Stands:
Not disturbed 26 to 75% by area or volume 76 or more trees per hectare 27.5 cm + dbh

2 Mature Stands

a. Leading species not lodgepole pine
Fewer than 76 trees per hectare 27.5 cm + dbh

b. Leading species lodgepole pine
No information on number of stems 7.5 cm + dbh

3 Mature Stands:
Leading species lodgepole pine
- 311 or more stems per hectare 17.5cm + dbh
- 50 % or more of the stems 7.5 cm + dbh are equal to or greater than 12.5 cm dbh.

4 Mature Stand:
Leading species lodgepole pine
- Fewer than 50 % of the stems 7.5 cm + dbh are equal to or greater than 12.5 cm dbh
- 0 to 310 stems per hectare 17.5 cm + dbh

Use: Used extensively in Timber Supply Analyses and local resource use plans (LRUPs) for determining the contributing land base and assigning net-downs.

Linkage: Projected_Stocking_Class_Cd may differ from Stocking_Class if stand matures, typically determined by change in Typid.

Format: Record type: Layer
Field: 61
Type: Character
Width: 1
Dec:
Position: 209:209

Related Attribute: Projected_Height, Projected_Age, Stocking_Class_Cd

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Projected_Type_Id
Alias: Projected_Type_Id

Forestry Term: Projected Type Identity
 Description: Classification of the layer's vegetation cover at the year of projection. The classification reflects the absence or value/importance/status of the vegetation cover with respect to forestry values.
 Content: 1 character numeric code indicating type identity
 Default: Must have value
 Permitted Values: 1 Immature (always stocking class 0)
 2 Mature (stocking classes 1, 2, 3, 4)
 3 Immature Residual (stocking class R)
 4 N.D.R. (Not Sufficiently Restocked)
 5 N.C. (Non-Commercial)
 6 Non-Productive (includes all N.P.D.)
 8 N.T.A. (No Typing Available)
 9 Silviculture NSR
 Use: Used extensively in Timber Supply Analyses for determining the contributing land base. Also used extensively in area and volume summarise. Used in conjunction with Type Identity at Reference (i.e. vegetation cover at the reference year) to identify changes due to projection (e.g. projection may result in the stand changing from immature to mature).
 Linkage: Projected_Type_Id is determined based on Tree_Species_Cd_1, Tree_Species_Cd_2, projected_Age, Stocking_Clas_Cd and/or Non_Projuctive_Forest_Descriptor, Non_Forest_Descriptor.
 Format: Record type: Layer
 Field: 58
 Type: Numeric
 Width: 1
 Dec:
 Position: 206:206
 Related Attribute: Non_Forest_Productive_Descriptor, Non_Forest_Descriptor, Projected_Stocking_Class_Cd, Projected_Age

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Provincial_Forest

Alias: Provincial_Forest

Forestry Term: Provincial Forest

Description: The Provincial Forest (s) that fall within the forest cover polygon. Provincial Forest land is designated under Section 5 of the Forest Act.

Content: 4 character numeric code designating the Provincial Forest

Default: 999

Permitted Values: 999 - Areas outside the Province
3 - Chilliwack

Use: Used to indicate the area of the polygon located within a Provincial Forest. Used to determine the areas designated as Provincial Forests.

Linkage: None

Format: Record type: Resultant
Field: 23
Type: Numeric
Width: 4
Dec:
Position: 68:71

Related Attribute: Provincial_Forest_Ind, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Provincial_Forest_Ind
Alias: Provincial_Forest_Sub_Cd

Forestry Term: Provincial Forest Sub Co
 Description: A code indicating if the polygon is located within a Provincial Forest that was established through regulation (gazetted).
 Content: 1 character alpha subcode designating inclusions and exclusions within the Provincial Forest
 Default: Must have value
 Permitted Values: 1 - Provincial Forest
 0 - Provincial Forest exclusions (I.R.'s Parks, etc.)
 Use: Used to identify area designated as Provincial Forest and Provincial Forest Exclusions (e.g. Parks).
 Linkage: None
 Format: Record type: Resultant
 Field: 24
 Type: Character
 Width: 1
 Dec:
 Position: 72:72
 Related Attribute: Provincial_Forest, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Range_Community_Type_No
Alias: Range_Community_Type_No

Forestry Term: Range Community Type
Description: No longer in use by Range.
Content: 4 character numeric code
Default: 0
Permitted Values:
Use: Not in use
Linkage: None
Format: Record type: Resultant
Field: 51
Type: Numeric
Width: 4
Dec:
Position: 157:160
Related Attribute: None

References: None
Agency Responsible: None

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Range_Pasture_Cd

Alias: Range_Pasture

Forestry Term: Range Pasture

Description: The Range Pasture (s) that fall within the forest cover polygon. A Range Pasture is the smallest range management area authorized for livestock grazing. It is a subdivision of Range Unit and Stock Range.

Content: 2 character numeric code cross-referencing the Range Pasture name

Default: Blank

Permitted Values: 11

Use: Used to indicate the area of the polygon that is located within a Range Pasture. Used in conjunction with Stock Range and Range Unit for general range management purposes, forage summaries, monitoring range utilization, conducting invader/weed species inventories, etc.

Linkage: None

Format: Record type: Resultant
 Field: 42
 Type: Character
 Width: 2
 Dec:
 Position: 131:132

Related Attribute: Stock_Range_NBR, Range_Unit_NBR, Result_Area

References: Range Manual (Draft)

Agency Responsible: Range Management District/Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Range_Type_No
Alias: Range_Type_No

Forestry Term: Range Type Number
Description: Non longer in use by Range
Content: 3 character numeric code.
Default: 0
Permitted Values:
Use: Not in use
Linkage: None
Format: Record type: Resultant
Field: 50
Type: Numeric
Width: 3
Dec:
Position: 154:156
Related Attribute: None

References: None

Agency Responsible: Range Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Range_Unit_NBR
Alias: Range_Unit

Forestry Term: Range Unit
 Description: The Range Unit (s) that fall within the forest cover polygon. A Range Unit is a range management area used to prescribe the numbers and kinds of livestock that the land can support. This information is specified in the range management plan. This plan also defines the periods of time when the land will be used for range purposes.
 Content: 4 character numeric code cross-referencing the Range Unit name
 Default: 7000 - Unreported
 Permitted Values: 7000 - Unreported
 5999 - Unorganised (999), Nelson Region (5)
 3044 - Adams
 4143 - Aikman
 Use: Used to indicate the area of the polygon located within a Range Unit. Used for general range management purposes, forage summaries, monitoring range utilization, conducting invader/weed species inventories, etc.
 Linkage: None
 Format: Record type: Resultant
 Field: 26
 Type: Numeric
 Width: 4
 Dec:
 Position: 76: 79
 Related Attribute: Stock_Range_NBR, Range_Pasture, Forest_Region, Result_Area

References: Range Manual (Draft)
 Agency Responsible: Range Management District/Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Rec_Activity_Cd
Alias: Rec_Activity_Cd

Forestry Term: Recreation Activity
 Description: The Recreation Activity Code (s) that fall within the polygon. The Recreation Activity Code describes the existing or potential recreational use for the land based on its Recreational Features. For example, a Recreation Feature of "waterbody" could have a Recreational Activity of angling, canoeing, etc.
 Content: 3 character lower case alpha code designation feature - related recreational activity
 Default: --- Not reported
 Permitted Values: --- Not reported
 a-- Angling
 ac- Angling, Canoeing
 and Angling, Canoeing, Kayaking/rafting
 Use: Used to indicate the recreational activities that could occur in the polygon (e.g. angling, canoeing, etc.). This information is used in the planning and development of trails and campsites, preharvest planning, and harvesting decisions (e.g. whether or not to harvest an area based on the recreational potential of the land).
 Linkage: None
 Format: Record type: Resultant
 Field: 32
 Type: Character
 Width: 3
 Dec:
 Position: 95: 97
 Related Attribute: Rec_Mgmt, Rec_Feature_Cd, Rec_Feature_Sig, Rec_Mgmt_Class_cd, Rec_Ros, Rec_Polygon_No, Result_Area

References: Ministry of Forests, Recreation Branch Recreation Manual
 Agency Responsible: Recreation District/Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Rec_Feature_Cd
Alias: Rec_Feature_Cd

Forestry Term: Recreation Feature

Description: The Recreation Feature (s) that fall within the polygon. This code describes the biophysical, visual or cultural features, and subfeatures, of the area. Typical features include Aquatic, Beaches, Hydrologic Features, Vegetation, Waterfalls and Rapids, Glaciers and Icefields, Landforms, Waterbody, Topographic Features, Rock Formations, Springs, etc. Subfeatures are used to further define the feature. For example, the Springs Feature can be subdivided into Thermal Springs (S1), Freshwater Springs (S2) and Mineral Springs (S3). This attribute can contain up to 3 of the most important features in the resultant.

Content: 6 character alpha-numeric code (3 paired attributes) designating Recreation Feature (s)

Default: ----- Not reported

Permitted Values: ----- Not reported
 S3---- Mineral Springs
 S1R3-- Mineral Springs, Mineral Deposits
 S1R3W3 Mineral Springs, Mineral Deposits, Large Mammals

Use: Used to indicate the recreational features located within each polygon. This information is used in the planning and development of trails and campsites, preharvest planning, and harvesting decisions (e.g. whether or not to harvest an area based on the recreational features/potential of the land).

Linkage: None

Format: Record type: Resultant
 Field: 31
 Type: Character
 Width: 6
 Dec:
 Position: 89: 94

Related Attribute: Rec_Mgmt, Rec_Activity_Cd, Rec_Feature_Sig, Rec_Mgmt_Class_Cd, Rec_Ros, Rec_Polygon_No, Result_Area

References: Ministry of Forests, Recreation Branch Recreation Manual

Agency Responsible: Recreation District/Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Rec_Feature_Sig
Alias: Rec_Feature_Sig

Forestry Term: Recreation Feature Signi
 Description: The significance of recreational features within the polygon. The Recreation Feature Significance is a code describing the ability of the Recreational Feature to attract recreation, educational, or scientific users. The code is based on a 4 point rating scale.
 Content: 1 character alpha code designating Feature Significance
 Default: - Not assigned
 Permitted Values: - not assigned
 A - Very high capability to attract recreational, educational or scientific Provincial (or higher) significance.
 B - High capability to attract recreational use Regional significance.
 C - Moderate ability to attract recreational use Local significance (i.e. whether or not to harvest an area based on the recreational potential of the land).
 Use: Used to indicate the significance (e.g. ability to attract recreational users, etc.) of the recreational features in the polygon. This information is used in the planning and development of trails and campsites, preharvest planning, and harvesting decisions (e.g. whether or not to harvest an area based on the recreational potential of the land).
 Linkage: None
 Format: Record type: Resultant
 Field: 33
 Type: Character
 Width: 1
 Dec:
 Position: 98: 98
 Related Attribute: Rec_Mgmnt, Rec_Feature_cd, Rec_Activity_Cd, Rec_Mgmnt_Class_Cd, Rec_Ros, Rec_Polygon_No, Result_Area

References: Ministry of Forests, Recreation Branch Recreation Manual

Agency Responsible: Recreation District/Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Rec_Mgmt_Cd

Alias: Rec_Mgmt_Cd

Forestry Term: Recreation Management

Description: The Recreation Management Code (s) that fall within the polygon. The recreation management code describes the recommended objectives for guiding preharvest prescriptions in cutblock approval. These objectives result from analyses, management objectives, or approved prescriptions.

Content: 2 character code designating Recreation management class

Default: -- no information available

Permitted Values: -- No information available
 01 Preservation Approved
 02 Retention Approved
 03 Partial Retention Approved
 04 Modification Approved
 05 Maximum Modification Approved
 06 Preservation Recommended
 07 Retention Recommended
 08 Partial Retention Recommended
 09 Modification Recommended

Use: Used to indicate the area of the polygon located within each recreation management code. These codes are used to guide preharvest prescriptions in cutblock approval.

Linkage: None

Format: Record type: Resultant
 Field: 30
 Type: Character
 Width: 2
 Dec:
 Position: 87: 88

Related Attribute: Rec_Mgmt_Cd, Rec_Feature_Cd, Rec_Activity_cd, Rec_Feature_Sig, Rec_Mgmt_Class_Cd, Rec_Ros, Rec_Polygon_No, Result_Area

References: Ministry of Forests, Recreation Branch Recreation Manual, Chapter 6

Agency Responsible: Recreation District/Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: **Rec_Mgmt_Class_Cd**

Alias: **Rec_Mgmt_Class_Cd**

Forestry Term: Recreation Management

Description: The Recreation Management Class (es) that fall within the polygon. The recreation management class indicates whether commonly accepted (i.e. normal) local management practices can provide adequate protection to the recreational values within the polygon. For example, areas with outstanding recreational value may be more appropriately managed exclusively for the purposes of recreation and not in conjunction with forest management practices.

Content: 1 character numeric code designating recreation management class

Default: - Not assigned

Permitted Values: - Not assigned
 0 Areas of outstanding recreational, educational, scientific or heritage value and is more appropriately managed exclusively for the recreational values noted.
 1 Areas requiring special management consideration to protect or maintain recreational values
 2 Normal forest management practices are adequate to maintain recreational values.

Use: Used to indicate the type of management practices required to provide adequate protection for the recreational values in the polygon. This information is used in the planning and development of trails and campsites, preharvest planning, and harvesting decisions (e.g. whether or not to harvest an area based on the recreational potential of the land).

Linkage: None

Format: Record type: Resultant
 Field: 34
 Type: Character
 Width: 1
 Dec:
 Position: 99: 99

Related Attribute: Rec_Mgmt, Rec_Feature_Cd, Rec_Activity_Cd, Rec_Feature_Sig, Rec_Ros, Rec_Polygon_No, Result_Area

References: Ministry of Forests, Recreation Branch Recreation Manual

Agency Responsible: Recreation District/Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Rec_Ros
Alias: Rec_Ros

Forestry Term: Recreation Opportunity
 Description: The Recreation Opportunity Spectrum (s) that fall within the polygon. The recreation opportunity spectrum contains seven categories that describe the opportunity for users to access and experience the recreational values in the area (e.g. primitive, road access, rural, etc.).
 Content: 1 character numeric code designating ROS class
 Default: 7 Not assigned
 Permitted Values: 7 - Not assigned
 1 - Primitive
 2 - Semi_primitive, Non-motorized
 3 - Semi-primitive, motorized
 4 - Roaded Resource Land
 5 - Rural
 6 - Urban
 Use: Used to indicate the opportunities for users to access and experience the recreation values in the area. This information is used in the planning and development of trails and campsites, preharvest planning, and harvesting decisions (e.g. whether or not to harvest an area based on the recreation potential of the land).
 Linkage: None
 Format: Record type: Resultant
 Field: 35
 Type: Character
 Width: 1
 Dec:
 Position: 100:100
 Related Attribute: Rec_Mgmt, Rec_Feature_Cd, Rec_Activity_Cd, Rec_Feature_Sig, Rec_Ros, Rec_Mgmt_Class_Cd, Rec_Polygon_No, Result_Area

References: Ministry of Forests, Recreation Branch Recreation Manual, Chapter 6

Agency Responsible: Recreation District/Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History, Layer, Polygon, Resultant, Ver
Attribute: Record_Type_Cd
Alias: Record_Type

Forestry Term: Record Type Indicator

Description: One of five record type indicators. This code classifies the information contained within each record as being V (version), P (Polygon), L (Layer), H (History), or R (Resultant)

Content: 1 character alpha code indicating Record Type

Default: Must have value

Permitted Values: V - Version
 Signifies Version record. It is the first record in the FIP file and contains information relating to the creation and edit data of the FI file and provides a cross-reference to the Digital Design File.

P - Polygon
 Signifies that this is Polygon Record. This is the first record for reach forest cover polygon in the FIP file. Contains information common to the entire polygon (e.g. Polygon Area, Coast/Interior Indicator and ESA designations) and holds counters indicating the number of Layer, History and Resultant records to follow.

L - Layer
 Signifies this is a Layer record. The Layer record (s) follow the polygon record. Contains forest cover information specific to each of the layers (canopies) in a stand.

H - History
 Signifies that this is a History record. The History record (s) follow the Layer record (s). Contains History information describing natural or man-caused activity (e.g. fir, harvesting, silvicultural treatments, etc.) associated with a specific layer in the stand.

R - Resultant
 Signifies that this is a Resultant Record. The Resultant record (s) follow the History record (s). Contains information describing attributes not directly related to the forest cover. Includes such information as TSA/Block, Region and Compartment, Operability, Planning Cell, etc.

Use: Identifies type of record in FIP file

Linkage: Implicitly defines information content, fields and format of record.

Format: Record type: History, Layer, Polygon, Resultant, Version
 Field: 1
 Type: Character
 Width: 1
 Dec:
 Position: 1: 1

Related Attribute: Record_Type is the first field on every record in the FIP file.

References: Standards and Procedures for the Acquisition Forest Inventory Date, January 1991.

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Recreation-Polygon_No
Alias: Recreation-Polygon_No

Forestry Term: Recreation Polygon Nu
 Description: The last two fields (numbers) that are assigned to the recreation polygon number.
 Content: 2 character numeric code holding last 2 digits of recreation polygon number
 Default: Blank
 Permitted Values: <blank>
 Use: Used to designed the last two numbers of the recreation polygon number as stored on the recreation level (level 47)
 Linkage: None
 Format: Record type: Resultant
 Field: 55
 Type: Numeric
 Width: 2
 Dec:
 Position: 168:169
 Related Attribute: Rec_Mgmt_Cd, Rec_Feature_Cd, Rec_Activity_Cd, Rec_Feature_Sig, Rec_Mgmt_Class_Cd, Rec_Ros, Rec_Polygon_No, Result_Area

References: Ministry of Forests, Recreation Branch Recreation Manual, Chapter 6

Agency Responsible: Recreation Branch / Resources Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Reference_Year
Alias: Reference_Year

Forestry Term: Reference Year
Description: The calendar year for which the time dependent attributes in the layer are most reliable. For example, if time dependent attributes such as age and height are determined in a specific year (e.g. 1991), then that year is recorded as the reference year.
Content: 2 character numeric code indicating year for which the attributes are most reliable
Default: Must have value
Permitted Values: 53 to present year
Use: The reference year forms the base from which time dependent attributes with the layer are projected. It is also used to evaluate the currentness of the inventory (e.g. the date the information was captured/measured).
Linkage: May be used in projecting stand values if Projection Year specified is less than Reference year.
Format: Record type: Layer
Field: 55
Type: Numeric
Width: 2
Dec:
Position: 197:198
Related Attribute: Projected_Date

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Result_Area

Alias: Result_Area

Forestry Term: Resultant Area

Description: The area of the resultant polygon. The resultant area is determined during Overlay Processing. Resultant areas within a polygon must add to the entire polygon area.

Content: 5 character numeric value holding resulting area

Default: Must have value

Permitted Values: 400.0 ha - cannot exceed 400.0 ha
0.4 ha

Use: Used in all area based summaries that require overlay information (e.g. ownership, TSSA, operability, etc.).

Linkage: Resultant areas should sum to Polygon_Area

Format: Record type: Resultant
Field: 18
Type: Numeric
Width: 5
Dec: 1
Position: 51: 55

Related Attribute: Resultant_No and all Forest cover and Resultant Attributes

References: Ministry of Forests, Resources Inventory Branch, FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Resultant_CNT

Alias: Resultant_CNT

Forestry Term: Number of Resultant Re

Description: The number of Resultant records (each resultant polygon in the stand is recorded as a separate record) that are stored in the FIP file for the particular polygon being described.

Content: 2 character numeric value indicating the number of Resultant records per polygon.

Default: Must have value, may be 0.

Permitted Values: 0 to 999

Use: Used to ensure that users accessing FIP file information process the correct number of resultant records for the stand.

Linkage: Links to Resultant records.

Format: Record type: Polygon
 Field: 22
 Type: Numeric
 Width: 3
 Dec:
 Position: 77: 79

Related Attribute: record_Type_Cd

References: Ministry of Forests, Resources Inventory Branch FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Version
Attribute: Resultant_Ind
Alias: Resultant_Cd

Forestry Term: Resultant Record Indicat
Description: A code indicating the presence or absence of resultant records in the FIP file.
Content: Code indicating presence or absence of resultant records in the FIP file.
Default: Must have value
Permitted Values: N Resultants do not exist
Y Resultants exist
Use: Indicates the presence or absence of Resultant Level records
Linkage: None
Format: Record type: Version
Field: 10
Type: Character
Width: 1
Dec:
Position: 64: 64
Related Attribute: Record_Type_Cd

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section
Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Resultant_No
Alias: Resultant_No

Forestry Term: Resultant Number
Description: A unique number for each of the resultant polygons in the stand. The resultant numbers are generated during overlay processing.
Content: 5 character numeric value holding resultant number
Default: Must have value
Permitted Values: 1
3278
Use: The resultant number is used by Geographic Information Systems (GIS) to provide the linkage between the overlaid GIS file and its related data base.
Linkage: None
Format: Record type: Resultant
Field: 10
Type: Numeric
Width: 5
Dec:
Position: 34: 38
Related Attribute: Result_Area and all Forest cover and Resultant Attributes

References: Ministry of Forests, Resources Inventory Branch, FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Road_Area
Alias: Road_Area

Forestry Term: Road Area
Description: Area in the polygon that is removed from the Productive Forest Land Base due to the presence of roads within the polygon.
Content: 4 character numeric code holding area (ha) hectare
Default: 0.0
Permitted Values: 2.7 ha
Use: Used to remove (subtract) area from the Contributing Land Base that is not available due to the presence of roads.
Linkage: None
Format: Record type: Resultant
Field: 19
Type: Numeric
Width: 4
Dec: 1
Position: 56: 59
Related Attribute: Result_Area

References: Ministry of Forests, Resources Inventory Branch, FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory, District/Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Polygon

Attribute: Sec_Util_Lvl_Cd

Alias: Sec_Util_Lvl_Cd

Forestry Term: Secondary Utilization Le

Description: The utilization level defines the stump height and top diameter, inside bark, between which the volume of individual trees are determined. The secondary level of utilization refers to a "medium" use of the individual trees in determining stand volumes for Timber Supply Analyses. For example, volumes per hectare in the Interior Region, include trees with a stump inside bark diameter of 15.5 cm or greater (utilization code '08'). Attributes that are used to determine volumes by different utilization levels include: stump height, stump inside bark diameter, top inside bark diameter, main stem taper.

Content: 2 character numeric code indicating one of 2 possible utilization levels

Default: Must have value

Permitted Values: 08 17.5 cm + inside bark diameter at 30 cm stump height to a 10 cm inside bark top diameter. Secondary utilization level for Interior stands
 10 22.5 cm + inside bark diameter at 30 cm stump height to a 10 cm inside bark top diameter. Secondary utilization level for Coast stands

Use: Used to determine volumes per hectare for data summaries and reporting, as well as volumes per hectare for Timber Supply Analyses.

Linkage: Determined by Coast_Interior_Cd field; Linked to volume and diameter assignment.

Format: Record type: Polygon
 Field: 15
 Type: Numeric
 Width: 2
 Dec:
 Position: 57: 58

Related Attribute: Vol_per_ha_spp_1_sec_util_lvl to Vol_per_ha_spp_6_sec_util_lvl, mean_diameter_pri_util_lvl, culmination_mai_sec_lvl, stand_ba_sec_lvl, projected_ba_sec_util and coast_interior_cd

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Polygon
Attribute: Secondary_Element_Cd
Alias: Secondary_Element_Cd

Forestry Term: Secondary Layers for C
 Description: A code indicating that the stand has a secondary layer despite being described as having only one layer in the FIP file (i.e. only one Layer Record). The code defines the "type" of secondary layer; for example, Veterans, Immature, etc. This code is only found on records collected (e.g. CC Card Source Records) prior to the present method of collecting and storing information by layer.
 Content: 1 character numeric code indicating the presence and type
 Default: Blank
 Permitted Values: 0 Immature component
 1 Seed Tree
 2 Veterans
 3 Volume
 Use: Used to identify multi-layered stands where data source is from cc card source record (s).
 Linkage: None
 Format: Record type: Polygon
 Field: 17
 Type: Character
 Width: 1
 Dec:
 Position: 60: 60
 Related Attribute: Secondary_Element_Spp_Cd, Card_Source_Cd

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Polygon
Attribute: Secondary_Element_Spp_Cd
Alias: Secondary_Element_Spp_Cd

Forestry Term: Secondary Element Spe
Description: A code identifying the species composition for the secondary layer of stands with a secondary layer but only one layer record (see Secondary Layer for CC Records). A maximum of 3 species can be identified for each secondary element code.
Content: 2 character alpha code indicating species composition.
Default: blank
Permitted Values: B - Balsam
Use: used to identify secondary species in multi-layered stands where the data source is cc card source record.
Linkage: None
Format: Record type: Polygon
Field: 18
Type: Character
Width: 6
Dec:
Position: 61: 66
Related Attribute: Secondary_Element_Cd, Card_Source_Cd

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: History
Attribute: Separator_Char
Alias: Separator_Char

Forestry Term: Activity Separation Char
Description: A character to indicate if the historical activity was completed in a single year, or whether it occurred as discontinuous or continuous activity over several years. A blank character indicates that the activity was complete in a single year. A comma ',' indicates that the activity was discontinuous and occurred in more than one year. A dash '-' indicates that the activity was continuous over more than 1 year.
Content: 1 character alpha code indicating continuity of activity
Default: Must have value, blank is a valid value
Permitted Values: <Blank> : Infers that the activity took place in a single year.
 ' : Discontinuous activity
 - : Continuous activity
Use: Used to distinguish continuous from discontinuous activity
Linkage: None
Format: Record Type: History
 Field Name:
 Field: 9
 Type: Character
 Width: 1
 Dec:
 Position: 25: 25
Related Attribute: Activity_Year_1, Activity_Year_2

References: Ministry of Forests, Resources Inventory Branch
Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Site_Class_5m
Alias: Site_Class_5M

Forestry Term: 5 Metre Site Classes
Description: Site Index assigned to the closest 5m interval. For example, a site index of 12.4 is assigned a site class of 10. A site index of 12.5 is assigned a site class of 15.
Content: 2 character numeric value holding site index to the nearest 5m interval from 5 to 55 metres.
Default: 0
Permitted Values: 10 metre class
25 metre class
Use: Used to provide a more detailed discrimination of site class. Historically, site classes were limited to Good, Medium, Poor and Low.
Linkage: Calculated using Site_Index.
Format: Record Type: Layer
Field Name:
Field: 64
Type: Numeric
Width: 2
Dec:
Position: 216:217
Related Attribute: Site_index

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section.

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Site_Index
Alias: Site_Index

Forestry Term: Site Index
 Description: An expression of the forest site quality based on stand age and height. Site index is determined using stand age, stand height and Ministry of Forests' and other site index equations. These equations are based on reference age 50 years bha (breast height age).
 Content: 4 character numeric value for site index in metres at 50 bha (breast height age)
 Default: 0.0 m
 Permitted Values: 32.5 metres
 Use: Used extensively in Timber Supply Analyses and Local Resource Use Plans (LRUPs) for determining the Contributing Land Base and assigning net-downs.
 Linkage: Site_index is calculated using stand_age, stand_height and coefficients based on tree_specieis_cd_1 and coast_interior_cd. Site_index was historically used to calculate Hist_Class_S for some stands. Used in the derivation of projected height and in the assignment of volumes and diameters.
 Format: Record type: Layer
 Field: 62
 Type: Numeric
 Width: 4
 Dec: 1
 Position: 210:213
 Related Attribute: Tree_Species_Cd_1, Stand_Age, Stand_Height

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Site_Index_Estimated

Alias: Site_Index_Estimated

Forestry Term: Estimated Site Index

Description: The estimated site index assigned to a forest type when the site index derived from the stand age and height does not reflect the perceived or actual productivity of the stand. Estimated site index is required for young stands (e.g. less than 30 years), for suppressed stands that have been released (e.g. after a disturbance) and for stands with TYPID 4, 5 and 9. Estimated Site Index is based on an assessment of the physical and biological factors.

Content: 2 character numeric value holding estimated site index in metres (bha 50)

Default: 0.0 m

Permitted Values: 17 metres

Use: Used in assigning culmination mai for young stands in Timber Supply Analyses and Local Resource Use Plane (LRUPs). Also used as a basis for applying net-downs for low sites.

Linkage: used in the derivation of projected height and in the assignment of volumes and diameters

Format: Record Type: Layer
Field Name:
Field: 63
Type: Numeric
Width: 2
Dec:
Position: 214:215

Related Attribute: Hist_Class_Site_Cd, Hist_Class, Special_Site_Cd, Tree_Species_Cd_1, Stand_Age, Stand_Height

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: **Site_Index_Estimated_Source_Cd**
Alias: **Site_Index_Estimated_Source_Cd**

Forestry Term: Estimated Site Index So
 Description: A code describing the source, or origin, of the estimated site index. Examples of source include ecological correlation, midpoint of old Ministry of Forests site class, growth intercept, etc.
 Content: 1 character alpha code indicating source of site index
 Default: Blank
 Permitted Values: <blank> N/A
 M - Midpoint of Old MoF Site Class (GMPL) - derived from table during completion - for rollover process only, not a user entered value.
 S - Assigned by District Silviculture section
 I - Growth intercept
 H - Historic
 E - Ecological correlation
 A - Adjacent stand
 Use: Indicates the source of the estimated site index
 Linkage: Specified if Site_Index_Estimated is used; may be based on Hist_class_S
 Format: Record Type: Layer
 Field Name:
 Field: 36
 Type: Character
 Width: 1
 Dec:
 Position: 155:155
 Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_1

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
 Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Slope
Alias: Slope

Forestry Term: Slope
 Description: The slope (s), or gradient, of the land contained within the polygon. Slope is measured in degrees or percent.
 Content: Numeric value for degrees or percent
 Default: <blank>
 Permitted Values: <blank> 0 to 100
 Use: Used to define the operability of the area, including the selection of harvesting equipment and method.
 Linkage: None
 Format: Record type: Resultant
 Field: 37
 Type: Numeric
 Width: 3
 Dec:
 Position: 105:107
 Related Attribute: Elevation, Aspect_Cd, Result_Area

References: Ministry of Forests, Resources Inventory Branch, FRGIS Section
 Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Soil_Unit
Alias: Terrain_Unit

Forestry Term: Soil Unit

Description: Originally included to allow a soil unit polygon overlay. Has never been implemented. A soil unit is a defined and named, repetitive aggregate, of soil bodies occurring together in an individual and natural characteristic pattern over the soil landscape. The format of this attribute with reference to the terrain classification system is as follows:

- Major Terrain Component
 - 1 Major Percentile 50%
 - 2 Terrain 1 texture
 - 3 Terrain 1 genetic material
 - 4 Surface expression
- Minor Terrain Component
 - 5 Minor Percentile 30%
 - 6 Terrain 2 texture
 - 7 Terrain 2 genetic material
 - 8 Terrain 2 surface Expression
- Very Minor Terrain Component
 - 9 Terrain 3 percentile very minor 30%
 - 10 Terrain 3 Texture
 - 11 Terrain 3 genetic material
- Modifiers
 - 12 Major modifying processes
 - 13 Minor modifying processes

Content: 13 character alpha code

Default: Blank

Permitted Values: <blank>
 WO Glaciomarine
 W Marine
 V Volcanic
 U Undifferentiated
 R Bedrock
 O Organic
 M Morainal
 LO Glaciolacustrine
 L Lacustrine
 I Ice
 FO Glaciofluvial
 F Fluvial
 E Eolian
 D Weathered Bedrock (in situ)
 C Colluvial
 A Anthropogenic

Use: Has never been used

Linkage: None

Format: Record type: Resultant
 Field: 41
 Type: Character

Width: 13
Dec:
Position: 118:130

Related Attribute: None

References: Ministry of Environment, Lands and Parks

Agency Responsible: Ministry of Environment, Lands and Parks

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Special_Cruise_Number

Alias: PSYU

Forestry Term: Public Sustained Yield U

Description: The numeric code of the Public Sustained Yield Unit (s) (PSYU) that fall within the forest cover polygon. PSYUs are areas of land, usually a natural topographic unit determined by drainage areas. Includes PSYUs, Tree Farm Licences (TFL), Tree Farms (TF), Major Parks and Ecological Reserves, Woodlot Licences, and miscellaneous areas.

Content: 4 character numeric code which references the respective PSYU, TFL, etc.

Default: 9999 - area outside PSYU's

Permitted Values: Refer to FRGIS for complete listing

9999 - area outside PSYU's, eq Victoria-Saanich, Vancouver-Delta and areas outside Province.

131 - Upper Kootenay PSYU

161 - Fernie PSYU

314 - TFL 14

Use: Used to indicate the area of the polygon that is located within a PSYU, TFL, TF, Woodlot, etc. Used in conjunction with the Forest Inventory Zone to assign stand volumes. Also used in net-downs associated with Environmentally Sensitive Areas in Timber Supply Analyses.

Linkage: Used as index for look up of DWB coefficients/factors when netting down gross volumes.

Format: Record type: Resultant
Field: 6
Type: Numeric
Width: 4
Dec:
Position: 17:20

Related Attribute: Special_Cruise_Number_Code, Ownership_Cd, Ownership_Character_Cd, Vol_per_Ha_Spp_1_Pri_Util_Ivl to Vol_per_Ha_Spp_6_Sec_Util_Ivl, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Special_Cruise_Number_Code
Alias: PSYU_Block

Forestry Term: Public Sustained Yield U
 Description: The numbers of the Public Sustained Yield Unit (PSYU) Block (s) that fall within the forest cover polygon. PSYU Blocks are subdivisions of a PSYU, and indicate the presence of a sub-unit survey (i.e. 1:10,000 scale inventory).
 Content: 1 character alpha code indicating a sub-unit survey
 Default: Blank
 Permitted Values: <blank> Non sub-unit survey
 9 Sub-unit exist
 Use: Used to indicate the area of the polygon that is located within a PSYU Block. Also used to identify the presence of a sub-unit survey.
 Linkage: None
 Format: Record type: Resultant
 Field: 7
 Type: Character
 Width: 1
 Dec:
 Position: 21:21
 Related Attribute: Special_Cruise_Number, Ownership_Cd, Ownership_Character_Cd, Vol_per_Ha_Spp_1_Pri_Util_lvl to Vol_per_Ha_Spp_6_Sec_Util_lvl, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps.

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Stand_Age

Alias: Stand_Age

Forestry Term: Stand Ate at Reference

Description: The age of a stand at the time of classification. Stand age is based on a ring count from a bored core plus a correction for the age of the tree below the core sample height. Stand age can also be based on an estimate from aerial photographs.

Content: 3 character numeric value holding stand age in years

Default: 0

Permitted Values: 195 years

Use: Used in the determination of site index, and as a base for projecting stand attributes.

Linkage: May be calculated from Age_Class_Cd; may be used to calculate age_class_cd. Used to determine maturity in forest stands, i.e. type_identify_reference 1 and 2.

Format: Record type: Layer
Field: 38
Type: Numeric
Width: 3
Dec:
Position: 157:159

Related Attribute: Age_Class_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Stand_Ba_Pri_Lvl
Alias: Stand_Ba_Pri_Lvl

Forestry Term: Basal Area - Primary Util
 Description: Basal Area, in square metres per hectare, of all trees above the primary utilization level at the Reference Year. The Basal Area is based on the outside bark cross selection at breast height.
 Content: 5 character numeric value holding basal area
 Default: 0.0
 Permitted Values: 7.2 m2
 Use: Planned input for Growth Models
 Linkage: Calculated using Stand_age,site_index and coefficients based on inventory_type_group_source_cd, Fiz code and pr
 Format: Record Type: Layer
 Field Name:
 Field: 72
 Type: Numeric
 Width: 5
 Dec: 1
 Position: 236:240
 Related Attribute: Coast_interior_cd, ree_species_cd1, tree_species_cd2, site_index, stand_age, crown_closure

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section.
 Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Stand_Ba_Sec_Lvl
Alias: Stand_Ba_Sec_Lvl

Forestry Term: Basal Area - Secondary
 Description: Basal Area, in square metres per hectare, of all trees above the secondary utilization level at the Year of Projection. The basal Area is based on the outside bark cross section at breast height.
 Content: 5 character numeric value holding basal area.
 Default: 0.0
 Permitted Values: 6.9 m2
 Use: Planned input for Growth Models
 Linkage: Calculated using Projected_age, site_index, and coefficients based on inventory_type_group_source_cd, fiz_code and Pri_Util_Lvl_cd. Multiplied by table-lookup of stems/ha.
 Format: Record Type: Layer
 Field Name:
 Field: 73
 Type: Numeric
 Width: 5
 Dec: 1
 Position: 241:245
 Related Attribute: Coast_interior_cd, Tree_species_Cd_1, Tree_species_Cd_2, Site_index, Projected_age, Crown_closure_air

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section.

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Stand_Establishment_Year
Alias: Stand_Establishment_Year

Forestry Term: Year of Stand Establish
Description: The year the stand layer was established.
Content: 4 character numeric code holding calendar year of stand
Default: 0
Permitted Values: 1991
Use: Used together with layer history information (History Records) to track Silvicultural activities within the layer.
Linkage: Calculated using Stand_Age and Reference_Year. Used in the completion process to calculate Projected_Age.
Format: Record type: Layer
Field: 65
Type: Numeric
Width: 4
Dec:
Position: 218:221
Related Attribute: Stand_Age

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Stand_Height

Alias: Stand_Height

Forestry Term: Stand Height at Referen

Description: Height of the stand as measured or estimated at the reference year. For field work (e.g. stand measurements) performed before 1988, stand height is based on the weighted average height of co-dominant and dominant trees of the leading species. The weighted average is a ratio of 2:1 for co-dominant versus dominant trees. For measurements taken after 1988, stand height is based on the top height of the leading species.

Content: 4 character numeric value holding stand height in metres

Default: 0.0 m

Permitted Values: 29.5 m

Use: Used to determine the height increment due to projection.

Linkage: May be calculated using height_class_cd; may be used at calculate height_class_cd; used in calculation of site_index

Format: Record type: Layer
Field: 44
Type: Numeric
Width: 4
Dec: 1
Position: 170:173

Related Attribute: Card_Source

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Stems_Per_Hectare
Alias: Density

Forestry Term: Stems Per Hectare
Description: The number of trees per hectare in a layer. Stems per hectare is a direct measure of stand density.
Content: 6 character numeric value holding the number of stems per hectare
Default: 0
Permitted Values: 1 to 999999
Use: Used in planning Silvicultural Treatments such as spacing/thinning, etc.
Linkage: None
Format: Record type: Layer
Field: 50
Type: Numeric
Width: 6
Dec:
Position: 184:189
Related Attribute: Well_Spaced_Stems

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Resultant
Attribute: Stock_Range_NBR
Alias: Stock_Range_NBR

Forestry Term: Stock Range
 Description: The Stock Range (s) that fall within the forest cover polygon. A stock range is an area defined by a boundary established by regulation (gazetted) that encompasses a collection of Range Units. It is most often represented by a Livestock Association.
 Content: 3 character numeric code cross-referencing the Stock Range name
 Default: 700
 Permitted Values: 700 Unreported
 599 Unorganised (99), Nelson Region (5)
 629 150 Mile
 605 Barker
 Use: Used to indicate the area of the polygon located within a stock range. Used for general range management purposes, forage summaries, monitoring range utilization, conducting invader/weed species inventories, etc.
 Linkage: None
 Format: Record type: Resultant
 Field: 25
 Type: Numeric
 Width: 3
 Dec:
 Position: 73: 75
 Related Attribute: Range_Unit_NBR, Range_Pasture, Forest_Region, Result_Area

References: Range Manual (Draft)
 Agency Responsible: Range Management District/Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Stocking_Class_Cd
Alias: Stocking_Class_Cd

Forestry Term: Stocking Class at Refere
 Description: A code describing the stocking class of the layer at the reference year. Stocking class is based on leading commercial species, stand age and/or the size (diameter) and number of stems per hectare.
 Content: 1 character alpha code indicating stocking class
 Default: Blank
 Permitted Values: R Residual
 0 Immature Stands
 1 Stocking Class 1
 2 Stocking Class 2
 3 Stocking Class 3
 4 Stocking Class 4
 Use: Used extensively in identifying stands which contribute to the timber supply. Stocking Class 2, 3 and 4 stands are frequently netted-out of the Contributing Land Base.
 Linkage: Stocking class may be calculated using a table indexed by inventory_type_group_source_cd, crown_closure_class, height_class_cd and age_class_cd or it may be estimated using inventory_type_group_source_cd and stand_age. Stocking class is used in calculating all volumes.
 Format: Record type: Layer
 Field: 52
 Type: Character
 Width: 1
 Dec:
 Position: 194:194
 Related Attribute: Stocking_Class_Source_Cd, Vol_Per_Ha_Spp_1_Pri_Util_Lvl to Vol_Per_Ha_Spp_1_Sec_Util_Lvl

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District/ Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: **Stocking_Class_Source_Cd**

Alias: **Stocking_Class_Source_Cd**

Forestry Term: Stocking Class Source C

Description: A code indicating whether the layer's stocking class was input (e.g. measured or estimated) or derived.

Content: 1 character alpha code holding stocking class source code

Default: Blank

Permitted Values: T Table derived
I Input
D Derived

Use: Indicates the reliability of the stocking class code

Linkage: Stocking class source is set based on origin of stocking_class_cd.

Format: Record type: Layer
Field: 53
Type: Character
Width: 1
Dec:
Position: 195:195

Related Attribute: Stocking_Class_Cd

References: Ministry of Forests, Resources Inventory Branch, Resource Inventory Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: **Tree_Species_Cd_1**

Alias: **Tree_Species_Cd_1**

Forestry Term: Species Composition - L

Description: A code describing the leading commercial species in the layer. The species with the leading highest percent composition (e.g. gross volume or, if a very young stand, the relative number of stems per hectare) is identified as the leading commercial species. Species must be above a specified diameter to be recognized in the species composition of the layer. Species are described in terms of Genus, Species, and five genus values recognized in the Province.

Content: 3 character alpha code indicating commercial species

Default: blank

Permitted Values: <blank> No species recorded
 AC Balsam poplar (Populus balsamifera)
 Black Cottonwood (Populus balsamifera)

AT Aspen (Populus tremuloides)
 B True fir (Abies spp.)
 BL Alpine fir (Abies lasiocarpa)
 BA Amabilis fir (Abies amabilis)
 BG Grand fir (Abies grandis)
 CW Western red cedar (Thuja plicata)
 DR Red Alder (Alnus rubra)
 E Birch (Betula spp.)
 EP Common paper birch (Betula papyrifera)
 EA Alaska paper birch (Betula neoalaskana)
 FD Douglas fir (Pseudotsuga menziesii)
 H Hemlocks (Tsuga spp.)
 HW Western hemlock (Tsuga heterophylla)
 HM Mountain hemlock (Tsuga mertensiana)
 L Larch (Larix spp.)
 LA Alpine larch (Larix laricina)
 LT Tamarack (Larix laricina)
 LW Western larch (occidentalis)
 MB Broadleaf maple (Acer macrophyllum)
 PF Limber pine (Pinus flexilis)
 PL Lodgepole pine (Pinus contorta)
 PW Western white pine (Pinus monticola)
 PA Whitebark pine (Pinus albicallis)
 PY Yellow pine (Pinus banksiana)
 PJ Jack pine (Pinus banksiana)
 S Spruce (Picea spp.)
 SB Black spruce (Picea mariana)
 SE Engelmann spruce (Picea engelmannii)
 SS Sitka spruce (Picea sitchensis)
 SW White spruce (Picea glauca)
 YC Yellow cedar (Chamaecyparis nootkatensis)

Brush Species

DM Mountain alder (Alnus incana)
 R Arbutus (Arbutus menziesii)
 EW Water birch (Betula occidentalis)

Use: The Tree Species Code is used in determining:
 - species composition;
 - stand volume;
 - stand decay, waste and breakage, net-downs in Timber Supply Analyses

Linkage: Linkages exist to volume, decay, waste and breakage, etc.

Format: Record type: Layer
Field: 10
Type: Character
Width: 3
Dec:
Position: 25: 27

Related Attribute: Tree_Species_Pct_1 to Tree_Species_Pct_6, Tree_Species_Cd_2 to Tree_Species_Cd_6,
vol_per_ha_spp_1_pri_util_lvl to vol_per_ha_spp_6_sec_util_lvl

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: **Tree_Species_Cd_2**

Alias: **Tree_Species_Cd_2**

Forestry Term: Species Composition - S

Description: A code describing the second commercial species in the layer. The species with the second highest percent composition (e.g. gross volume or, if a very young stand, the relative number of stems per hectare) is identified as the second commercial species. Species must be above a specified diameter to be recognized in the species composition of the layer. Species are described in terms of Genus, Species, and five genus values recognized in the Province.

Content: 3 character alpha code indicating commercial species

Default: blank

Permitted Values: <blank> No species recorded
 AC Balsam poplar (Populus balsamifera)
 Black Cottonwood (Populus balsamifera)

AT Aspen (Populus tremuloides)
 B True fir (Abies spp.)
 BL Alpine fir (Abies lasiocarpa)
 BA Amabilis fir (Abies amabilis)
 BG Grand fir (Abies grandis)
 CW Western red cedar (Thuja plicata)
 DR Red Alder (Alnus rubra)
 E Birch (Betula spp.)
 EP Common paper birch (Betula papyrifera)
 EA Alaska paper birch (Betula neoalaskana)
 FD Douglas fir (Pseudotsuga menziesii)
 H Hemlocks (Tsuga spp.)
 HW Western hemlock (Tsuga heterophylla)
 HM Mountain hemlock (Tsuga mertensiana)
 L Larch (Larix spp.)
 LA Alpine larch (Larix laricina)
 LT Tamarack (Larix laricina)
 LW Western larch (occidentalis)
 MB Broadleaf maple (Acer macrophyllum)
 PF Limber pine (Pinus flexilis)
 PL Lodgepole pine (Pinus contorta)
 PW Western white pine (Pinus monticola)
 PA Whitebark pine (Pinus albicallis)
 PY Yellow pine (Pinus banksiana)
 PJ Jack pine (Pinus banksiana)
 S Spruce (Picea spp.)
 SB Black spruce (Picea mariana)
 SE Engelmann spruce (Picea engelmannii)
 SS Sitka spruce (Picea sitchensis)
 SW White spruce (Picea glauca)
 YC Yellow cedar (Chamaecyparis nootkatensis)

Brush Species

DM Mountain alder (Alnus incana)
 R Arbutus (Arbutus menziesii)
 EW Water birch (Betula occidentalis)

Use: The Tree Species Code is used in determining:
 - species composition;
 - stand volume;
 - stand decay, waste and breakage, net-downs in Timber Supply Analyses

Linkage: Linkages exist to volume, decay, waste and breakage, etc.

Format: Record type: Layer
Field: 10
Type: Character
Width: 3
Dec:
Position: 31: 33

Related Attribute: Tree_Species_Pct_1 to Tree_Species_Pct_6, Tree_Species_Cd_2 to Tree_Species_Cd_6,
vol_per_ha_spp_1_pri_util_lvl to vol_per_ha_spp_6_sec_util_lvl

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Tree_Species_Cd_3

Alias: Tree_Species_Cd_3

Forestry Term: Species Composition - t

Description: A code describing the third commercial species in the layer. The species with the third highest percent composition (e.g. gross volume or, if a very young stand, the relative number of stems per hectare) is identified as the third commercial species. Species must be above a specified diameter to be recognized in the species composition of the layer. Species are described in terms of Genus, Species, and five genus values recognized in the Province.

Content: 3 character alpha code indicating commercial species

Default: blank

Permitted Values: <blank> No species recorded
 AC Balsam poplar (Populus balsamifera)
 Black Cottonwood (Populus balsamifera)

AT Aspen (Populus tremuloides)
 B True fir (Abies spp.)
 BL Alpine fir (Abies lasiocarpa)
 BA Amabilis fir (Abies amabilis)
 BG Grand fir (Abies grandis)
 CW Western red cedar (Thuja plicata)
 DR Red Alder (Alnus rubra)
 E Birch (Betula spp.)
 EP Common paper birch (Betula papyrifera)
 EA Alaska paper birch (Betula neoalaskana)
 FD Douglas fir (Pseudotsuga menziesii)
 H Hemlocks (Tsuga spp.)
 HW Western hemlock (Tsuga heterophylla)
 HM Mountain hemlock (Tsuga mertensiana)
 L Larch (Larix spp.)
 LA Alpine larch (Larix laricina)
 LT Tamarack (Larix laricina)
 LW Western larch (occidentalis)
 MB Broadleaf maple (Acer macrophyllum)
 PF Limber pine (Pinus flexilis)
 PL Lodgepole pine (Pinus contorta)
 PW Western white pine (Pinus monticola)
 PA Whitebark pine (Pinus albicalis)
 PY Yellow pine (Pinus banksiana)
 PJ Jack pine (Pinus banksiana)
 S Spruce (Picea spp.)
 SB Black spruce (Picea mariana)
 SE Engelmann spruce (Picea engelmannii)
 SS Sitka spruce (Picea sitchensis)
 SW White spruce (Picea glauca)
 YC Yellow cedar (Chamaecyparis nootkatensis)

Brush Species

DM Mountain alder (Alnus incana)
 R Arbutus (Arbutus menziesii)
 EW Water birch (Betula occidentalis)

Use: The Tree Species Code is used in determining:
 - species composition;
 - stand volume;
 - stand decay, waste and breakage, net-downs in Timber Supply Analyses

Linkage: Linkages exist to volume, decay, waste and breakage, etc.

Format: Record type: Layer
Field: 14
Type: Character
Width: 3
Dec:
Position: 37: 39

Related Attribute: Tree_Species_Pct_1 to Tree_Species_Pct_6, Tree_Species_Cd_2 to Tree_Species_Cd_6,
vol_per_ha_spp_1_pri_util_lvl to vol_per_ha_spp_6_sec_util_lvl

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Tree_Species_Cd_4

Alias: Tree_Species_Cd_4

Forestry Term: Species Composition - F

Description: A code describing the fourth commercial species in the layer. The species with the fourth highest percent composition (e.g. gross volume or, if a very young stand, the relative number of stems per hectare) is identified as the fourth commercial species. Species must be above a specified diameter to be recognized in the species composition of the layer. Species are described in terms of Genus, Species, and five genus values recognized in the Province.

Content: 3 character alpha code indicating commercial species

Default: blank

Permitted Values: <blank> No species recorded
 AC Balsam poplar Populus balsamifera
 Black Cottonwood Populus balsamifera

 AT Aspen Populus tremuloides
 B True fir Abies spp.

Use: The Tree Species Code is used in determining:
 - species composition;
 - stand volume;
 - stand decay, waste and breakage, net-downs in Timber Supply Analyses

Linkage: Linkages exist to volume, decay, waste and breakage, etc.

Format: Record type: Layer
 Field: 16
 Type: Character
 Width: 3
 Dec:
 Position: 43: 45

Related Attribute: Tree_Species_Pct_1 to Tree_Species_Pct_6, Tree_Species_Cd_2 to Tree_Species_Cd_6,
 vol_per_ha_spp_1_pri_util_lvl to vol_per_ha_spp_6_sec_util_lvl

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Tree_Species_Cd_5
Alias: Tree_Species_Cd_5

Forestry Term: Species Composition - F
 Description: A code describing the fifth commercial species in the layer. The species with the fifth highest percent composition (e.g. gross volume or, if a very young stand, the relative number of stems per hectare) is identified as the fifth commercial species. Species must be above a specified diameter to be recognized in the species composition of the layer. Species are described in terms of Genus, Species, and five genus values recognized in the Province.
 Content: 3 character alpha code indicating commercial species
 Default: blank
 Permitted Values: <blank> No species recorded
 AC Balsam poplar Populus balsamifera
 Black Cottonwood Populus balsamifera
 AT Aspen Populus tremuloides
 B True fir Abies spp.
 Use: The Tree Species Code is used in determining:
 - species composition;
 - stand volume;
 - stand decay, waste and breakage, net-downs in Timber Supply Analyses
 Linkage: Linkages exist to volume, decay, waste and breakage, etc.
 Format: Record type: Layer
 Field: 18
 Type: Character
 Width: 3
 Dec:
 Position: 49: 51
 Related Attribute: Tree_Species_Pct_1 to Tree_Species_Pct_6, Tree_Species_Cd_2 to Tree_Species_Cd_6, vol_per_ha_spp_1_pri_util_lvl to vol_per_ha_spp_6_sec_util_lvl

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
 Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Tree_Species_Cd_6

Alias: Tree_Species_Cd_6

Forestry Term: Species Composition - S

Description: A code describing the sixth commercial species in the layer. The species with the sixth highest percent composition (e.g. gross volume or, if a very young stand, the relative number of stems per hectare) is identified as the sixth commercial species. Species must be above a specified diameter to be recognized in the species composition of the layer. Species are described in terms of Genus, Species, and five genus values recognized in the Province.

Content: 3 character alpha code indicating commercial species

Default: blank

Permitted Values: <blank> No species recorded
 AC Balsam poplar (Populus balsamifera)
 Black Cottonwood (Populus balsamifera)

AT Aspen (Populus tremuloides)
 B True fir (Abies spp.)
 BL Alpine fir (Abies lasiocarpa)
 BA Amabilis fir (Abies amabilis)
 BG Grand fir (Abies grandis)
 CW Western red cedar (Thuja plicata)
 DR Red Alder (Alnus rubra)
 E Birch (Betula spp.)
 EP Common paper birch (Betula papyrifera)
 EA Alaska paper birch (Betula neoalaskana)
 FD Douglas fir (Pseudotsuga menziesii)
 H Hemlocks (Tsuga spp.)
 HW Western hemlock (Tsuga heterophylla)
 HM Mountain hemlock (Tsuga mertensiana)
 L Larch (Larix spp.)
 LA Alpine larch (Larix laricina)
 LT Tamarack (Larix laricina)
 LW Western larch (occidentalis)
 MB Broadleaf maple (Acer macrophyllum)
 PF Limber pine (Pinus flexilis)
 PL Lodgepole pine (Pinus contorta)
 PW Western white pine (Pinus monticola)
 PA Whitebark pine (Pinus albicallis)
 PY Yellow pine (Pinus banksiana)
 PJ Jack pine (Pinus banksiana)
 S Spruce (Picea spp.)
 SB Black spruce (Picea mariana)
 SE Engelmann spruce (Picea engelmannii)
 SS Sitka spruce (Picea sitchensis)
 SW White spruce (Picea glauca)
 YC Yellow cedar (Chamaecyparis nootkatensis)

Brush Species

DM Mountain alder (Alnus incana)
 R Arbutus (Arbutus menziesii)
 EW Water birch (Betula occidentalis)

Use: The Tree Species Code is used in determining:
 - species composition;
 - stand volume;
 - stand decay, waste and breakage, net-downs in Timber Supply Analyses

Linkage: Linkages exist to volume, decay, waste and breakage, etc.

Format: Record type: Layer
Field: 20
Type: Character
Width: 3
Dec:
Position: 55: 57

Related Attribute: Tree_Species_Pct_1 to Tree_Species_Pct_6, Tree_Species_Cd_2 to Tree_Species_Cd_6, vol_per_ha_spp_1_pri_util_lvl to vol_per_ha_spp_6_sec_util_lvl

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Tree_Species_Pct_1

Alias: Tree_Species_Percentage_1

Forestry Term: Percentage Species Co

Description: Percentage of the layer that the leading commercial species occupies. For older stands, tree species percentage is based on relative gross volume (i.e. whole stem volume); for younger stands, tree species percentage is based on the number of stems per hectare. Tree species percentage is estimated to the nearest percent for all living trees above a specified diameter

Content: 3 character numeric value holding percent composition

Default: Must have value, may be 0 if no species

Permitted Values: 100

Use: Tree Species Percentage is used in:
- determining stand volumes,
- identifying stands with specific species composition (i.e. pure),
net-downs in Timber Supply Analyses, etc.

Linkage: Linkage exist in determination of stand and species volumes

Format: Record type: Layer
Field: 11
Type: Numeric
Width: 3
Dec:
Position: 28: 30

Related Attribute: Tree_Species_CD_1, Tree_Species_Pct_2 to Tree_Species_Pct_6

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: **Tree_Species_Pct_2**
Alias: **Tree_Species_Percentage_2**

Forestry Term: Percentage Species Co
Description: Percentage of the layer that the second commercial species occupies. For older stands, tree species percentage is based on relative gross volume (i.e. whole stem volume); for younger stands, tree species percentage is based on the number of stems per hectare. Tree species percentage is estimated to the nearest percent for all living trees above a specified diameter
Content: 3 character numeric value holding percent composition
Default: Must have value, may be 0 if no species
Permitted Values: 50
Use: Tree Species Percentage is used in:
 - determining stand volumes,
 - identifying stands with specific species composition (i.e. pure),
 net-downs in Timber Supply Analyses, etc.
Linkage: Linkage exist in determination of stand and species volumes
Format: Record type: Layer
 Field: 13
 Type: Numeric
 Width: 3
 Dec:
 Position: 34: 36
Related Attribute: Tree_Species_Pct_1 to Tree_Species_Pct_6, Tree_Species_CD_1 to Tree_Species_CD_6

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification
Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Tree_Species_Pct_3
Alias: Tree_Species_Percentage_3

Forestry Term: Percentage Species Co
 Description: Percentage of the layer that the third commercial species occupies. For older stands, tree species percentage is based on relative gross volume (i.e. whole stem volume); for younger stands, tree species percentage is based on the number of stems per hectare. Tree species percentage is estimated to the nearest percent for all living trees above a specified diameter
 Content: 3 character numeric value holding percent composition
 Default: Must have value, may be 0 if no species
 Permitted Values: 30
 Use: Tree Species Percentage is used in:
 - determining stand volumes,
 - identifying stands with specific species composition (i.e. pure),
 net-downs in Timber Supply Analyses, etc.
 Linkage: Linkage exist in determination of stand and species volumes
 Format: Record type: Layer
 Field: 15
 Type: Numeric
 Width: 3
 Dec:
 Position: 40: 42
 Related Attribute: Tree_Species_Pct_1 to Tree_Species_Pct_6, Tree_Species_CD_2 to Tree_Species_CD_6

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: **Tree_Species_Pct_4**
Alias: **Tree_Species_Percentage_4**

Forestry Term: Percentage Species Co
Description: Percentage of the layer that the fourth commercial species occupies. For older stands, tree species percentage is based on relative gross volume (i.e. whole stem volume); for younger stands, tree species percentage is based on the number of stems per hectare. Tree species percentage is estimated to the nearest percent for all living trees above a specified diameter
Content: 3 character numeric value holding percent composition
Default: Must have value, may be 0 if no species
Permitted Values: 10
Use: Tree Species Percentage is used in:
 - determining stand volumes,
 - identifying stands with specific species composition (i.e. pure),
 net-downs in Timber Supply Analyses, etc.
Linkage: Linkage exist in determination of stand and species volumes
Format: Record type: Layer
 Field: 17
 Type: Numeric
 Width: 3
 Dec:
 Position: 46: 48
Related Attribute: Tree_Species_PCT_1 to Tree_Species_Pct_6, Tree_Species_Cd_2 to Tree_Species_Cd_6

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Tree_Species_Pct_5

Alias: Tree_Species_Percentage_5

Forestry Term: Percentage Species Co

Description: Percentage of the layer that the fifth commercial species occupies. For older stands, tree species percentage is based on relative gross volume (i.e. whole stem volume); for younger stands, tree species percentage is based on the number of stems per hectare. Tree species percentage is estimated to the nearest percent for all living trees above a specified diameter

Content: 3 character numeric value holding percent composition

Default: Must have value, may be 0 if no species

Permitted Values: 10

Use: Tree Species Percentage is used in:
 - determining stand volumes,
 - identifying stands with specific species composition (i.e. pure),
 net-downs in Timber Supply Analyses, etc.

Linkage: Linkage exist in determination of stand and species volumes

Format: Record type: Layer
 Field: 19
 Type: Numeric
 Width: 3
 Dec:
 Position: 52: 54

Related Attribute: Tree_Species_CD_5, Tree_Species_Pct_2 to Tree_Species_Pct_6

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Tree_Species_Pct_6
Alias: Tree_Species_Percentage_6

Forestry Term: Percentage Species Co
 Description: Percentage of the layer that the sixth commercial species occupies. For older stands, tree species percentage is based on relative gross volume (i.e. whole stem volume); for younger stands, tree species percentage is based on the number of stems per hectare. Tree species percentage is estimated to the nearest percent for all living trees above a specified diameter
 Content: 3 character numeric value holding percent composition
 Default: Must have value, may be 0 if no species
 Permitted Values: 10
 Use: Tree Species Percentage is used in:
 - determining stand volumes,
 - identifying stands with specific species composition (i.e. pure),
 net-downs in Timber Supply Analyses, etc.
 Linkage: Linkage exist in determination of stand and species volumes
 Format: Record type: Layer
 Field: 21
 Type: Numeric
 Width: 3
 Dec:
 Position: 58: 60
 Related Attribute: Tree_Species_CD_6 , Tree_Species_Pct_1 to Tree_Species_Pct_5

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: TSA_Number

Alias: TSA_Number

Forestry Term: Timber Supply Area Nu

Description: The numeric code of the Timber Supply Area (s) (TSA) that fall within the forest cover polygon. TSA's are areas of the province created by the Ministry of Forests for the purpose of analysis, planning, and management of timber resources. Boundaries have been determined on the basis of present and expected population centres, transportation networks, manufacturing facilities, and existing administrative boundaries.

Content: 2 character numeric code designating TSA number

Default: Must have value

Permitted Values:

- 01 Arrow TSA
- 02 Boundary TSA
- 03 Bulkley TSA
- 04 Cassiar TSA
- 05 Cranbrook TSA
- 06 Peace TSA (inactive, kept for historical purposes)
- 07 Golden TSA
- 08 Fort Nelson TSA
- 09 Invermere TSA
- 10 Kalum TSA
- 11 Kamloops TSA
- 12 Kispiox TSA
- 13 Kootenay Lake TSA
- 14 Lakes TSA
- 15 Lillooet TSA
- 16 Mackenzie TSA
- 17 Robson Valley TSA
- 18 Merritt TSA
- 19 Mid-Coast TSA
- 20 Morice TSA
- 21 North Coast TSA
- 22 Okanagan TSA
- 23 100 Mile House TSA
- 24 Prince George TSA
- 25 Queen Charlotte TSA
- 26 Quesnel TSA
- 27 Revelstoke TSA
- 29 Williams Lake TSA
- 30 Fraser TSA
- 31 Soo TSA
- 32 Quadra TSA (inactive, kept for historical purposes)
- 33 Kingcome TSA
- 34 Nooka TSA (inactive, kept for historical purposes)
- 35 Island TSA (inactive, kept for historical purposes)
- 36 Meziaden TSA (inactive, kept for historical purposes)
- 37 Strathcona TSA
- 38 Arrowsmith TSA
- 40 Fort St. John TSA
- 41 Dawson Creek TSA
- 42 Cranberry TSA

Use: Used to indicate the area of the polygon that is located within a TSA. Used in Timber Supply Analyses for determining the Timber Supply, as well as assigning aggregated yield estimates for determination of Long Run Sustained Yield (LRSY).

Linkage: None

Format: Record type: Resultant
 Field: 4
 Type: Numeric
 Width: 2
 Dec:
 Position: 14:15

Related Attribute: TSB_Number, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: TSB_Number

Alias: TSB_Number

Forestry Term: Timber Supply Block

Description: The Timber Supply Block (s) that fall within the forest cover polygon. Timber Supply Block's represent a sub-division of a Timber Supply Area.

Content: 1 character alpha code designating supply block

Default: Must have Value

Permitted Values: A Supply Block A
 B Supply Block B
 C Supply Block C
 D Supply Block D
 E Supply Block E
 F Supply Block F
 G Supply Block G
 H Supply Block H

Use: Used to indicate the area of a polygon that is located within a Timber Supply Block. Timber Supply Blocks area used as administrative units, planning units, and in assigning net-downs for timber supply units.

Linkage: Links with TSA_Number

Format: Record type: Resultant
 Field: 5
 Type: Numeric
 Width: 1
 Dec:
 Position: 16:16

Related Attribute: TSA_Number, Result_Area

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Type_Identity_Reference

Alias: Type_Identity_Reference

Forestry Term: Type Identity at Referen

Description: Classification derived from the layer's vegetation cover at the time of data collection (i.e. reference year). The classification reflects the value, importance, or status of the vegetation cover with respect to forestry values. Classifications are distinct, and range from 1 to 9.

Content: 1 character numeric code for Type Identity

Default: Must have value

Permitted Values: 1 Immature (always stocking class 0)
 2 Mature (stocking classes 1, 2, 3, 4)
 3 Immature/Residual (stocking class R)
 4 N.S.R. (Non Sufficiently Restocked)
 5 N.C. (Non-Commercial)
 6 Non-Productive (includes all N.P.D)
 8 N.T.A. (No Typing Available)
 9 Silviculture based information with NSR

Use: Used in conjunction with Projected Type Identity (vegetation cover at the projection date) to identify changes due to projection.

Linkage: Type_identity_reference is determined based on Tree_Species_Cd_1, Tree_Species_Cd_2, Stand_Age, Stocking_class_cd and/or Non_Productive_Forest_Descriptor, Non_Forest_Descriptor

Format: Record type: Layer
 Field: 37
 Type: Numeric
 Width: 1
 Dec:
 Position: 156:156

Related Attribute: Non_Productive_Forest_Descriptor, Non_Forest_Descriptor, Stocking_Class_Cd, Age_Class_Cd

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Forest Classification

Agency Responsible: Ministry of Forests, Resource Inventory, District/Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Resultant

Attribute: Update_Date

Alias: Date_Update

Forestry Term: Update Date

Description: The data overlay processing was completed. This process involves overlaying levels contained in the Graphics Design File with the forest cover map (levels 9 and 10) to create resultant polygons. Stored as YYYYMMDD.

Content: 2 character numeric field

Default: Must have value

Permitted Values: 93

Use: Allows the user to determine the currentness of the forest cover attribute information.

Linkage: None

Format: Record type: Resultant
 Field: 11
 Type: Numeric
 Width: 2
 Dec:
 Position: 39: 40

Related Attribute: Projected_Date

References: Ministry of Forests, Resources Inventory Branch, FRGIS Section

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Update_Reference_Year
Alias: Update_Reference_Year

Forestry Term: Update Reference Year

Description: The year in which the polygon attributes in this layer (e.g. species composition, crown closure) were updated. The year of the aerial photography used to obtain this information may also be used as the update reference year.

Content: Must have value

Default: Must have value

Permitted Values: 91 indicates update reference year is 1991

Use: used to assess the currentness of the stand attributes describing the layer

Linkage: None

Format: Record type: Layer
Field: 42
Type: Numeric
Width: 2
Dec:
Position: 167:168

Related Attribute: Reference_Year, Projected_Date

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps

Agency Responsible: Ministry of Forests, Resource Inventory, District

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_Per_Ha_Spp_1_Pri_Util_Lvl
Alias: Vol_Per_Ha_Spp_1_Pri_Util_Lvl

Forestry Term: Leading Species Volume
Description: Net volume per hectare of the leading commercial species at the primary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the leading species may be lower than volumes for other species in the stand. Net volumes are calculated for Rank 1 layers only, Typid 1 through 3.
Content: 7 character numeric value holding net species volume per ha.
Default: 0.0 m3/h
Permitted Values: 287.1 m3/ha
 0.0 m3/ha
Use: Volumes per hectare - Secondary Utilization is used to determine:
 - volume for leading species at the secondary utilization level,
 - total volume per hectare (of all species) at the secondary utilization level,
 - total volume (of all species) at the secondary utilization level,
 - volumes per hectare for specific species or groups of species (e.g.. Volume of coniferous species),
Linkage: Volumes are calculated using projected_age, site_index and stocking_class_cd, with coefficients based on fiz_code and inventory_type_group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by sec_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record type: Layer
 Field: 22
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 61: 67
Related Attribute: Coast_Interior_cd, Tree_Species_Cd_1, Tree_Species_Pct_1

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Vol_Per_Ha_Spp_1_Sec_Util_Lvl

Alias: Vol_Per_Ha_Spp_1_Sec_Util_Lvl

Forestry Term: Leading Species Volume

Description: Net volume per hectare of the leading commercial species at the secondary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the leading species may be lower than volumes for other species in the stand. Net volumes are calculated for Rank 1 layers only, Typid 1 through 3.

Content: 7 character numeric value holding net species volume per ha.

Default: 0.0 m3/h

Permitted Values: 287.1 m3/ha
0.0 m3/ha

Use: Volumes per hectare - Secondary Utilization is used to determine:
- volume for leading species at the secondary utilization level,
- total volume per hectare (of all species) at the secondary utilization level,
- total volume (of all species) at the secondary utilization level,
- volumes per hectare for specific species or groups of species (e.g.. Volume of coniferous species),

Linkage: Volumes are calculated using projected_age, site_index and stocking_class_cd, with coefficients based on fiz_code and inventory_type_group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by sec_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.

Format: Record type: Layer
Field: 28
Type: Numeric
Width: 7
Dec: 1
Position: 103: 109

Related Attribute: Coast_Interior_cd, Tree_Species_Cd_1, Tree_Species_Pct_1

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_Per_Ha_Spp_2_Pri_Util_Lvl
Alias: Vol_Per_Ha_Spp_2_Pri_Util_Lvl

Forestry Term: Second Species Volume
Description: Net volume per hectare of the second commercial species at the primary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the second species may be lower than volumes for species with a lower percent composition. Net volumes are calculated for Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare in cubic metres
Default: 0.0 m3/ha
Permitted Values: 135.2 m3/ha
Use: Volume per hectare - Primary Utilization is used to determine:

- volume for second species at the primary utilization level;
- total volume per hectare (of all species) at the primary utilization level;
- total volume (of all species) at the primary utilization level;
- volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.

Linkage: Volumes are calculated using projected_age, site_index and stocking_class_cd, with coefficients based on fiz_code and inventory_type_Group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record type: Layer
 Field: 23
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 68: 74
Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_2, Tree_Species_Pct_2

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_Per_Ha_Spp_2_Sec_Util_Lvl
Alias: Vol_Per_Ha_Spp_2_Sec_Util_Lvl

Forestry Term: Second Species Volume
Description: Net volume per hectare of the second commercial species at the secondary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the second species may be lower than volumes for species with a lower percent composition. Net volumes are calculated for Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare in cubic metres
Default: 0.0 m3/ha
Permitted Values: 135.2 m3/ha
Use: Volume per hectare - Primary Utilization is used to determine:

- volume for second species at the primary utilization level;
- total volume per hectare (of all species) at the primary utilization level;
- total volume (of all species) at the primary utilization level;
- volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.

Linkage: Volumes are calculated using projected_age, site_index and stocking_class_cd, with coefficients based on fiz_code and inventory_type_Group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lv_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record type: Layer
 Field: 29
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 110:116
Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_2, Tree_Species_Pct_2

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_Per_Ha_Spp_3_Pri_Util_Lvl
Alias: Vol_Per_Ha_Spp_3_Pri_Util_Lvl

Forestry Term: Third Species Volume p
Description: Net volume per hectare of the third commercial species at the primary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the third species may be lower than volumes for species with a lower percent composition. Net volumes are calculated of Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare in cubic metres
Default: 0.0 m3/ha
Permitted Values: 50.5 m3/ha
Use: Volume per hectare - Primary Utilization is used to determine:

- volume for second species at the primary utilization level;
- total volume per hectare (of all species) at the primary utilization level;
- total volume (of all species) at the primary utilization level;
- volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.

Linkage: Volumes are calculated using projected_age, site_index and stocking_class_cd, with coefficients based on fiz_code and inventory_type_Group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record type: Layer
 Field: 24
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 75: 81
Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_3, Tree_Species_Pct_3

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model

Subject Area: FIP

Entity Type: Forest_Inventory_Planning

Subtype: Layer

Attribute: Vol_Per_Ha_Spp_3_Sec_Util_Lvl

Alias: Vol_Per_Ha_Spp_3_Sec_Util_Lvl

Forestry Term: Third Species Volume p

Description: Net volume per hectare of the third commercial species at the secondary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the third species may be lower than volumes for species with a lower percent composition. Net volumes are calculated of Rank 1 layers only, TYPID 1 through 3.

Content: 7 character numeric value holding net species volume per hectare in cubic metres

Default: 0.0 m3/ha

Permitted Values: 50.5 m3/ha

Use: Volume per hectare - Secondary Utilization is used to determine:

- volume for second species at the primary utilization level;
- total volume per hectare (of all species) at the primary utilization level;
- total volume (of all species) at the primary utilization level;
- volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.

Linkage: Volumes are calculated using projected_age, site_index and stocking_class_cd, with coefficients based on fiz_code and inventory_type_Group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.

Format: Record type: Layer
Field: 24
Type: Numeric
Width: 7
Dec: 1
Position: 117:123

Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_3, Tree_Species_Pct_3

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_per_ha_spp_4_pri_util_lvl
Alias: Vol_per_ha_spp_4_pri_util_lvl

Forestry Term: Fourth Species Volume
Description: Net volume per hectare of the fourth commercial species at the primary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the fifth species may be lower than volume for species with a lower percent composition. Net volumes are calculated for Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare
Default: 0.0 m3/ha
Permitted Values: 25.1 m3/ha
 0.0 m3/ha
Use: Volumes per hectare - primary utilization is used to determine:
 1. volume for fifth species at the primary utilization level;
 2. total volume per hectare (of all species) at the primary utilization level);
 3. volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.
Linkage: Volumes are calculated using Projected_age, Site_index, and Stocking_class_cd, with coefficients based on Fiz_code and inventory_type_group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record type: Layer
 Field: 25
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 82: 88
Related Attribute: Coast_interior_cd, tree_species_cd_4, tree_species_pct_4

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: vol_per_ha_spp_4_sec_util_lvl
Alias: vol_per_ha_spp_4_sec_util_lvl

Forestry Term: Fourth Species Volume
Description: Net volume per hectare of the fourth commercial species at the primary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the fifth species may be lower than volume for species with a lower percent composition. Net volumes are calculated for Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare
Default: 0.0 m3/ha
Permitted Values: 25.1 m3/ha
 0.0 m3/ha
Use: Volumes per hectare - secondary utilization is used to determine:
 1. volume for fifth species at the primary utilization level;
 2. total volume per hectare (of all species) at the primary utilization level);
 3. volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.
Linkage: Volumes are calculated using Projected_age, Site_index, and Stocking_class_cd, with coefficients based on Fiz_code and inventory_type_group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record type: Layer
 Field: 31
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 124:130
Related Attribute: Coast_interior_cd, tree_species_cd_4, tree_species_pct_4

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_per_ha_spp_5_pri_util_lvl
Alias: Vol_per_ha_spp_5_pri_util_lvl

Forestry Term: Fifth Species volume per
Description: Net volume per hectare of the fifth commercial species at the primary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the fifth species may be lower than that volume for species with a lower percent composition. Net volumes are calculated for Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare in cubic metres
Default: 0.0 m3/ha
Permitted Values: 15.1 m3/ha
 0.0 m3/ha
Use: Volumes per hectare - primary utilization is used to determine:
 1. volume for fifth species at the primary utilization level;
 2. total volume per hectare (of all species) at the primary utilization level);
 3. volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.
Linkage: Volumes are calculated using Projected_age, Site_index, and Stocking_class_cd, with coefficients based on Fiz_code and inventory_type_group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record Type: Layer
 Field Name:
 Field: 26
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 89: 95
Related Attribute: coast_interior_cd, tree_species_cd_5, tree_species_pct_5

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_per_ha_spp_5_sec_util_lvl
Alias: Vol_per_ha_spp_5_sec_util_lvl

Forestry Term: Fifth Species volume per
Description: Net volume per hectare of the fifth commercial species at the secondary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Depending on the magnitude of the species' decay, waste, and breakage, the net volume for the fifth species may be lower than volume for species with a lower percent composition. Net volumes are calculated for Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare in cubic metres
Default: 0.0 m3/ha
Permitted Values: 15.1 m3/ha
 0.0 m3/ha
Use: Volumes per hectare - primary utilization is used to determine:
 1. volume for fifth species at the primary utilization level;
 2. total volume per hectare (of all species) at the primary utilization level);
 3. volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.
Linkage: Volumes are calculated using Projected_age, Site_index, and Stocking_class_cd, with coefficients based on Fiz_code and inventory_type_group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record Type: Layer
 Field Name:
 Field: 32
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 131:137
Related Attribute: coast_interior_cd, tree_species_cd_5, tree_species_pct_5

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_Per_Ha_Spp_6_Pri_Util_Lvl
Alias: Vol_Per_Ha_Spp_6_Pri_Util_Lvl

Forestry Term: Sixth Species Volume p
Description: net volume per hectare of the sixth commercial species at the primary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Net volumes are calculated for Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare in cubic metres
Default: 0.0 m3/ha
Permitted Values: 15.1 m3/ha
Use: Volume per hectare - Primary Utilization is used to determine:

- volume for second species at the primary utilization level;
- total volume per hectare (of all species) at the primary utilization level;
- total volume (of all species) at the primary utilization level;
- volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.

Linkage: Volumes are calculated using projected_age, site_index and stocking_class_cd, with coefficients based on fiz_code and inventory_type_Group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.
Format: Record type: Layer
 Field: 27
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 96:102
Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_6, Tree_Species_Pct_6

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
 Subject Area: FIP
 Entity Type: Forest_Inventory_Planning
 Subtype: Layer
Attribute: Vol_Per_Ha_Spp_6_Sec_Util_Lvl
Alias: Vol_Per_Ha_Spp_6_Sec_Util_Lvl

Forestry Term: Sixth Species Volume p
Description: net volume per hectare of the sixth commercial species at the secondary utilization level. Net volume per hectare is determined as gross volume less decay, waste, and breakage. Net volumes are calculated for Rank 1 layers only, TYPID 1 through 3.
Content: 7 character numeric value holding net species volume per hectare in cubic metres
Default: 0.0 m3/ha
Permitted Values: 15.1 m3/ha
Use: Volume per hectare - Secondary Utilization is used to determine:

- volume for second species at the primary utilization level;
- total volume per hectare (of all species) at the primary utilization level;
- total volume (of all species) at the primary utilization level;
- volumes per hectare for specific species or groups of species (e.g. volume of coniferous species), etc.

Linkage: Volumes are calculated using projected_age, site_index and stocking_class_cd, with coefficients based on fiz_code and inventory_type_Group_source_cd. Per hectare values are apportioned based on percent species composition. Utilization is determined by pri_util_lvl_cd which in turn is based on coast_interior_cd. Net volumes are calculated using dwb factors based on special_cruise_number.

Format: Record type: Layer
 Field: 32
 Type: Numeric
 Width: 7
 Dec: 1
 Position: 138:144

Related Attribute: Coast_Interior_Cd, Tree_Species_Cd_6, Tree_Species_Pct_6

References: Ministry of Forests, Resources Inventory Branch, Growth and Yield/Decay and Volume Section

Agency Responsible: Ministry of Forests, Resource Inventory Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Volume_Adjustment_Factor
Alias: Volume_Reduction_Factor

Forestry Term: Volume Adjustment Fact
Description: A volume multiplier that can be used to increase or decrease stand volumes.
Content: 4 character numeric value where 0.00 represents non volume change
Default: 0.00
Permitted Values: 1.00
Use: Used in Timber Supply Analyses to adjust stand volumes (e.g. volume reductions on young, immature stands that have low stocking levels).
Linkage: May be used to adjust stand volume
Format: Record type: Layer
Field: 46
Type: Numeric
Width: 4
Dec: 2
Position: 175:178
Related Attribute: Vol_per_Ha_Spp_1_Pri_Util_Lvl to Vol_per_Ha_Spp_6_Sec_Util_Lvl

References: Silviculture Branch

Agency Responsible: Silviculture Branch/District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Layer
Attribute: Well_Spaced_Stems
Alias: Stocking

Forestry Term: Well Spaced Stems Per
Description: The number of well spaced stems per hectare.
Content: 4 character numeric value holding the number of well space stems per hectare
Default: 0
Permitted Values: 1 to 9999
Use: Used in Timber Supply Analyses to adjust yield estimates, and is proposed for use in Growth Modeling.
Linkage: None
Format: Record type: Layer
Field: 51
Type: Numeric
Width: 4
Dec:
Position: 190:193
Related Attribute: Stems_Per_Hectare

References: Ministry of Forests, Resources Inventory Branch, Inventory Manual, Preparation of Forest Cover Source Maps
Agency Responsible: Ministry of Forests, Silviculture/Resources Inventory, District

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Wildlife_Cd
Alias: Wildlife_Cd

Forestry Term: Wildlife Code
Description: Originally included to allow a wildlife polygon overlay. Has never been implemented.
Content: Last 3 digits of Polygon Number
Default: Zero filled
Permitted Values:
Use: Has never been used.
Linkage: None
Format: Record type: Resultant
Field: 40
Type: Numeric
Width: 3
Dec:
Position: 115:117
Related Attribute: None

References: Ministry of Environment, Lands and Parks

Agency Responsible: Ministry of Environment, Lands and Parks, Wildlife Branch

Model: FIP Database VRI Data Model
Subject Area: FIP
Entity Type: Forest_Inventory_Planning
Subtype: Resultant
Attribute: Woodcost
Alias: Woodcost

Forestry Term: Wood Delivery Cost
Description: A field allocated to holding the wood delivery cost for timber in that polygon. Not currently in use.
Content: N/A
Default: 0
Permitted Values:
Use: Not in use
Linkage: None
Format: Record type: Resultant
Field: 48
Type: Numeric
Width: 2
Dec:
Position: 150:151
Related Attribute: None

References: None

Agency Responsible: Timber Harvesting Branch