
Arrow Forest District

Inventory Plan

**MINISTRY OF FORESTS
RESOURCES INVENTORY BRANCH
JUNE 1998**

Table of Contents

1. INTRODUCTION.....	1
1.1 Background.....	1
1.2 Objectives	2
2. BUSINESS CONSIDERATIONS.....	3
2.1 Forest Management Issues.....	3
2.2 Inventory Issues	5
3. INVENTORY PLAN	6
3.1 Provincial Inventory.....	6
3.1.1 Provincial Inventory Landbase.....	6
3.1.2 Objectives	6
3.1.3 Sampling Plan	6
3.2 Management Inventory	8
3.2.1 Management Inventory Landbase	8
3.2.2 Objectives	8
3.2.3 Sampling Plans.....	9
4. IMPLEMENTATION STRATEGY	9
4.1 Steps.....	10
4.1.1 Implementation Process	10
4.2 Cost.....	11
4.2.1 Provincial Inventory.....	11
4.2.2 Management Inventory	12
4.2.3 Combined Management and Provincial Inventories	12
4.3 Monitoring	13
5. APPROVAL/SIGNING	14
 APPENDIX A ARROW FOREST DISTRICT VEGETATION RESOURCES INVENTORY GROUND SAMPLING PLAN	
 APPENDIX B POLYGON SELECTION	

List of Tables

Table 1. Forest management issues for the Arrow Forest District and potential impacts for VRI.....	3
Table 2. The estimated sample size required to implement the Provincial Inventory.....	7
Table 3. Area by Inventory Unit within the Arrow Forest District	8
Table 4. Estimated costs required to complete the Provincial Inventory sample plan.	11
Table 5. Estimated costs required to complete the Management Unit sample plans.	12
Table 6. Combined costs to complete the Management and Provincial Inventory sample plans.	13

1. INTRODUCTION

1.1 Background

The Provincial Vegetation Resources Inventory (VRI) or Provincial Inventory is an improved vegetation (forest) inventory process or toolbox for assessing the quantity and quality of British Columbia's timber and other vegetation resources. It addresses the concerns expressed by the Forest Resources Commission in its 1991 report, *The Future of our Forests*. These concerns included:

- lack of statements of precision of the inventory;
- inadequate information on non-timber vegetation resources;
- lack of reliable estimates of growth rates and stand specific volumes; and
- narrow focus on commercial timber volume and the timber harvesting landbase.

The VRI can be implemented at a number of levels depending on the business needs. It can be deployed over the entire province (one or more Forest District at a time), measuring all the timber and non-timber resources. The VRI can also be deployed over a Management Unit (TFL or TSA) or a small watershed within a District, measuring selected resources in specific portions of the landbase.

The Provincial Inventory consists of a system of protocols, models and databases that can be managed through a dispersed computing environment. The Provincial Inventory process can be used to meet today's needs for timber supply, long term planning, silviculture planning, defining sustainability, public information and credibility. The Provincial Inventory can also provide data for computer modeling and decision support systems to support a baseline biodiversity assessment and for research.

The Vegetation Resources Inventory is designed to determine:

- the amount of vegetation cover in the province;
- the location of vegetation resources in the province; and
- the changes in the amount and location of vegetation resource over time.

The principles guiding the implementation of the inventory are:

- to integrate provincial inventory activities (e.g. Management Inventories, Provincial Inventory, National Forest Inventory and Monitoring);
- to implement inventory projects to satisfy business requirements as defined in the inventory plans; and
- to maximize the usefulness of sample plots and minimize overall costs by implementing a cascading plot approach that ensures that information collection meets the VRI standards while meeting multiple goals.

Management Inventories include inventories conducted in Implementation Units¹, to fulfill specific forest management or business needs. Sampling error and sampling intensity are controlled for specific vegetation attributes (e.g., timber volume) to achieve specific inventory objectives. There are several types of Implementation Units in the province: Timber Supply Areas (TSAs), Tree Farm Licenses (TFLs), and other lands (parks, private lands, and other public lands). Within (or across) these Implementation Units there may be Management Inventories addressing specific issues such as Problem Forest Types, or other strata in a TSA (or groups of TSAs).

Management Inventories are typically timber emphasis inventories. Besides providing detailed polygon information for day-to-day forest management, they can also be used to increase precision of the Provincial Inventory. The TFL holders or the MoF Regions/Districts are responsible for the planning and implementation of these inventories. However, the Ministry of Forests Resources Inventory Branch requires the TFL holder(s), stakeholder(s), or District(s) to prepare an inventory business plan, which includes a sampling plan, for its approval. An inventory business plan defines the inventory needs, the information needed to meet the needs, and the methods for collecting the information. This business plan then drives the inventory project plans.

1.2 Objectives

This is a plan for implementing the Provincial Vegetation Resources Inventory and Management Inventory activities in the Arrow Forest District in the Nelson Forest Region. This plan was developed through consultation with various stakeholders during September 1997 in the Arrow Forest District, including the Ministry of Forests, Branch, Region and District staff, and the Licensees' staff from Slocan Forest Products and Pope & Talbot Ltd., who identified inventory local needs and priorities. Management issues identified in the recent TSR in the TSA were also reviewed.

The purpose of the Inventory Plan is to:

1. define the Management Inventory objectives;
2. define the Provincial Inventory strategy for Arrow Forest District;
3. identify the inventory activities required to satisfy the objectives for both inventories; and
4. outline the implementation steps.

This plan is based on the consultant report, *Arrow Forest District Vegetation Resources Inventory Ground Sampling Plan*, prepared by J.S. Thrower & Associates. The report was prepared following the procedures outlined in the Ministry of Forests, Resources Inventory Branch procedures, *Vegetation Resources Inventory: Preparing a sampling plan for*

¹ Implementation Units are a specified area of land such as a TSA, TFL, Innovative Forest Practices Agreement area, etc. For any Implementation Unit, there can be none to several Management Inventories based on stakeholder business needs.

ground sampling (March 1997). The report has been reviewed by stakeholders in the District and is attached to this Inventory Plan (see Appendix A).

This Inventory Plan identifies stakeholder requirements at a given point in time. As such, it is anticipated that there will be changes to this plan. Any changes including plans that are more detailed and roles and responsibilities will be added to this plan as an addendum.

2. BUSINESS CONSIDERATIONS

2.1 Forest Management Issues

Forest management issues were identified during the recent timber supply review (Table 1). An assessment of potential impacts of the VRI ground sampling on these management issues is also shown in this table.

Table 1. Forest management issues for the Arrow Forest District and potential impacts for VRI.

Issue ²	Remarks
1. Protected areas: quantify impacts of protected area strategy (PAS) from the West Kootenay-Boundary Land-Use Plan.	Plant lists, forage production, lichen production, and shrub transects will be attained by Phase II plots.
2. Adjacency: study forest cover requirements (pass system).	Application of the Inventory
3. Biodiversity: quantify volume of timber that is made unavailable for harvesting to account for stand-level biodiversity.	Plant lists, forage production, lichen production, and shrub transects from Phase II plots provide District totals, which could be used to confirm biodiversity levels at the district level. Coarse woody debris, snags, and age class information will also be collected.
4. Biodiversity/utilization standards: reconcile with biodiversity requirements so not too much wood from a harvested site is removed.	Plant lists, forage production, lichen production, and shrub transects from Phase II plots provide District totals, which could be used to confirm biodiversity levels at the district level.
5. Site productivity: assess results of paired-plot study (OGSI).	Site index measurements from Phase II plots can be used to help check the site index estimates in the current inventory database. OGSI deals with regenerated stands.
6. OAFs/TIPSY: review OAFs for stands over 200 years.	OAF 1 will be aided by Phase I estimates. OAF 2 will provide decay and waste information.
7. Inventory audit: a complete provincial review is required before the next AAC determination.	TSA and TFL 3 audit results were completed in 1995; TFL 23 audit results were completed in 1994.
8. Decay, waste and breakage: complete provincial review of factors.	Phase II data will provide information on decay and waste. Estimates of breakage are not available.
9. Root rot: quantify impacts on volumes and green-up periods.	Phase II data will provide incidence and severity of root-rot in the District.
1. Harvesting profile: identify harvest targets and monitor harvesting in all areas.	Application of the Inventory

² BC Ministry of Forests, Timber Supply Branch. 1996. Forest Management Issues Identified Through the AAC Determination Process, TSA/TFL Timber Supply Reviews: 1992-1996. 31 December 1996. Victoria BC. Pages 74-89.

Issue ²	Remarks
1 Caribou habitat: review forest cover requirements to maintain habitat.	Plant lists, forage production, lichen production, and shrub transects from Phase II plots provide District totals, which could be used to confirm base interpretations for wildlife. Improved Phase I estimates will provide additional information on delineating wildlife habitat and protected areas.
1 FENs/riparian zones: assess impacts and interactions.	Application of the Inventory
1 FENs/seral stage: assess impacts and interactions.	Improved data on age class will be provided by Phase II. (refer to Issue #3)
1 Wildlife habitat: assess impacts and interactions.	Plant lists, forage production, lichen production, and shrub transects from Phase II plots provide TSA totals, which could be used to confirm base interpretations for wildlife. Improved Phase I estimates will provide additional information on delineating wildlife habitat and protected areas.
1 Slopes in watersheds: review steep slope deductions in watersheds not covered by TRIM.	Application of the Inventory
1 Watersheds: examine actual harvesting compared to level assumed in the analysis.	Application of the Inventory
1 Managed stand model: review TIPS Y projections for regenerated stands.	(refer to Issue #6)
1 Temporary AAC reduction.	Application of the Inventory
1 Commercial thinning: assess opportunities in 40-80 year old stands.	Phase II will help identify potential areas for commercial thinning.
2 Public pressure: harvesting in areas subject to visual quality objectives has been avoided due to public pressure and historical use patterns.	Application of the Inventory

TFL 23

1. Monitor performance in hemlock-leading, age class 9 stands.	Application of the Inventory
2. Monitor performance in areas operable only with unconventional harvesting systems such as long-line and helicopter.	Application of the Inventory

Note: No forest management issues were available for TFL 3, since there has been no *Rationale for AAC Determination* published for this unit.

2.2 Inventory Issues

The following is a summary of inventory issues derived from the forest management issues in the District:

- Biodiversity assessment – plant lists, “vegetation cover” inventory (coarse woody debris, snags, and age data accuracy).
- Operational adjustment factors (OAFs) – OAF 1 is related to Phase I, OAF 2 is related to NVAF.
- Non-forest classification is questionable.
- Height and age information in immature stands over the entire District.
- Site index in immature stands over the entire District, as related to green-up (adjacency).
- Decay, waste, and breakage.
- Caribou habitat – density of understory vegetation and lichen loading (largely in TFL 23).
- SIBEC correlation's.
- Vegetation inventory (plant lists) on avalanche areas (not identifiable in database currently).
- Berry areas (i.e., blueberries) for bears.
- Weevil damage in Spruce stands.
- Riparian habitats.
- Root rot.
- White pine “dying” from blister rust.
- Provincial and district monitoring of the indicators of sustainable forest management, as defined by the Canadian Council of Forest Ministers (CCFM).³ Monitoring would involve measuring changes and trends in some of these indicators, which include percent and extent of area by forest type and age class, and mean annual increment by forest type and age class.
- Issues raised by the Forest Resources Commission’s 1991 report, *The Future of Our Forests*, regarding the inadequacy of forest inventories in the province. These concerns included lack of statements of precision on the inventory, inadequate information on non-timber vegetation, and the narrow focus on commercial timber volume and the operable landbase.

³ Canadian Council of Forest Ministers. 1995. Defining sustainable forest management. A Canadian approach to criteria and indicators. Natural Resources Canada, Canadian Forest Service, Ottawa, Ontario. 22 pages.

3. INVENTORY PLAN

3.1 Provincial Inventory

3.1.1 Provincial Inventory Landbase

The planned inventory unit for the Arrow VRI is the entire landbase in the Arrow Forest District, including the TSA, TFL 3, TFL 23, Parks, and Recreational areas. The area of the Arrow Forest District is approximately 1,384,291 ha.

3.1.2 Objectives

3.1.2.1 Photo Interpretation

Photo interpretation work has been considered but is not recommended for the Arrow Provincial Inventory or for the Management Inventories.

3.1.2.2 Ground Sampling

The objective of the Arrow Forest District VRI ground sampling is provide overall totals and averages for timber and non-timber vegetation resources (medicinal plants and other botanical forest products) in the District. The VRI ground sampling will aim to achieve a sampling error of $\pm 10\%$ (95% probability) for net timber volume in the treed portion of the District, and to allow for calculation of sampling errors for other VRI attributes. The key attributes of interest in the Arrow VRI are stand age, net volume by species, and stand height. Information will be collected on all attributes, but the variability of identified key attributes will be used to set the sample size for the VRI.

3.1.3 Sampling Plan

3.1.3.1 Sample Size

To achieve the inventory objectives as identified above, the sample sizes required to implement the Provincial Inventory are summarized in Table 2. In inventory, a sampling error standard is necessary to provide a basis for determining sample size. In the VRI, the allowable sampling error standard is set at $\pm 10\%$ for volume estimation at the Unit/District level. This standard does not apply to other attributes in the inventory.

The number of samples required to achieve the standard is a function of the variation within the inventory unit, estimated by the coefficient of variation (CV%). The estimated CV in the Arrow Forest District used to estimate the total number of plots to achieve a sampling error of $\pm 10\%$ for net volume is 55%⁴. To achieve the VRI standard at a reasonable cost, two types of VRI plots will be used:

⁴ The inventory audit CV was inflated by 25% to account for the possible differences between the CV estimates based on the VRI design (a tight 5-plot cluster) and based on the inventory audit (a well-distributed 9-plot cluster).

- full VRI samples, where the full suite of information (timber, coarse woody debris, range and ecology) is collected; and
- tree emphasis samples, where only tree information is collected.

The total number of full VRI samples (60) will be adequate to achieve a sampling error of $\pm 15\%$ in the treed landbase. Tree emphasis samples (TEP) (60) will then be used to reduce the sampling error in the treed landbase to $\pm 10\%$ to achieve the standard.

In the remaining non treed area of the unit, the number of full VRI samples established will be the ratio of the treed to remaining landbase, multiplied by the number of treed VRI samples required to achieve a sampling error of $\pm 15\%$ (30).

Implementing the two types of samples will ensure a minimum number of full VRI plots are established across the landscape to collect the full suite of VRI information. Establishing TEPs to boost the number of plots required to achieve the VRI standard will result in saved time and money.

To complete the Provincial Inventory, NVAF (net volume adjustment factor) and WPV (within polygon variation) sampling is required. The numbers of these types of samples are contained in Table 2.

Table 2. The estimated sample size required to implement the Provincial Inventory.

Ground Sampling Activity	Sampling Unit	VRI Samples	Tree Emphasis Samples	Sample Size
Provincial Inventory				
Vegetated Treed	Cluster	60	60	120
Other	Cluster	30	-	30
Net Volume Adjustment Factor	Trees	75		75
Within Polygon Variation	Polygon	30		30

3.1.3.2 Provincial Inventory Sampling

To achieve the Provincial Inventory objective, the sampling should be implemented in a two-step process. Step 1 is to install approximately 100 sample clusters in the first field season over the entire District. Step 2 is to install the remaining sample clusters in the second field season. The sampling locations will be selected systematically from the sorted list of potential sampling points. This list will include all polygons in the District and will be sorted by non-vegetated/vegetated and then land type, leading tree species, age, and site index. Sampling in the first year will provide experience to refine the process for the second field season, and information to calculate precisely the remaining number of samples required to meet the precision target of $\pm 10\%$ for total net volume in the treed portion of the District. An estimated total of 120 sample clusters will be assumed for planning, training, and other logistic considerations. Matching unavailable sampling sites with sub-sampling of sample clusters with difficult access will be anticipated and planned for, as these activities will increase inventory costs.

A two-step approach should also be used for implementing the other ground sampling activities that support the Provincial Inventory process: NVAF sampling and WPV sampling. NVAF provides a factor to adjust the net volume from the ground sampling (derived from the net factoring process and taper equations) to account for hidden decay and possible bias in taper equations. WPV information is used to express the total error of the inventory and to indicate accuracy of individual polygon estimates. A total of 75 sample trees for NVAF sampling (selected from 15 treed and 1 non-treed polygons) and 30 sample polygons for WPV sampling are required.

3.2 Management Inventory

3.2.1 Management Unit Landbase

Sub-units are separate populations created within the inventory unit (Forest District) to control sampling error and sampling intensity for specific attributes within these areas. Three sub-units were created within the Arrow Forest District to address the inventory issues raised by the stakeholders. These correspond to the management units in the District, and include the Timber within the TSA , TFL 3 and TFL 23. A sub-unit of only the treed polygons⁵ in the District was created to improve the timber inventory in the operable land-base. Table 3 summarizes the area by inventory unit within the Arrow Forest District.

Table 3. Area by Inventory Unit within the Arrow Forest District

Inventory Type	Inventory Unit	Area (ha)
Provincial Inventory	Forest District	1,384,291
Management Units		
Arrow TSA	Timber Harvest Landbase	220,534
TFL 3	Timber Harvest Landbase	26,984
TFL 23	Timber Harvest Landbase	184.430

3.2.2 Objectives

3.2.2.1 Photo Interpretation

The need for new photo interpretation has not been identified as an immediate requirement for the Arrow Management Inventories.

3.2.2.2 Ground Sampling

The ground sampling objectives for the Management Inventories are to:

⁵ “Treed” is as defined in the BC Land Cover Classification Scheme.

- *Arrow TSA (timber)*: The objective of this Management Inventory is to improve the accuracy of timber net volume and site index in the TSA portion of the District;
- *TFL 3*: The objective of this Management Inventory is to improve the accuracy of timber net volume and site index in TFL 3 (Slocan Forest Products Ltd.) in the Arrow Forest District; and
- *TFL 23*: The objective of this Management Inventory is to improve the accuracy of timber net volume and site index in the entire treed portion of TFL 23 (Pope & Talbot Ltd.) in the Arrow, Golden and Revelstoke Forest Districts.

3.2.3 Sampling Plans

To achieve the objectives of the Management Inventories, Timber Emphasis Sampling will be required. The Timber Emphasis Sampling must meet the minimum sampling requirements as specified in *Implementation Strategy to Integrate Management, Provincial and National Inventories* (MoF, Resources Inventory Branch) The supplemental sampling will involve the installation of approximately:

- 80 sample clusters in the “treed” landbase of the Arrow TSA;
- 155 sample clusters in the “treed” landbase of the TFL 3; and
- 155 sample clusters in the “treed” landbase of the TFL 23.

The implementation should proceed immediately in a manner similar to the Provincial Inventory Phase II sampling. The sampling will be spread over a period of 2 years, with unbiased interim results expected after the first season. Sampling in the first year will provide experience to refine the process for the second field season, and information to calculate precisely the remaining number of samples required to meet the precision target of $\pm 10\%$ for timber volume in the operable landbase.

NVAF sampling is not required for Management Inventories however it is strongly encouraged. Stakeholders should identify within their more detailed *Inventory Plans*⁶ if NVAF sampling is to be conducted.

4. IMPLEMENTATION STRATEGY

The ground samples that are established to meet the Management Inventory objectives are compatible with the Provincial Inventory objectives providing that these dual purpose plots are identified prior to establishment. Therefore, Provincial Inventory plots will be identified prior to identifying the Management Inventory ground sampling plots. These coincident plots will be used for both the Provincial and the Management Inventories. Additional Management Inventory samples will be established to meet Management

⁶ Inventory Plans are required by stakeholders in order to proceed with their Management Inventories.

Inventory objectives. This integrated approach, that uses one set of samples to address multiple inventory needs, will result in minimum implementation costs.

There may be a need to enhance the coincident plots for non-timber attributes within the Management Units depending on the implementation strategy chosen. Additional Provincial Inventory ground samples will need to be established in the non-Management Inventory area in order to complete the Provincial Inventory for the Arrow Forest Districts.

4.1 Steps

There are several ways to complete the ground sampling in the two-step process stated above. It is hoped that stakeholders will complete all the required ground sampling in a timely manner. One possible scenario is as follows:

1. Install a large number of each Management Inventory sample clusters (e.g., 100) over the entire landbase measuring *only those* tree attributes related to timber volume and site index. Install the Provincial Inventory samples for plots that are designated “multi-purpose” and install tree emphasis plots for the others. This will provide the experience to refine the process for the second field season and will provide information to calculate the required number of remaining sample clusters.
2. Install the remaining Management Inventory sample clusters in the second field season. (Note: the stakeholder may choose to install all ground samples in one field season).

4.1.2 Implementation Process

The implementation process will proceed based on available funding and can be implemented based on a number of scenarios. All implementation scenarios will a common process. One possible implementation process could proceed as follows:

1. Assemble all polygons within the District into one list; check to ensure no areas are missing or double counted.
2. Sort the polygon list according to the criteria: BC Land Cover Classification code, estimated leading tree species, age and site index.
3. Select potential sampling points from the sorted list, as described in the Ministry of Forests, Resources Inventory Branch document, *Vegetation Resources Inventory: Preparing a sampling plan for ground sampling*.
4. Stratify list to *vegetated treed* and *remaining area* (non-vegetated, vegetated non-treed).
5. Systematically select the Provincial Inventory samples by stratum.
6. Systematically select the polygons for the within polygon variation sampling from the list of Provincial Inventory samples.
7. Systematically select the 16 NVAF sample points (15 treed and 1 non-treed whether or not volume is indicated) from the Provincial Inventory ground samples.

8. Stratify the District to determine the Provincial Inventory samples that meet Management Inventory objectives. Subtract this number of samples from the total required for each Management Inventory. Select the remaining number of Management Inventory samples for each unit.
9. For each Management Inventory, systematically select a batch of sampling points from the list of operable sampling points (80% of the sample size) and from the list of inoperable sampling points (20%).
10. Begin planning for field sampling.
11. Prepare a field sampling plan that includes sample cluster batches to ensure an unbiased sample is attained at the end of the first field season. Identify NVAF sample points and ensure they are field sampled early in the field season.
12. Locate and measure ground sample clusters.
13. Monitor quality assurance of field data and procedures during field sampling. Arrange for 'audit quality cruisers' to sample auxiliary plots of NVAF samples.
14. Compile the data in the fall and winter of the first year. This will include computing averages of timber volume, basal area, and regression of photo estimated volume to ground sample volume and the associated standard error of the regression.
15. Prepare NVAF tree sampling matrix. Begin NVAF destructive sampling.
16. Prepare for the second step during the winter. This will include calculation of the CV based on the standard error of the regression. The remaining number of samples required to achieve the stated desired precision can then be accurately determined using standard procedures (see Appendix B).
17. Prepare the remaining samples.
18. Locate and measure remaining ground sample clusters in the second field season. Complete stem analysis of the NVAF sample trees. Complete the within polygon variation sampling.
19. Compile all data, do the statistical adjustments and load final inventory results into the provincial database.

4.2 Cost

4.2.1 Provincial Inventory

The Provincial Inventory costs, for planning purposes, are summarized in Table 4.

Table 4. Estimated costs required to complete the Provincial Inventory sample plan.

Ground Sampling Unit	Sample size	Unit Cost* (\$)	Total Cost (\$)
Provincial Inventory			

Sample Cluster (VRI)	90	2,500	225,000
Sample Cluster (tree only)	60	1,500	90,000
Net Volume Adjustment Factor – (tree)	75	500	37,500
Within Polygon Variation	30	1,500	45,000
Total			397,500

* The unit costs are based on experience gained from the Boston Bar Operational Trial.

A CV of 55% and the objective precision level of $\pm 10\%$ sampling error (at the 95% probability level) were used to estimate the required number of Provincial Inventory samples.

Sampling efficiency and cost effectiveness will be achieved by implementing the Provincial Inventory ground sampling in combination with the Management Inventory sampling. Results of the VRI ground sampling can be evaluated to determine the additional sampling required to meet the specific objectives.

4.2.2 Management Inventory

The costs for completing the Management Inventory plan, including the incremental cost of establishing the Provincial Inventory ground samples, are identified in Table 5.

Table 5. Estimated costs required to complete the Management Unit sample plans.

Ground Sampling Unit	Sample size	Unit Cost (\$)	Total Cost (\$)
Management Unit			
Arrow TSA	80	1,500	120,000
TFL 3	155	1,500	232,500
TFL 23	155	1,500	232,500
Total			585,000

The sample size determination for the Management Unit sampling can be found in the consultant report, *Arrow Forest District Vegetation Resources Inventory Ground Sampling Plan, Revised Final Report* (Appendix A). The required number of Management Inventory samples is based on the appropriate CV (estimated) and the objective precision level of $\pm 10\%$ sampling error (at the 95% probability level).

4.2.3 Combined Management and Provincial Inventories

Implemented separately, the total cost of the Provincial and Management Inventories would be approximately \$982,500. Combining the inventory objectives through a common implementation strategy will realize a saving. Given the multiple Management Units within the Arrow Forest District and their overlapping areas, it is difficult to estimate the magnitude of these savings. However, the savings on the Provincial Inventory samples would be approximately \$180,000 based on implementing all of the vegetated treed VRI and tree emphasis samples in combination with the Management Unit plots.

Table 6 illustrates the cost for one possible implementation scenario where overlap occurs between one of the Management and the Provincial Inventory. The total cost could be higher or lower if the assumptions stated above are not valid. For example, an increase in the CV or a reduction in the desired precision level will result in an increase in the number of samples required to achieve the objectives. The relationship between the sampling error and sample size is illustrated in the contractor report (Appendix A).

Table 6. Combined costs to complete the Management and Provincial Inventory sample plans.

Ground Sampling Unit Management Unit	Sample size	Unit Cost (\$)	Total Cost (\$)
Arrow TSA	80	1,500	120,000
TFL 3	155	1,500	232,500
TFL 23	155	1,500	232,500
Incremental Provincial Inventory Ground Samples			
Sample Cluster (upgrade to full VRI)	60*	1,000	60,000
Sample Cluster (tree only)	60*	0	0
Provincial Inventory (Remaining)			
Sample Cluster (VRI)	30	2,500	75,000
Sample Cluster (tree only)	0	1,500	0
Net Volume Adjustment Factor - Tree	75	500	37,500
Within Polygon Variation	30	1,500	45,000
Total			802,500

*Tree information component to be captured as part of the Management Unit sample

The total cost could be higher or lower if the assumptions stated above are not valid. For example, an increase in the CV or a reduction in the desired precision level will result in an increase in the number of samples required to achieve the objectives. The relationship between the sampling error and sample size is illustrated in the contractor report (Appendix A).

Depending on the implementation strategy, the savings will vary. The savings realized reflect the comparative overlaps of the Management Inventories. The numbers in Table 6 reflect one possible implementation scenario. Costs will change depending on the actual implementation scenario chosen.

4.3 Monitoring

The Ministry of Forests, Resources Inventory Branch is responsible for monitoring this Inventory Plan.

5. APPROVAL/SIGNING

I have read and concur with the Arrow Forest District Inventory Plan, June 19, 1998. It is understood that this is an agreement-in-principle and does not commit the signatories to completing the inventory activities outlined within the plan. Modifications to this plan or more detailed plans need to be reviewed and approved by the signatories and then appended to this plan.

District Manager
Arrow Forest District

Regional Manager
Nelson Forest Region

Director
Resources Inventory Branch

Slocan Forest Products

Pope & Talbot Ltd.

Appendix A

Arrow Forest District Vegetation Resources Inventory Ground Sampling Plan

Appendix B

Polygon Selection