

## What's New for Version 3.07.02 - December 2011

The following recent upgrades have been made to the ECAS application:

### Category 1 - Fixes & business validation refinements

<b>ECAS03 Audit Log History</b>	Correct emails are sent to region following a status change performed by an ECAS Administrator
<b>ECAS88 Maintain Users</b>	Correct toggle on yes/no flag for emails sent to view only users for Districts and Regions
<b>ECAS96 Comment</b>	Allow up to 20,000 characters within a comment

### Category 2 – Enhancements (user-friendliness)

<b>ECAS67 Interior Tabular Roads</b>	Allow for the range zero thru one hundred (0-100) for the Rock percent for tabulated roads.
--------------------------------------	---

### Category 3 –Policy upgrades

#### COAST

--	--

#### INTERIOR

<b>ECAS63 Cruise Information/ Tree-to -Truck</b>	Remove the Small Log Utilization field from the screen and report for effective dates on or after July 1, 2011
<b>ECAS63 Cruise Information/ Tree-to -Truck</b>	Remove the Grade 4 hemlock field from the screen and report for effective dates on or after July 1, 2011
<b>ECAS63 Cruise Information/ Tree-to -Truck</b>	Remove Selling Price Zone 25 from the selling price zone drop down on or after <b>July 1, 2012</b> ( zone 25 is valid from July 1, 2010 to June 30, 2012)
<b>ECAS64 Log Transportation</b>	Remove the Francois Lake Ferry radio button for effective dates on or after July 1, 2011
<b>ECAS69 BCTS</b>	Reword the error messages affected by the radio buttons
<b>ECAS69 BCTS</b>	Reword the radio button for upset stumpage rate sections on the screen. Section a) 5.1.1(1) is for MPS70 + submissions.
<b>ECAS69 BCTS</b>	All 5 visible radio buttons for Upset Overrides are accessible in the first pass and the second pass of ECAS.
<b>Submit Validations</b>	Removed the following validation for ECAS62 - Control screen: <ul style="list-style-type: none"><li>• TOA must be set to "Y" if MPS = Y and SB</li></ul>

	indicator = N. Else Must be set to N
--	--------------------------------------

### Category 4 –DTD updates

<b>Coast</b>	
<b>Interior</b>	<p>The following list summaries the changes for DTD/XML:</p> <ul style="list-style-type: none"> <li>• Remove mandatory requirement for Mandatory Smalllog Utilization</li> <li>• Remove mandatory requirement for Grade 4 Hemlock</li> <li>• Remove mandatory requirement for Francois Lake Ferry</li> </ul> <p>The following sections of the DTD are affected and the removed lines are shown below:</p> <ul style="list-style-type: none"> <li>• Cruise Info section</li> <li>• Log Transportation section</li> </ul> <pre>&lt;!ATTLIST cruise-info ..... mandatory-smallog-utiliz (Y   N   y   n) "N" mandatory-grade4-hemlock (Y   N   y   n) "N" ..... &lt;!ATTLIST log-trans ..... francois-lake-ferry-ind (Y   N   y   n) "N" .....</pre>

### Category 5 –ESF updates

<b>Coast</b>	
<b>Interior</b>	<p>The following list summaries the changes for ESF:</p> <ul style="list-style-type: none"> <li>• Remove small log utilization</li> <li>• Remove Grade 4 hemlock</li> <li>• Remove Francois Lake Ferry</li> </ul> <p>The following sections of ESF are affected and the removed lines are shown below:</p> <ul style="list-style-type: none"> <li>• interior-cruise-info section</li> <li>• interior-log-trans section</li> </ul> <pre>attribute name="mandatory-smallog-utiliz" type="boolean" default="false" /&gt; attribute name="mandatory-grade4-hemlock" type="boolean" default="false" /&gt;  attribute name="francois-lake-ferry-ind" type="boolean" use="optional" default="false" /&gt;</pre>

--	--

## **Category 6 –Tech spec/documentation updates**

Updated resultant from the changes above. All documentation can be accessed from the ECAS Project website, <http://www.for.gov.bc.ca/hva/ECAS/index.htm> .

## **Category 7 – Online Help updates**

- 1) Removal of Small Log Utilization drop down
- 2) Removal of Grade 4 Hemlock drop down
- 3) Removal of Francois Lake Ferry radio button
- 4) Rewording of text on Interior BCTS Screen
- 5) Information about 1<sup>st</sup> pass and 2<sup>nd</sup> pass radio button usage
- 6) Valid range of values for Rock Percent for Interior Tabular Roads
- 7) Length of comments expanded to 20,000 characters