

Appendix 10

Inventory Summary

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
100 - Forested Landbase Below OCL															
Age Class 1	88.0														
2	24.2	1	1799	17	566									2757	2757
3	21.6	375												965	965
4	5.6													1175	1264
5	3.8	514												728	728
6	1.9	69												524	524
7	3.5													339703	339703
8	906.8	81398		110659	105999									178230	178335
9	343.7	106374		15297	54882					1677					
Immature	143.3	890	1799	1359	566									4896	4896
Mature	912.2	81467		110982	106336									340956	340956
Old	343.7	106374		15297	54882									178230	178335
NSR	49.0														
NP/NCBr	269.5														
Subtotal	1717.7	188731	1799	127638	161784	42454				1677	195			524082	524277
100 - Forested Landbase Above OCL															
Age Class 2	100.3	12	2036	140	1332									12	12
3	42.2	1097		1421										4605	4605
4	11.7			1999	3274									2013	2013
5	30.8			1702										7609	7609
6	26.7	2205		2080										4809	4809
7	31.3			159711	121840									6234	6234
8	1252.7	48531		1784	5034					48				383851	383851
9	49.4	12199												19065	19065
Immature	185.1	1109	2036	3561	4606									14239	14239
Mature	1310.7	50737		163493	121840									394894	394894
Old	49.4	12199		1784	5034									19065	19065
NSR	1687.7														
NP/NCBr	26.9														
Subtotal	3259.9	64045	2036	168838	131481	61751				48				428198	428198
Forested Landbase Total															
100 Total	4977.5	252776	3834	296476	293264	104205				1725	195			952280	952475
100 - Timber Harvesting Landbase															
Age Class 1	78.3														
2	1.3	0	1744	5	480									0	0
3	19.2	296		323	337									2525	2525
6	1.9	69		72734	73417									728	728
8	602.3	50808		3748	37429									225899	225899
9	200.5	59958								1394				102530	102530
Immature	98.7	297	1744	5	480									2525	2525
Mature	604.1	50876		73057	73753									226628	226628
Old	200.5	59958		3748	37429									102530	102530
NSR	47.0														
NP/NCBr	262.3														
Total	1212.7	111131	1744	76810	111663	28941				1394				331683	331683

TFL 56 - Area and Volume by Compartment In The 1sted Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume	
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All		
110 - Forested Landbase Below OCL													
Age Class 8	360.2	10397		61823	18050	21911						112180	112180
Immature													
Mature	360.2	3411		37551	9501	9571						60034	60034
Old													
NSR													
NP/NCBr													
Subtotal	360.2	3411		37551	9501	9571						60034	60034
110 - Forested Landbase Above OCL													
Age Class 2	562.8	2470		462	2816							5748	5748
3	40.8	1085	0	1562	3193							5840	5840
4	25.3			1140		2603						3743	3743
6	12.5			1364		2218						3583	3583
7	133.2			15918		18098						34016	34016
8	1214.0	45375		190887	21716	137034						395012	395012
9	100.3	7929		12997	13534	2023						36483	36483
Immature	628.8	3554		3164	6009	2603						15331	15331
Mature	1359.7	45375		208169	21716	157350						432611	432611
Old	100.3	7929		12997	13534	2023						36483	36483
NSR	29.4												
NP/NCBr	2850.2												
Subtotal	4968.5	56858		224331	41260	161976						484425	484425
Forested Landbase Total													
110 Total	5328.7	60269		261881	50761	171547						544459	544459
110 - Timber Harvesting Landbase													
	NONE												

TFL 56 - Area and Volume by Compartment In The 1sted Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
120 - Forested Landbase Below OCL															
Age Class 1	105.9														
2	8.9	3	660	11262	9045								3	25497	3
3	169.9	4530		1055	93	435								1583	
4	7.3			570	1472									3023	
5	20.1	981		224	111									407	
7	1.0	72													
8	638.8	50388		66054	166924	6046								289412	
9	620.4	226992		32654	51862									311508	
Immature	312.2	5514	660	12887	10610	435								30106	
Mature	639.8	50460		66278	167036	6046								289819	
Old	620.4	226992		32654	51862									311508	
NSR	60.1														
NP/NCBr	187.6														
Subtotal	1820.0	282966	660	111818	229508	6481								631433	
120 - Forested Landbase Above OCL															
Age Class 2	84.3	17													
3	134.3	1617	326	10774	7884	1437								17	20602
4	49.7			2758	5693									9888	9888
5	20.8	1025		595	1534									3154	
6	11.8			2169	1515	374								4058	
7	6.0	440		1372	682									2495	
8	390.5	3535		70470	20578	26664								121247	
9	29.1	5815		861	4654									11330	
Immature	289.0	2660	326	14128	15111	1437								33661	
Mature	408.2	3976		74011	22776	27038								127800	
Old	29.1	5815		861	4654									11330	
NSR	59.7														
NP/NCBr	1003.2														
Subtotal	1789.2	12451	326	88999	42541	28475								172792	
Forested Landbase Total															
120 Total	3609.2	295417	986	200818	272048	34955								804225	804225
120 - Timber Harvesting Landbase															
Age Class 1	89.0														
2	1.1	0	516	9196	7092									0	20423
3	135.7	3619		309	91	129								529	
4	2.5			530	1370									2814	
5	18.7	913		177	88									322	
7	0.8	57		46597	116480	2947								190099	
8	421.8	24074		12061	32657									184692	
9	353.2	139974													
Immature	247.0	4532	516	10036	8554	129								23766	
Mature	422.5	24131		46774	116568	2947								190421	
Old	353.2	139974		12061	32657									184692	
NSR	52.0														
NP/NCBr	187.7														
Total	1262.5	168637	516	68871	157779	3076								398879	398879

TFL 56 - Area and Volume by Compartment In The 1sted Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
130 - Forested Landbase Below OCL															
Age Class 1	125.5														
2	5.2			705	430	125								1259	1259
3	2.2	278			367									644	644
4	0.1	12			5									17	17
5	1.5				135									360	360
6	541.0	64375		225	132053	3889								258138	258138
8	460.3	124836		57820	62298									205723	205723
9				18590											
Immature	133.1	290		705	801	125								1920	1920
Mature	542.5	64375		58045	132188	3889								258498	258498
Old	460.3	124836		18590	62298									205723	205723
NSR	176.7														
NP/NCBr	140.4														
Subtotal	1453.0	189501		77339	195286	4014								466141	466141
130 - Forested Landbase Above OCL															
Age Class 2	36.5														
3	12.1			255	477	1097								1829	1829
4	7.2			139	1103									1242	1242
5	2.5	483			186									669	669
6	19.7			2048	511	1612								4171	4171
8	528.8	8777		86461	78475	19362								193074	193074
9	41.5	11967		2026	4475									18468	18468
Immature	58.3	483		394	1766	1097								3740	3740
Mature	548.5	8777		88509	78985	20974								197245	197245
Old	41.5	11967		2026	4475									18468	18468
NSR	9.2														
NP/NCBr	2333.9														
Subtotal	2991.4	21227		90929	85226	22071								219454	219454
Forested Landbase Total															
130 Total	4444.4	210728		168269	280512	260286								685595	685595
130 - Timber Harvesting Landbase															
Age Class 1	101.8														
4	2.2	278												644	644
6	1.5			225	135									360	360
8	309.5	32311		27615	85335	2669								147930	147930
9	320.7	84971		11048	44803									140822	140822
Immature	104.0	278												644	644
Mature	311.0	32311		27840	85470	2669								148290	148290
Old	320.7	84971		11048	44803									140822	140822
NSR	160.7														
NP/NCBr	153.2														
Total	1049.6	117560		38888	130640	2669								289756	289756

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
140 - Forested Landbase Below OCL															
Age Class 2	23.5														
4	17.6	626	139	324	2194	286								3431	3431
5	35.3	3016		1279	3848	657								8940	8940
6	18.2	877		2868	3173									6918	6918
7	9.8	92		1778	2322									4192	4192
8	737.3	115684		120606	71436	29419			1558					337146	338703
9	332.6	120708		30313	16400									167421	167421
Immature	76.4	3642	139	1603	6042	943								12371	12371
Mature	765.3	116653		125252	76931	29419			1558					348256	349813
Old	332.6	120708		30313	16400									167421	167421
NSR	10.7														
NP/NCBr	365.5														
Subtotal	1550.5	241004	139	157169	99373	30363			1558					528047	529605
140 - Forested Landbase Above OCL															
Age Class 2	91.2														
4	27.6	1065		1393	2333	736								5528	5528
5	84.3	2065	1310	2814	8453	3733								18375	18375
6	58.9	2115		5262	7927	4063								19367	19367
8	812.9	57074	2706	135767	63469	24866								283883	283883
9	110.7	36299		12077	3517									51893	51893
Immature	203.2	3130	1310	4207	10786	4469								23902	23902
Mature	871.9	59189	2706	141029	71397	28929								303250	303250
Old	110.7	36299		12077	3517									51893	51893
NSR															
NP/NCBr	10322.6		4016	157313	85700	33398								379045	379045
Subtotal	11508.4	98619	4016	157313	85700	33398								379045	379045
Forested Landbase Total															
140 Total	13058.9	339622	4155	314481	185073	63761			1558					907092	908650
140 - Timber Harvesting Landbase															
Age Class 2	16.0														
4	7.5	26	133	54	1241	657								1321	1321
5	12.3	1058		492	681									3021	3021
6	0.7	51		55	144									250	250
7	4.6	45		826	1082									1952	1952
8	456.9	72793		65331	47349	26436			134					211909	212043
9	235.5	84078		22237	13546									119861	119861
Immature	35.8	1084	133	546	1922	657								4342	4342
Mature	462.1	72889		66211	48575	26436			134					214111	214245
Old	235.5	84078		22237	13546									119861	119861
NSR	8.7														
NP/NCBr	365.3		133	8894	64043	27093								338314	338448
Total	1107.3	158051	133	8894	64043	27093			134					338314	338448

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
150 - Forested Landbase Below OCL															
Age Class 1	110.3														
2	28.6			541	4421								2	5647	5649
3	47.6	685			981								137	1544	1681
4	9.3	563		307	1170									3109	3109
6	8.3	1632		33884	13875									89823	89823
8	174.2	39421		14511										84869	84869
9	173.5	70356													
Immature	195.8	1247		541	5403								139	7191	7330
Mature	182.5	41053		34191	15046									92932	92932
Old	173.5	70356		14511										84869	84869
NSR	13.0														
NP/NCBr	146.7														
Subtotal	711.6	112658		49243	20449	2642							139	184992	185131
150 - Forested Landbase Above OCL															
Age Class 1	0.0														
2	81.5			447	2069	84								84	84
3	43.4	114		1095	581	740							50	3370	3420
4	15.1	167		2995	203	1043							9	2527	2536
5	25.4			2657	6790									4241	4241
6	37.4	2034		100416	66605	20528								11481	11481
8	532.5	14500		7635										202049	202049
9	53.7	18022												25657	25657
Immature	165.4	281		4537	2853	2552							59	10222	10281
Mature	569.9	16535		103073	73394	20528								213530	213530
Old	53.7	18022		7635										25657	25657
NSR	24.9														
NP/NCBr	2076.9														
Subtotal	2890.8	34837		115245	76247	23080							59	249409	249468
Forested Landbase Total															
150 Total	3602.4	147496		164488	96696	25722							198	434401	434599
150 - Timber Harvesting Landbase															
Age Class 1	96.3														
2	0.3			519	4226									5395	5397
3	45.4	650		84	772									1214	1322
4	7.3	443		14464	891									2132	2132
6	5.6	1158		3229	7525	1734								47500	47500
8	87.6	23778												40822	40822
9	82.5	37592													
Immature	149.3	1093		519	4997								110	6609	6719
Mature	93.2	24936		14547	8416	1734								49633	49633
Old	82.5	37592		3229										40822	40822
NSR	9.3														
NP/NCBr	129.6														
Total	463.8	63621		18295	13413	1734							110	97063	97173

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume				
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All					
160 - Forested Landbase Below OCL																
Age Class 1	188.6															
2	63.9	3	542	113	383									3	925	3
6	2.9		910	113	2030										4157	925
7	11.6	1104	394	12316	37682										102799	4157
8	220.1	52407		5298	17091										66028	102799
9	137.2	43639													66028	66028
Immature	252.5	3	1846	12429	40095									3	107881	3
Mature	234.6	53511		5298	17091										66028	107881
Old	137.2	43639													66028	66028
NSR	9.4															
NP/NCBr	89.7		1846	17727	57186											
Subtotal	723.3	97153	1846	33275	90464									173911	262481	173911
160 - Forested Landbase Above OCL																
Age Class 2	401.6	28														
3	58.3	426	2034	4087	321										349	349
4	4.4	426	194	382	410										6531	6731
5	1.5		225	143											1001	1001
6	5.1	170	98	385	1249										368	368
7	25.5	1084	26	2730	4858										1902	1902
8	172.7	3538	1130	25983	21230						1315				8699	8699
9	24.2	8510		724	1329										59156	59156
Immature	465.7	453	1254	2452	4612										8249	8449
Mature	203.3	4792	1254	29099	27337										69757	69757
Old	24.2	8510		724	1329										10563	10563
NSR	114.9															
NP/NCBr	384.6		1254	32275	33278											
Subtotal	1192.7	13756	3099	50002	90464									88569	262481	88770
Forested Landbase Total																
160 Total	1916.0	110908	3099	50002	90464									262481	262481	262681
160 - Timber Harvesting Landbase																
Age Class 1	171.9															
2	37.5	0	178	5912	126										0	0
6	1.0		884	1791	1791										304	304
7	10.3	1044	18	5912	15103										3719	3719
8	95.7	24837		1495	5039										45871	45871
9	45.1	15747													22281	22281
Immature	209.4	0	1081	5912	17020										0	0
Mature	107.0	25881		1495	5039										49894	49894
Old	45.1	15747													22281	22281
NSR																
NP/NCBr	89.7															
Total	451.3													72175	72175	72175

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume				
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All					
170 - Forested Landbase Below OCL																
Age Class 1	128.9															
2	6.0													681	681	
6	2.8													844	844	
7	2.2													366275	366275	
8	796.8	92572	443	258	681	16986								366275	366275	
9	392.0	103357	1717	97137	143									173858	173858	
				26727	43775											
Immature	134.8															
Mature	801.7	92572	2160	97395	158687	16986								367800	367800	
Old	392.0	103357		26727	43775									173858	173858	
NSR	31.8															
NP/NCBr	322.6															
Subtotal	1682.9	195928	2160	124122	202462	16986								541659	541659	
170 - Forested Landbase Above OCL																
Age Class 2	95.5	12														
3	59.2	316		602	1891	26								37	37	
4	31.6			1423	2156	864								3673	3673	
5	45.6			1624	8429	1217								4796	4796	
6	84.9			9532	11086	1523								11575	11575	
7	47.8			4321	4258	4105								24723	24723	
8	1944.4	41151	6806	302728	282088	1463								10042	10042	
9	101.3	24453		5491	12818	61241								694014	694014	
Immature	232.0															
Mature	2077.1	328	6806	3648	12476	3630								20082	20082	
Old	101.3	41151		316582	297431	66809								728779	728779	
NSR	213.8	24453		5491	12818									42762	42762	
NP/NCBr	6001.9															
Subtotal	8626.2	65932	6806	325721	322725	70439								791623	791623	
Forested Landbase Total																
170 Total	10309.1	261860	8966	449843	525188	87425								1332282	1332282	
170 - Timber Harvesting Landbase																
Age Class 1	116.9															
2	0.7															
7	2.2															
8	553.2	66653	443	258	143	10427								844	844	
9	238.1	58805	691	68356	111308									257435	257435	
				16686	31812									107303	107303	
Immature	117.6															
Mature	555.3	66653	1135	68614	111451	10427								258279	258279	
Old	238.1	58805		16686	31812									107303	107303	
NSR	26.9															
NP/NCBr	322.5															
Total	1260.3													365582	365582	

TFL 56 - Area and Volume by Compartment In The 1sted Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All	
180 - Forested Landbase Below OCL												
Age Class 4	2.7			305	1412	35						340
5	7.0			448		203						2063
7	4.6			411		513						924
8	458.5	28902		98218	61162	12496						200778
9	68.5	12736		25483								38219
Immature	9.7			753	1412	238						2403
Mature	463.1	28902		98629	61162	13009						201702
Old	68.5	12736		25483								38219
NSR												
NP/NCBr	160.7											
Subtotal	702.0	41638		124866	62574	13246						242324
180 - Forested Landbase Above OCL												
Age Class 2	1.3											
3	2.8			287		114						114
4	2.8			3777	4783	95						382
5	39.0			345		284						8844
6	2.5			3053		135						480
7	26.3			79563	40811	2809						5861
8	496.5	5751		300		38717						164842
9	0.9	188										488
Immature	45.8			4064	4783	493						9340
Mature	525.3	5751		82961	40811	41661						171184
Old	0.9	188		300								488
NSR												
NP/NCBr	5726.9											
Subtotal	6299.0	5939		87325	45594	42154						181012
Forested Landbase Total												
180 Total	7000.9	47578		212191	108167	55400						423336
180 - Timber Harvesting Landbase												
Age Class 4	0.2			21		2						23
7	1.9			176		213						389
8	279.3	16407		62792	40629	5949						125776
9	38.6	5982		15348								21329
Immature	0.2			21		2						23
Mature	281.2	16407		62967	40629	6161						126165
Old	38.6	5982		15348								21329
NSR												
NP/NCBr	159.3											
Total	479.3											147517

TFL 56 - Area and Volume by Compartment In The 1sted Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume	
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All		
190 - Forested Landbase Below OCL													
Age Class 1	91.6	218	2218	1	2421							218	218
4	1.1	544	9732	4058	4252							5184	5184
5	16.8		720	6021	1606	426						18468	18468
6	51.8	473	1852	42778	61226			72				2799	2799
7	7.7	30392			6310							99491	99563
8	208.7	59834										108921	108921
9	214.5	762	2218		2421							5401	5401
Immature	109.6	30865	12304	10079	67083	426		72				120757	120829
Mature	268.2	59834		42778	6310							108921	108921
Old	214.5												
NSR	18.7												
NP/NCBr	113.9												
Subtotal	724.8	91461	14522	52856	75814	426		72				235080	235151
190 - Forested Landbase Above OCL													
Age Class 2	3.1												
3	6.1	771		27	5	302						334	334
4	21.8	188		756	2223	353						4102	4102
5	28.9		1170	819	3578	1234						6988	6988
6	96.3		11874	6349	9810	2356						30389	30389
7	27.2	51	746	3791	3876	736	710					9909	9909
8	260.7	22482	876	20495	36423	3986						84262	84262
9	0.2	45		42								86	86
Immature	59.9	959	1170	1602	5805	1888						11425	11425
Mature	384.2	22532	13496	30635	50109	7078	710					124561	124561
Old	0.2	0	0	0	0	0	0					0	0
NSR	193.1												
NP/NCBr	1495.3												
Subtotal	2132.7	23491	14667	32237	55915	8967	710					135986	135986
Forested Landbase Total													
190 Total	2857.5	114952	29188	85093	131729	9392	710				72	371065	371137
190 - Timber Harvesting Landbase													
Age Class 1	71.1												
5	16.8	544	2218	1	2421							5184	5184
6	33.9		6751	2552	2863							12166	12166
7	5.6	192	720	6468	1163							2074	2074
8	184.3	27116	1512	19216	54173			16				89268	89285
9	108.9	31932			4708							55856	55856
Immature	87.9	544	2218	1	2421							5184	5184
Mature	223.8	27308	8983	9019	58198			16				103509	103525
Old	108.9	31932		19216	4708							55856	55856
NSR													
NP/NCBr	113.7												
Total	534.4											164548	164564

TFL 56 - Area and Volume by Compartment In The 1sted Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L. Pine	W Pine	Decid.	Conifer	All				
200 - Forested Landbase Below OCL															
Age Class 1	421.5														
2	1503.8	2562	123	165	2221	186								5071	5071
3	109.9	2919	20	3467	1978	2154								8570	8604
4	771.1	4532	64556	1887	37030	4629								110952	118844
5	77.7	4475		4882	990	4284								14977	15536
6	16.6	238		1981	926	1139								4284	4284
7	111.4			14607	7960	12404								34971	34971
8	2324.5	75606		419736	146241	160473								803562	803562
9	436.5	78441		23475	100146	4442								206819	206819
Immature	2884.1	14488		10401	42220	6969								139569	148054
Mature	2452.4	75844	64699	436324	155127	174015								842817	842817
Old	436.5	78441		23475	100146	4442								206819	206819
NSR	168.4														
NP/NCBr	191.8														
Subtotal	6133.2	168773	64699	470200	297492	185426								1189204	1197689
200 - Forested Landbase Above OCL															
Age Class 2	227.3														
3	31.7	1265	121	1407	2016	5486								3402	3705
4	71.9		904	3056	6	6909								7805	8270
5	74.1			2272	57	1475								9965	9965
6	17.0			1218	437	2110								3747	3747
7	11.6			30996	337	18928								3385	3385
8	224.2	99		75										50459	50459
9	1.2	162												574	574
Immature	405.0	1265	1026	4463	2022	12396								21172	21940
Mature	252.7	99		34486	493	22513								57592	57592
Old	1.2	162		75	337									574	574
NSR	36.6														
NP/NCBr	1320.4														
Subtotal	2015.8	1526	1026	39024	2853	34909								79338	80106
Forested Landbase Total															
200 Total	8149.1	170299	65725	509224	300345	220335								1268542	1277795
200 - Timber Harvesting Landbase															
Age Class 1	392.5														
2	677.3	2336	108	135	1993	213								4785	4785
3	98.0	2810	20	3107	1794	3992								11730	11730
4	579.6	4520	59760	951	34095	160								99888	105193
5	30.6	4190		2142	926	480								7738	7928
6	3.5	238			926									1163	1163
7	3.0			561		315								876	876
8	530.7	15028		102056	28822	47100								193037	193037
9	6.7	1561		90	1527	34								3211	3211
Immature	1778.0	13656	59888	6334	38807	4846								124133	129636
Mature	537.3	15265		102617	29748	47415								195075	195075
Old	6.7	1561		90	1527	34								3211	3211
NSR	22.7														
NP/NCBr	94.4														

TFL 56 - Area and Volume by Compartment In The 1 sted Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume		
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All			
Total	2439.0												322419	327923
210 - Forested Landbase Below OCL														
Age Class 1	390.1													
2	660.8	5513		1471	4930								11913	11913
3	9.8			98									1044	1044
4	5.4			371									754	754
5	6.5		2	121	1492								2265	2265
6	48.4	427	0	5949	954								13379	13379
7	27.5	345		2771									8253	8253
8	631.2	46712		73662	69537								227144	227144
9	580.0	84966		47986	142721				551				281998	281998
Immature	1072.6	5940		2061	6422								15977	15977
Mature	707.2	47058		82382	70490								248775	248775
Old	580.0	84966		47986	142721				551				281998	281998
NSR	32.9													
NP/NCBr	52.5													
Subtotal	2445.2	137963		132429	219633				551				546750	546750
210 - Forested Landbase Above OCL														
Age Class 2	113.0													
3				0									2541	2541
6	10.2			1105	1436								1019	1019
7	3.3			343	676								467	467
8	2.8			276	192									
Immature	113.0			1724	2304								4028	4028
Mature	16.4													
Old														
NSR	21.2													
NP/NCBr	224.8													
Subtotal	375.4			1724	2304								4028	4028
Forested Landbase Total														
210 Total	2820.5	137963		134153	219633				551				550778	550778
210 - Timber Harvesting Landbase														
Age Class 1	355.3													
2	565.3	4695		1296	4182								10412	10412
3	5.8			51									589	589
5	5.2	421		437	1454								1876	1876
7	4.2			18473	12119								1299	1299
8	115.4	6495		7743	3527								46704	46704
9	42.9	3279											17822	17822
Immature	931.6	5117		1346	5636								12878	12878
Mature	119.6	6495		18910	12119								48003	48003
Old	42.9	3279		7743	3527								17822	17822
NSR	19.1													
NP/NCBr	9.5													
Total	1122.7												78703	78703

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L. Pine	W Pine	Decid.	Conifer	All				
<i>220 - Forested Landbase Below OCL</i>															
Age Class 1	415.9														
2	79.3	385	683	6	258	49	5						653	653	
3	10.4	193	544	544	337								1806	1806	
4	14.7	264	1241	218	687								2410	2410	
5	198.4	13926	13986	30186	17134	908		2946					76141	79087	
6	125.2	11546	8696	4490	19665			813					44398	45210	
7	43.3	1384	226	6812	6826	520		617					15769	16386	
8	1356.0	86122		203521	111238	91720							492601	492601	
9	114.9	30293		4697	33634								68623	68623	
Immature	718.6	14768	15910	30955	18415	957		2946					81010	83956	
Mature	1524.5	99052	8923	214823	137729	92240		1430					552768	554198	
Old	114.9	30293		4697	33634								68623	68623	
NSR	17.2														
NP/NCBr	95.0														
Subtotal	2470.2	144114	24833	250475	189778	93198		4376					702402	706778	
<i>220 - Forested Landbase Above OCL</i>															
Age Class 1															
2	23.0														
3	32.4	549	1943	1692	958	345							5487	5487	
4	13.1	170	905	164	1174	358							2770	2770	
8	238.4	7274		25327	19633	23221							75454	75454	
9	22.7	5654			6697								12350	12350	
Immature	68.5	719	2848	1856	2132	702							8257	8257	
Mature	238.4	7274		25327	19633	23221							75454	75454	
Old	22.7	5654			6697								12350	12350	
NSR															
NP/NCBr	299.7														
Subtotal	629.3	13646	2848	27183	28461	23923							96061	96061	
<i>Forested Landbase Total</i>	<i>3099.5</i>	<i>157760</i>	<i>27681</i>	<i>277658</i>	<i>218239</i>	<i>117121</i>		<i>4376</i>					<i>798463</i>	<i>802839</i>	
<i>220 - Timber Harvesting Landbase</i>															
Age Class 1	372.9														
2	64.0	329	401	6	222	49	5						562	562	
3	6.4	113	1206	334	198								1096	1096	
4	14.4	258	13658	216	670	872		2880					2350	2350	
5	191.8	13205	13658	29380	16633			754					73748	76628	
6	101.8	9020	6669	4030	16503			617					36221	36975	
7	41.0	1384	226	6354	6552	435							14952	15569	
8	547.3	46698		78378	59234	34586							218896	218896	
9	29.6	8675		22	6465								15162	15162	
Immature	649.4	13906	15265	29936	17723	921		2880					77755	80635	
Mature	690.1	57102	6895	88762	82289	35021		1371					270069	271440	
Old	29.6	8675		22	6465								15162	15162	
NSR	9.9														
NP/NCBr	27.3														
Total	1406.3												362987	367237	

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume		
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All			
230 - Forested Landbase Below OCL														
Age Class 1	212.4													
2	71.3	721	19	37	1153	156	42				1972	1972	1972	
3	35.2	398	1697	143	1048	156	252				3694	3694	3694	
4	23.0			1455	1048	1558					3013	3013	3013	
5	36.3	5913	4183	952	557		503				12108	12108	12108	
6	236.0	34333	25149	5825	21504	6001	1887				88698	88698	88698	
7	150.9	14182	18258	11198	6180	12941	2993				55818	55818	55818	
8	419.0	4019		57838	46589						124381	124381	124381	
9	141.2	18484		1960	45906						66350	66350	66350	
Immature	378.2	7032	5899	2587	2758	1714	797				20787	20787	20787	
Mature	806.0	52534	43407	74861	74273	18942	4881				268897	268897	268897	
Old	141.2	18484		1960	45906						66350	66350	66350	
NSR	199.6													
NP/NCBr	136.5													
Subtotal	1661.5	78050	49306	79409	122937	20656	5677				356035	356035	356035	
230 - Forested Landbase Above OCL														
Age Class 2	61.9													
3	10.9	11		218	49	559					837	837	837	
7	12.5			2147	2423	1202	99				3349	3349	3349	
8	91.7	263		8726	186	6631					17880	17880	17880	
9	1.0										449	449	449	
Immature	72.8	11		218	49	559					837	837	837	
Mature	104.1			10874	2423	7833	99				21229	21229	21229	
Old	1.0	263			186						449	449	449	
NSR														
NP/NCBr	278.8													
Subtotal	456.7	274	49306	11092	2658	8392	99				22515	22515	22515	
Forested Landbase Total														
230 Total	2118.2	78324	49306	90501	125595	29048	5776				378550	378550	378550	
230 - Timber Harvesting Landbase														
Age Class 1	190.5													
2	54.1	500	17	33	792	100	36				1376	1376	1376	
3	25.7	282	1049	68	736	1558	156				2391	2391	2391	
4	23.0			1455	319						3013	3013	3013	
5	11.9	2675	92	259	319		1479				3345	3345	3345	
6	142.8	23270	13122	2400	13495	5959					53766	53766	53766	
7	141.1	12849	16833	10797	5472	203	332				51909	51909	51909	
8	9.5	170		1831	1239						3775	3775	3775	
9	0.3	69			68						137	137	137	
Immature	305.2	3456	1157	1814	1847	1659	191				10124	10124	10124	
Mature	293.4	36289	29955	15027	20205	6162	1812				109450	109450	109450	
Old	0.3	69			68						137	137	137	
NSR	141.5													
NP/NCBr	37.2													
Total	777.7										119712	119712	119712	

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume		
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All			
240 - Forested Landbase Below OCL														
Age Class 1	102.3													
2	69.0	2	7	23	136								247	247
3	1.9	81	7232	205	3829								16342	16342
4	65.4	3726	1259		5860								9366	9366
5	32.6	2246			7865								9813	9813
6	30.9	1947			2499								3200	3200
7	10.3	701			35715								65103	65103
8	154.9	27071			4714								26228	26228
9	54.1	14622												
Immature	271.2	6055	8498	227	9825								25955	25955
Mature	196.1	29719		2317	46080								78116	78116
Old	54.1	14622		5734	4714								26228	26228
NSR	9.5													
NP/NCBr	87.2													
Subtotal	618.1	50395	8498	8279	60619								130299	130338
240 - Forested Landbase Above OCL														
Age Class 2	257.2	14												
3	60.1	1464	1131	185	4197								19	19
4	34.0	1943		854	3593								7007	7523
5	2.3	69	1		561								7732	7732
6	22.4	1314		383	4526								631	631
7	51.5	223		1684	7887								6432	6432
8	369.6	29676		20409	56496								12464	12464
9	0.6	106			107								115388	115388
Immature	353.6	3491	1132	1039	8351								213	213
Mature	443.5	31213		22476	68909								15389	15905
Old	0.6	106			107								134284	134284
NSR	147.6												213	213
NP/NCBr	1253.5													
Subtotal	2198.9	34810	1132	23515	77367								149886	150402
Forested Landbase Total														
240 Total	2817.0	85205	9630	31794	137985								280185	280740
240 - Timber Harvesting Landbase														
Age Class 1	82.5													
2	59.2	2	5		2								2	2
3	0.1	1	7082		2584								8	8
4	55.8	2980	1276		4396								13969	13969
5	24.4	1546			6018								7218	7218
6	23.5	1433			2502									
7	10.4	701			29044									
8	113.4	17001												
Immature	221.9	4528	8363	968	6982								21196	21196
Mature	147.2	19136		968	37564								57668	57668
Old														
NSR														
NP/NCBr	62.6													

TFL 56 - Area and Volume by Compartment In The 1sted Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume									
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All										
Total	431.7																				
250 - Forested Landbase Below OCL																					
Age Class 2	0.4																				
3	2.3																				
4	0.0	42	2	111	208																
6	3.9	1		2	1																
8	96.6	14002		589	21199																
Immature	2.7	43	2	113	209																
Mature	100.6	14002		1233	21935																
Old																					
NP/NCBr	9.4																				
Subtotal	112.7	14045	2	1346	22144	977															
250 - Forested Landbase Above OCL																					
Age Class 2	116.9																				
3	24.5	50		983	1263	13															
4	10.8	199	375	769	325	274															
5	13.9			527	1498	505															
6	31.0			4189	6686	1562															
8	456.4	16166		28698	75793	16845															
Immature	166.1	249	375	2279	3086	1698															
Mature	487.4	16166		32887	82479	18407															
Old																					
NSR	2.6																				
NP/NCBr	1548.5																				
Subtotal	2204.7	16415	375	35166	85565	20105															
Forested Landbase Total																					
250 Total	2317.4	30460	378	36511	107709	21082															
250 - Timber Harvesting Landbase																					
Age Class 2	0.4																				
3	2.3																				
6	3.9	42		111	208																
8	67.2	9952		449	14781	377															
Immature	2.7	42		111	208																
Mature	71.1	9952		1083	15505	860															
Old																					
NSR																					
NP/NCBr	9.0																				
Total	82.8																				

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
260 - Forested Landbase Below OCL															
Age Class 1	76.8														
2	514.0	383	177	79	203	88		97						1027	1027
3	34.9			627	1078	1274								2979	2979
4	118.1	1673	25011		36								757	26720	27477
5	33.7	732	7524	166	1501			1853					769	9923	10692
6	184.1	14219	17509	7137	27008								518	67726	68244
7	32.9	3343	1902	3813	4338									13396	13396
8	306.7	37555		31067	38735	16671								124028	124028
9	4.4		897		971									1868	1868
Immature	777.5	2788	32712	872	2818	1362		97					1526	40649	42175
Mature	523.7	55117	19411	42017	70081	16671		1853					518	205150	205668
Old	4.4		897		971									1868	1868
NSR	81.3														
NP/NCBr	226.4														
Subtotal	1613.3	57905	53020	42889	73870	18033		1950					2044	247667	249711
260 - Forested Landbase Above OCL															
Age Class 2	269.1														
3	6.3			308	3	371								371	371
4	49.4	247	10878		1990	217								528	528
5	10.7		602		3120									13116	13116
7	1.0			114										114	114
8	376.4	7987		53891	16509	27186								105574	105574
Immature	335.5	247	11480	308	5113	587								17736	17737
Mature	377.4	7987		54005	16509	27186								105687	105687
Old															
NSR	447.4														
NP/NCBr	1160.3	8235	11480	54313	21622	27774								123423	123424
Subtotal															
Forested Landbase Total	2773.5	66140	64500	97202	95492	45807		1950					2044	371090	373135
260 - Timber Harvesting Landbase															
Age Class 1	48.2														
2	293.4	259	135	73	152	1269		75						694	694
3	34.8			625	1076									2970	2970
4	72.9	1371	14512		344									15883	16641
5	15.1		4018	662	5472			35						4362	4993
6	46.3	1409	9991	105	3286									17569	17569
7	18.4	3161	939	16198	14419	1822								7493	7493
8	86.5	6665												39103	39103
Immature	464.4	1630	18665	698	1572	1269		75					1389	23909	25298
Mature	151.2	11235	10930	16964	23179	1822		35						64165	64165
Old															
NSR	37.7														
NP/NCBr	180.8														
Total	834.1													88074	89463

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L.Pine	W.Pine	Decid.	Conifer	All				
270 - Forested Landbase Below OCL															
Age Class 1	709.1														
2	808.8	5133	1	861	2652	16								8666	8672
3	65.4	852	2371		1120	528								4871	4871
4	16.2	910	175	490	1619									3194	3194
5	50.7	1798	2276	1922	7683	855								14535	14535
7	13.2	0	1522	4	1228	4								2758	2758
8	2238.7	376283	19374	246132	279310	129712								1050811	1050811
9	37.6	11085		2484	7484									21053	21053
Immature	1650.2	8694	4823	3274	13074	1399								31265	31272
Mature	2251.9	376284	20896	246136	280538	129716								1053569	1053569
Old	37.6	11085		2484	7484									21053	21053
NSR	325.7														
NP/NCBr	226.4														
Subtotal	4491.7	396062	25719	251894	301096	131114								1105887	1105894
270 - Forested Landbase Above OCL															
Age Class 2	1.1														
3	2.8	27	147	106	60	42								235	235
5	0.7		1	58	0	50								148	148
7	0.5		79	7917		5374								187	187
8	51.8													13290	13290
Immature	4.6	27	148	106	60	42								383	383
Mature	52.3		79	7974		5423								13477	13477
Old	6.8														
NSR	278.6														
NP/NCBr															
Subtotal	342.2	27	227	8080	60	5465								13860	13860
Forested Landbase Total															
270 Total	4833.9	396089	25946	259974	301157	136579								1119747	1119754
270 - Timber Harvesting Landbase															
Age Class 1	633.6														
2	665.3	4125	1244	666	1982	351								7124	7124
3	47.1	768	2202	1887	977	498								3486	3486
5	47.6	1773	2540	65308	7079	819								13761	13761
8	718.6	160311			111634	36928								376721	376721
9	0.8				330										
Immature	1393.6	6666	3446	2553	10037	1668								24372	24372
Mature	718.6	160311	2540	65308	111634	36928								376721	376721
Old	0.8				330									330	330
NSR	192.9														
NP/NCBr	247.0														
Total	2552.9													401422	401422

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
280 - Forested Landbase Below OCL															
Age Class 1	271.5														
2	887.7	5553	122	2973	8367						43	145	17059	17204	
3	70.7	2720		2675	1829								7225	7225	
8	583.6	123421	48239	17401	105430								294491	294491	
9	14.0														
Immature	1229.8	8273	122	5648	10197						43	145	24283	24429	
Mature	583.6	123421	48239	17401	105430								294491	294491	
Old	14.0														
NSR	145.0														
NP/NCBr	148.7														
Subtotal	2121.1	131694	48362	23048	115627						43	145	318775	318920	
Forested Landbase Total															
280 Total	2121.1	131694	48362	23048	115627						43	145	318775	318920	
280 - Timber Harvesting Landbase															
Age Class 1	191.3														
2	603.6	3886	46	1310	3792						23		9727	9727	
3	59.2	2272		2174	1590								6582	6582	
8	255.6	78981	2752	10365	52340								144438	144438	
9	13.1														
Immature	854.0	6158	46	3484	5382						23		16309	16309	
Mature	255.6	78981	2752	10365	52340								144438	144438	
Old	13.1														
NSR	87.3														
NP/NCBr	102.3														
Total	1312.4												160747	160747	

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume		
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All			
290 - Forested Landbase Below OCL														
Age Class 2	16.2													
5	5.5		36	213	146	632							1027	1027
6	18.5	145	851	2323	414	540							4274	4274
7	35.4	471	6613	514	4503	492							12594	12594
8	770.7	64916	3384	145648	55501	61926	15			43			331391	331433
Immature	21.6		36	213	146	632							1027	1027
Mature	824.6	65532	10849	148486	60419	62958	15			43			348258	348301
Old	0.2													
NP/NCBr	158.2													
Subtotal	1004.6	65532	10885	148699	60565	63590	15			43			349285	349328
290 - Forested Landbase Above OCL														
Age Class 2	47.3													
3	3.3			20		61							61	61
4	7.7	274		257		251							270	270
5	14.4		791	1812	238	732							1262	1262
6	35.3	56	979	5243	160	553							3395	3395
7	84.4	961	12605	5757	5636	1753							8191	8191
8	721.7	8554	406	117465	17237	5004	3226			74			29963	29963
Immature	72.8		791	2089	238	1597							4988	4988
Mature	841.4	274	13990	128464	23033	73651	3226			74			251935	252009
Old		9571												
NSR	88.7													
NP/NCBr	1709.3													
Subtotal	2712.1	9844	14781	130553	23271	75248	3226			74			256923	256997
Forested Landbase Total														
290 Total	3716.8	75376	25666	279252	83636	139839	3241			116			606208	606325
290 - Timber Harvesting Landbase														
Age Class 5	4.7													
6	10.6	145	36	192	125	535							888	888
7	32.5	536	801	1712	414	490							3072	3072
8	544.0	51358	6492	711	4174	4452							12403	12403
Immature	4.7		36	192	125	535							888	888
Mature	587.1	52039	8200	109242	42729	44942							257152	257152
Old														
NSR														
NP/NCBr	157.3													
Total	749.1												258041	258041

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L.Pine	W.Pine	Decid.	Conifer	All				
300 - Forested Landbase Below OCL															
Age Class 1	385.3														
2	267.2	488		294	685	546							17	2012	2012
3	13.2	281		30	645									956	973
4	5.2			488	494									982	982
5	21.1	3798			1868									5665	5665
7	26.9			3279	486	5619								9364	9364
8	497.3	99675	3105	49507	69963	28231							723	250482	251205
9	266.7	62889		10820	52061	5380				0				131149	131149
Immature	692.0	4567		811	3692	546							17	9616	9633
Mature	524.3	99675	3105	52786	70429	33850							723	259846	260568
Old	266.7	62889		10820	52061	5380								131149	131149
NSR	211.0														
NP/NCBr	237.4														
Subtotal	1931.4	167131	3105	64417	126182	39775							740	400611	401350
300 - Forested Landbase Above OCL															
Age Class 2	0.6														
4	3.2			305	309	46								46	46
5	7.5			1445		238								614	614
7	2.3			155	22	587								1683	1683
8	357.4	12157	68	63314	16378	32234	367							763	763
9	22.1			4732		2567								124518	124518
Immature	11.4			1750	309	284								7300	7300
Mature	359.7	12157	68	63469	16400	32821	367							2343	2343
Old	22.1			4732		2567								125282	125282
NSR	25.5													7300	7300
NP/NCBr	730.8														
Subtotal	1149.5	12157	68	69951	16709	35671	367							134924	134924
Forested Landbase Total	3080.9	179288	3173	134368	142891	75446	367						740	535535	536275
300 - Timber Harvesting Landbase															
Age Class 1	333.6														
2	203.6	65		23	34	548								670	670
3	8.4	254		25	151									430	430
4	5.2			488	494									982	982
5	21.1	3798			1868									5665	5665
7	26.4			3279	466	5456								9201	9201
8	301.1	26061		37453	53331	24698								141543	141543
9	214.9	51020		10487	39707	5267								106482	106482
Immature	571.9	4116		536	2547	548								7747	7747
Mature	327.5	26061		40732	53797	30154								150744	150744
Old	214.9	51020		10487	39707	5267									
NSR	52.4														
NP/NCBr	142.1														
Total	1308.8													158491	158491

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
310 - Forested Landbase Below OCL															
Age Class 1	265.0														
2	3.8			261	5533	2								5794	5794
4	26.0				1861									1861	1861
5	6.2				1287									1654	1654
6	6.0				435									5305	5305
7	11.5		3278		148678									382729	383215
8	703.4	203012			11728									29337	29337
9	50.0	17609													
Immature	300.9			261	7394									7655	7655
Mature	721.0	203012	3278	32182	150399									389688	390174
Old	50.0	17609			11728									29337	29337
NSR	24.1														
NP/NCBr	130.3														
Subtotal	1226.2	220621	3278	32443	169521	817							486	426680	427166
310 - Forested Landbase Above OCL															
Age Class 2	89.2														
4	10.6			384	267									518	518
6	32.5			1522	932									2086	2086
7	62.8		5518	7966	1558									9021	9021
8	446.8	27104	836	41312	93143									21614	21614
9	14.1	4964			3306									182178	182178
Immature	99.8			384	1199									2604	2604
Mature	542.1	27104	6354	50800	94701									212814	212814
Old	14.1	4964			3306									8271	8271
NSR															
NP/NCBr	1947.5														
Subtotal	2603.5	32068	6354	51183	99206	34876								223688	223688
Forested Landbase Total	310 Total	252689	9632	83627	268727	35694							486	650368	650854
310 - Timber Harvesting Landbase															
Age Class 1	221.2														
2	3.0			261	5332									1	1
4	25.3				1789									5593	5593
5	5.9				1263									1789	1789
6	5.9				331									1624	1624
7	8.8		2497		125630									4041	4041
8	517.6	142912		10364	11007									279639	279639
9	46.9	16526												27533	27533
Immature	255.4			261	7121									7383	7383
Mature	532.3	142912	2497	11938	127224									285304	285304
Old	46.9	16526			11007									27533	27533
NSR	8.4														
NP/NCBr	130.3														
Total	973.2													320220	320220

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume	
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All		
320 - Forested Landbase Below OCL													
Age Class 1	228.7	91	37	33	65							226	226
2	11.6		7172	1323	2554							11655	11655
4	50.4		4344	2917	1193							10321	10321
5	28.5			134								147	147
6	0.6			173	875							1206	1206
7	3.5	48	109	54984	210102							553927	555294
8	1039.9	280343	2136										
Immature	319.3	91	11553	4274	3811							22202	22202
Mature	1044.0	280392	2245	55292	210977							555280	556647
Old													
NSR													
NP/NCBr	172.5												
Subtotal	1535.8	280483	13798	59565	214789							577482	578849
320 - Forested Landbase Above OCL													
Age Class 2	74.4		150	1768	197							395	395
4	35.4		4542	2938	1684							8852	8852
5	59.7		7187	10286	4505							17502	17502
6	55.9			6067	2845							12193	12193
7	46.0	1502	381	156061	201628							13325	13325
8	985.0	57694	3810									456385	456385
Immature	169.5		11879	4706	6386							26749	26749
Mature	1086.9	59195	4192	172414	204473							481902	481902
Old													
NSR	888.1												
NP/NCBr	2144.6	59195	16071	177119	210858							508651	508651
Subtotal													
Forested Landbase Total	3680.4	339678	29869	236685	425647							1086133	1087500
320 - Timber Harvesting Landbase													
Age Class 1	196.3		8	33	27							159	159
2	7.6	91	9907	1562	2882							14921	14921
4	69.5		3742	2742	822							9061	9061
5	24.7			51								56	56
6	0.2			12	605							625	625
7	1.4		8	27568	130800							330317	330435
8	612.0	165369	1364										
Immature	298.1	91	13657	4337	3731							24141	24141
Mature	613.6	165369	1373	27630	131405							330997	331116
Old													
NSR													
NP/NCBr	172.5												
Total	1084.2											355138	355257

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume		
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All			
330 - Forested Landbase Below OCL														
Age Class 2	5.3			75	661	49							49	
3	5.4			1646	1193	977							737	
4	51.9	1198	5359	1433	5240	375							10373	
5	59.1	235	13354	3214	1919	1623							20637	
7	20.6	47650		90301	106602	22788							6757	
8	559.9			3155	7094	1402							267341	
Immature	121.7	1433	18713	93515	108521								31796	
Mature	580.5	47650											274098	
Old														
NSR	26.5													
NP/NCBr	153.6													
Subtotal	882.3	49083	18713	96669	115615	25813							305894	
330 - Forested Landbase Above OCL														
Age Class 2	1.2			1786	1329	11							11	
4	68.2	1119	8401	7219	5336	362							12996	
5	132.2	33	21130	3050	4013	673							37219	
6	30.1	1055		7370	6663	6880							8790	
7	69.9	6872		36304	20149	13732							20913	
8	206.6			9004	6664	3875							77057	
Immature	201.5	1152	29531	46725	30825	21285							50226	
Mature	306.5	6872	1055										106761	
Old														
NSR	2080.7													
NP/NCBr	2588.8	8024	30585	55729	37489	25160							156987	
Subtotal														
Forested Landbase Total														
330 Total	3471.1	57107	49299	152398	153104	50974							462881	
330 - Timber Harvesting Landbase														
Age Class 3	2.7			37	326	910							364	
4	24.2	523	1605	935	494	128							4466	
5	48.4	251	11963	306	4799	17446							17446	
7	13.8	31267		2369	1826	1002							5197	
8	336.8			45748	77779	11335							166129	
Immature	75.3	773	13568	1278	5618	1038							22276	
Mature	350.5	31267		48117	79605	12338							171326	
Old														
NSR	18.2													
NP/NCBr	145.8													
Total	589.7												193602	

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume				
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All					
340 - Forested Landbase Below OCL																
Age Class 2	2.6															
3	3.5			189	148	3								3	3	3
4	2.2			43	529	156								493	493	493
5	0.8			271	39	119								201	201	201
6	0.1			80771	50	136								50	50	50
7	1.6			232	90	279								497	497	497
8	331.7	13368		81042	69134	13314				100				176686	176686	176686
Immature	9.1				716									1227	1227	1227
Mature	333.5	13368			69224									177183	177183	177183
Old																
NSR																
NP/NCB	84.5															
Subtotal	427.0	13368		81274	69940	13728				100				178410	178410	178410
340 - Forested Landbase Above OCL																
Age Class 2	22.1															
3	9.7			295	1367	260								260	260	260
4	6.8			3557	1051	884								1179	1179	1179
5	28.0			4139	4212	1362								1367	1367	1367
6	44.7	318		490	27	2401								5970	5970	5970
7	3.5			76453	60020	272								11071	11071	11071
8	493.1	6312		3853	2418	42427				294				789	789	789
Immature	66.6													185506	185506	185506
Mature	541.3	6631		81082	64259	2505								8776	8776	8776
Old														197366	197366	197366
NSR																
NP/NCB	1439.7															
Subtotal	2047.7	6631		84935	66676	47606				294				206141	206141	206141
Forested Landbase Total																
340 Total	2474.7	19998		166209	136617	61333				394				384551	384551	384551
340 - Timber Harvesting Landbase																
Age Class 2	0.2															
3	1.8			80	530	0								0	0	0
4	2.2			43	39	149								229	229	229
5	0.8			18	6	119								530	530	530
7	0.1			57796	53529	9								201	201	201
8	241.4	8821		123	569	10667								32	32	32
Immature	5.0													130813	130813	130813
Mature	241.5	8821		57814	53535	269								960	960	960
Old														130845	130845	130845
NSR																
NP/NCB	84.2															
Total	330.7													131805	131805	131805

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume			
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All				
350 - Forested Landbase Below OCL															
Age Class 1	203.3														
2	275.6		29	16	1	57							201	104	305
3	8.5	400			703								90	1103	1192
4	3.2	32			639									717	717
6	0.7				195									287	287
8	1169.3	160504			294039									599538	599538
9	87.2	32534			21428									53962	53962
Immature	490.7	431			1343									1923	2214
Mature	1170.0	160504	29	43	294234	76							291	599824	599824
Old	87.2	32534		127139	21428	17945								53962	53962
NSR	5.1														
NP/NCBr	190.5														
Subtotal	1943.6	193469	29	127183	317005	18020							291	655709	656000
350 - Forested Landbase Above OCL															
Age Class 2	251.3		84	7	95	45								231	324
3	56.2	296		1188	628	4835								7250	7317
4	36.4	613		635	5031	433		303						6713	6713
5	5.1			483		657								1140	1140
6	35.4			2204	8267	2438								12909	12909
8	737.2	13319		83681	105621	81678								284638	284638
9	10.8	4028			2653									6681	6681
Immature	349.0	910			5754									15334	15493
Mature	772.6	13319	84	85885	113887	84117							159	297547	297547
Old	10.8	4028			2653									6681	6681
NSR	110.6														
NP/NCBr	4207.3														
Subtotal	5450.3	18257	84	88198	122294	90086							339	319562	319721
Forested Landbase Total															
350 Total	7393.9	211726	113	215381	439299	108107							451	975271	975722
350 - Timber Harvesting Landbase															
Age Class 1	187.6														
2	186.5		22	15	642	53								90	90
3	7.8	365			148									1007	1089
4	0.8	19			53									166	166
6	0.2				180007									78	78
8	673.6	103406			12490	12163								347902	347902
9	50.9	18964												31454	31454
Immature	382.7	384			790	53								1263	1345
Mature	673.8	103406	22	52338	180060	12175							82	347980	347980
Old	50.9	18964			12490									31454	31454
NSR															
NP/NCBr	189.9														
Total	1297.2													380698	380779

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume	
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All		
360 - Forested Landbase Below OCL													
Age Class 4	11.8	90		478	1752	217						2537	2537
5	12.3	113		881	868	1213						3075	3075
7	0.4			62	74	23						159	159
8	310.8	30490		66303	59257	9030						165080	165080
Immature	24.1	203		1359	2620	1430						5613	5613
Mature	311.3	30490		66366	59331	9053						165239	165239
Old													
NSR													
NP/NCBr	133.2												
Subtotal	468.6	30694		67724	61951	10483						170852	170852
360 - Forested Landbase Above OCL													
Age Class 3	26.7												
4	12.6			947	2108	469						3524	3524
5	24.1			360	978	632						1971	1971
6	33.4	275		1459	3798	1128						6659	6659
7	8.0	226		3821	5565	1365						10976	10976
8	423.9	13797		1310	1324	471						3106	3106
Immature	63.5	275		35485	114470	26144						189896	189896
Mature	465.2	14022		2766	6884	2229						12154	12154
Old				40616	121360	27980						203978	203978
NSR													
NP/NCBr	2758.6												
Subtotal	3287.3	14297		43382	128244	30209						216132	216132
Forested Landbase Total													
360 Total	3755.9	44991		111107	190195	40692						366984	366984
360 - Timber Harvesting Landbase													
Age Class 4	7.0												
5	10.9	75		314	1057	155						1525	1525
8	193.4	22805		768	641	1204						2688	2688
Immature	17.8	75		36234	38178	6033						103250	103250
Mature	193.4	22805		1081	1698	1359						4213	4213
Old				36234	38178	6033						103250	103250
NSR													
NP/NCBr	132.6												
Total	343.8											107463	107463

TFL 56 - Area and Volume by Compartment In The Forested Landbase and Timber Harvesting Landbase

Compartment & Land Category	Area (ha)	Volume by Species (m3)										Total Volume		
		Cedar	Fir	Spruce	Hemlock	Balsam	L Pine	W Pine	Decid.	Conifer	All			
TFL 56 - Forested Landbase Below OCL														
Immature	12332.2	34641	102814	35469	78267	12074	409	3430	263674	267105				
Mature	19825.0	1363752	88928	1441569	1684188	361886	902	1464	4941225	4942689				
Old	4529.2	868130	359	127200	364994	4976	370	14	1366029	1366043				
NSR	1615.8													
NP/NCBr	4479.2													
Subtotal	42781.5	2266523	192101	1604238	2127449	378936	1680	4909	6570928	6575837				
TFL 56 - Forested Landbase Above OCL														
Immature	4886.5	6076	43679	33774	71897	35045	88	336	190863	191199				
Mature	15113.7	229771	23952	1119614	1054594	423753	73	7	2852320	2852327				
Old	583.8	104094		18528	31747	1634	5		156008	156008				
NSR	1111.6													
NP/NCBr	55273.3													
Subtotal	76968.9	339941	67631	1171916	1158239	460432	166	343	3199191	3199534				
Forested Landbase Total														
TOTALS	119750.3	2606464	259732	2776154	3285688	839368	1847	5252	9770119	9775371				
TFL 56 - Timber Harvesting Landbase														
Immature	9261.7	68626	138723	65229	129132	18372	2922	9963	423003	432966				
Mature	9564.2	1288838	76340	1078993	1651195	340274	1878	1640	4437517	4439157				
Old	2029.2	619133		123408	245117	8574	1394		997626	997626				
NSR	906.4													
NP/NCBr	3696.2													
TOTAL	25457.7	1976597	215063	1267629	2025444	367219	6194	11603	5858146	5869749				